

Code	Vegetation Description (Ecoscape 2015)	Area (ha)	Proportion of Ecoscape (2015) study area (%)
AcLd	<i>Allocasuarina campestris</i> , <i>Melaleuca uncinata</i> and <i>Acacia mimica</i> var. <i>angusta</i> mid shrubland over <i>Lepidosperma drummondii</i> , <i>Platysace effusa</i> and <i>Hibbertia gracilipes</i> low open sedgeland/ shrubland	36.69	0.58
AfCr	<i>Acacia fragilis</i> , <i>Grevillea plurijuga</i> and <i>Melaleuca pulchella</i> mid shrubland over <i>Cryptandra recurva</i> low sparse shrubland	9.13	0.14
AsAt	<i>Acacia singula</i> , <i>Calothamnus quadrifidus</i> and <i>Verticordia chrysantha</i> mid open shrubland over <i>Allocasuarina thuyoides</i> , <i>Melaleuca tuberculata</i> var. <i>macrophylla</i> and <i>Lepidosperma</i> sp. low open shrubland/ sedgeland	9.28	0.15
BaMs	<i>Banksia armata</i> var. <i>armata</i> , <i>Melaleuca striata</i> and <i>Grevillea baxteri</i> mid open shrubland over <i>Melaleuca scabra</i> , <i>Xanthorrhoea platyphylla</i> and <i>Lepidosperma</i> sp. low shrubland	4.55	0.07
BpBe	<i>Banksia pilostylis</i> and <i>Adenanthos cuneatus</i> mid open shrubland over <i>Beaufortia empetrifolia</i> , <i>Hypolaena humilis</i> and <i>Melaleuca scabra</i> low shrubland/ rushland	36.54	0.58
BsBeAl	<i>Banksia speciosa</i> and <i>Hakea obliqua</i> subsp. <i>obliqua</i> tall shrubland over <i>Beaufortia empetrifolia</i> , <i>Leucopogon crassifolius</i> and <i>Melaleuca striata</i> mid open shrubland over <i>Anarthria laevis</i> , <i>Banksia petiolaris</i> and <i>Stirlingia anethifolia</i> low open rushland/ shrubland	74.67	1.18
Cl	Cleared (completely degraded)	3.31	0.05
CqAp	<i>Calothamnus quadrifidus</i> , <i>Acacia assimilis</i> subsp. <i>atroviridis</i> and <i>Grevillea teretifolia</i> mid open shrubland over <i>Acacia pinguiculosa</i> subsp. <i>teretifolia</i> , <i>Cryptandra graniticola</i> and <i>Lepidosperma rigidulum</i> low shrubland/ sedgeland	3.34	0.05
DcTp	<i>Dodonaea ceratocarpa</i> , <i>Acacia triptycha</i> and <i>Thryptomene australis</i> subsp. <i>brachyandra</i> mid open shrubland over <i>Trachymene pilosa</i> , <i>*Hypochaeris glabra</i> and <i>*Aira cupaniana</i> low open herbland/ grassland	2.24	0.04
Degraded	Degraded	44.94	0.71
DhCc	<i>Duboisia hopwoodii</i> and <i>Rhagodia preissii</i> mid sparse shrubland over <i>Commersonia craurophylla</i> , <i>Acacia glaucissima</i> and <i>Glischrocaryon aureum</i> low open shrubland/ herbland	15.29	0.24
EaCqLb	<i>Eucalyptus angulosa</i> mid open woodland over <i>Calothamnus quadrifidus</i> and <i>Banksia media</i> mid open shrubland over <i>Leucopogon breviflorus</i> , <i>Cyathostemon</i> aff. <i>tenuifolius</i> and <i>Schoenus subfascicularis</i> low open shrubland/ sedgeland	18.43	0.29
EcCc	<i>Eucalyptus conglobata</i> low open mallee woodland over <i>Commersonia craurophylla</i> , <i>Acacia glaucissima</i> and <i>Glischrocaryon aureum</i> low open shrubland/ herbland	55.39	0.87
EcPe	<i>Eucalyptus conglobata</i> mid mallee shrubland over <i>Pultenaea elachista</i> , <i>Grevillea plurijuga</i> and <i>Westringia rigida</i> low open shrubland	5.21	0.08
EdDiMa	<i>Eucalyptus dielsii</i> , <i>E. ?calycogona</i> and <i>E. uncinata</i> mid woodland/ mallee woodland over <i>Daviesia incrassata</i> subsp. <i>incrassata</i> , <i>Dodonaea stenozyga</i> and <i>Melaleuca teuthidoides</i> mid open shrubland over <i>Microcybe albiflora</i> , <i>Spyridium minutum</i> and <i>Westringia rigida</i> low sparse shrubland	5.38	0.08
EdMhLp	<i>Eucalyptus dissimulata</i> subsp. <i>dissimulata</i> and <i>E. scyphocalyx</i> mid mallee woodland over <i>Melaleuca hamata</i> and <i>Callitris preissii</i> mid open shrubland over <i>Leptomeria pachyclada</i> , <i>Coleanthera myrtoides</i> and <i>Conostephium drummondii</i> low open shrubland	18.23	0.29
EdMhVr	<i>Eucalyptus dolichorhyncha</i> , <i>E. perangusta</i> and <i>E. phaenophylla</i> subsp. <i>interjacens</i> low open mallee shrubland over <i>Melaleuca hamata</i> , <i>Aluta appressa</i> and <i>Calothamnus quadrifidus</i> mid shrubland over <i>Verticordia roei</i> subsp. <i>roei</i> , <i>V. chrysantha</i> and <i>Lepidosperma drummondii</i> low open shrubland/ sedgeland	46.29	0.73
EdMpLsp	<i>Eucalyptus dissimulata</i> subsp. <i>dissimulata</i> and <i>E. scyphocalyx</i> mid mallee woodland over <i>Melaleuca plumea</i> , <i>Melaleuca hamata</i> and <i>Melaleuca sapientes</i> mid shrubland over <i>Lepidosperma</i> sp. Bandalup Scabrid (N. Eveleigh 10798), <i>Leucopogon</i> sp. Coujinup (M.A. Burgman 1085) and <i>Hibbertia</i> sp. low open sedgeland/ shrubland	20.91	0.33

Code	Vegetation Description (Ecoscape 2015)	Area (ha)	Proportion of Ecoscape (2015) study area (%)
EdMpOm	<i>Eucalyptus diptera</i> , <i>E. urna</i> and <i>E. eremophila</i> mid woodland over <i>Melaleuca pauperiflora</i> , <i>M. podiocarpa</i> and <i>M. linguiformis</i> mid open shrubland over <i>Olearia muelleri</i> , <i>Scaevola spinescens</i> and <i>Daviesia</i> sp. low sparse shrubland	140.05	2.21
EdMpRs	<i>Eucalyptus diptera</i> and <i>E. polita</i> low woodland over <i>Melaleuca pauperiflora</i> subsp. <i>pauperiflora</i> mid open shrubland over <i>Rhodanthe spicata</i> low open herbland	2.15	0.03
EdMqMm	<i>Eucalyptus delicata</i> , <i>E. urna</i> and <i>E. salmonophloia</i> mid mallee woodland over <i>Melaleuca quadrifaria</i> , <i>M. teuthidoides</i> and <i>M. pauperiflora</i> tall open shrubland over <i>Microcybe multiflora</i> subsp. <i>multiflora</i> , <i>Daviesia benthamii</i> subsp. <i>acanthoclona</i> low isolated shrubs	191.01	3.01
EeAl	<i>Eucalyptus extrica</i> , <i>Grevillea baxteri</i> and <i>Hakea obliqua</i> subsp. <i>obliqua</i> low open mallee shrubland/ shrubland over <i>Anarthria laevis</i> , <i>Mesomelaena stygia</i> subsp. <i>stygia</i> and <i>Banksia repens</i> low sedgeland/ shrubland	103.01	1.62
EeDsDv	<i>Eucalyptus extensa</i> , <i>E. spreata</i> and <i>E. diptera</i> mid woodland over <i>Dodonaea stenozyga</i> , <i>Exocarpos aphyllus</i> and <i>Eremophila scoparia</i> mid open shrubland over <i>Pultenaea arida</i> , <i>Diocirea violacea</i> and <i>Halgania andromedifolia</i> low sparse shrubland	27.73	0.44
EeEsBi	<i>Eucalyptus eremophila</i> , <i>E. flocktoniae</i> subsp. <i>flocktoniae</i> and <i>E. phenax</i> subsp. <i>phenax</i> mid mallee woodland over <i>Exocarpos sparteus</i> and <i>Melaleuca cucullata</i> mid open shrubland over <i>Boronia inornata</i> subsp. <i>leptophylla</i> , <i>Spyridium cordatum</i> and <i>Pultenaea purpurea</i> low open shrubland.	8.09	0.13
EeGbMs	<i>Eucalyptus extrica</i> low sparse mallee shrubland over <i>Grevillea baxteri</i> , <i>Daviesia apiculata</i> and <i>Adenanthos cuneatus</i> mid open shrubland over <i>Mesomelaena stygia</i> subsp. <i>stygia</i> , <i>Beaufortia empetrifolia</i> and <i>Calothamnus gracilis</i> low sedgeland/ shrubland	152.75	2.41
EeMeLd	<i>Eucalyptus eremophila</i> mid open woodland over <i>Melaleuca exuvia</i> , <i>M. thyoides</i> and <i>Cyathostemon</i> cf. <i>ambiguus</i> tall open shrubland over <i>Lepidosperma drummondii</i> , <i>Darwinia</i> sp. Karonie (K. Newbey 8503) and <i>Microcybe multiflora</i> subsp. <i>baccharoides</i> low open sedgeland/ shrubland	17.11	0.27
EeMhHa	<i>Eucalyptus eremophila</i> , <i>E. pileata</i> and <i>E. scyphocalyx</i> mid open mallee shrubland over <i>Melaleuca hamata</i> , <i>Grevillea plurijuga</i> and <i>Dodonaea amblyophylla</i> mid open shrubland over <i>Halgania andromedifolia</i> and <i>Cooperhooikia strophiolata</i> low open shrubland	66.57	1.05
EeMIOM	<i>Eucalyptus eremophila</i> , <i>E. leptocalyx</i> and <i>E. valens</i> mid open woodland over <i>Melaleuca linguiformis</i> , <i>M. thyoides</i> and <i>Alyxia buxifolia</i> mid open shrubland over <i>Olearia muelleri</i> , <i>Scaevola spinescens</i> and <i>Waitzia suaveolens</i> var. <i>flava</i> low open shrubland/ herbland	210.36	3.32
EeMsGa	<i>Eucalyptus eremophila</i> , <i>E. flocktoniae</i> and <i>E. scyphocalyx</i> low woodland/ mallee woodland over <i>Melaleuca societatis</i> , <i>M. sapientes</i> and <i>M. teuthidoides</i> mid shrubland over <i>Gahnia ancistrophylla</i> , <i>Spyridium minutum</i> and <i>Comesperma spinosum</i> low open sedgeland/ shrubland	1471.12	23.21
EeMsGa/ EIMsAs	Mosaic, see separate descriptions	40.57	0.64
EeMsGa/ EoMpAs	Mosaic, see separate descriptions	26.62	0.42
EeMsWc	<i>Eucalyptus eremophila</i> , <i>E. kessellii</i> and <i>E. flocktoniae</i> mid mallee woodland over <i>Melaleuca sapientes</i> , <i>Daviesia benthamii</i> subsp. <i>acanthoclona</i> and <i>Melaleuca teuthidoides</i> mid shrubland over <i>Westringia cephalantha</i> var. <i>caterva</i> , <i>Cooperhooikia strophiolata</i> and <i>Olearia muelleri</i> low open shrubland	285.35	4.50
EePmHh	<i>Eucalyptus extrica</i> , <i>E. angulosa</i> and <i>E. leptocalyx</i> mid open mallee shrubland over <i>Phymatocarpus maxwellii</i> , <i>Beaufortia empetrifolia</i> and <i>Melaleuca pulchella</i> mid shrubland over <i>Hypolaena humilis</i> , <i>Acacia crispula</i> and <i>Anarthria laevis</i> low open rushland/ shrubland	106.47	1.68
EfEaHsp	<i>Eucalyptus flocktoniae</i> subsp. <i>flocktoniae</i> , <i>E. eremophila</i> and <i>E. pileata</i> mid woodland over <i>Exocarpos aphyllus</i> , <i>Melaleuca johnsonii</i> and <i>M. lateriflora</i> mid open shrubland over <i>Halgania</i> sp. Peak Eleanora (M.A. Burgman 3547 B), <i>Pultenaea ?arida</i> and <i>Pomaderris rotundifolia</i> low sparse shrubland	25.11	0.40

Code	Vegetation Description (Ecoscape 2015)	Area (ha)	Proportion of Ecoscape (2015) study area (%)
EfMcAc	<i>Eucalyptus flocktoniae</i> , <i>E. quadrans</i> and <i>E. extensa</i> mid mallee woodland over <i>Melaleuca cucullata</i> , <i>M. strobophylla</i> and <i>Dodonaea stenozyga</i> tall shrubland over <i>Acacia crassuloides</i> , <i>A. erinacea</i> and <i>Hakea commutata</i> low open shrubland	120.72	1.90
EfMmBi	<i>Eucalyptus flocktoniae</i> low open mallee shrubland over <i>Melaleuca marginata</i> mid open shrubland over <i>Boronia inornata</i> subsp. <i>inornata</i> and <i>Daviesia benthamii</i> subsp. <i>acanthoclona</i> low open shrubland	20.23	0.32
EfMpAc	<i>Eucalyptus flocktoniae</i> subsp. <i>flocktoniae</i> , <i>E. conglobata</i> and <i>E. leptocalyx</i> mid mallee woodland over <i>Melaleuca podiocalpa</i> , <i>M. pauperiflora</i> subsp. <i>pauperiflora</i> and <i>Daviesia benthamii</i> subsp. <i>acanthoclona</i> mid open shrubland over <i>Acacia crassuloides</i> , <i>A. deficiens</i> and <i>Pomaderris rotundifolia</i> low sparse shrubland	24.36	0.38
EfMsDb	<i>Eucalyptus forrestiana</i> , <i>E. conglobata</i> and <i>E. flocktoniae</i> low woodland/ mallee woodland over <i>Melaleuca societatis</i> , <i>M. podiocalpa</i> and <i>M. bromelioides</i> mid shrubland over <i>Daviesia benthamii</i> subsp. <i>acanthoclona</i> , <i>Spyridium minutum</i> and <i>Boronia inornata</i> subsp. <i>leptophylla</i> low open shrubland	243.10	3.83
EgAs	<i>Eucalyptus grossa</i> , <i>Melaleuca uncinata</i> and <i>Calothamnus quadrifidus</i> subsp. <i>quadrifidus</i> mid shrubland over <i>Acacia sulcata</i> var. <i>platyphylla</i> , <i>Lepidosperma drummondii</i> and <i>Cryptandra minutifolia</i> subsp. <i>brevistyla</i> low open shrubland/ sedgeland	66.05	1.04
EgAs/ EpBmMs	Mosaic, see separate descriptions	10.70	0.17
EgMqCc	<i>Eucalyptus gracilis</i> , <i>E. ovularis</i> and <i>E. spreta</i> mid woodland over <i>Melaleuca quadrifaria</i> , <i>M. teuthidoides</i> and <i>M. lanceolata</i> tall open shrubland over <i>Cratystylis conocephala</i> , <i>Atriplex vesicaria</i> and <i>Zygophyllum aurantiacum</i> low open shrubland	167.46	2.64
EgMtBi	<i>Eucalyptus gracilis</i> and <i>E. sp.</i> low open woodland over <i>Melaleuca teuthidoides</i> mid sparse shrubland over <i>Boronia inornata</i> subsp. <i>leptophylla</i> , <i>Westringia rigida</i> and <i>Acacia merrallii</i> low open shrubland	7.51	0.12
EiAiMe	<i>Eucalyptus incrassata</i> and <i>E. uncinata</i> tall mallee woodland over <i>Adenanthos ileticos</i> , <i>Banksia media</i> and <i>Phymatocarpus maxwellii</i> mid open shrubland over <i>Micromyrtus elobata</i> subsp. <i>scopula</i> and <i>Darwinia polycephala</i> low sparse shrubland	45.42	0.72
EiBsLd	<i>Eucalyptus incrassata</i> , <i>E. phaenophylla</i> subsp. <i>interjacens</i> and <i>E. uncinata</i> mid open mallee shrubland over <i>Beaufortia schaueri</i> , <i>Calothamnus quadrifidus</i> and <i>Gastrolobium nutans</i> mid shrubland over <i>Lepidosperma drummondii</i> , <i>Conostylis argentea</i> and <i>Schoenus brevisetis</i> low sedgeland/ herbland	12.59	0.20
EiMcGa	<i>Eucalyptus incrassata</i> and <i>E. phaenophylla</i> mid mallee shrubland over <i>Melaleuca calycina</i> , <i>M. societatis</i> and <i>M. johnsonii</i> mid open shrubland over <i>Gahnia ancistrophylla</i> , <i>Daviesia lancifolia</i> and <i>Gahnia aristata</i> low sparse sedgeland/ shrubland	43.18	0.68
EiMpAc	<i>Eucalyptus indurata</i> , <i>E. conglobata</i> and <i>E. flocktoniae</i> mid open mallee woodland over <i>Melaleuca pauperiflora</i> subsp. <i>pauperiflora</i> , <i>M. strobophylla</i> and <i>M. podiocalpa</i> mid open shrubland over <i>Acacia crassuloides</i> , <i>Daviesia benthamii</i> subsp. <i>acanthoclona</i> and <i>Microcybe multiflora</i> subsp. <i>multiflora</i> low open shrubland	29.03	0.46
EkBmPm	<i>Eucalyptus kessellii</i> , <i>E. pleurocarpa</i> and <i>E. pileata</i> mid open mallee shrubland over <i>Banksia media</i> mid sparse shrubland over <i>Phymatocarpus maxwellii</i> , <i>Melaleuca pulchella</i> and <i>Daviesia lancifolia</i> low shrubland	20.48	0.32
EkMtDb	<i>Eucalyptus kessellii</i> , <i>E. eremophila</i> and <i>E. aff. leptocalyx</i> mid open mallee woodland over <i>Melaleuca teuthidoides</i> , <i>M. sapientes</i> and <i>M. podiocalpa</i> tall open shrubland over <i>Daviesia benthamii</i> subsp. <i>acanthoclona</i> , <i>Boronia inornata</i> subsp. <i>leptophylla</i> and <i>Acacia glaucissima</i> low sparse shrubland	89.79	1.42
EIMbBi	<i>Eucalyptus luculenta</i> and <i>E. eremophila</i> low sparse mallee shrubland over <i>Melaleuca bromelioides</i> mid open shrubland over <i>Boronia inornata</i> subsp. <i>leptophylla</i> and <i>Microcybe multiflora</i> subsp. <i>baccharoides</i> low sparse shrubland	3.72	0.06

Code	Vegetation Description (Ecoscape 2015)	Area (ha)	Proportion of Ecoscape (2015) study area (%)
EIMsAs	<i>Eucalyptus luculenta</i> , <i>E. uncinata</i> and <i>E. eremophila</i> mid open mallee woodland over <i>Melaleuca societatis</i> , <i>Daviesia benthamii</i> subsp. <i>acanthoclona</i> and <i>Melaleuca hamata</i> mid open shrubland over <i>Acacia sorophylla</i> , <i>Pultenaea purpurea</i> and <i>Boronia inornata</i> subsp. <i>leptophylla</i> low sparse shrubland	180.81	2.85
EIMsDp	<i>Eucalyptus</i> aff. <i>leptocalyx</i> and <i>E. uncinata</i> mid woodland over <i>Melaleuca societatis</i> and <i>M. teuthidoidea</i> tall open shrubland over <i>Darwinia polycephala</i> , <i>Cyathostemon</i> aff. <i>ambiguus</i> and <i>Baekkea crassifolia</i> low open shrubland	5.79	0.09
EIMsLg	<i>Eucalyptus leptocalyx</i> and <i>E. flocktoniae</i> mid mallee woodland over <i>Melaleuca societatis</i> , <i>M. hamata</i> and <i>M. undulata</i> tall open shrubland over <i>Lepidosperma gahnioides</i> , <i>Lepidosperma</i> sp. Bandalup Scabrid (N. Eveleigh 10798) and <i>Gahnia ancistrophylla</i> low open sedgeland	49.77	0.79
EIMsLg/ EIPmGa	Mosaic, see separate descriptions	4.05	0.06
EIMsSm	<i>Eucalyptus leptocalyx</i> , <i>E. uncinata</i> and <i>E. varia</i> subsp. <i>varia</i> mid open mallee shrubland over <i>Melaleuca societatis</i> and <i>M. glaberrima</i> mid shrubland over <i>Spyridium mucronatum</i> subsp. <i>mucronatum</i> , <i>Boronia inornata</i> subsp. <i>leptophylla</i> and <i>Gahnia ancistrophylla</i> low open shrubland/ sedgeland	401.82	6.34
EIPmGa	<i>Eucalyptus leptocalyx</i> , <i>E. pleurocarpa</i> and <i>E. micranthera</i> mid open mallee shrubland over <i>Phymatocarpus maxwellii</i> , <i>Melaleuca pulchella</i> and <i>M. plumea</i> mid shrubland over <i>Gahnia ancistrophylla</i> and <i>Boronia crassifolia</i> low open sedgeland/ shrubland	72.50	1.14
EIPmGa/ EfmSdb	Mosaic, see separate descriptions	6.00	0.09
EIPmSm	<i>Eucalyptus leptocalyx</i> and <i>E. uncinata</i> and <i>E. angulosa</i> mid open mallee shrubland over <i>Phymatocarpus maxwellii</i> , <i>Melaleuca societatis</i> and <i>Banksia media</i> mid shrubland over <i>Spyridium mucronatum</i> subsp. <i>mucronatum</i> , <i>Microcybe pauciflora</i> subsp. <i>pauciflora</i> and <i>Conostephium drummondii</i> low open shrubland	61.63	0.97
EmMpCc	<i>Eucalyptus melanoxydon</i> , <i>E. dundasii</i> and <i>E. salmonophloia</i> mid woodland over <i>Melaleuca pauperiflora</i> , <i>M. quadrifaria</i> and <i>M. teuthidoidea</i> tall sparse shrubland over <i>Cratystylis conocephala</i> , <i>Maireana</i> sp. and <i>Acacia merrallii</i> low open shrubland	176.94	2.79
EoArTsp	<i>Eucalyptus occidentalis</i> mid woodland over <i>Acacia rostellifera</i> and <i>A. cyclops</i> mid open shrubland over <i>Tetraria</i> sp. Mt Madden (C.D. Turley 40 BP/ 897), <i>Neurachne alopecuroidea</i> and <i>Dodonaea caespitosa</i> low sedgeland/ grassland/ shrubland	1.45	0.02
EoEd	<i>Eucalyptus ovularis</i> and <i>E. platycorys</i> mid sparse mallee shrubland over <i>Eremophila dichroantha</i> , <i>E. aff. rugosa</i> and <i>Philotheca fitzgeraldii</i> low shrubland	41.29	0.65
EoMcBi	<i>Eucalyptus oleosa</i> subsp. <i>oleosa</i> , <i>E. conglobata</i> and <i>E. dielsii</i> mid mallee woodland over <i>Melaleuca cucullata</i> , <i>M. acuminata</i> subsp. <i>acuminata</i> and <i>M. podiocarpa</i> tall shrubland over <i>Boronia inornata</i> subsp. <i>leptophylla</i> , <i>Olearia muelleri</i> and <i>Acacia profusa</i> low sparse shrubland	43.68	0.69
EoMpAm	<i>Eucalyptus oleosa</i> subsp. <i>cylindroidea</i> mid mallee woodland over <i>Melaleuca pauperiflora</i> subsp. <i>pauperiflora</i> and <i>M. quadrifaria</i> mid shrubland over <i>Acacia merrallii</i> and <i>Daviesia</i> sp. low scattered shrubs	12.62	0.20
EoMpAs	<i>Eucalyptus oleosa</i> subsp. <i>cylindroidea</i> mid mallee woodland over <i>Melaleuca podiocarpa</i> , <i>M. teuthidoidea</i> and <i>M. brevifolia</i> mid open shrubland over <i>Acacia sorophylla</i> , <i>Microcybe multiflora</i> subsp. <i>baccharoides</i> and <i>Boronia inornata</i> subsp. <i>leptophylla</i> low open shrubland	23.47	0.37
EoMpPa	<i>Eucalyptus oleosa</i> subsp. <i>cylindroidea</i> , <i>E. eremophila</i> and <i>E. diptera</i> mid open woodland/ mallee woodland over <i>Melaleuca pauperiflora</i> , <i>Alyxia buxifolia</i> and <i>Eremophila ionantha</i> mid sparse shrubland over <i>Pultenaea arida</i> , <i>Olearia muelleri</i> and <i>Austrostipa trichophylla</i> low sparse shrubland/ grassland	17.33	0.27
EoMpSf	<i>Eucalyptus occidentalis</i> mid woodland over <i>Melaleuca pulchella</i> , <i>M. calycina</i> and <i>Baekkea pachyphylla</i> mid shrubland over <i>Schoenus subfascicularis</i> low sparse sedgeland	7.47	0.12

Code	Vegetation Description (Ecoscape 2015)	Area (ha)	Proportion of Ecoscape (2015) study area (%)
EoMs	<i>Eucalyptus occidentalis</i> mid woodland over <i>Melaleuca strobophylla</i> and <i>Acacia diaphana</i> tall open shrubland	5.13	0.08
EoMtTc	<i>Eucalyptus obesa</i> and <i>E. pleurocarpa</i> mid open mallee shrubland over <i>Melaleuca tuberculata</i> var. <i>macrophylla</i> , <i>Beaufortia micrantha</i> var. <i>micrantha</i> and <i>Calothamnus gracilis</i> mid open shrubland over <i>Tricostularia compressa</i> , <i>Chordifex sphacelatus</i> and <i>Schoenus subfascicularis</i> low open sedgeland/ rushland	11.12	0.18
EoOm	<i>Eucalyptus olivina</i> mid open woodland over <i>Olearia muelleri</i> , <i>Lepidosperma drummondii</i> and <i>Gahnia ancistrophylla</i> low sparse shrubland/ sedgeland	2.45	0.04
EpAh	<i>Eucalyptus pleurocarpa</i> and <i>E. tumida</i> mid sparse mallee shrubland over <i>Allocasuarina humilis</i> , <i>Melaleuca hamata</i> and <i>Banksia armata</i> var. <i>armata</i> low open shrubland	10.54	0.17
EpBmMs	<i>Eucalyptus pleurocarpa</i> , <i>E. phaenophylla</i> and <i>E. incrassata</i> mid open mallee shrubland over <i>Beaufortia micrantha</i> var. <i>micrantha</i> , <i>M. rigidifolia</i> and <i>M. hamata</i> mid open shrubland over <i>Mesomelaena stygia</i> subsp. <i>stygia</i> , <i>Lysinema pentapetalum</i> and <i>Lepidosperma</i> spp. low open sedgeland/ shrubland	168.18	2.65
EpEa	<i>Eucalyptus platypus</i> subsp. <i>platypus</i> , <i>E. flocktoniae</i> subsp. <i>flocktoniae</i> and <i>E. dielsii</i> low open woodland over <i>Exocarpos aphyllus</i> , <i>Gastrolobium musaceum</i> and <i>Daviesia argillacea</i> mid open shrubland	43.01	0.68
EpMhGa	<i>Eucalyptus phaenophylla</i> , <i>E. leptocalyx</i> and <i>E. uncinata</i> mid mallee woodland over <i>Melaleuca hamata</i> , <i>M. subfalcata</i> and <i>Exocarpos sparteus</i> mid sparse shrubland over <i>Gahnia ancistrophylla</i> , <i>Spyridium cordatum</i> and <i>Acacia ingrata</i> low sparse sedgeland/ shrubland	102.67	1.62
EqMpOm	<i>Eucalyptus quadrans</i> mid mallee woodland over <i>Melaleuca pauperiflora</i> subsp. <i>pauperiflora</i> , <i>M. acuminata</i> subsp. <i>acuminata</i> and <i>Acacia amyctica</i> mid shrubland over <i>Olearia muelleri</i> low sparse shrubland	10.29	0.16
EsBpLt	<i>Eucalyptus sporadica</i> and <i>E. clivicola</i> mid mallee woodland/ woodland over <i>Baeckea pachyphylla</i> , <i>Melaleuca eurystoma</i> and <i>Melaleuca hamata</i> mid open shrubland over <i>Lepidosperma tuberculatum</i> and <i>Tetraria</i> sp. Mt Madden (C.D. Turley 40 BP/ 897) mid open sedgeland	4.14	0.07
EsGIWr	<i>Eucalyptus sprete</i> mid isolated trees over <i>Geijera linearifolia</i> , <i>Santalum acuminatum</i> and <i>Dodonaea viscosa</i> subsp. <i>angustissima</i> tall sparse shrubland over <i>Westringia rigida</i> , <i>Atriplex vesicaria</i> and <i>Austrostipa variabilis</i> low shrubland/ tussock grassland	33.54	0.53
EsMt	<i>Eucalyptus sprete</i> and <i>E. kumarlensis</i> low woodland over <i>Melaleuca thyoidea</i> , <i>Cyathostemon</i> aff. <i>ambiguus</i> and <i>Spyridium mucronatum</i> subsp. <i>mucronatum</i> low shrubland	18.73	0.30
EspLp	<i>Eucalyptus</i> sp. Fraser Range (D. Nicolle 2157), <i>Exocarpos sparteus</i> and <i>Melaleuca hamata</i> low open mallee shrubland/ shrubland over <i>Leptomeria pachyclada</i> , <i>Phymatocarpus maxwellii</i> and <i>Dillwynia divaricata</i> low open shrubland	15.46	0.24
EspMhLs p	<i>Eucalyptus</i> sp. Fraser Range (D. Nicolle 2157) and <i>Allocasuarina huegeliana</i> mid low open mallee shrubland/ woodland over <i>Melaleuca hamata</i> , <i>Acacia patagiata</i> and <i>A. mutabilis</i> subsp. <i>angustifolia</i> mid open shrubland over <i>Lepidosperma</i> aff. <i>brunonianum</i> and <i>Lomandra micrantha</i> subsp. <i>teretifolia</i> low sparse sedgeland/ herbland	9.20	0.15
EspPmCl	<i>Eucalyptus</i> sp. Fraser Range (D. Nicolle 2157) mid sparse mallee shrubland over <i>Phymatocarpus maxwellii</i> , <i>Adenanthos cuneatus</i> and <i>Acacia assimilis</i> subsp. <i>atroviridis</i> mid shrubland over <i>Calytrix leschenaultii</i> , <i>Lepidosperma carphoides</i> and <i>Chordifex sphacelatus</i> low sparse shrubland/ sedgeland/ rushland	2.67	0.04
EtMgLd	<i>Eucalyptus tetraptera</i> and <i>E. leptocalyx</i> mid sparse mallee shrubland over <i>Melaleuca glena</i> , <i>M. rigidifolia</i> and <i>M. glaberrima</i> mid shrubland over <i>Lepidosperma drummondii</i> and <i>Gahnia ancistrophylla</i> low sparse sedgeland	18.85	0.30
EtMs	<i>Eucalyptus transcontinentalis</i> , <i>E. urna</i> and <i>E. eremophila</i> low woodland over <i>Melaleuca sapientes</i> , <i>M. podiocarpa</i> and <i>M. eleuterostachya</i> low shrubland	29.56	0.47

Code	Vegetation Description (Ecoscape 2015)	Area (ha)	Proportion of Ecoscape (2015) study area (%)
EtMuGsp	<i>Eucalyptus tumida</i> , <i>E. uncinata</i> and <i>E. flocktoniae</i> mid sparse mallee shrubland over <i>Melaleuca undulata</i> , <i>M. societatis</i> and <i>Grevillea plurijuga</i> low open shrubland over <i>Gahnia</i> sp. Ravensthorpe (G.F. Craig 5005), <i>Acacia gonophylla</i> and <i>A. crassuloides</i> low sparse sedgeland/ shrubland	50.86	0.80
EuAcSs	<i>Eucalyptus uncinata</i> and <i>E. conglobata</i> mid mallee shrubland over <i>Acacia cyclops</i> , <i>A. nitidula</i> and <i>Dodonaea amblyophylla</i> mid open shrubland over <i>Schoenus subfascicularis</i> , <i>Gahnia</i> sp. and <i>Lepidosperma</i> sp. Mt Burdett (M.A. Burgman & C. Layman MAB 3287) low open sedgeland	6.59	0.10
EuGpBi	<i>Eucalyptus uncinata</i> and <i>E. leptocalyx</i> mid open mallee shrubland over <i>Grevillea plurijuga</i> subsp. <i>plurijuga</i> , <i>Melaleuca hamata</i> and <i>Melaleuca societatis</i> mid open shrubland over <i>Boronia inornata</i> subsp. <i>leptophylla</i> , <i>Pultenaea purpurea</i> and <i>Hibbertia psilocarpa</i> low open shrubland	44.75	0.71
EuMh	<i>Eucalyptus uncinata</i> and <i>E. phaenophylla</i> subsp. <i>interjacens</i> mid mallee woodland over <i>Melaleuca hamata</i> , <i>Acacia patagiata</i> and <i>A. assimilis</i> subsp. <i>assimilis</i> mid shrubland	5.00	0.08
EuMpRs	<i>Eucalyptus urna</i> and <i>E. valens</i> low open forest over <i>Melaleuca pauperiflora</i> , <i>M. brevifolia</i> and <i>M. sapientes</i> mid open shrubland over <i>Ricinocarpos stylosus</i> and <i>Daviesia</i> sp. low sparse shrubland	14.06	0.22
EuMtDI	<i>Eucalyptus uncinata</i> and <i>E. tumida</i> mid sparse mallee shrubland over <i>Melaleuca teuthidoides</i> , <i>M. rigidifolia</i> and <i>M. hamata</i> mid shrubland over <i>Daviesia lancifolia</i> , <i>Pultenaea elachista</i> and <i>Microcybe albiflora</i> low open shrubland	67.95	1.07
EuMtPe	<i>Eucalyptus uncinata</i> , <i>E. conglobata</i> and <i>E. indurata</i> mid open mallee woodland over <i>Melaleuca teuthidoides</i> , <i>Daviesia incrassata</i> subsp. <i>incrassata</i> and <i>Melaleuca calycina</i> mid open shrubland over <i>Pultenaea elachista</i> , <i>Spyridium minutum</i> low sparse shrubland	10.73	0.17
EvEaPf	<i>Eucalyptus valens</i> and <i>E. kumarlensis</i> low open forest over <i>Exocarpos aphyllus</i> , <i>Callitris preissii</i> and <i>Alyxia buxifolia</i> tall sparse shrubland over <i>Phebalium filifolium</i> , <i>Lepidosperma drummondii</i> and <i>Bertya virgata</i> low open shrubland	18.01	0.28
EvEaPf/ EtMs	Mosaic, see separate descriptions	27.20	0.43
HcBe	<i>Hakea cinerea</i> , <i>H. pandanicarpa</i> subsp. <i>pandanicarpa</i> and <i>Eucalyptus extrica</i> mid open shrubland/ mallee shrubland over <i>Beaufortia empetrifolia</i> , <i>Leucopogon crassifolius</i> and <i>Melaleuca pulchella</i> low shrubland	159.41	2.51
MaTs	<i>Melaleuca acuminata</i> subsp. <i>acuminata</i> , <i>Melaleuca thyoides</i> and <i>Melaleuca lanceolata</i> tall shrubland over <i>Triodia scariosa</i> , <i>Bossiaea leptacantha</i> and <i>Westringia rigida</i> low open hummock grassland/ shrubland	25.74	0.41
MbAj	<i>Melaleuca brevifolia</i> , <i>M. subalaris</i> and <i>M. thyoides</i> mid open shrubland over <i>Austrostipa juncifolia</i> and <i>Tecticornia</i> spp. mid sparse grassland/ samphire shrubland	64.97	1.02
MhAj	<i>Melaleuca hamulosa</i> tall sparse shrubland over <i>Austrostipa juncifolia</i> and <i>Gahnia</i> sp. L (K.R. Newbey 7888) mid open tussock grassland/ sedgeland	1.54	0.02
MuTm	<i>Melaleuca uncinata</i> , <i>Thryptomene australis</i> subsp. <i>brachyandra</i> and <i>Acacia nitidula</i> mid shrubland over <i>Trymalium myrtillus</i> subsp. <i>myrtillus</i> , <i>Spartochloa scirpoidea</i> and <i>Platysace effusa</i> low shrubland/ tussock grassland	26.83	0.42
SL	Salt lake (no vegetation)	19.19	0.30
Tspp	<i>Tecticornia</i> spp. and <i>Maireana oppositifolia</i> low open samphire shrubland/ chenopod shrubland	16.36	0.26
Total		6339.59	100.00