APPENDIX F: TERRESTRIAL FAUNA SURVEY REPORTS AND ADVICE

Printed copies of this document are not controlled. Please ensure that this is the latest available version before use.

Report No. J020348

Detailed vertebrate fauna survey of the Lamb Creek project

Prepared for: Mineral Resources Limited
Date: 24 January 2022

Rapallo Environmental is a Western Australian consultancy with a strong reputation for technical excellence, client-focus and innovation. We build long-term alliances through outstanding delivery on a range of services to the resource sector, government and associated industries.





ENVIRONMENTAL | ENGINEERING | CONSTRUCTION & OPERATIONS *NDT & Inspections* | MINING | RESOURCE MANAGEMENT

Report No. J020348
Detailed vertebrate fauna survey of the Lamb Creek project
Prepared for Mineral Resources Limited
24 January 2022

Revision	Date	Prepared	Reviewed	Approved
Internal Review	25/09/2020	Jon-Paul Emery	Marieke Weerheim	Marieke Weerheim
Draft Report – V1	19/11/2020	Marieke Weerheim	Kate George	Kate George
	04/02/2021		Sarah Osborne (MRL)	
Draft Report – V2	18/11/2021	Kate George	Marieke Weerheim Carl Paton (MRL)	Marieke Weerheim
Final	24/01/2022	Marieke Weerheim	Kate George Carl Paton (MRL)	Kate George

Rapallo Group
Perth Office
10 Elmsfield Road, Midvale WA 6056
Phone: (08) 6279 0900
Fax: (08) 6279 0934

Kalgoorlie Office
10 Broadwood Street, West Kalgoorlie 6430
Phone: (08) 9460 4300
Fax: (08) 9226 2388
PO Box 1123 Kalgoorlie

ABN: 31 726 506 590
ACN: 009 257 836
www.rapallo.com.au

This document has been prepared based on assumptions as reported throughout and upon information and data supplied by others.

While Rapallo Pty. Ltd. has taken all reasonable care to ensure the facts and opinions expressed in this document are accurate, it does not accept any legal responsibility to any person for any loss or damage suffered by him or her resulting from his or her use of this report however caused and whether by breach of contract, negligence or otherwise. The client has requested not to include impact assessment or survey recommendations in this report. Targeted surveys for conservation significant fauna including ghost bat and northern quoll were outside of the scope.

© Rapallo Group

Table of Contents

Executive summary **1**

1 Introduction **5**

1.1 Project overview 5

1.2 Scope and objectives 5

1.3 Survey area and project history 5

1.4 Definitions 6

2 Regional context **9**

2.1 Climate and weather 9

2.2 Biogeography 11

2.2.1 IBRA bioregions 11

2.2.2 Land systems 11

2.2.3 Geology 12

2.2.4 Soils 13

2.3 Regional vegetation 15

2.3.1 Botanical district 15

2.3.2 Vegetation system-associations 15

2.4 Reserves and Environmentally Sensitive Areas 16

2.4.1 Environmentally Sensitive Areas 16

2.4.2 Threatened and Priority Ecological Communities 16

2.5 Fire history 16

3 Methods **18**

3.1 Desktop 18

3.1.1 Conservation status and naming 19

3.2 Personnel and licensing 19

3.3 Field survey 20

3.3.1 Systematic trapping 20

3.3.2 Bird surveys 20

3.3.3 SM4 recorders for bats and night parrot 20

3.3.4 Foraging and leaf litter Searching 21

3.3.5 Opportunistic observations 21

3.3.6 Camera transects 23

3.3.7 Species richness estimators 23

3.3.8 Habitat mapping 23

4 Results and Discussion **25**

4.1 Desktop results vertebrate fauna 25
4.1.1 Regional survey effort 25
4.1.2 Regional fauna assemblage 25
4.1.3 Introduced fauna (Pests) 25
4.1.4 Conservation significant fauna 27
4.2 Vertebrate fauna assemblage 31
4.2.1 Birds 31
4.2.2 Mammals 32
4.2.3 Reptiles 32
4.2.4 Amphibians 33
4.2.5 Species richness estimators 33
4.4 Conservation significant vertebrate fauna 37
4.4.1 Northern quoll 37
4.4.2 Ghost bat 38
4.4.3 Pilbara olive python 39
4.4.4 Western pebble-mound mouse 40
4.4.5 Fork-tailed swift 40
4.5 Broad fauna habitats 42
4.5.1 Stony plain 47
4.5.2 Hill crests/hill slopes 47
4.5.3 Gorge, gully and rocky breakaway 47
4.5.4 Medium drainage 48
4.5.5 Minor drainage 49
4.5.6 Tussock grassland plain 49
4.5.7 Mulga/corymbia plain 50
4.5.8 Disturbance 51
4.6 Habitat Features 51
4.7 Survey adequacy and limitations 53
4.7.1 Level of assessment and survey timing 53
4.7.2 Survey completeness 53
4.7.3 Survey limitations 53
5 Conclusion 56
6 References 58
7 Appendices 65

Tables

Table 1.1 Project and survey area definitions 6
Table 2.1 Daily rainfall and temperatures recorded during the field survey (Newman Airport weather station) 10
Table 2.2 Land systems of the Lamb Creek detailed fauna survey area 12
Table 2.3 Beard vegetation system-associations within the survey area 15
Table 3.1 Database search parameters 18
Table 3.2 Fauna surveys completed within 50 km of Lamb Creek 18
Table 3.3 Personnel involved in the project 19
Table 3.4 Summary of survey effort 24
Table 4.1 Desktop results: Introduced (feral) fauna recorded within 50 kilometres of the survey area 26
Table 4.2 Desktop results: Fauna species confirmed to possible to occur in the survey area 28
Table 4.3 Summary of the total number of vertebrate fauna species recorded from Lamb Creek to date 31
Table 4.4 Broad Fauna Habitats 42
Table 4.5 Fauna habitat descriptions 43
Table 4.6 Limitations of the fauna survey of the Lamb creek survey project area 53

Figures

Figure 1.1 Tenements of the Lamb Creek Iron Ore project area as per December 2021 7
Figure 1.2 Location and extent of the survey area 8
Figure 2.1 Long-term average monthly rainfall and maximum temperature, and 2019-2020 monthly rainfall and mean maximum temperature recorded at Newman Aero weather station (BOM 2020) 9
Figure 2.2 Land systems of the survey area 14
Figure 2.3 NAFI fire scars across the Lamb Creek project area between 2012 and 2021 17
Figure 3.1 Survey effort 22
Figure 4.1 Species accumulation curve for trappable vertebrate fauna 34
Figure 4.2 Species accumulation curve for systematic bird surveys 35
Figure 4.3 Locations of conservation significant vertebrate fauna records from 2012 and 2020 surveys 41
Figure 4.4 Habitats of the survey area 52

Appendices

Appendix I Likelihood of occurrence matrix: Vertebrate fauna .....
Appendix II Conservation codes .....

Appendix III Site coordinates, camera trap and SM4 deployment details .....
Appendix IV Significance assessment criteria: Habitat .....
Appendix V Desktop results: All vertebrate fauna species recorded within 50 km of Lamb Creek .....
Appendix VI Desktop results: Conservation significant fauna recorded within 50 km of Lamb Creek ....
Appendix VII List of vertebrate fauna species recorded during the survey.....
Appendix VIII Bat call analysis.....
Appendix IX Habitat assessment data .....

Executive summary

The Lamb Creek Iron Ore Project comprises a proposed mining area and an associated haul road, located approximately 130 kilometres north-west of Newman in the Pilbara region of Western Australia.

This report documents the findings of a desktop assessment and two field surveys (April 2020 and February 2021), that were conducted to identify the occurrence of vertebrate fauna species, and their supporting habitats, within the survey area.

Survey Area

The survey area was 1645 hectares (ha) in size. It comprised retention licence R47/19 the proposed haul road corridor within miscellaneous licence L47/736 and an alternative haul road section named 'intersection version B'.

An earlier survey of the Lamb Creek project was completed by Rapallo in 2012. That survey covered the same retention licence (R47/19), as well as two haul road options: a northern and a southern route. The 2012 northern route overlaps with 44% of the current haul road corridor. The 2012 southern route has been discounted as an option.

The Lamb Creek project area has been updated and expanded since the survey was completed. The current project area (as per December 2021) comprises retention licence R47/19 (pending conversion into mining lease M47/1592) and miscellaneous licences L47/736, L47/974, and L47/1008. Together these tenements cover an area of 2199 hectares. There is significant overlap between the tenements (Figure 1.1) hence this number is not cumulative. The fauna survey covered 1644 hectares (75%) of the current project area.

A proposed disturbance footprint (footprint V1) was provided by MRL prior to the survey in March 2020. This footprint formed the basis for site selection and survey planning. Footprint V1 has been superseded by footprint V3, which was provided by MRL in December 2021 after all fieldwork had been completed. Footprint V3 extends by 24 hectares (4% of footprint) outside of the survey area, most of which comprising the southern end of the proposed haul road.

Desktop

The region has had considerable survey effort over the last 20 years predominantly due to vertebrate fauna surveys completed within, or partly within, the boundary of the Mining Area C (MAC) Development Envelope. The MAC Development Envelope is approximately 10 kilometres south of the Lamb Creek retention licence (R4719). Mining Area C contains the same land systems as the Lamb Creek survey area and has similar habitats.

Lamb Creek was surveyed for vertebrate fauna in 2012, over a survey area that partially overlaps with the current project area. The detailed survey effort consisted of ten trap sites with a total trap effort of 2982 trap nights (pitfalls, Elliots and funnel traps). Cameras and cages were deployed for 182 camera nights and 300 cage trap nights respectively within gorges and the faces of rocky escapements. Other activities included spotlighting, habitat assessment, foraging , systematic bird survey and bat survey.

The desktop study identified 301 species of terrestrial vertebrate fauna recorded within 50 kilometres of the survey area. These included 157 birds, 46 mammals, 91 reptiles, and 7 amphibians. Not all species are likely to occur in the survey area due to the large search extent of the desktop assessment.

Additionally, many species tend to be patchily distributed even where appropriate habitats are present, and many species of birds can occur as regular migrants, occasional visitors or vagrants.

Discounting species listed as marine, the fauna desktop study identified 29 taxa of conservation significant fauna of which twelve were assessed as possible, likely, or confirmed to occur on the survey area. The remaining seventeen species identified by the desktop assessment were considered unlikely to highly unlikely occur in the survey area based on the absence of suitable habitat for the species and/or the survey area occurring well outside the known distribution of the species.

Field Survey

A detailed vertebrate fauna survey was completed by Rapallo over a period of 15 days from 16 to 28 April 2020, with supplementary field work occurring between 16 and 23 February 2021.

Survey work completed in 2020 included: ground truthing the 2012 broad fauna habitat mapping, systematic trapping, systematic bird surveys, foraging, opportunistic records, and deployment of SM4 recorders for night parrot and bats.

Survey effort consisted of 10 trap sites with a total trap effort of 3080 trap nights (pitfalls, Elliots and funnel traps). Cameras were deployed for 279 camera nights within the gorge, gully, breakaway habitat that occurs within the higher elevation areas of the retention licence and ranges adjacent to the proposed haul road corridor.

The survey area has experienced several fires over the past decade. Trap site locations were selected to cover the major (preliminary) habitats of the survey area and where possible trap sites were positioned in pockets of unburnt habitat within the burn mosaic.

Field survey activities for short range endemic invertebrates (SRE) included collection of invertebrate by-catch from pitfall traps, habitat assessment, foraging, and leaf litter sifting. SRE is reported in a standalone report (Rapallo 2022).

Supplementary survey work completed in 2021 included: fauna habitat assessment in order to update the 2012 habitat mapping, and a wet season deployment of SM4 recorders at caves in which ghost bat occurrence, or evidence of occurrence, was recorded in 2012 and 2020.

The field survey recorded 128 species of vertebrate fauna, including 63 bird species, 20 mammal species, 44 reptile species, and one frog. Combined with the 2012 fauna survey results, the total number of vertebrate fauna recorded from the Lamb Creek project area to date is 185 species.

Five species of vertebrate fauna listed as conservation significant under either the Western Australian *Biodiversity Conservation Act 2016* (BC Act) and/or the federal *Environment Protection and Biodiversity Conservation Act 1950* (EPBC Act) or ranked as a priority species by the Department of Biodiversity Conversation and Attractions (DBCA) have been recorded from or proximal to the Lamb Creek project area to date. These are listed below:

- Northern quoll (*Dasyurus hallucatus*) listed Endangered under both the EPBC Act and BC Act – Confirmed, recorded in 2012.
- Ghost bat (*Macroderma gigas*) listed Vulnerable under both the EPBC Act and the BC Act – Confirmed, recorded in 2012, 2020 and 2021.
- Western pebble-mound mouse (*Pseudomys chapmani*) DBCA Priority 4 – Confirmed, mounds recorded throughout the Lamb Creek survey area in 2012 and 2020.

- Fork-tailed Swift (*Apus pacificus*) listed migratory and marine under the EPBC Act – Confirmed, recorded in 2012.
- Pilbara olive python (*Liasis olivaceus barroni*) listed Vulnerable under both the EPBC Act and the BC Act – Confirmed, recorded in 2012.

A further three species of conservation significance were considered likely to occur within the survey area. These were peregrine falcon (*Falco peregrinus* – listed Other Specially Protected Fauna under the BC Act), Gane's blind snake (*Anilios ganei* –DBCA Priority 1), and Pilbara barking gecko (*Underwoodisaurus seorsus* – DBCA Priority 2).

Four species of conservation significance were regarded as possible to occur within the survey area. These were night parrot (*Pezoporus occidentalis* – listed Critically Endangered under the BC Act and Endangered under the EPBC Act), grey falcon (*Falco hypoleucos* – listed Vulnerable under both the EPBC Act and the BC Act), letter-winged kite (*Elanus scriptus* – DBCA Priority 1), and the short-tailed mouse (*Leggadina lakedownensis* – DBCA Priority 4).

Night parrot was not detected via acoustic recorder in 2020. Much of the spinifex across the survey area has been frequently burnt and habitats of the survey area do not include mosaics with samphire and chenopod shrublands, salt lake margin, or paleochannel.

The remaining seventeen species identified by the desktop assessment were considered unlikely to occur within the survey area.

Habitat

Habitat mapping was updated from the 2012 vertebrate fauna habitat assessments utilising aerial imagery, vegetation, topographical, land system and drainage mapping, and habitat data collected in February 2021. Seven broad fauna habitat types were identified within the survey area. These were, in decreasing order of extent; Stony plain, Hillcrest/hillslope, Mulga/corymbia plain, Minor drainage, Tussock grassland plain, Medium drainage and Gorge, gully and rocky breakaway. Additionally, a small portion of the survey area comprised cleared areas.

Within the survey area, the Gorge, gully, and rocky breakaway habitat was considered to be of high significance for vertebrate fauna as this habitat supports species of conservation significance (including nationally listed threatened species) or contains core habitats for such species. Five habitats were ranked as of moderate significance (Hillcrest/hillslope, Mulga/corymbia plain, Minor drainage, Tussock grassland plain, Medium drainage) and the remaining habitat (Stony plain) was ranked as low significance, as it is widespread in the surrounding region and species of conservation significance are exclusively dependent on this habitat.

Habitat Features

To date, no permanent or semi-permanent pools have been recorded from the Lamb Creek project area, despite extensive use of helicopters in 2012, 2020 and 2021 for baseline flora and fauna surveys.

There are five known caves on or proximal to the survey area in which ghost bat occurrence, or evidence of occurrence, has been recorded. These caves were surveyed as part of detailed fauna work, or sampled opportunistically during an SRE survey. To date, no targeted surveys or detailed cave/roost assessments have been completed at the Lamb Creek project.

Cave 1 is provisionally assigned as a Category 2 roost while Caves 2 and 3 are provisionally Category 3. Caves 4 and 5 are known Category 3 and 2 roosts, respectively, and occur nearby to a number of other

caves, shelters and overhangs identified in the desktop. Caves that are confirmed as Category 2 and groupings of caves that surround them are critical Ghost bat habitat.

Cave 1 and Cave 3 are located in the retention licence (R47/19) within respectively 325 meters and 600 meters from the proposed December 2021 disturbance footprint (footprint V3). Caves 4 and 5 are within approximately 200 meters of the disturbance footprint (haul road) in L47/713.

1 Introduction

1.1 Project overview

Mineral Resources Limited (MRL) is actively exploring the Pilbara region. The Lamb Creek project comprises a proposed mining and exploration area and an associated haul road alignment. The project is located approximately 130 kilometres north-west of Newman in the Pilbara region of Western Australia.

Rapallo Environmental (Rapallo) was commissioned by MRL to complete a single-phase detailed (Level 2) vertebrate fauna survey of the Lamb Creek project. The field survey was completed in April 2020, with supplementary data collected in February 2021. The size and extent of the survey area is outlined in section 1.3 below.

The project area as well as the proposed footprint have undergone several changes since the fauna survey was completed. The current Lamb Creek project area (as per December 2021) comprises retention licence R47/19 (pending conversion into mining lease M47/1592) and miscellaneous licences L47/736, L47/974, and L47/1008. Together these tenements cover an area of 2199 hectares. There is significant overlap between the tenements (Figure 1.1) hence this number is not cumulative.

1.2 Scope and objectives

The scope of the detailed vertebrate fauna survey was to:

- Complete a desktop study in order to understand the regional fauna assemblage and habitats, and to identify conservation significant vertebrate fauna which may occur in the survey area.
- Review previous 2012 survey results against the most recent desktop information, and verify current taxonomy and conservation status of relevant fauna and ecological communities.
- Complete a detailed (Level 2) fauna survey over the survey area to identify the fauna assemblage of the survey area.
- Refine previous 2012 fauna habitat mapping of the survey area and to extend fauna habitat mapping into the areas not covered by the 2012 fauna survey.

1.3 Survey area and project history

A detailed fauna survey was completed in April 2020, with supplementary data collected in April 2021. The survey area was 1645 hectares in size, comprising retention licence R47/19 (1200 hectares), miscellaneous licence L47/736 (388 hectares), and an alternative area for the haul road to intersect with the Great Northern Highway, referred to as intersection version B (58 hectares). The survey area is mapped in Figure 1.2.

An earlier detailed fauna survey was completed in March-April 2012 (Rapallo 2012a) over an area that partially overlaps with the current survey area. The 2012 survey area is also outlined in Figure 1.2. Two fires have burnt across the project area in 2015 and 2017 (NAFI 2021), which have altered vegetation composition and structure (Rapallo 2021a). One of the aims of the current fauna survey (section 1.2) was to ground-truth and refine the 2012 fauna habitat mapping.

The project area has changed since the survey was completed, with tenements L47/974, L47/1008 and M47/1592 added in December 2021, expanding the project area. Hence, the fauna survey covered 1220 hectares (75%) of the current project area, with 555 hectares (25%) unsurveyed (Figure 1.2).


A proposed disturbance footprint (footprint V1) was provided by MRL in March 2020, and this footprint formed the basis for survey planning and site selection. Two new footprints were provided since the surveys were completed. The current footprint V3 (657 hectares) extends outside the survey area by 24 hectares (4% of total footprint), with most of the unsurveyed area comprising the southern section of the proposed haul road (Figure 1.2).

1.4 Definitions

To aid interpretation of this report and associated mapping, Table 1.1 provides explanation of the various components of the Lamb Creek project and associated survey areas, as mapped in Figure 1.1.

Table 1.1 Project and survey area definitions

Component	Description
Project area	Project area as per December 2021, comprising tenements R47/19 (pending M47/1592), L47/736, L47/974, and L47/1008. The project area has a total size of 2199 hectares. There is significant overlap between the tenements, so this number is not cumulative.
Survey area	Area covered by the detailed fauna survey in 2020, comprising R47/19, L47/736 and intersection version B, with a combined area of 1645 hectares.
Resource area	General description of R47/19 (pending M47/1592) in which the proposed mine pit and associated infrastructure will be located, as well as the northernmost section of the proposed haul road.
Haul road corridor	General description of the area in L47/736 in which most of the proposed haul road will be located.
Great Northern Highway intersection (GNHI)	General name given to the area where the proposed haul road intersects the Great Northern Highway.
Footprint V1	Proposed disturbance footprint provided by MRL in March 2020 which formed the basis for survey planning and site selection.
Footprint V2	Revised disturbance footprint provided by MRL in July 2021, which has now been superseded by footprint V3.
Footprint V3	Revised disturbance footprint provided by MRL in December 2021 and used to describe localities of recorded target species and potential impacts.
Adjacent to footprint V3	Within 100 metres of the December 2021 disturbance footprint (footprint V3).
Targeted survey	The combined surveys of April 2020 and May 2021.
Intersection version B	An alternative haul road section of 58 hectares, located adjacent to the Great Northern Highway. It currently falls within L47/974 which was not yet defined at the time of the survey.
Lamb Creek 2012 survey area	Area covered by the 2012 detailed (Level 2) fauna survey completed over the Lamb Creek project area as it was defined then. It incorporated the current R47/19 and two potential haul road corridors: a northern and a southern route. The southern route has since been discounted as an option, and the northern route has been partially realigned and overlaps with parts of the current haul road corridor in L47/736.



Rapallo environmental


Mineral Resources Limited
Lamb Creek Project

Lamb Creek Iron Ore Project
Detailed Vertebrate Fauna Survey

Original Size: A4 Scale: 1:70,000
Datum: MGA94 Zone 50
0 2 km

Figure 1.1

Tenements of the Lamb Creek Iron Ore project area as per December 2021



Rapallo environmental

Mineral Resources Limited
Lamb Creek Project

Lamb Creek Iron Ore Project
Detailed Vertebrate Fauna Survey

Original Size: A4 Scale: 1:70,000
Datum: MGA94 Zone 50
0 2000 m

Figure 1.2

Location of the Lamb Creek project and delineation of the survey area

2 Regional context

2.1 Climate and weather

The Lamb Creek project is situated in the Hamersley subregion (PIL03) of the Pilbara IBRA region, which is part of the Eremaean province (Beard 1990). The climate of the Hamersley IBRA subregion (PIL03) is described as semi-desert tropical. The average rainfall is 300 millimetres per year, usually in summer cyclonic or thunderstorm events. Winter rain is not uncommon (Kendrick 2001). Cyclones develop off the north-west coast and often cross the coastline between Karratha and Port Hedland and move inland over the Fortescue Valley system towards Newman (Beard 1990).

The closest Bureau of Meteorology (BOM) weather station to the survey area is at Newman Airport (station number 007176), located 130 kilometres south-east of the survey area. This weather station has been recording rainfall data since 1971 and temperature data since 1996.

Data recorded at Newman Airport (Figure 2.1) shows a mean annual rainfall of 324.3 millimetres (mm). Mean monthly rainfall is highest in February at 70.2 mm, and lowest in September at 3.7 mm. The hottest month is December with a mean maximum temperature of 39.3°C and a mean minimum temperature of 24.1°C. The annual wind records from 9am and 3pm show a dominant easterly throughout the day, with the strongest winds recorded in the morning of up to 30 kilometres /hour (BOM 2021).

Evaporation rates are not recorded at the Newman Airport Weather Station. However, evaporation in the Central Pilbara Region is estimated to be between 2000 millimetres and 3500 millimetres per annum, which is approximately ten times greater than annual rainfall (Gardiner 2003). This disparity maintains a typically arid landscape, except for areas located in proximity to river systems and shallow groundwater resources.




Figure 2.1 Long-term average monthly rainfall and maximum temperature, and 2019-2020 monthly rainfall and mean maximum temperature recorded at Newman Aero weather station (BOM 2020)

The fauna survey took place from 16 to 28 April 2020. Rainfall in the three months preceding the survey was higher than average for the region, with a total of 277.8 millimetres from January to March 2020 (BOM 2020). However, most of this rain fell in January, while rainfall for March was just below average and for February was well below average (see Figure 2.1).

During the survey in April 2020, the survey area was found the be very dry and there was no discernible moisture in the leaf litter, with the exception of the southernmost part of the survey area in the Wannamunna land system. Day-time temperatures in April 2020 were warm to hot, ranging from 33.9 °C to 39.7 °C, while night-time temperatures were mild, ranging from 22.9 °C to 26.6 °C (BOM 2021).

Additional data was collected during the wet season, between 16 and 25 February 2021, comprising supplementary habitat assessment work and deployment of bat recorders.

Table 2.1 Daily rainfall and temperatures recorded during the field survey (Newman Airport weather station)

Survey date	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)
Primary field survey in April 2020			
15 April 2020	0	39.2	24.8
16 April 2020	0	37.8	25.2
17 April 2020	0	37.7	22.9
18 April 2020	0	38.6	23.2
19 April 2020	0	38	26.6
20 April 2020	0	36.2	24.5
21 April 2020	0	36.8	23.3
22 April 2020	0	37.5	24.9
23 April 2020	0	38.5	24.2
24 April 2020	0	39.7	25.6
25 April 2020	0	37.6	25.2
26 April 2020	0	33.8	24.3
27 April 2020	0	32.9	23.1
28 April 2020	0	34	20.7
29 April 2020	0	29.3	19.9
Supplementary data collection in February 2021			
16 February 2021	0	33.5	24.3
17 February 2021	0	37.7	26.5
18 February 2021	0	37.9	26.7
19 February 2021	34.6	32.8	22.3
20 February 2021	0.2	36.7	24.2
21 February 2021	0	38.1	26.3
22 February 2021	0	37.7	25.2
23 February 2021	0	37.6	25.5
24 February 2021	0	37.4	24.6

Survey date	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)
25 February 2021	0	37.2	20.7

2.2 Biogeography

2.2.1 IBRA bioregions

The bioregions of Australia are described in the Interim Biogeographic Regionalisation for Australia (IBRA) (Thackway & Cresswell 1995). Bioregions are large, geographically distinct areas of land with common characteristics such as geology, landform patterns, climate, ecological features and plant and animal communities. The latest version, IBRA7, classifies Australia's landscapes into 89 large geographically distinct bioregions and 419 subregions (DoE 2012).

The Lamb Creek project is located in the Hamersley (PIL3) subregion of the Pilbara bioregion. The Hamersley subregion comprises the southern section of the Pilbara Craton. It is a mountainous area of Proterozoic sedimentary ranges and plateaux, dissected by gorges (basalt, shale and dolerite). Geographically it is synonymous with the Hamersley vegetation system as described by Beard (1990). The dominant vegetation is mulga low woodland over bunch grasses on fine textured soils in valley floors, and Eucalyptus leucophloia (snappy gum) over *Triodia brizoides* on skeletal soils of the ranges. Regional vegetation is further described in section 2.3 Drainage runs into either the Fortescue River to the north, the Ashburton river to the south, or the Robe river to the west (Kendrick 2001).

2.2.2 Land systems

The Lamb Creek survey area traverses five land systems, as mapped by the Western Australian Land Information Authority (2018) and described by Van Vreeswyk *et al*. (2004). These are listed and summarised in Table 2.2.

The majority of the survey area occurs within the Boolgeeda land system, comprising stony slopes, plains, hills, and drainage floors with spinifex. This land system underlies the majority of the retention licence and the proposed haul road corridor.

The Newman land system, comprising rugged mountains, ridges, and plateaux, was the second dominant, intersecting the haul road in two places and covering the south-west and south-eastern corners of the retention licence.

The McKay and Platform Land Systems occurred in the north-eastern part of the retention licence only, while the Wannamunna land system only appeared in the southernmost part of the haul road corridor where it intersects the highway. Intersection version B fell entirely within the Boolgeeda land system.

The vegetation in all but the Wannamunna land system is typified by spinifex grasslands. Wannamunna is characterised by hardpan plains and internal drainage tracts supporting mulga shrublands and woodlands (and occasionally eucalypt woodlands). Floristically, the survey area fell within the Hamersley 18 and Hamersley 82 vegetation system-associations as defined by Beard (2018) as described further in section 2.3.2. Vegetation system mapping and land system mapping overlapped quite well for the Lamb Creek survey area, with Hammersley 82 roughly following the Newman land system, while Hamersley 18 roughly followed the other four land systems including Wannamunna.

Table 2.2 Land systems of the Lamb Creek detailed fauna survey area

Name	Land type	Description	Extent in survey area
Boolgeeda Land System	Stony plains with spinifex grasslands	Stony lower slopes, stony plains below hills, and narrow sub-parallel drainage floors. Supports hard and soft spinifex grasslands or mulga shrublands. Often occurs below hill systems such as Newman and Rocklea	1036 ha
McKay Land System	Hills and ranges with spinifex grasslands	Hills, ridges, plateaux remnants and breakaways of meta sedimentary and sedimentary rocks supporting hard spinifex grasslands. Relief up to 100 m	44 ha
Newman Land System	Hills and ranges with spinifex grasslands	Rugged high mountains, ridges and plateaux with near vertical escarpments of jaspilite, chert and shale, supporting hard spinifex grasslands. Relief up to 400 m.	340 ha
Platform Land System	Stony plains with spinifex grasslands	Stony upper plains, dissected slopes and drainage floors, supporting hard spinifex grasslands. Erosional surfaces formed by partial dissection of the old tertiary surface. The gently inclined upper plains have extensive marginal dissection zones with gently inclined to steep slopes. Floors incised up to 30 m with steep stable marginal slopes becoming wider downslope.	198 ha
Wannamunna Land System	Wash plains on hardpan with mulga shrublands	Hardpan plains and internal drainage tracts supporting mulga shrubland and woodlands, and occasionally eucalypt woodlands. Depositional surfaces, level hardpan wash plains subject to overland sheet flow. Broad internal drainage flats receiving run-on from adjacent hardpan surfaces; rare, channelled tracts but mostly not organised through drainage. Relief up to 5 m.	27 ha

2.2.3 Geology

The survey area is located in the south-west corner of the Roy Hill 1:250,000 Geological Survey Sheet (SF50-12: Thorne & Tyler 1997). The geology of the survey area is generally defined by the assemblage of prehnite, pumpellyite, epidote, actinolite. Basement rocks comprise the early Proterozoic Brockman Iron Formation and Weeli Wolli Formation. The Brockman Iron Formation consists of banded iron formation (BIF) and shale, while the Weeli Wolli formation consists of BIF separated by shale and siltstone bands, with younger dolerite sills that intersect the sedimentary sequence.

Regionally, the fresh basement rocks are typically overlain by weathered basement rocks which occur as lateritic and basal gravel and/or conglomerate deposits. These weathered deposits underlie early Tertiary Channel Iron Deposits (CID), which are the dominant economic-grade iron deposits in the region. The CID is typically overlain by younger alluvial and colluvial gravels and sediments (Thorne & Tyler 1997). The survey area overlies the following geological units (Thorne & Tyler 1997).

- Brockman Iron Formation (PLHB): banded iron-formation, chert, and pelite;
- Quaternary Alluvium (Qa): unconsolidated silt, sand, and gravel; in drainage channels and on adjacent floodplains;
- Quaternary Alluvium and Colluvium (Qw): red-brown sandy and clayey soil; on low slopes and sheetwash areas; and
- Cainozoic Colluvium (Czc): partly consolidated quartz and rock fragments in silt and sand matrix; old valley-fill deposits.


2.2.4 Soils

The survey area is located within the Fortescue botanical district of the Pilbara region (Beard 1990). This region is mountainous, with soils ranging from shallow, stony sandy loams along slopes, to cracking clays, stripped hardpans and calcareous loams along active waterways (Beard 1990).

The landforms of the survey area are typical of the eastern Pilbara with rocky hills, small gorges, mostly seasonal watercourses, and gravelly loam valleys. The soils are typified by hard red alkaline soils on plains, pediments and alluvial areas, while shallow, skeletal soils are common on ranges that rise to 1,250 m (Beard 1990). The southern part of eastern Pilbara region is characterised by earthy loams underlain by red-brown hardpan (Beard 1975, 1990).

The survey area has two distinct soil and landform assemblages. The majority of the haul road corridor (L47/736) and the edges of the mine tenement (R47/19) are characterised as soil unit Fa13. The central part of the mine tenement and small portion of the potential haul road alignment is characterised as soil unit Fb3. These are defined as follows (CSIRO Australia 2018):

- Fa13 – Ranges of banded jaspilite and chert along with shales, dolomites, and iron ore formations with some areas of ferruginous duricrust as well as occasional narrow winding valley plains and steeply dissected pediments. This unit is largely associated with the Hamersley and Ophthalmia Ranges. The soils are frequently stony and shallow and there are extensive areas without soil cover: chief soils are shallow stony earthy loams (Um5.51) along with some (Uc5.11) soils on the steeper slopes. Associated are (Dr2.33, Dr2.32) soils on the limited areas of dissected pediments, while (Um5.52) and (Uf6.71) soils occur on the valley plains; and
- Fb3 – High-level valley plains set in extensive areas of unit Fa13. There are extensive areas of pisolitic limonite deposits: principal soils are deep earthy loams (Um5.52) along with small areas of (Gn2.12) soils.



Rapallo environmental

Mineral Resources Limited
Lamb Creek Project

Lamb Creek Iron Ore Project
Detailed Vertebrate Fauna Survey

Original Size: A4 Scale: 1:300,000
Datum: MGA94 Zone 50
0 10 km

Figure 2.2

Land System Mapping and Regional localities

2.3 Regional vegetation

2.3.1 Botanical district

The survey area is located in the Fortescue botanical district of the Pilbara region (Beard 1990), which forms part of the Eremaean Botanical Province. The Pilbara region receives a slightly higher than average rainfall than most of the Eremaean Province, due to the prevalence of cyclones off the coast, but this is not enough to modify the essentially desert appearance of the plant cover (Beard 1990).

The Fortescue botanical district consists predominantly of tree and shrub steppe communities with *Eucalyptus* trees, Acacia shrubs and spinifex grasses including *Triodia pungens* and *T. wiseana* (Beard 1975). Mulga (species of the *Acacia aneura* complex) occurs in valleys, and short-grass plains may be present on alluvial soils (Beard 1990).

2.3.2 Vegetation system-associations

Digital maps (shapefiles) of pre-European vegetation communities, based on state-wide mapping by J.S. Beard at 1:250,000 scale, are published by the Department of Primary Industries and Regional Development (Beard 2018).

Vegetation of the Hamersley (PIL3) IBRA subregion is generally low Mulga woodland over bunch grasses on fine textured soils in the valleys with snappy gums (*Eucalyptus leucophloia*) over *Triodia brizoides* on skeletal soils of the ranges (Kendrick 2001). The mountain tops and gorges of the Hamersley subregion provide refugia for humidophile and/or fire intolerant flora, and support a diversity of range-restricted species (Kendrick 2001).

The survey area falls within two Beard (2018) vegetation system-associations: Hamersley 18: Low woodland of *Acacia aneura*, and Hamersley 82: Hummock-grass (*Triodia wiseana*) steppe with irregularly scattered *Eucalyptus brevifolia* trees (Table 2.3). Cameras were deployed within the gorge, gully, breakaway habitat adjacent to the proposed haul road corridor located primarily within Hamersley 82.

Table 2.3 Beard vegetation system-associations within the survey area

Beard Vegetation System and Association	Extent in survey area	Extent in Western Australia (ha) [1)]	Pre-European extent remaining (%) [1)]
Hamersley 18	982 ha	575 852 ha	99.2%
Hamersley 82	663 ha	2 157 841 ha	99.4%

Footnotes:
1) Numbers from 2018 Statewide Vegetation Statistics (DBCA 2019)

Vegetation that is not a Threatened or Priority Ecological Community may still be considered significant if it has a restricted distribution, or has experienced a degree of historical impact from threatening processes (EPA 2016a). Vegetation types retaining less than 30% of their pre-European extent generally experience accelerated species loss at an ecosystem level (EPA 2000) and are regarded as being 'vulnerable', while vegetation types retaining less than 10% of their original extent are regarded as being 'endangered' (EPA 2000, Shepherd *et al.* 2002, DER 2014, 2016a).

As described above, the Hamersley 18 and Hamersley 82 vegetation system-associations intersected by the survey area still have close to 100% of their original extent remaining, and would be considered 'least concern' (DER 2014).

2.4 Reserves and Environmentally Sensitive Areas

2.4.1 Environmentally Sensitive Areas

Environmentally sensitive areas (ESAs) are protected under the *Environmental Protection (Clearing of Native Vegetation) Regulations 2004* and are selected for their environmental values at state or national levels. The survey area does not occur within an ESA, nor are there any ESAs within five kilometres of the survey area, as shown by the Department of Water and Environment Regulation (DWER) Clearing Permit System and Map Viewer (DWER 2020).

Karijini National Park is located to the west of the survey area, approximately 18 kilometres west of the intersection of the proposed haul road and the Great Northern Highway. Mungaroona Range Nature Reserve is approximately 100 kilometres northwest of the survey area. The nearest Nationally Important Wetland is the Fortescue Marsh located 52 km north of the survey area (AWE 2021).

2.4.2 Threatened and Priority Ecological Communities

The survey area is not located within a known Threatened or Priority Ecological Community (TEC-PEC) (Rapallo 2012b, 2021b). The nearest known PEC is subtype 2 of the Coolibah-Lignum Flats vegetation community, with the edge of the buffer zone located less than five kilometres south of the survey area (DBCA 2021b) as shown in Figure 1.2.


The Coolibah-Lignum Flats vegetation complex is described as: Woodland or forest of *Eucalyptus victrix* (coolibah) over thicket of *Duma florulenta* (lignum) on red clays in run-on zones. Associated species include *Eriachne benthamii*, *Themeda triandra*, *Aristida latifolia*, *Eulalia aurea* and *Acacia aneura* (DBCA 2021d). The Coolibah-Lignum Flats PEC is unlikely to occur within the fauna survey area, as discussed in Rapallo (2012b) and Rapallo (2021b). It must be noted that the flora surveys did not cover the entirety of the current project area.

2.5 Fire history

Fire mapping for Australia is available from the Northern Australia and Rangelands Fire Information (NAFI 2021) website, with fire scar data available from 2000 to present. The NAFI service displays maps of fire activity based on information from satellites, such as hotspots (locations of recently burning fires) and fire scars (maps of recently burnt country).

The majority of the Lamb Creek project area has been burnt since the 2012 fauna survey (Rapallo 2012a), with three partially overlapping fire scars resulting in a mosaic of different fire ages. Fire mapping over the project area between 2012 and 2021 (NAFI 2021) is shown in Figure 2.3.

It must be noted that NAFI data is very broad-scale and does not show the fine-scale mosaic within the project area, nor does the mapping indicate fire intensity. For example, trap site LCS03 (see section 3.3.1) was positioned in one of the few unburnt areas, but the NAFI data does not provide enough detail to show this (Figure 2.3).



Rapallo environmental

Mineral Resources Limited
Lamb Creek Project

Lamb Creek Iron Ore Project
Detailed Vertebrate Fauna Survey

Original Size: A4 Scale: 1:80,000
Datum: MGA94 Zone 50
0 3 km

Figure 2.3

NAFI fire scars across the Lamb Creek project area between 2012 and 2021

3 Methods

3.1 Desktop

The fauna desktop study comprised a search of paid and free databases as listed in Table 3.1, and a review of available literature relevant to the survey area as listed in Table 3.2. The fauna desktop served to place the fauna assemblage of the survey area in a regional context and to compile a list of vertebrate fauna species with the potential to occur within the survey area. This list was then filtered for conservation significant fauna species and likelihood to occur within the survey area was assessed using the fauna decision matrix located in Appendix I.

Table 3.1 Database search parameters

Source of information	Zone	Easting (mE)	Northing (mS)	Search area type
DBCA (2020a)Threatened and Priority Fauna Database (TPFA)	50K	688039	7473704	50 km radius circle centred on point
DBCA (2021a) Threatened and Priority Ecological Communities (TEC-PEC) database	50K	688039	7473704	50 km radius circle centred on point
DBCA (2020b) NatureMap online database	50K	688039	7473704	40 km radius circle centred on point
AWE (2020) Protected Matters search tool	50K	688039	7473704	50 km radius circle centred on point
Birdlife Australia (2020) Birdata online database	50K	688039	7473704	100 x 100 km box centred on point

The surveys used as part of the literature review are listed in Table 3.2 and generally occurred within 50 kilometres of the Lamb Creek project area.

Table 3.2 Fauna surveys completed within 50 km of Lamb Creek

Report title	Distance to Lamb Creek
Rapallo (2012a) Level 2 Fauna Survey and Targeted Northern Quoll Survey of the Lamb Creek Project area	0 km
Biologic (2011) Area C and surrounds fauna survey	3-25 km to the south
Biologic (2012) Southern Flank vertebrate fauna survey	3-25 km to the south
Biologic (2013) Mudlark vertebrate fauna survey	3-25 km to the south
Biologic (2016a) South Flank targeted fauna survey	3-25 km to the south
Ecologia (2004a) Packsaddle Range biological survey	3-25 km to the south
Ecologia (2004b) Area C: Deposits D, E, F biological survey	3-25 km to the south
Ecologia (2005) Pilbara Leaf-nosed Bat and Ghost Bat monitoring survey at Nimingarra and Cattle Gorge.	3-25 km to the south
Ecologia (1998) Mining area C biological survey	3-25 km to the south
ENV (2007) Area C: R deposit fauna assessment	3-25 km to the south
ENV (2008) Area C southern flank deposit fauna assessment	3-25 km to the south

Report title	Distance to Lamb Creek
Halpern Glick Maunsell (1999) Mining Area C western access corridor biological assessment	3-25 km to the south
Outback Ecology (2008) Area C Mining Operation Environmental Management Plan	3-25 km to the south
Specialised Zoological (2008) Area C bat survey	3-25 m to the south

3.1.1 Conservation status and naming

Names for bird species follow Birdlife Australia (2019), names for mammals, reptiles and amphibians follow the Western Australian Museum (2019) with common names supplemented from Wilson and Swan (2017). Further information was gained from Johnstone and Storr (1998, 2004) for birds, Van Dyck and Strahan (2008) for mammals, and Cogger (Cogger 2018) and Tyler and Doughty (2009) for reptiles and amphibians, as well as the Frog Watch website (WAM 2018).

Distribution maps and recent records of vertebrate fauna species were verified using the Atlas of Living Australia (ALA 2021), and Birdata online databases, the Species Profile and Threats Database (SPRAT) (AWE 2021), NatureMap (DBCA 2020b), as well as maps published in Van Dyck and Strahan (2008), Johnstone and Storr (1998, 2004), Wilson and Swan (2017), Cogger (2018), and other relevant publications as cited within this report.

Conservation codes cited in this report are as per Appendix II.

3.2 Personnel and licensing

The personnel involved in the field survey, data entry and analysis, and the preparation of this report are listed in Table 3.3. The field survey was conducted under Fauna Taking (Biological Assessment) Licence BA27000239 issued under Regulation 17 of the *Biodiversity Conservation Regulations 2018*. As part of the license conditions, a list of fauna species recorded in the survey will be forwarded to the DBCA.

Table 3.3 Personnel involved in the project

Name	Position	Field survey	Reporting
Kate George	Principal Environmental Scientist	X	X
Marieke Weerheim	Senior Environmental Scientist	X	X
Jon-Paul Emery	Ecologist	X	X
Jari Cornelis	Ecologist	X	
Heidi Nore	Ecologist	X	
Kady Grosser	Ecologist	X	
Molly George	Ecologist	X	

3.3 Field survey

The detailed vertebrate fauna survey was completed over the period of 16 to 28 April 2020 with supplementary habitat assessment and bat recording occurring during the wet season between the 17 and 25 February 2021.

3.3.1 Systematic trapping

Ten systematic trap sites were established across the survey area, as mapped in Figure 3.1. Trap site locations were selected to cover the major habitats of the survey area and where possible trap sites were positioned in pockets of unburnt habitat within the burn mosaic. Coordinates of trap sites are presented in Appendix III and habitat assessment data presented in Appendix IX.

Trap sites were established in a staggered manner over a four-day period, with sites kept open from the day they were established for a period of seven nights. Trap site closure also occurred in a staggered manner over a four-day period.

Trap site design aligned with recommendations in EPA (2016b). Each systematic trap site comprised six 20-litre buckets, six pipes, and twelve funnel traps, which were distributed equally along two 50-metre drift fences running parallel, approximately 50 metres apart. The two trap lines were surrounded by a grid of 20 aluminium box traps. One camera was positioned at each trap site for a period of 7 days.

Trap effort is summarised in Table 3.4.

All traps were cleared between first light and 10 am. The majority of vertebrate fauna captured in traps were identified in the field and released. Reptiles and mammals that could not immediately be identified at the trap site were taken back to a central location within the project area with shelter (referred to as the 'day camp') for identification using the appropriate keys in Cogger (2018), Wilson and Swan (2017), Van Dyck *et al.* (2013), and Menkhorst and Knight (2010).

Terrestrial invertebrate fauna from orders known to support short range endemic invertebrates (SRE) were collected, stored and labelled according to Western Australian Museum guidelines (WAM 2012). Potential SRE specimens were taken back to Perth and submitted to taxonomic experts for identification. Invertebrate fauna captured during the 2020 vertebrate fauna survey are included in Rapallo (2022).

3.3.2 Bird surveys

Bird surveys were completed at the ten trap sites, with each site surveyed at least once. All systematic bird surveys were completed in the morning before 10 am when bird activity was high and cryptic species were most detectable. The survey method involved 50-minute surveys surrounding each individual trap site. The survey area for each survey was unbounded, but restricted to one single habitat which was representative for each trap site.

3.3.3 SM4 recorders for bats and night parrot

The bat assemblage of the survey area was assessed using two ultrasonic echolocation recorders that were moved to systematically sample all the potential fauna habitats across the survey area. The model of recorder used was a Wildlife Acoustics SM4BAT-FS ultrasonic recorder, hereafter referred to as simply SM4 bat recorders.

Bat survey consisted of completing a total of thirty-three overnight ultrasonic bat sound recordings, beginning at twilight, at sixteen locations within and proximal to the survey area.

SM4 bat recorders were deployed for a minimum of one night at each trap site, as well as at caves 1 and 3 located on the retention licence where ghost bat had been recorded in 2012 (Rapallo 2012a). Additional caves (caves 2, 4 and 5) outside the defined survey area, but proximal to the project area, were sampled opportunistically. Cave 2 was sampled in April 2020, and was located approximately two kilometres to the south of the retention licence. Caves 4 and 5 were sampled in February 2021, and were located in the hills proximal to the Great Northern Highway intersection. Cave 2 was sampled two nights in April 2020, while caves 4 and 5 were sampled for 2 nights in February 2021 (Appendix III).

The survey area was sampled for potential night parrot calls using one Wildlife Acoustics Song Meter SM4 Acoustic Recorder, hereafter referred to as the SM4 night parrot recorder. Acoustic recorders were deployed at areas within the survey area that contained patches of mature spinifex as potential habitat, and a location on the 2020 disturbance footprint. The night parrot recorder was deployed at each site for a minimum of two consecutive nights, with a total of eight acoustic survey nights (Appendix III).

Recordings were "continuous" made using ultrasonic SM4BAT-FS and acoustic SM4A SongMeter (both by Wildlife Acoustics Inc., USA) detectors. The audio settings used followed the manufacturer's recommendations contained in the user manuals (Bat Call WA 2021).

Recordings were sent to Bat Call WA for analysis and identification. For the ultrasonic (bat) recordings, call analysis details are provided in Bat Call WA (2021) (Appendix VIII) as recommended by the Australasian Bat Society (Australasian Bat Society 2006). Reference data for the species identified are available in (Bullen & McKenzie 2002, McKenzie & Bullen 2003, 2009). For the acoustic recordings (night parrot), Bat Call reviewed recordings both manually and using an automatic scan technique for Night parrot calls. Candidate calls were compared to Bat Call's confirmed reference calls.


See Figure 3.1 and Appendix III for SM4 deployment locations and duration.

3.3.4 Foraging and leaf litter Searching

Foraging (active searching) targeting both vertebrate and invertebrate fauna was conducted at all trap sites, for a minimum of 1.5 person hours per site. Foraging methods included turning rocks, logs, peeling bark, raking leaf litter, litter sieving and searching under vegetation. Northern quoll camera sites (see section 3.3.6) were searched for a minimum of 0.5 person hours, plus time spent traversing between camera locations.

3.3.5 Opportunistic observations

Opportunistic records of mammals, birds, reptiles, amphibians and potential SRE invertebrates were collected throughout the survey area. Opportunistic records included direct sightings and calls, as well as secondary signs of presence such as tracks, scats, diggings, burrows, mounds, feathers, bones, and sloughed reptile skins. All records were accompanied by a GPS waypoint and/or fauna habitat notes, to link species records to fauna habitats.



Rapallo environmental

Mineral Resources Limited
Lamb Creek Project

Lamb Creek Iron Ore Project
Detailed Vertebrate Fauna Survey

Original Size: A4 Scale: 1:70,000
Datum: MGA94 Zone 50
0 2 km

Figure 3.1

Survey Effort

3.3.6 Camera transects

Forty Swift Enduro motion-detecting camera traps were deployed along four transects in the gorge, gully, breakaway landscapes that occur within the higher elevation areas of the retention licence and ranges adjacent to the proposed haul road corridor. The four transect sites were selected based on aerial photography with consideration of safety and logistics.

Camera transects were placed in four selected areas of gorge / gully habitat, with two transects deployed within the defined survey aera, and two in the elevated areas to the south of the project area. Cameras were positioned between 15 and 50 meters apart, depending on the length of the gorge / gully. This method broadly aligned with an initial reconnaissance survey under (DotEE 2016).

Cameras were deployed for a minimum of 5 consecutive nights (some longer due to the logistics of retrieval) and baited with cat food that contained a high sardine content. Bait was enclosed in non-reward food tubes, to allow for longer deployment time.

Each camera on the transects was programmed to record video for 30 seconds upon being triggered, with detection sensitivity set to medium. See Table 3.4, Figure 3.1 and Appendix III for trap effort and location of camera transects.

A single ScoutGuard 550V camera was deployed at each of the 10 trap sites for a minimum of five days. Cameras were positioned about 30 centimetres off the ground and angled towards the ground. Cameras at trap sites were baited daily for a period of five nights with a mix of dried oats, peanut butter, and olive oil. Bait was not replenished after the fifth night to minimise impacts on normal animal behaviour.

3.3.7 Species richness estimators

Species accumulation curves for birds and trappable ground-dwelling fauna were generated via EstimateS software Version 9.1.0 (Copyright R. K. Colwell). Predicted species richness was calculated by taking the average of the estimators ACE, Chao 1, Jackknife 1 and Bootstrap (Colwell 2013).

Since models can only be generated from data collected through systematic methods, the species accumulation curve and predicted species richness were calculated from systematic trapping data, and from systematic bird surveys. Separate analyses were conducted for these two methods.

Predicted species richness of trappable ground-dwelling vertebrate fauna was calculated using the combined trapping data for mammals and reptiles from all ten trap sites for the single-season fauna survey, with statistics calculated over abundance data (total number of captures per species at that site).

Predicted species richness of birds was calculated using data from systematic birds surveys only, with data entered as total abundance for each species per site. Analyses for both trappable ground-dwelling fauna and birds were run using the default settings with the following exceptions:

- Accumulations (runs) were randomised 10,000 times without replacement.
- Upper abundance limit for rare or infrequent species was set to 3.

3.3.8 Habitat mapping

Broad fauna habitat mapping was completed in 2012 over an area that partially overlaps with the current 2020 survey area. The broad fauna habitat mapping from 2012 was selectively ground-truthed during the 2020 survey and further refined with habitat assessment data collected during a short-range endemic

fauna survey completed in February 2021 (Rapallo 2022). Habitat data included notes on land form, soil, rock cover, and broad description of vegetation.

Fauna habitats were assessed for the likelihood that they may support fauna of conservation significance. All major fauna habitats present within the survey area were scored for significance (High, Moderate or Low) according to the criteria in Appendix IV.

Table 3.4 Summary of survey effort

Name	Effort
Pit fall trap nights	840
Funnel trap nights	840
Box (Elliot) trap nights	1400
Ultrasonic (bat) detector nights	33
Acoustic (night parrot) detector nights	8
Camera nights (transects)	279
Camera nights (trap sites)	73
Systematic bird census (minutes)	500
Trap Site Foraging (minutes)	900
Camera transect site foraging (minutes)	1410

4 Results and Discussion

4.1 Desktop results vertebrate fauna

A portion of the current Lamb Creek project area was surveyed for vertebrate fauna in 2012 by means of a single-season detailed (Level 2) fauna survey. The 2012 survey area overlapped in part with the 2020 survey area, as outlined in section 1 (Figure 1.2). Survey effort consisted of ten trap sites open for five consecutive nights: a trap effort of 852 pitfall traps, 1420 Elliot traps and 710 funnel traps. Bat recorders were deployed for 13 nights. Cameras and cages were deployed for 182 camera nights and 300 cage trap nights within gorges and the faces of rocky escapements. Other activities included spotlighting, habitat assessment, foraging and systematic bird survey (Rapallo 2012).

4.1.1 Regional survey effort

The region has had considerable survey effort over the last 20 years predominantly due to vertebrate fauna surveys completed within, or partly within, the boundary of the Mining Area C (MAC) Development Envelope. The MAC Development Envelope is approximately 10 kilometres south of R47/19 as showed in Figure 1.1.

Twenty-one vertebrate fauna surveys have been conducted wholly or partially in the MAC Envelope between 1997 and 2016; these comprised seven Level 2 surveys (one or two seasons), five Level 1 surveys and nine targeted surveys (for conservation significant fauna) (Biologic 2017).

Mining Area C contains the same land systems as the Lamb Creek survey area and has similar habitats.

4.1.2 Regional fauna assemblage

The fauna desktop study identified 301 species of terrestrial vertebrate fauna recorded within 50 kilometres of the survey area. These included 157 birds, 46 mammals, 91 reptiles, and 7 amphibians. Not all species are likely to occur in the survey area due to the large search extent of the desktop assessment. Additionally, many species tend to be patchily distributed even where appropriate habitats are present, and many species of birds can occur as regular migrants, occasional visitors or vagrants. The desktop results are presented in Appendix V.

4.1.3 Introduced fauna (Pests)

The desktop study identified ten introduced taxa (Pests) recorded within 50 kilometres of the survey area, as presented in Table 4.1. Three of these introduced fauna species are currently listed on the Western Australian Organism List (WAOL) as Permitted - s11 (Department of Agriculture and Food, Western Australia 2021), while the other seven were listed as Declared Pest – s22(2).

Based on distribution maps, database records, and habitat preferences, seven species were considered possible to likely to occur in the survey area. These were cattle (*Bos taurus*), camel (*Camelus dromedarius*), domestic dog (*Canis lupus*), cat (*Felix catus*), house mouse (*Mus musculus*), rabbit (*Oryctolagus cuniculus),* and the red fox (*Vulpes vulpes*). The cat and house mouse were recorded during the survey, while either dingo or dog was also recorded.

Table 4.1 Desktop results: Introduced (feral) fauna recorded within 50 kilometres of the survey area

Scientific name	Common name	Pest Status (WAOL)	Likelihood
Columba livia	Rock Dove	Permitted - s11	Unlikely
Bos taurus	European Cattle	Declared pest - s22(2)	Confirmed
Camelus dromedarius	Dromedary, Camel	Declared pest - s22(2)	Likely
Canis familiaris familiaris	Dog	Declared pest - s22(2)	Likely
Vulpes vulpes	Red Fox	Declared pest - s22(2)	Likely
Equus asinus	Donkey	Declared pest - s22(2)	Unlikely
Equus caballus	Horse	Declared pest - s22(2)	Unlikely
Felis catus	Cat	Permitted - s11	Possible
Oryctolagus cuniculus	Rabbit	Declared pest- s22(2)	Likely
Mus musculus	House Mouse	Permitted - s11	Possible

4.1.4 Conservation significant fauna

The fauna desktop study identified 50 taxa of conservation significant fauna recorded previously within 50 kilometres of the survey area. These are listed in Appendix VI.

Twenty-one of these species were conservation significant only because they are listed Marine under the EPBC Act. These all comprised common and widespread species, including cuckoos, raptors, egrets, rainbow bee-eater, magpie-lark and welcome swallow. Marine species are listed in Appendix VI but are not discussed further in this document.

For the remaining 29 species, likelihood to occur in the survey area was assessed using location and date of previous records, and currently known range and habitat requirements relative to the fauna habitats recorded in the survey area (section 4.5). The risk matrix used to assess likelihood is presented in Appendix I, and likelihood scores are shown in Appendix VI.

Based on the likelihood assessment outlined above, seventeen conservation significant species were considered unlikely to highly unlikely to occur in the survey area due to absence of suitable habitat (such as sand dunes for bilbies and mulgaras, and rivers, dams, wetlands for wader species). Species were also considered unlikely if they were rare vagrants, or where recent distribution maps showed that the survey area was located well outside their known range (these database records may have been incorrect).

The Pilbara Leaf-nosed bat (*Rhinonicteris aurantia* – Pilbara population) was considered unlikely to occur in the survey area, based on extensive survey efforts completed in the adjacent Mining Area C. Despite many years of surveying including cave assessments and acoustic surveys, the species was only detected twice as a foraging visitor (Biologic 2017). Bob Bullen (*pers. comm*. 2020) confirmed that, based on the survey results for Mining Area C, it is highly unlikely that roost caves for the Pilbara Leaf-nosed Bat occur in the survey area.

The remaining twelve species of conservation significant fauna were assessed as possible, likely or confirmed to occur in the survey area. These are listed in Table 4.2 below.

Table 4.2 Desktop results: Fauna species confirmed to possible to occur in the survey area

Name	Status[1)]		Likelihood	Details
	BCA	EPBC		
Fork-tailed swift (*Apus pacificus)*		MI, MA	Confirmed	Recorded at Lamb Creek in 2012, from all habitats surveyed (Rapallo 2012a) and there are also multiple records from Mining Area C (Biologic 2017).
Peregrine falcon (*Falco peregrinus)*	OS		Likely	Recorded from Mining Area C (Biologic 2017). Prefers areas with cliffs and rocky escarpments for nesting. The survey area contains some potentially suitable breeding habitat within the gorge, gully , breakaway habitat that occurs within the higher elevation areas of the retention licence, with more extensive suitable habitat in the ranges adjacent to the proposed haul road corridor. Water ecotones and tree covered areas provide productive habitat for Peregrine falcon prey species. However, Peregrine Falcons are an open country hunter (Ratcliffe 1993, Jenkins 2000) and some level of open country is essential for them to access prey (Jenkins & Hockey 2001). Peregrine falcon is likely to forage broadly across all habitats within the survey area especially on drainage ecotones during wetter seasons, but lack of permanent and semi-permanent water in the region will limit prey availability.
Night parrot (*Pezoporus occidentalis*)	CR	EN	Possible	Based on accepted records, Night parrot habitat comprises long-unburnt mature Triodia grasslands forming mosaics with samphire and chenopod shrublands (Jackett et al. 2017, McDougall et al. 2009, Murphy et al. 2017) including genera such as Atriplex, Bassia and Maireana, on floodplains and claypans, and on the margins of salt lakes, creeks or other sources of water (McGilp 1931, Wilson 1937). Contemporary Western Australian Pilbara/Murchison records include records north east of Wiluna (Hamilton et al. 2017, Jackett et al. 2017), Lake Disappointment (Great Sandy Desert) (Harewood 2018), Great Sandy Desert (Caccetta 2018) , south of Newman (Ison 2017), salt lake systems on Martu County (Michelmore & Birch 2020) and near the Fortescue Marsh (Davis & Metcalf 2008). The current interim guidelines for preliminary surveys of Night parrot in Western Australia suggest the species requires large, dense Triodia hummocks primarily old-growth (often more than 50 years unburnt) for roosting and nesting (DPaW 2017), although little is known about foraging sites hence the precautionary score of possible. Foraging habitat is typically located nearby to roosting habitat (Jackett et al. 2017), though individuals have been recorded 9.4 km from roosting sites in a single night and recorded to have travelled over 40 km in a single night (Murphy et al. 2017). Local records of the Night parrot are scarce, with the nearest contemporary record of the species observed at Minga Well, a station bore and livestock watering point with large pools of water near Fortescue Marsh (Davis & Metcalf 2008) and a record from near Newman (Ison 2017) . At Lamb Creek, mature triodia at site LCS03 (which has not been affected by recent fires) could be utilised by Night parrot; however, most of the survey area has been recently burnt in 2013, 2015 and 2017 (NAFI 2021). There is unburnt Triodia on the surrounding hill slopes, but the majority were small clumps that would not provide extensive cover, with larger clumps occurring on outwash slopes. Small patches of mature triodia occurred in creek lines and low points of stony plain but were often small patches. Night parrot was not detected via acoustic recorder and habitats of the survey area do not include mosaics with samphire and chenopod shrublands, salt lake margin, or paleochannel.

Name	Status[1)]		Likelihood	Details
	BCA	EPBC		
Grey falcon (*Falco hypoleucos)*	VU	VU	Possible	Grey falcon commonly nests in timbered areas, particularly tall trees along watercourses, and forages in open or more sparsely vegetated habitats (Garnett et al. 2011). Medium Drainage habitats are likely to provide suitable nesting habitat for the species. Grey falcon is likely to forage broadly across all habitats within the survey area particularly Stony Plain. Highly nomadic with multiple records within 20 km of the survey area, including from Mining Area C where none of the records were breeding records (Biologic 2017).
Letter-winged Kite (*Elanus scriptus*)	P4		Possible	The Letter-winged Kite is a bird of open country and grasslands in arid and semi-arid Australia, where there are tree-lined streams or water courses. When food is plentiful, the species irrupts and birds may disperse to higher rainfall coastal regions (Birdlife 2020b). This kite roosts by day in the high canopy of leafy trees and is the only member of its family that hunts at night. Highly nomadic several records within 10 km of the survey area (DBCA 2020b). Probable infrequent visitor during irruptive events.
Ghost bat (*Macroderma gigas*)	VU	VU	Confirmed	Recorded by Rapallo in 2012, 2020 and 2021 in the retention licence (cave 1 and 3) and adjacent (cave 2). A regional review completed in November 2016 mapped all known ghost bat caves in the vicinity of Mining Area C (Biologic 2016b). A cluster of roost caves are located just east of the Lamb Creek haul road alignment. Bat Call WA confirmed that these caves comprise a category 2 roost cave surrounded by category 3 caves in an "apartment block" configuration (Bob Bullen pers. comm. 2020). These caves (cave 4 and 5 in Figure 3.1) are located 200-250 m east of the haul road corridor.
Short-tailed mouse (*Leggadina lakedownensis*)	P4		Possible	This species has a broad distribution across much of northern Australia, but is irregularly distributed with scattered populations (Van Dyck & Strahan 2008). In habits areas of open tussock and hummock grassland, Acacia scrubland, and savanna woodland, on alluvial clay or sandy soils (Lee 1995) and also cracking clay in the Pilbara (Gibson & McKenzie 2009) The DBCA threatened fauna database has two records from the same locality approximately 9 km SW of the survey area (GNHI), recorded in 1997 from the Boolgeeda land system DBCA 2020b). There are no records from Mining Area C despite extensive survey effort (Biologic 2017). The Short-tailed mouse could occur within the tussock grassland habitat of the survey area.
Northern quoll (*Dasyurus hallucatus*)	EN	EN	Confirmed	Recorded at Lamb Creek during the 2012 surveys (flora and fauna) from scats and camera (Rapallo 2012a). No records from Mining Area C despite extensive survey effort . Scats recorded approximately 5 km northwest of Mining Area C and a male quoll observed 5 km east of Mining Area C (Biologic 2017). Regionally there is a concentration of records 40 km to the north east from 2018 (DBCA 2020b). At Lamb Creek, potential habitat occurs within the gorge, gully , breakaway landscapes that occur within the higher elevation areas of the retention licence and ranges adjacent to the proposed haul road corridor. Northern quoll may forage/disperse through surrounding habitats such as hill crest/hillslope and drainage habitats.

Name	Status[1)]		Likelihood	Details
	BCA	EPBC		
Western pebble-mound mouse (*Pseudomys chapmani*)	P4	LC	Confirmed	The Western pebble-mound mouse occurs on the gentler slopes of rocky ranges where the ground is covered with a stony mantle and vegetated by hard spinifex, often with a sparse overstorey of eucalypts and scattered shrubs (Anstee & Armstrong 2001). Recorded in the survey area during the 2012 and 2020 survey from stony plain and hillcrest/hilltop habitat. Multiple records from Mining Area C (Biologic 2017) and other localities (DBCA 2020b).
Pilbara olive python (*Liasis olivaceus barroni*)	VU	VU	Confirmed	Within inland Pilbara the species is most often encountered near permanent waterholes in rocky ranges or among riverine vegetation (Pearson 1993). Recorded at Lamb Creek during the 2012 survey crossing stony plain between the Hamersley massive (hillcrest /hilltop habitat) and the Lamb Creek (medium drainage) within the now discounted southern haul road option (Rapallo 2012a). Five records from Mining Area C (Biologic 2017). At Lamb Creek, potential habitat occurs within the gorge, gully , breakaway landscapes that occur within the higher elevation areas of the retention licence and ranges adjacent to the proposed haul road corridor. The species may forage/disperse through drainage habitats.
Pilbara barking gecko (*Underwoodisaurus seorsus*)	P2		Likely	Pilbara barking gecko is a rock inhabiting, restricted-range species encountered at mid elevations in the Hamersley Ranges, widely separated from the closest populations of the related barking gecko *Underwoodisaurus milii* in the northern Goldfields and Shark Bay in Western Australia (Doughty & Oliver 2011) . The species has been recorded from several locations at Mining Area C and surrounds from gorge gully habitats (Biologic 2017). The species is known to be distributed over a wider area, having been recorded 120 km to the north-west and approximately 40 km to the south-west (DBCA 2020b). It is unknown whether its distribution is continuous between these areas, or if it occurs as a series of isolated populations. At Lamb Creek, potential habitat occurs within the gorge, gully , breakaway landscapes that occur within the higher elevation areas of the retention licence and ranges adjacent to the proposed haul road corridor.
Gane's blind snake (*Anilios ganei*)	P1		Likely	Endemic to the Pilbara, Gane's blind snake was originally listed because it was known from just a few scattered records, this species has now been more recently recorded from nine records in the region (DBCA 2020b). Gane's blind snake has been recorded from five locations within the Mining Area C Development Envelope, including an open drainage line (ENV Australia 2007) , rocky slope below the vertical wall of a gully, and mulga woodland habitat (Biologic 2011). Gane's blind snake was not recorded in this survey or the 2012 Lamb creek fauna survey but potential habitat occurs within the gorge, gully, breakaway, medium drainage, tussock grassland and mulga/corymbia plain habitats.

Footnotes:
1) Status: BCA = Western Australian Biodiversity Conversation Act 2016. EPBC = Commonwealth Environment Protection and Biodiversity Conservation Act 1999. See Appendix II for conservation codes.

4.2 Vertebrate fauna assemblage

During the 2020 detailed fauna survey of Lamb Creek, 128 species of vertebrate fauna were recorded, including 63 bird species, 20 mammal species, 44 reptile species, and one frog.

Combined with the 2012 fauna survey results, the total number of vertebrate fauna recorded from the Lamb Creek project area to date is 185 species. Results are presented in Appendix VII, summarised in Table 4.3 below and discussed in the text below.

Table 4.3 Summary of the total number of vertebrate fauna species recorded from Lamb Creek to date

Species group	2012 fauna survey	2020 fauna survey	Total recorded from Lamb Creek to date
Birds	76	63	87
Mammals	22	20	28
Reptiles	58	44	68
Amphibians	2	1	2
Totals	**158**	**128**	**185**

4.2.1 Birds

Birds were the most frequently observed fauna group, with 947 records representing 63 bird species. Of these species, 51 (81%) were recorded during systematic bird surveys, eleven species were recorded opportunistically, and one species, the little button-quail, was captured in a fauna trap.

Bird diversity was lower than predicted from the desktop study, which listed 159 bird species recorded from the region (section 4.1.2). However, the survey area did not contain suitable habitat for every one of these regional species. For example, there was no habitat for waders or waterbirds, while some species on the desktop list are migratory or respond to rainfall.

The habitat with the highest bird diversity recorded was medium drainage lines, dominated by *Corymbia*, *Acacia* and *Gossypium* over spinifex) with 34 bird species recorded, whereas the habitat with the lowest number of birds recorded was the hill crests and hill slopes habitat with only nine species recorded. The low diversity in this habitat likely reflects the low botanical diversity and structurally simplistic habitat.

The most frequently recorded bird species during the systematic surveys were the white-breasted woodswallow (n=103), Singing honeyeater (n=84), and budgerigars (n=76).

One conservation significant bird species has been recorded in the Lamb Creek project to date. This is the fork-tailed swift (*Apus pacificus*) which is listed EPBC Migratory and Marine. The fork-tailed swift is an extremely aerial species that is highly unlikely to land in the survey area and would not be affected by developments on the ground.

A comparison with data from the 2012 survey (Rapallo 2012a) indicated that the bird diversity in 2020 was lower than in that earlier survey, when 76 bird species were recorded (Table 4.3). The 2012 survey, however, covered a larger area as a southern haul road option was included, and in 2012 the survey area had not experienced recent fires. Over both survey years combined (see Appendix V) a total of 87 bird species have been recorded from the Lamb Creek project to date. Of these species, 52 were recorded in both survey years, 24 were only recorded in 2012, and four were only recorded in 2020. This difference

reflects the variability in bird assemblages between seasons and between years, and underlines that no single season survey would capture the complete avifauna of an area.

No conservation significant bird species were recorded in 2020. However, in 2012 the Fork-tailed swift (listed EPBC Migratory and Marine) was recorded from several locations (section 4.1.4).

4.2.2 Mammals

Twenty species of mammal were recorded during the 2020 survey. Bats were the most abundant group, with seven species recorded including the conservation significant ghost bat (listed Vulnerable). The majority of mammal species were recorded from systematic trap sites.

Mammal diversity was lower than predicted from the desktop study, which lists 46 mammal species recorded previously within 50 kilometres of the survey area (Appendix V), of which 43 species recorded from the adjacent Mining Area C. However, the Lamb Creek survey area did not contain suitable habitat for some of these regional species (for example no sand plains for Bilbies), and the survey comprised a single season only. In comparison, 21 surveys have been completed over the adjacent Mining Area C with data spanning many years and seasons, and over a much larger area containing habitats that do not occur in the Lamb Creek survey area (Biologic 2017).

To date, 28 mammal species have been recorded from Lamb Creek over both 2012 and 2020 surveys combined (Table 4.3). The number of mammal species recorded in 2020 was 19 compared to 22 recorded in 2012. The majority of species were recorded in both surveys. The northern quoll, listed Endangered, was only recorded in 2012, as discussed further below.

Systematic captures of small mammals were dominated by small dasyurids and rodents. The most abundant species were the Ooldea dunnart (*Sminthopsis ooldea*), Pilbara ningaui (*Ningaui timealeyi*) and the sandy inland mouse (*Pseudomys hermannsburgensis*) each with five captures. One additional species, the common rock rat (*Zyzomys argurus*) was recorded from a camera trap. The only conservation significant trappable mammal species recorded in 2020 was the western pebble-mound mouse (*Pseudomys chapmani*) which was recorded in the form of numerous mounds across the survey area. Nearly all pebble-mounds were recorded in the habitats of hill crest and hill slopes (section 4.5.2) and stony plain (section 4.5.1).

The 2020 survey recorded two conservation significant mammal species: the ghost bat (Vulnerable) and the western pebble-mound mouse (Priority 4). These same species were also recorded in 2012, as well as the northern quoll and the Pilbara olive python. These are discussed further in section 4.3.

Four introduced (feral) mammal species were recorded in 2020. These were the dromedary camel (*Camelus dromedarius*) and dog/dingo (*Canis lupus* sp.) which are listed declared pests s22(2), and the feral cat (*Felis catus*) and house mouse (*Mus musculus*) which are listed permitted s11 on the Western Australian Organism List (DAFWA 2021). One additional species of introduced fauna, the cow (*Bos taurus*) was recorded in 2012 (Rapallo 2012a).

4.2.3 Reptiles

During the 2020 survey 44 species of reptile and one species of amphibian were recorded from the Lamb Creek survey area. The desktop study indicated a total of 91 reptile species and seven amphibian species have been recorded within 50 kilometres of the survey area. However, the survey area does not contain suitable habitat for every one of these species.

To date, 68 reptile species and two frog species have been recorded from the 2012 and 2020 Lamb Creek survey areas (Table 4.3). In 2012 58 reptile species and two frog species were recorded, which is clearly higher than the number of species recorded in 2020. The lower numbers in 2020 were most likely because spotlighting was not permitted in 2020 due to logistics and client safety restrictions, and also because the survey area was recovering after several fires which burnt the majority of the survey area.

Overall, reptile records were still quite high during the 2020 survey. The reptile assemblage comprised sixteen skink species, five varanid species, five pygopod species, six agamid species and eight gecko species and four species of elapid for a total of 44 reptile species. The most commonly recorded reptile species were the rock ctenotus (*Ctenotus saxatilis*) with 86 records followed by the leopard ctenotus (*Ctenotus pantherinus*) with 61 records. The two most common geckos were the Pilbara ground gecko (*Lucasium wombeyi*) and western beaked gecko (*Rhynchoedura ornata*) with 37 and 36 records, respectively. The majority of reptile records came from systematic trapping.

Reptile species richness was generally consistent across all sites. The highest species richness was recorded at sites S06 and S09 with 15 species recorded at each.

No reptile species of conservation significance were recorded in 2020. However, in 2012 the Pilbara olive python (*Liasis olivaceus barroni*), listed Vulnerable under both the *Biodiversity Conservation Act 2016* and the EPBC Act, was recorded from a single location (section 4.3).

4.2.4 Amphibians

Amphibian diversity was low across the survey area, with only one species, *Cyclorana maini,* recorded. This is not a conservation listed taxon. One individual was detected opportunistically at trap site S02 within the Tussock grassland plain habitat. The lack of diversity and abundance of amphibian records likely reflects the low rainfall in the month prior to the survey.

4.2.5 Species richness estimators

To provide an indication of survey completeness, the software program EstimateS (Version 9.1.0) (Colwell 2013) was used to generate species accumulation curves and to calculate predicted species richness. Species accumulation curves represent a theoretical model of the relationship between survey effort and species accumulation: as the number of individuals recorded during the survey increases, the accumulation of fauna species decreases until the curve reaches an asymptote (Gotelli & Colwell 2011).

Since models can only be generated from data collected through systematic methods, the species accumulation curve and predicted species richness were calculated from systematic trapping data, and from systematic bird surveys. Separate analyses were conducted for these two methods.

4.2.5.1 Species accumulation curve for trapping data

The species accumulation curve for trapping data is presented in Figure 4.1, plotting the number of fauna species recorded (y-axis) against the number of individual animals captured in traps (x-axis). Observed species richness is presented as a sample-based rarefaction curve, computing the mean number of fauna species (S(est)) over all possible combinations of 1, 2, and up to 402 individuals captured (Colwell *et al.* 2012).

Systematic trapping recorded 43 species. The predicted species richness for trappable ground-dwelling fauna was 71 species, which indicates that 61% of the (estimated) trappable fauna had been captured

during the survey. This is reflected in the species accumulation curve, which after 402 individuals captured has not started to approach an asymptote (Figure 4.1).




Figure 4.1 Species accumulation curve for trappable vertebrate fauna

The primary reason for the large difference between predicted and recorded species richness was the Chao 1 estimator which is very sensitive to the presence of species represented only by singletons (rare species) relative to species captured more than once. The theory behind the Chao 1 estimator is that if rare species (singletons) are still being discovered by the end of the survey, there are likely to still be more species present in the survey area that have not yet been recorded (Vavrek 2011). During the 2020 survey of Lamb Creek, sixteen species out of a total of 43 were trapped only once, hence 37% of the species were represented by singletons. This suggests that more species are likely present in the survey area than recorded during the current survey.

Opportunistic and spotlighting records of trappable fauna (excluding microbats and species too large to be captured in the traps deployed) yielded an additional nine species of small to medium-sized ground dwelling vertebrate fauna that could have been captured in traps. Hence, the actual number of trappable fauna recorded during the survey was 52, which represents 73% of the predicted total.

A comparison with data from the 2012 survey (Rapallo 2012a) yielded a total of 26 mammals (of which 19 trappable), 68 reptiles, and two frogs recorded from the Lamb Creek project area over both surveys combined (see Appendix V). Out of the combined total of 96 species of mammals, reptiles, and frogs recorded from Lamb Creek to date, 49 were recorded in both surveys, 33 were recorded only in 2012, and fourteen were recorded only in 2020.

The desktop study identified 46 mammals, 91 reptiles, and seven frog species within 50 kilometres of the survey area (section 4.1.2). Of these, 24 mammals were not considered trappable as they were either too big for the traps deployed, or were bats. Hence, the total number of potential trappable fauna identified in the desktop is 113 species. This number exceeds the predicted species richness, which is not unexpected, as not all species occur everywhere within their range, and not all habitats that appear

potentially suitable may meet the exact specifications that a particular species needs. The Pilbara region is well surveyed, and this indicates that the desktop list provides a good representation of all potential species within 50 kilometres of the survey area. Further trapping efforts in the survey area are likely to yield additional species for the Lamb Creek project.

Based on current desktop results, differences between the two survey years, as well as the shape of the species accumulation curve, it is expected that additional surveys would improve the known species richness of the Lamb Creek survey area. However, without considerable trapping effort, further surveys are unlikely to yield additional trappable conservation significant vertebrate fauna. The habitat suitable for those species not yet recorded in the survey area (see desktop section 4.1.4) are primarily within the areas to the south of the haul road, which is outside of the survey area.

4.2.5.2 Species accumulation curve for systematic bird survey data

The species accumulation curve for systematic bird survey data is presented in Figure 4.2, plotting the number of bird species recorded (y-axis) against the total number of detections for all species combined (x-axis). Observed species richness is presented as a sample-based rarefaction curve, computing the mean number bird species (S(est)) over all possible combinations of 1, 2, and up to 335 detections (Colwell *et al.* 2012). Predicted species richness was calculated by taking the average of the estimators ACE, Chao 1, Jackknife 1, and Bootstrap, as appropriate for abundance data (Colwell 2013).

Systematic bird surveys recorded 51 bird species. The predicted bird species richness was 67 species, which indicates that 76% of the (estimated) bird species present in the survey area had been detected through systematic surveys. This is reflected in the species accumulation curve, which after 335 detections is not yet approaching an asymptote (Figure 4.2).




Figure 4.2 Species accumulation curve for systematic bird surveys

Similar to the trapping data, the Chao 1 estimator for the systematic bird data was very high compared to the other estimators, which is reflected by the fact that out of the total 51 species, 15 were

represented by singletons (29%). A high Chao 1 is a strong indication that further rare species occur in the survey area that have not yet been detected during the survey.

Opportunistic bird records collected during the survey (plus three Little button-quails captured in traps) yielded an additional twelve species. Hence the actual number of bird species recorded during the survey was 63, which represent 94% of the predicted total.

Bird assemblages of a given area often show variability between seasons and between years. A comparison with data from the 2012 survey (Rapallo 2012a) yielded a total of 86 bird species recorded from the Lamb Creek project area over both surveys combined (see Appendix V). Of these species, 47 were recorded in both survey years, 29 were only recorded in 2012, and 10 were only recorded in 2020. The total number of 86 bird species exceeds the predicted species richness of 67 bird species. However, since predicted species richness was calculated on data from the 2020 survey, it can only estimate total bird species richness at the time of the survey, and not across seasons or years.

The desktop study identified 157 bird species recorded within 50 kilometres of the survey area. The survey area contains potentially suitable habitat for 131 of these species (excluding ducks, waders, and other waterbirds).

Based on the desktop results, seasonal variability in bird assemblages, and the shape of the species accumulation curve, it is expected that additional surveys would further improve the known bird species richness of the Lamb Creek survey area. However, further surveys are unlikely to yield additional conservation significant bird species for the survey area.

4.4 Conservation significant vertebrate fauna

Five species of vertebrate fauna listed as conservation significant under either the Western Australian *Biodiversity Conservation Act 2016* (BC Act) or the federal *Environment Protection and Biodiversity Conservation Act 1950* (EPBC Act)[1] or listed as priority species by the department of Biodiversity Conversation and Attractions (DBCA) have been recorded from or proximal to the current Lamb Creek survey area to date, as listed below.

- Northern quoll (*Dasyurus hallucatus*) listed Endangered under both the EPBC Act and BC Act – Confirmed, recorded in 2012.
- Ghost bat (*Macroderma gigas*) listed Vulnerable under both the EPBC Act and the Biodiversity Conservation Act 2016 (BD Act) listed Confirmed, recorded in 2012 and 2020.
- Western pebble-mound mouse (*Pseudomys chapmani*) listed DBCA Priority 4 – Confirmed, recorded throughout the project area in 2012 and 2020.
- Fork-tailed Swift (*Apus pacificus*) listed Migratory and Marine under the EPBC Act – Confirmed, recorded in 2012.
- Pilbara olive python (*Liasis olivaceus barroni*) listed Vulnerable under both the EPBC Act and the BC Act – Confirmed, recorded in 2012.

4.4.1 Northern quoll

The Northern quoll is listed as Endangered under the EPBC act and the BC Act. The species, once widely distributed across northern Australia, is now restricted to three isolated populations; the Pilbara, the Kimberley and Northern Territory, and Queensland, in addition to a number of islands along the north coast (DoE 2016). Such declines are primarily due to the western expansion of the cane toad which is highly toxic to predators when consumed (Woinarski *et al.* 2008). Other threats include predation from feral predators such as foxes and cats, inappropriate fire regimes, disease, habitat degradation through grazing as well as habitat destruction through mining and agriculture (Woinarski *et al.* 2011).

The Northern quoll is both arboreal and terrestrial, inhabiting ironstone and sandstone ridges, scree slopes, granite boulders and outcrops, drainage lines and riverine habitats (Braithwaite & Griffiths 1994, Oakwood 2002). Rocky habitats tend to support higher densities, as they offer protection from predators and are generally more productive in terms of availability of resources (Braithwaite & Griffiths 1994, Oakwood 2002). Other microhabitat features important to the species include: rock cover; proximity to permanent water and time-since last fire (Woinarski *et al.* 2008). Dens occur in a wide range of situations including: rock overhangs, tree hollows, hollow logs, termite mounds, goanna burrows and human dwellings/infrastructure, where individuals usually den alone (Oakwood 2002, Woinarski *et al.* 2008). Northern quoll populations go through boom-bust cycles with population crashes recorded in years of drought (Hernandez-Santin, et al. 2019, Moore et al. 2021).

The Northern quoll is moderately common through part of the Pilbara (within 150 kilometres of the coast) and therefore usually present where suitable rocky habitat is present. Northern quoll occur in the hard rocky habitats of the Pilbara that provide denning habitat and safety from predators and fire (Hill & Ward 2010, Turpin & Bamford 2014).

Habitat critical to the survival of the northern quoll is defined as rocky habitats such as ranges, escarpments, mesas, gorges, breakaways, boulder fields, major drainage lines, or treed creek lines (DotEE

[1] Note that all species listed under the EPBC Act as Threatened (see Appendix II) are considered Matters of National Environmental Significance (MNES).

2016). The gorge, gully, breakaway habitat within the higher elevation areas of the retention licence and ranges adjacent to the proposed haul road corridor fit the definition of critical northern quoll habitat, defined by large areas of condensed, complex rocky habitat, with intact vegetation occurring within and in the areas surrounding habitat (DotEE 2016, Moore et al. 2021). Habitat complexity within-patch scale (Moore *et al.* 2021) is present for denning via the deep cracks and crevices of the extensive outcropping. Suitable denning habitat for this species occurs within the gorge, gully, breakaway habitat within the higher elevation areas of the retention licence and the ranges adjacent to the proposed haul road corridor. Northern quoll may forage/disperse through surrounding habitats such as hill crest/hillslope and drainage habitats.

No evidence of Northern quoll was detected during the 2020 survey, despite significant effort including searching on foot for scats, footprints and other signs, and placement of 40 camera traps (279 camera nights) (Figure 3.1). The 2012 trap effort of 182 camera nights and 300 cage trap nights yielded one individual recorded via camera and a scat from gorge, gully, breakaway habitat located in the ranges adjacent to the current haul road corridor (Rapallo 2012a). In addition, a scat was recorded during April 2012 flora surveying from a rock overhang in the gorge, gully, rocky breakaways habitat of the eastern part of the retention licence (M. Weerheim *pers. comm*.) (Figure 4.3). The 2012 survey coincided with the recruitment season for northern quoll (Hernandez-Santin, et al. 2019).

Northern quoll was recorded very infrequently from the adjacent Mining Area C, despite significant survey effort over many years, and all records were scats only (Biologic 2017).

Based on desktop evidence and records from 2012 and 2020, it appears that northern quoll are locally present at low density. It is unlikely that an extensive population of northern quoll inhabits the survey area, or habitats adjacent to it, bearing in mind that the current 2020 survey was completed at reconnaissance level, and survey work to date (2012 and 2020) and did not cover all areas of potential gorge / gully habitat within the project area.

4.4.2 Ghost bat

The Ghost bat (*Macroderma gigas*) is listed It is listed as Vulnerable under both the Western Australian *Biodiversity Conservation Act 2016* and under the Commonwealth EPBC Act. The species has declined significantly over the last 200 years and currently has a patchy and widespread distribution across northern Australia (Van Dyck & Strahan 2008). The availability of suitable roost caves is critical for the species' persistence and survival (Armstrong & Anstee 2000).

Rapallo recorded ghost bat at Lamb Creek during a detailed fauna survey in 2012. At that time, the ghost bat was Priority 4 and not considered an MNES species. Hence, (DEWHA 2010) did not apply to the ghost bat at the time. Furthermore, ultrasonic recordings in 2012 failed to detect ghost bat calls as, at the time, the consensus was that their echolocation and social calls were difficult to distinguish from other signals based on their structure (Armstrong 2010). All ghost bat records from Rapallo (2012) were through direct sightings on the few select caves that could be visited by the team on foot as access via helicopter was not provided.

Bat survey work completed in 2020-2021 was a component of the detailed survey in order to assess general bat populations of the survey area. Caves 1, 2 and 3, where ghost bats had been detected visually in 2012 were re-visited in April 2020. Caves 4 and 5 were identified after the 2020 field survey when additional regional information became available. Because they were very close to the survey area (approximately 200 meters) caves 4 and 5 were visited opportunistically in February 2021 during SRE field

work, with some additional recordings also made at caves 1 and 2. The purpose of this was to make use of the opportunity to accumulate more survey data, as a helicopter was available.

Calls at times consistent with foraging visits were detected at Caves 2 and 3 in April 2020 and at Caves 3 and 4 in February 2021. At least four diurnally roosting ghost bats were confirmed at Cave 1 in 2020. This was confirmed by the temporal pattern of their recorded calls on three nights. Both social and ultrasonic calls were recorded before dawn followed by similar numbers of calls soon after dusk that day.

In 2021 calls consistent with diurnally roosting ghost bats were detected at Cave 5. These records are consistent with the Ghost bat being present in the region (Bat Call WA 2021) including the adjacent Mining Area C (Biologic 2017, 2016b).

Cave 1 is provisionally assigned as a Category 2 roost while Caves 2, and 3 are provisionally Category 3. Caves 4 and 5 are known Category 3 and 2 respectively (Bat Call unpublished data) and occur nearby to a number of other caves, shelters and overhangs identified in Biologic (2016b).

Caves that are confirmed as Category 2 and groupings of caves that surround them are critical Ghost bat habitat (Bat Call WA 2021). Based on this, caves 4 and 5 are confirmed critical habitat, and cave 1 is potential critical habitat pending confirmation. Caves are initially given a provisional categorisation based on the first visit. In order for this status to become confirmed, permanent monitoring is required to confirm pattern of usage over a two-year period (B. Bullen *pers. comm*. January 2022).The roost categories are detailed in (Appendix VIII).

Ghost bat will often forage more broadly across habitats, often utilising drainage lines and other habitats where prey species are likely to be most abundant (Richards *et al.* 2008, Tidemann *et al.* 1985). Therefore, until habitat requirements for Ghost bat in the Pilbara are refined it is assumed that suitable foraging habitat exists across all habitats of the survey area.

Cave 1 and cave 3 are located in the retention licence (R47/19), within respectively 325 metres and 600 meters from footprint V3, while cave 4 and 5 are located adjacent to the project area within 200 meters of the haul road footprint in L47/713 (Figure 4.3).

In summary, ghost bat was confirmed in the areas surveyed at Lamb Creek in 2012, 2020 and 2021. To date no targeted work on ghost bats as per DEWHA (2010) or detailed cave/roost assessments have been completed in the Lamb Creek project area, and some areas have never been visited as they were added after the surveys were completed. The work completed on ghost bats in 2012, 2020 and 2021 was either a component of a detailed survey or opportunistic records.

4.4.3 Pilbara olive python

The Pilbara olive python (*Liasis olivaceus barroni*) is listed Vulnerable under both the *Biodiversity Conservation Act 2016* and the EPBC Act. This species was not recorded in 2020, but in 2012 it was recorded crossing stony plain habitat between the Hamersley massive (hillcrest/hilltop habitat) and the Lamb Creek (medium drainage) within the now discounted southern haul road option (Rapallo 2012a), (Figure 4.3). The species has been recorded from the adjacent Mining Area C (Biologic 2017) and from four DBCA records in the vicinity (Appendix VI).The Pilbara olive python favours areas with permanent water holes in rocky rangers or along rivers (Pearson 1993).


This species is likely to be found within the gorges and gullies of the ranges adjacent to the proposed haul road corridor and may forage/disperse through surrounding habitats such as stony plain and drainage habitats.

4.4.4 Western pebble-mound mouse

The Western pebble-mound mouse (*Pseudomys chapmani*) is listed by the DBCA as Priority 4 which is defined as taxa in need of monitoring. The species has experienced a significant decline in their range from the Gascoyne and Murchison (Van Dyck & Strahan 2008). Pebble mounds were recorded in both 2012 and 2020 from the hill crest/hill slopes and stony plain habitats (Figure 4.3). The Western pebble-mound mouse was also recorded throughout similar habitat in the adjacent Mining Area C project area (Biologic 2017) and appears to be locally common.

4.4.5 Fork-tailed swift

The Fork-tailed swift (*Apus pacificus*) is listed Migratory and Marine under the EPBC Act. It was not recorded in 2020, but in 2012 it was recorded from all habitats of the survey area (Rapallo 2012a) . This species is migratory, and would forage above the Lamb Creek project area during summer (Johnstone & Storr 1998). The species is entirely aerial and would not land in the survey area. Hence, project activities on the ground are unlikely to impact this species.



Rapallo environmental

Mineral Resources Limited
Lamb Creek Project

Lamb Creek Iron Ore Project
Detailed Vertebrate Fauna Survey

Original Size: A4 Scale: 1:70,000
Datum: MGA94 Zone 50
0 2 km

Figure 4.3

Conservation significant vertebrate fauna records 2012 and 2020 surveys

4.5 Broad fauna habitats

Seven broad fauna habitats were identified in the survey area, as mapped in Figure 4.4. Habitats are summarised in Table 4.4 and Table 4.5 with habitat assessment data presented in Appendix IX.

Table 4.4 Broad Fauna Habitats


Broad fauna habitat	Area (ha)
Stony plain	518
Hillcrests/hillslope	319
Mulga/corymbia plain	292
Minor drainage	211
Tussock grassland plain	137
Medium drainage	113
Gorge, gully and rocky breakaway	55
Road – Bitumen (not a habitat)	1
	1645

Table 4.5 Fauna habitat descriptions

Habitat	Representative Photo
Stony plain Plains and lower slopes of spinifex hummock grasslands (or in small patches, tussock grass) on red sandy clay loam to loam soil. Typically, with a mantle of gravel (less so on the valley floor adjacent to drainage, where soils are loamier). Little to no overstory aside from scattered trees or patches of mixed shrubs often regenerating from fire. Generally, *Eucalyptus leucophloia* occurs on the slopes, *Eucalyptus gamophylla* on lower slopes and *Corymbia hamersleyana* is typically associated with drainage). Potential conservation significant species: ▪ Night parrot (possible foraging/ dispersal in small area of unburnt mature Triodia near LCS03) ▪ Ghost bat (foraging/ dispersal) ▪ Grey falcon (foraging/ dispersal ▪ Western pebble-mound mouse (breeding/ shelter, foraging/ dispersal) ▪ Pilbara olive python (foraging/dispersal) Sites: LC16, LC22, LC24B, LC24A, LC27B, LC28, LC29A, LC30, LC37A, LC40, LCS08, LCS03 LCS04 Area: 518 hectares Significance: Low	

Habitat	Representative Photo
Hillcrest/hill slopes Slopes and hill crests of the higher elevation areas. Spinifex hummock grassland dominated with scattered Eucalyptus leucophloia trees and mallee, and acacia and grevillea shrubs on rocky, red skeletal soils (loams to clay/loam). Potential conservation significant species: ▪ Ghost bat (foraging/ dispersal) ▪ Western pebble-mound mouse (breeding/ shelter, foraging/ dispersal) ▪ Northern quoll (foraging/ dispersal) Area : 319 hectares Sites: LC11, LC19, LC17, LC38, LC26, LCS10 Significance: Moderate	
Mulga/corymbia plain Open mulga shrubland patches over spinifex or tussock grassland on loams to sandy clay loam occurring in areas of sheet flow drainage. The mulga patches are surrounded by run-off zones of stonier plain of open spinifex/tussock grassland under very open mulga/ *Corymbia deserticola (*shrubland). Potential conservation significant species: ▪ Ghost bat (foraging/ dispersal) ▪ Grey falcon (foraging/ dispersal ▪ Gane's blind snake Area: 291 hectares Sites: LC04, LC05, LC06, LC07, LC08, LC09, LC10, LC15, LCS05 and LCS06 Significance: Moderate	

Habitat	Representative Photo
Minor drainage The smaller narrow drainage channels and shallow gullies that bisect the stony plain habitat and hill slopes, forming flow zones on the valley floor. Mixed open shrubland to shrubland often over tussock grass and herbs with occasional fringing trees (scattered *Eucalyptus leucophloia, Corymbia or Eucalyptus gamophylla)* Potential conservation significance species: ▪ Ghost bat (foraging/ dispersal) ▪ Grey falcon (foraging/ dispersal) ▪ Peregrine falcon (foraging/ dispersal) ▪ Pilbara olive python (foraging/ dispersal) ▪ Northern quoll (foraging/ dispersal) Area : 210.6 hectares Sites: LC18, LC23, LC25, LC27A, LC36, LC37, LC42A, LC44, LC43, LC45, LC29B Significance: Moderate	
Tussock grassland plain Tussock grass (Aristida i*naequiglumis*, *A. contorta*, *Themeda triandr*a) dominated largely undefined drainage plain. Contains occasional open mulga woodland stands or scattered mulga individuals on brown sandy clay loam to loams. Contains patches of spinifex. Potential conservation significant species: ▪ Ghost bat (foraging/ dispersal) ▪ Grey falcon (foraging/ dispersal ▪ Peregrine falcon (foraging/ dispersal) ▪ Gane's blind snake ▪ Short-tailed mouse Area : 137 hectares Sites: LC31, LC32, LC33, LC34, LC35, LC41, LC42, LCS01, LCS02 Significance: Moderate	

Habitat	Representative Photo
Medium drainage Wide loamy drainage channels to undefined drainage (gravelly) containing occasional emergent *Corymbia hamersleyana* over patches of low mixed shrubs over buffel grass and tussock grass dominated understory on low relief. Contains very occasional mulga stands in loamier soils. Potential conservation significant species: ▪ Ghost bat (foraging/ dispersal) ▪ Grey falcon (breeding/ nesting, foraging, dispersal) ▪ Pilbara olive python (foraging/dispersal) ▪ Northern quoll (foraging/ dispersal) ▪ Peregrine falcon (foraging/ dispersal) ▪ Gane's blind snake Area : 113 hectares Sites: LC01, LC02, LC03, LC39, LC39A, LCS07, LCS09 Significance: Moderate	
Gorge, gully and rocky breakaway The wide rocky gullies and gorges that bisect the hillcrest/hillslopes of the higher elevation areas containing caves, deep cracks, and crevices. Breakaways occur as the rugged edges of hillslopes. Spinifex hummock grassland with mixed shrubland patches or occasional ficus occurring in shaded locations or occasional *Eucalyptus leucophloia.* otential conservation significant species: ▪ Pilbara olive python (breeding/ shelter, foraging/ dispersal) ▪ Northern quoll (breeding/ shelter, foraging/ dispersal) ▪ Ghost bat (roosting/foraging/ dispersal) ▪ Peregrine falcon (breeding/foraging/ dispersal) ▪ Pilbara barking gecko ▪ Gane's blind snake Area : 54.7 hectares Sites: LC13, LC21, LC12, LC14, LC20, LC12, LC14, LC20 Significance: High	

4.5.1 Stony plain

A habitat of the lower slopes, undulating and level plains, the stony plain habitat often occurs in shallow valleys below hill systems. This habitat typically has a low habitat complexity due to low diversity of microhabitat and minimum shading from vegetation and landform dependent on surrounding topography and outcropping.

The stony plain habitat is the most extensive habitat on the survey area (518 hectares), covering most of the retention licence and haul road corridor on the lower valley sides to valley floor. At Lamb Creek this habitat is characterised by little to no overstory aside from scattered trees or patches of mixed shrubs often regenerating from fire. *Eucalyptus leucophloia* often occurs on the slopes, *Eucalyptus gamophylla* on the valley floor and lower slopes and *Corymbia hamersleyana* grades into drainage. Within the survey area the stony plain typically has low habitat complexity with microhabitats restricted to infrequent rocky outcrops and limited shade provided by vegetation.

Stony plain habitat is a common habitat in the Pilbara, particularly in the Boolgeeda Land System. Aerial photography and helicopter visuals confirm that this broad habitat occurs outside of the survey area. There are some species of conservation significance that may utilise this habitat, primarily as foraging or dispersal. However, they are not restricted to this habitat type. The stony plain habitat is ranked as low significance (Table 4.5, Appendix IV).

4.5.2 Hill crests/hill slopes

Hillcrests and hillslopes are the rocky crest and slopes of the large hills and ranges. This habitat typically has a low habitat complexity due to low diversity of microhabitat and minimum shading from vegetation and landform dependent on surrounding topography and outcropping.

At Lamb Creek this habitat is confined to the higher elevation areas (centre and south-east corner of the retention licence) and falls within the Newman Land and Boolgeeda Land System. There are no high elevation south facing slopes and outcropping with cracks and crevices predominately occurs in the adjacent gorge, gully and rocky breakaway habitat. This broad habitat can contain areas of outcropping, outwash (minor drainage) and breakaway that were too small to map in detail.

Hill crests and hill slopes formed the second most extensive habitat within the survey area, covering 319 hectares. Vegetation is characterised by a *Triodia hummock* grassland with scattered *Eucalyptus leucophloia* trees and mallee, and acacia and grevillea shrubs.

Aerial photography, helicopter visuals, and ground-truthing for camera trapping confirmed that this habitat extends outside of the retention licence, to the south of the haul road corridor. In a regional context, rocky spinifex dominated hillcrests and hillslopes habitats of the Pilbara are common.

Conservation significant species are likely to disperse and forage within these habitats due to the proximity of the gorge, gully and rocky breakaway habitat, therefore, this habitat is ranked as moderate significance (Table 4.5, Appendix IV).

4.5.3 Gorge, gully and rocky breakaway

Gorges are deeply incised, with vertical cliff faces, while gullies are more open and shallower. Breakaways refer to rugged slopes with vertical fall on the edge of a hill or range. This habitat can support caves and

semi-permanent rock pools and has a moderate to high habitat complexity largely dependent on landform and aspect.

At Lamb Creek this habitat is confined to the higher elevation areas within the retention licence and falls within the Newman Land System. This habitat bisects the hillcrest/hillslopes of the higher elevation areas and contains caves, deep cracks/crevices, and shaded microhabitats from both vegetation and landform shadow. The more open, shallow gullies contain have lower habitat complexity with microhabitats occurring within the rocky substrate and partial shade provided by vegetation and landform. The deepest gorge on the retention licence has northern-facing slope and there are no south facing gorges or deep gullies.

This habitat occurs as two deep gorges and two smaller gorges in the centre and south-east corner of the retention licence and is typically vegetated with spinifex hummock grassland with mixed shrubland patches or ficus occurring in shaded locations and occasional *Eucalyptus leucophloia*. The gorge, gully and rocky breakaway habitat does not occur on the haul road corridor.

The gorge, gully and rocky breakaway habitat is one of the smallest habitats in the survey area (54.7 hectares) due to its narrow features. Aerial photography and helicopter visuals and ground-truthing for camera trapping confirmed that this habitat extends outside of the retention licence, bisecting the higher elevation areas adjacent to the proposed haul road corridor. In a regional context, the gorges, gully and rocky breakaway habitats of the Pilbara are restricted to the Chichester and Hamersley IBRA subregions but are well represented. Locally, this habitat occurs at Mining Area C (Biologic 2017) and within Karijini National Park.

The gorge, gully and rocky breakaway habitat are considered important for conservation significant fauna, including Matters of National Environmental Significance species. The gorge, gully and rocky breakaway habitat is ranked as high significance (Table 4.5, Appendix IV).

4.5.4 Medium drainage

Medium drainage is defined as the narrow gravelly drainage channels that become wider on the lower plains of the valley. This drainage is made up of minor tributaries that feed into the major creek lines of the catchment. Medium drainage is often fringed by *Corymbia hamersleyana*. Medium drainage habitat typically exhibits a moderate habitat diversity with some tree hollows and woody debris (logs and leaf litter) and typically does not contain semi-permanent/ permanent pools or the large fringing river gums.

At Lamb Creek this habitat occurs on the valley floor of the retention licence as wide loamy drainage channels to undefined drainage (gravelly) containing occasional emergent *Corymbia hamersleyana* over patches of low mixed shrubs over buffel grass and tussock grass dominated understory on low relief. Contains very occasional mulga stands in loamy soils as the habitat transitions into mulga/corymbia plain habitat.

The medium drainage habitat provides higher protection than the surrounding stony plain habitat due to partial shading from vegetation and some leaf litter and woody debris, however it was noted in 2020 and 2021 that detritus and litter within this habitat was sparse or in piles without accumulated soil - indicating recent fast flow and little opportunity for soil and fine detritus to accumulate. This habitat typically has deeper loamier soils than the surrounding stony plain, therefore greater potential to retain moisture.

The medium drainage habitat although small in area (113 hectares) due to narrow features is relatively common throughout the Pilbara. Aerial photography and helicopter visuals confirm that this habitat occurs outside of the survey area aligning with the Lamb Creek that feeds into Marillana creek.

The medium drainage habitat provides foraging and dispersal opportunities for conservation significant fauna including Matters of National Environmental Significance species. The medium drainage habitat is ranked as moderate significance (Table 4.5, Appendix IV).

4.5.5 Minor drainage

Minor drainage represents the small drainage channels that originate from the hillcrest/ hillslope habitats and bisect the stony plain habitat. Minor drainage typically exhibits a low-moderate habitat complexity, with some shading from vegetation but low soil moisture levels, low accumulated litter, and generally gravelly soils.

At Lamb Creek this habitat occurs throughout the survey area and represents the smaller drainage channels and shallow gullies. Typically, vegetation can be denser than the surrounding habitat of stony plain or hill slopes and hill crests, consisting of mixed open shrubland to shrubland often over tussock grass and herbs with occasional fringing trees (scattered *Eucalyptus leucophloia, Corymbia hamersleyana or Eucalyptus gamophylla*. The substrate can be sandy in places but generally consists of a skeletal loam gravel or stone. This broad habitat although small in area (211 hectares) is relatively common throughout the Pilbara. Aerial photography and helicopter visuals confirm that this habitat occurs outside of the survey area.

There are some species of conservation significance that may utilise this habitat, primarily as foraging or dispersal, however, they are not restricted to this habitat type. The minor drainage line habitat is ranked as moderate significance (Table 4.5, Appendix IV).

4.5.6 Tussock grassland plain

The tussock grassland plain habitat is defined as tussock grassland dominated drainage plain (hardpan) containing open mulga woodland stands or scattered mulga individuals on brown sandy clay loam to loams with surface mantles of very few to few pebbles of ironstone.

This habitat occurs at the southern end of the haul road corridor within the Wannamunna and Boolgeeda land systems. This habitat receives run-on from adjacent hills and surrounding stony plain and much of the drainage is undefined. The tussock grassland broad habitat is not widespread throughout the Pilbara, compared with the adjacent spinifex stony plain and hillcrest/hillslope habitats and aligns broadly with the groves landform unit of the Boolgeeda land system, the hardpan plains landform unit of the Wannamunna land system and 'valley floor mulga' as described by Kendrick (2001).

Aerial photography suggests that this habitat continues south east from the survey area parallel to the Great Northern Highway, aligning with the mulga habitat found at Area C (Biologic 2017), approximately three kilometres to the south-south west of the survey area.

Mulga (species in the *Acacia aneura* complex) is widespread across arid and semi-arid regions of Western Australia, covering approximately 37 percent of the surface area of Western Australia (Fox 1980). Grove-intergrove Mulga communities of the eastern Hamersley range were considered as "ecosystems at risk" by (Kendrick 2001) because it is thought that sensitivity to disturbance is greatest at the northern limit of

mulga's distribution (Fox 1980), related to the dominant summer rainfall pattern of the Pilbara (Fox 1980, Kendrick 2001, Maslin & Reid 2012).

Kendrick (2001) lists a number of 'ecosystems at risk' including grove/inter-grove mulga of the eastern Hamersley range, and 'valley floor mulga' within the Hamersley IBRA subregion. Given the lack of detail provided by Kendrick, it is not possible to determine if the habitats containing mulga vegetation at Lamb Creek match the mulga ecosystems at risk. However, vegetation types B, C, D and E (Rapallo 2021b) do contain *Acacia aptaneura* within the upper storey on stony or clay plains and floodplains, which broadly aligns with the broad description of 'valley floor mulga'.

Regionally, (Biota 2014) consider "valley floor mulga" to extend over a range of approximately 350 kilometres through the southern half of the Pilbara (Biota, unpublished data, cited in Biota 2014) and Onshore (2017) conclude that mulga vegetation of *Acacia catenulata* subsp. *occidentalis* and *Acacia aptaneura* that aligns with valley floor mulga' on the MAC Development Envelope is common on plains between Newman and Roy Hill (approximate range 150 kilometres).

Onshore (2017) concluded that seven other vegetation associations within BHP Billiton Iron Ore's consolidated vegetation mapping database support *Acacia catenulata* subsp. o*ccidentalis* and *Acacia aptaneura* as dominant upper storey components, and are considered to be closely affiliated with the mulga communities recorded on the lower stony plains of the MAC development area. As such Onshore (2017) does not considered the mulga communities within the MAC Development Area to be locally endemic or unique.

Neither the vegetation association nor related ecosystem of "valley floor mulga" has been nominated as a PEC by DBCA since identified as an ecosystem at risk by Kendrick (2001b) suggesting a low level of perceived conservation significance.

The tussock grassland plain habitat provides foraging and dispersal opportunities for conservation significant fauna including Matters of National Environmental Significance species. The tussock grassland plain habitat is ranked as moderate significance (Table 4.5, Appendix IV).

4.5.7 Mulga/corymbia plain

The mulga/corymbia plain habitat is defined as level plain subject to sheet flow containing mulga woodland patches adjacent to run-on zones of stonier plain.

At Lamb Creek this habitat occurs on the valley floor adjacent to medium drainage primarily in the retention licence and also in the northern section of the haul road corridor. Vegetation is broadly open mulga shrubland patches over spinifex or tussock grassland surrounded by run - on zones of stonier plain of open spinifex/tussock grassland under very open mulga/ *Corymbia deserticola* shrubland. Soils are loams to sandy clay loam.

The mulga/corymbia plain habitat exhibits a moderate habitat complexity. Mulga stands provide shade; however, the stands are not extensive or thick, therefore the shade is patchy as is the accumulated litter and associated patches of moister soil. Within the mulga patches this habitat provides loamier soil for burrowing species, however the substrate in adjacent run-on areas is predominantly hard and stony.

This habitat aligns broadly with the stony lower plains and narrow drainage floors, channels land landform unit of the Boolgeeda land system (van Vreeswyk et al. 2004) and 'valley floor mulga' as described by Kendrick (2001).

Boolgeeda is a common system in shallow valleys below hill systems such as the Newman and Rocklea land system (van Vreeswyk et al. 2004). Aerial photography and helicopter visuals suggest that this habitat occurs outside of the survey area however, ground truthing has not verified the extent of individual mulga patches beyond 50 metres south of the survey area. Valley floor mulga is discussed in detail in section 4.5.6.

Disruption to sheet flow could impact this habitat. The mulga/corymbia plain habitat provides foraging and dispersal opportunities for conservation significant fauna including Matters of National Environmental Significance species . The mulga/corymbia plain habitat is ranked as moderate significance (Table 4.5, Appendix IV).


4.5.8 Disturbance

Some habitats have been disturbed via selective clearing for tracks, drill pads and laydown associated with exploration activities, particularly within the stony plain habitat of the retention licence. The majority of the survey area has been burnt over recent years, with some parts burnt several times (NAFI 2021) resulting in a mosaic of different post fire ages. See section 2.5.

4.6 Habitat Features

Water sources are a limiting factor for many ecosystems ((James *et al.* 1995), particularly within arid-zone ecosystems such as the Pilbara ((Burbidge *et al*. 2010, Doughty *et al.* 2011) and often represent areas of comparatively high ecological productivity (Murray *et al.* 2003). Continuous sources of food and moisture, and water for amphibians provides opportunities to forage and breed (James *et al.* 1995). To date there have not been permanent or semi-permanent pools recorded from the Lamb Creek project area, despite extensive use of helicopter in 2012, 2020 and 2021 for baseline surveys.

Caves can be important features within a landscape, particularly in arid zone systems, often providing stable microclimates, shelter and protection (Medellin et al. 2017). Ghost bat occurrence, or evidence of occurrence, has been recorded at five known caves on or proximal to the survey area (section 4.4.2). Cave photographs are located in Appendix VIII.



Rapallo environmental

Mineral Resources Limited
Lamb Creek Project

Lamb Creek Iron Ore Project
Detailed Vertebrate Fauna Survey

Original Size: A4 Scale: 1:70,000
Datum: MGA94 Zone 50
0 2 km

Figure 4.4

Habitats of the survey area

4.7 Survey adequacy and limitations

The following sections address level of assessment, survey completeness and survey limitations. The field survey was completed in April 2020 and aligned with the following Environmental Protection Authority (EPA) guidance statements:

- *Technical Guidance – Terrestrial Fauna Surveys* (EPA 2016c)
- *Technical Guidance – Sampling methods for terrestrial vertebrate fauna* (EPA 2016b).

These guidance statements have been superseded by the current technical guidance (EPA 2020), which was published post field work (June 2020).

4.7.1 Level of assessment and survey timing

A single-phase detailed vertebrate fauna survey was conducted over 13 days, from 16 to 28 April 2020. Supplementary habitat assessment and bat call recordings occurred during the wet season between 16 and 25 February 2021. The survey level and timing were as per client request aligning with the end of the EPA (2016b, 2020) recommended survey period for reptiles in the Eremaean botanical province. The recommended survey period for birds and amphibians in the Eremaean province is after rain (EPA 2016b, 2020). As described in section 2.1, rainfall in January 2020 was above average, but below average for February and March 2020 (BOM 2020), and there was no rainfall during the survey. At the time of the survey, the area appeared to be very dry.

The primary focus of the detailed terrestrial vertebrata fauna survey was to identify the faunal assemblages present in the survey area. For this reason, conducting the survey post summer rainfall, when faunal activity is typically high was appropriate. The field survey occurred post-mating season for Northern quoll (Hernandez-Santin, *et al.* 2019), however, the cameras deployed as part of this survey were additional survey effort to the detailed survey rather than constituting a targeted survey as per the Commonwealth guidelines for Northern quoll (DoE 2016). A targeted conservation significant fauna survey (including northern quoll and ghost bat) was beyond the scope.

4.7.2 Survey completeness

Species accumulation curves for trappable fauna and birds are presented in section 4.2.5. Species richness estimators indicate that the survey recorded 61% of the estimated trappable fauna, and 76% of the estimated birds. This is reflected in the shape of the species accumulation curves, which by the end of the survey had not started to approach an asymptote. Additional trapping surveys would likely improve the known species richness of the survey area; however, further short-term trapping surveys are unlikely to yield additional conservation significant species.

4.7.3 Survey limitations

In accordance with EPA (2016c, 2020) technical guidance, an assessment of the limitations of the survey is presented in Table 4.6.

Table 4.6 Limitations of the fauna survey of the Lamb creek survey project area

Aspect	Limitation	Discussion
Scope and intensity	No	Scope and intensity of the survey were suitable to achieve the aims of a level 2 fauna survey as outlined in EPA (2016a).

Aspect	Limitation	Discussion
Availability of contextual information at a regional and local scale	No	Extensive surveying has been undertaken in the Pilbara region including an extensive body of work over BHP Mining Area C which is located directly adjacent and south of the survey area over similar land systems.
Competency/experience of the team carrying out the survey, including experience in bioregion surveyed	No	All members of the survey team have experience in conducting fauna surveys in arid Western Australia.
Proportion of fauna recorded and/or collected, any identification issues	Partial	Approximately 43% of vertebrate fauna identified in the desktop assessment were recorded during the field survey. Although the desktop assessment is likely to overestimate the number of species occurring within the survey area, appropriate sampling was conducted to adequately sample all fauna groups. Apart from SRE specimens, all observed fauna was identified at the point of observation during the field surveys. All recorded bat calls were analysed, and species identified by an external expert. The survey recorded 128 species of vertebrate fauna, including 63 bird species, 20 mammal species, 44 reptile species, and one frog species. However, in comparison with the 2012 survey, the 2020 fauna assemblage was subdued, which was likely related to low rainfall and recent fires. In addition, the 2012 survey included nocturnal spotlighting which often produces additional fauna that are not captured in traps or diurnal surveys, while in 2020 nocturnal surveys were not possible due to client safety requirements. The species accumulation curves for trappable fauna and birds indicated that additional trapping effort is likely to detect further species within the Lamb Creek survey area. The survey comprised a single-season detailed fauna survey, and was not a targeted survey for conservation significant fauna including ghost bat, northern quoll, and Pilbara olive python. The latter two species were not detected in 2020 but known to be present at Lamb Creek in 2012. These species are cryptic and take sufficient effort to detect. Targeted surveys in accordance with national guidelines (DEWHA 2010, 2011) may detect these species within the project area but this was outside the scope. The method used to sample northern quoll broadly aligned with an initial reconnaissance survey under DotEE (2016), but this was not the purpose of the survey which was designed as a detailed fauna survey. Not all critical habitat as per (DotEE 2016) was ground truthed. The camera transects deployed aimed to collect supplementary data to feed into a targeted survey. SM4 deployment completed in 2020 and 2021 did not comprise a targeted survey for ghost bat as per DEWHA (2010). This is not a limitation of this survey as it was a detailed vertebrate fauna survey and a targeted ghost bat survey was outside the scope.
Was the appropriate area fully surveyed (effort and extent)	Partial (survey area) Yes (project area)	The entire survey area (but not the project area) was covered through the use of helicopters which enabled access to all areas. Approximately 555 hectares (25%) of the current project area has not been covered by fauna surveys. Spotlighting was not conducted due to client safety restrictions. Often nocturnal surveys detect additional species including owls

Aspect	Limitation	Discussion
		and nightjars, reptile or mammal species that are not typically captured in traps, and species like frogs which most frequently call at night. The survey was completed as a single-phase detailed vertebrate fauna survey, and not a targeted conservation significant fauna survey.
Access restrictions within the survey area	No	All survey areas were accessible by helicopter.
Survey timing, rainfall, season of survey	Partial	The survey was completed in late April, which falls within the EPA (EPA 2016b) recommended timing to survey reptiles in the Eremaean botanical province. The recommended survey time for birds and frogs is immediately after rainfall events. Rainfall in the two-month preceding the survey was low compared to the annual average and conditions over most of the project area were dry. This is a factor of the survey being single-season only. A single-season survey is unlikely to sample all fauna species present, either because they are infrequently encountered, or because they are not present year-round.
Disturbances that may have affected the results of the survey (e.g. fire, flooding, clearing)	No	The survey area experienced fires in recent years, and the vegetation over most of the survey area was regenerating and relatively sparse compared to unburnt conditions. This is likely to have influenced the overall diversity and abundance of species, however where possible trap sites were positioned in pockets of unburnt habitat within the burn mosaic.

5 Conclusion

Five species of vertebrate fauna listed as conservation significant under either the Western Australian *Biodiversity Conservation Act 2016* (BC Act) or the federal *Environment Protection and Biodiversity Conservation Act 1950* (EPBC Act) or ranked as a priority species by the Department of Biodiversity Conversation and Attractions (DBCA) have been recorded from or proximal to the Lamb Creek project area to date.

- Northern quoll (*Dasyurus hallucatus*) listed Endangered under both the EPBC Act and BC Act – Confirmed, recorded in 2012.
- Ghost bat (*Macroderma gigas*) listed Vulnerable under both the EPBC Act and the BC Act - Confirmed, recorded in 2012 and 2020.
- Western pebble-mound mouse (*Pseudomys chapmani*) DBCA Priority 4 – Confirmed, mounds recorded throughout the survey area in 2012 and 2020.
- Fork-tailed Swift (*Apus pacificus*) listed migratory and marine under the EPBC Act – Confirmed, recorded in 2012.
- Pilbara olive python (*Liasis olivaceus barroni*) listed Vulnerable under both the EPBC Act and the BC Act – Confirmed, recorded in 2012.

The desktop review identified 29 species of conservation significance (excluding species listed solely as EPBC Marine) for which records, or potential habitat exist within 50 kilometres of the project area.

Five species identified in the desktop were recorded during the 2012 and 2020-2021 surveys, as discussed above. Three species were considered likely to occur within the survey area. These were Peregrine falcon (*Falco peregrinus* – listed Other Specially Protected Fauna under the BC Act), Gane's blind snake (*Anilios ganei* –DBCA Priority 1) and Pilbara barking gecko (*Underwoodisaurus seorsus* - DBCA Priority 2).

Four species of conservation significance were regarded as possibly occurring within the survey area these were Night parrot (*Pezoporus occidentalis* – listed Critically Endangered under the BC Act and Endangered under the EPBC Act), Grey falcon (*Falco hypoleucos* – listed Vulnerable under both the EPBC Act and the BC Act), Letter-winged Kite (*Elanus scriptus* – DBCA Priority 1), and the Short-tailed mouse (*Leggadina lakedownensis* – DBCA Priority 4).

Night parrot was not detected via acoustic recorder in 2020. Much of the spinifex across the survey area has been frequently burnt and habitats of the survey area do not include mosaics with samphire and chenopod shrublands, salt lake margin, or paleochannel.

The remaining seventeen species identified by the desktop assessment were considered unlikely to occur within the survey area.

Within the survey area, the gorge, gully, and rocky breakaway habitat was considered to be of high significance for vertebrate fauna as this habitat support species of conservation significance (including nationally listed threatened species) or contains core habitats for such species. Five habitats were ranked as of moderate significance (Hillcrest/hillslope, Mulga/Corymbia plain, Minor drainage, Tussock grassland plain, Medium drainage) and the remaining habitat (Stony plain) was ranked as low significance, as it is widespread in the surrounding region and species of conservation significance are exclusively dependent on this habitat.

To date there have not been permanent or semi-permanent pools recorded from the Lamb Creek project area, despite extensive use of helicopter in 2012, 2020 and 2021 for baseline surveys.

There are five known caves on or proximal to the survey area in which Ghost bat occurrence, or evidence of occurrence, has been recorded. Cave 1 is provisionally assigned as a Category 2 roost while caves 2, and 3 are provisionally Category 3. Caves 4 and 5 are known Category 3 and 2 respectively and occur nearby to a number of other caves, shelters and overhangs. Caves that are confirmed as Category 2 and groupings of caves that surround them are critical Ghost bat habitat.

Cave 1 and 3 are located in the R47/19, within respectively 325 meters and 600 meters from footprint V3 (mining pit, stock piles, infrastructure). Caves 4 and 5 were located adjacent to L47/736 within 200 meters of footprint V3 (haul road).

6 References

Anstee, S.D. and Armstrong, K.N. (2001) The effect of familiarity and mound condition in translocations of the western pebble-mound mouse, Pseudomys chapmani, in the Pilbara region of Western Australia. Wildlife Research **28**, 135-140.

Armstrong, K.N. (2010) Assessing the short-term effect of minerals exploration drilling on colonies of bats of conservation significance: A case study near Marble bar, Western Australia. Journal of the Royal Society of Western Australia.

Armstrong, K.N. and Anstee, S.D. (2000) The Ghost Bat in the Pilbara: 100 years on. Australian Mammalogy **22**, 93–101.

Atlas of Living Australia (2021) Atlas of Living Australia. http://www.ala.org.au/

Australasian Bat Society (2006) Recommendations of the Australasian Bat Society Inc for reporting standards for insectivorous bat surveys using bat detectors. The Australasian Bat Society Newsletter **27**, 6–9.

Bat Call WA (2021) Lamb Creek, Pilbara WA. Acoustic survey of bat and Night Parrot activity, April 2020. and February 2021. Report prepared for Rapallo.

Beard, J.S. (1975) Vegetation Survey of Western Australia, Pilbara 1:1 000 000. Map and Explanatory Notes to Sheet 7. Published by University of Western Australia Press., Perth.

Beard, J.S. (1990) Plant life of Western Australia. Kangaroo Press, Kenthurst, N.S.W.

Beard, J.S. (2018) Pre-European Vegetation - Western Australia (NVIS Compliant version 20110715). ArcView shapefiles published by the Department of Primary Industry and Regional Development. The major sources of data in this database are the published and unpublished mapping of J.S. Beard at 1:250,000 scale.

Biologic (2011) Area C and Surrounds Fauna Survey. Unpublished report for BHP Billiton Pty Ltd.

Biologic (2012) Southern Flank Vertebrate Fauna Survey. Unpublished report for BHP Billiton Pty Ltd.

Biologic (2013) Mudlark Vertebrate Fauna Survey. Unpublished report for BHP Billiton Pty Ltd.

Biologic (2016a) South Flank Targeted Fauna Survey. Unpublished report prepared for BHP Billiton Iron Ore.

Biologic (2016b) Mining Area C - Southern Flank. Environmental Impact Assessment for Ghost Bat (Macroderma gigas). BHP Billiton Iron Ore Ltd.

Biologic (2017) Proposed Mining Area C Development Envelope Vertebrate Fauna Desktop Assessment. Report prepared for BHP Iron Ore Pty Ltd. February 2017.

Biota Environmental Sciences (2014) Baby Hope Downs Flora and Vegetation Survey.

Birdlife Australia (2019) Working List of Australian Birds v3. August 2019.

Birdlife Australia (2020a) Birdata. https://birdata.birdlife.org.au/

Birdlife Australia (2020b) Birds in Backyards. Black-shouldered Kite. https://www.birdsinbackyards.net/species/Elanus-scriptus. Accessed 2020.

Braithwaite, R.W. and Griffiths, A.D. (1994) Demographic variation and range contraction in the northern quoll, *Dasyurus hallucatus* (Marsupialia: Dasyuridae). Wildlife Research **21**, 203–217.

Bullen, R.D. and McKenzie, N.L. (2002) Differentiating Western Australian Nyctophilus (Chiroptera: Vespertilionidae) echolocation calls. Australian Mammalogy **23**, 89–93.

Burbidge, A.H., Johnstone, R.E. and Pearson, D.J. (2010) Birds in a vast arid upland: avian biogeographical patterns in the Pilbara region of Western Australia. Records of the Western Australian Museum, Supplement **78**, 247–270.

Bureau of Meteorology (2020) Climate Data Online. http://www.bom.gov.au/climate/data/index.shtml

Bureau of Meteorology (2021) Climate data online. Australian Government Bureau of Meteorology. http://www.bom.gov.au/climate/data/

Caccetta, W. (2018) Night parrot photographed twice in secret location. National Indigenous Times.

Cogger, H.G. (2018) Reptiles and Amphibians of Australia. Updated seventh edition, October 2018. CSIRO Publishing.

Colwell, R.K. (2013) EstimateS: Statistical estimation of species richness and shared species from samples. Version 9.1.0. Persistent URL <purl.oclc.org/estimates>.

Colwell, R.K., Chao, A., Gotelli, N.J., Lin, S.Y., Mao, C.X., Chazdon, R.L. and Longino, J.T. (2012) Models and estimators linking individual-based and sample-based rarefaction, extrapolation and comparison of assemblages. Journal of Plant Ecology **5**, 3–21.

CSIRO Australia (2018) Australian Soil Resource Information System (ASRIS). http://www.asris.csiro.au/themes/Atlas.html

Davis and Metcalf (2008) The Night Parrot (Pezoporus occidentalis) in northern Western Australia: a recent sighting from the Pilbara region. Emu **108**, 233–236.

Department of Agriculture and Food, Western Australia (2021) Western Australian Organism List (WAOL). Last updated 8 March 2021. www.agric.wa.gov.au/organisms

Department of Agriculture Water and the Environment (2020) Protected Matters Search Tool. http://www.environment.gov.au/epbc/protected -matters-search-tool.

Department of Agriculture Water and the Environment (2021) Protected Matters Search Tool. http://www.environment.gov.au/epbc/protected-matters-search-tool

Department of Agriculture, Water and the Environment (2021) Species Profile and Threats Database (SPRAT). Published by the Australian Govenment, Department of Agriculture, Water and the Environment. www.environment.gov.au/cgi-bin/sprat/public/sprat.pl

Department of Biodiversity Conservation and Attractions (2019) 2018 Statewide Vegetation Statistics incorporating the CAR Reserve Analysis (Full Report). Current as of March 2019. Government of Western Australia, Department of Biodiversity, Conservation and Attractions, Perth.

Department of Biodiversity Conservation and Attractions (2020a) Threatened and Priority Fauna Database (custom search). Government of Western Australia. Government of Western Australia.

Department of Biodiversity Conservation and Attractions (2020b) NatureMap: Mapping Western Australia's Biodiversity. https://naturemap.dbca.wa.gov.au/

Department of Biodiversity Conservation and Attractions (2021a) Threatened Ecological Communities Database (custom search). Government of Western Australia.

Department of Biodiversity Conservation and Attractions (2021b) Priority Ecological Communities for Western Australia - Version 32. Species and Communities Program, 15 July 2021.

Department of Environment Regulation (2014) A Guide to the Assessment of Applications to Clear Native Vegetation.

Department of Sustainability, Environment, Water, Population and Communities (2011) Environment Protection and Biodiversity Conservation Act 1999 referral guidelines for the endangered northern quoll, *Dasyurus hallucatus*., EPBC Act policy statement 3.25. Australian Government, Canberra, A.C.T.

Department of the Environment and Energy (2012) Australia's bioregions (IBRA), Version 7. http://www.environment.gov.au/land/nrs/science/ibra

Department of the Environment and Energy (2016) EPBC Act referral guideline for the endangered northern quoll Dasyurus hallucatus. Canberra, Australian Capital Territory:

Department of Water and Environmental Regulation (2020) Clearing Permit System and Map Viewer. https://cps.dwer.wa.gov.au

DEWHA (2010) Survey Guidelines for Australia's Threatened Bats;

Doughty, P. and Oliver, P.M. (2011) A new species of Underwoodisaurus (Squamata: Gekkota: Carphodactylidae) from the Pilbara region of Western Australia. Zootaxa **3010**, 20–30.

Doughty, P., Rolfe, J.K., Burbidge, A.H., Pearson, D.J. and Kendrick, P.G. (2011) Herpetological assemblages of the Pilbara biogeographic region, Western Australia: ecological associations, biogeographic patterns and conservation. Records of the Western Australian Museum, 315–341.

DPaW (2017) Department of Parks and Wildlife. Interim guideline for the preliminary surveys of Night Parrot (Pezoporus occidentalis) in Western Australia. Kensington, Western Australia.

Dutson, G., Garnett, S. and Gole, C. (2009) Australia's Important Bird Areas. Key Sites for bird conservation. Bird Australia (RAOU) Conservation Statement No. 15.

ecologia Environment (1998) Mining Area C Biological Survey. Unpublished report for BHP Billiton Pty Ltd.

ecologia Environment (2004a) Packsaddle Range Biological Survey. Unpublished report for BHP Billiton Pty Ltd.

ecologia Environment (2004b) Area C: Deposits D, E and F Biological Survey. Unpublished report for BHP Billiton Pty Ltd.

ecologia Environment (2005) Pilbara Leaf-nosed Bat, (Rhinonicteris aurantius) and Ghost Bat, (Macroderma gigas) monitoring survey at Nimingarra and Cattle Gorge 2005. Unpublished report for BHP, Western Australia, Perth.

ENV Australia (2007) Area C R-deposit Fauna Assessment. Unpublished report for BHP Billiton Pty Ltd.

ENV Australia (2008) Area C Southern Flank Deposit Fauna Assessment. Unpublished report for BHP Billiton Pty Ltd.

Environmental Protection Authority (2000) Position Statement No. 2: Clearing of Native vegetation, with particular Reference to the Agricultural Area. Environmental Protection Authority, Government of Western Australia.

Environmental Protection Authority (2016a) Environmental Factor Guideline: Flora and Vegetation. EPA, Perth, Western Australia.

Environmental Protection Authority (2016b) Technical Guidance - Sampling methods for terrestrial vertebrate fauna. December 2016. EPA, Perth, Western Australia.

Environmental Protection Authority (2016c) Technical Guidance - Terrestrial Fauna Surveys. December 2016. EPA, Perth, Western Australia.

Environmental Protection Authority (2020) Technical Guidance - Terrestrial vertebrate fauna surveys for environmental impact assessment. June 2020.

Fox, J.E.D. (1980) Effects of fire on the mulga (Acacia aneura) community (Annual Report No. 3), Mulga Research Centre Ann. Rept. 3 (1979). Mulga Research Centre.

Gardiner, S.J. (2003) Impacts of Mining and Mine Closure on Water Quality and the Nature of Shallow Aquifer, Yandi Iron Ore Mine (Master's Thesis).

Garnett, S.T., Szabo, J.K. and Dutson, G. (2011) The Action Plan for Australian Birds 2010. *CSIRO Publishing/Birds Australia, Melbourne.*

Gibson, L.A. and McKenzie, N.L. (2009) Environmental associations of small ground -dwelling mammals in the Pilbara region, Western Australia. Records of the Western Australian Museum Supplement **78**, 91–122.

Gotelli, N.J. and Colwell, R.K. (2011) Estimating species richness, in: Magurran, A., MgGill, B. (Eds.), Biological Diversity: Frontiers in Measurement and Assessment. Oxford University Press, Oxford, UK, pp. 39–54.

Halpern Glick Maunsell (1999) Marillana Creek Western Access Corridor - Biological Assessment. Unpublished report for BHP Iron Ore Pty Ltd.

Hamilton, N.A., Onus, M., Withnell, B. and Withnell, K. (2017) Recent sightings of the Night Parrot Pezoporus occidentalis from Matuwa (Lorna Glen) and Milrose Station in Western Australia. Australian Field Ornithology 71–75.

Harewood, G. (2018) Night Parrot Survey Report. Lake Disapointment Potash Project. Reward Minerals Ltd.

Hernandez-Santin, L., Dunlop, J., Goldizen, A. and Fisher, D. (2019) Demography of the northern quoll (Dasyurus hallucatus) in the most arid part of its range. Journal of Mammalogy **100**, 1191–1198.

Hill and Ward (2010) National Recovery Plan for the Northern Quoll Dasyurus hallucatus.

Ison, S. (2017) Hear the night parrot audio captured by Busselton locals. Busselton Dunsborough Times. https://www.bdtimes.com.au/news/regional/night-parrot-recording-a-coup-for-club-ng-b88641203z

Jackett, N., Greatwich, B., Swann, G. and Boyle, A. (2017) A nesting record and vocalisations of the Night Parrot Pezoporus occidentalis from the East Murchison, Western Australia. Australian Field Ornithology, 34, 144-150.

James, C., Landsberg, J. and Morton, S. (1995) Ecological functioning in arid Australia and research to assist conservation of biodiversity. Pacific Conservation Biology **2**, 126–142.

Jenkins, A.R. (2000) Hunting mode and success of African Peregrines Falco peregrinus minor, does nesting habitat quality affect foraging efficiency? Ibis **142**, 235–246.

Jenkins, A.R. and Hockey, P.A.R. (2001) Prey availability influences habitat tolerance: an explanation for the rarity of Peregrine Falcons in the tropics. Ecography **24**, 359–367.

Johnstone, R.E. and Storr, G.M. (1998) Handbook of Western Australian birds. Volume I: Non-passerines (Emu to Dollarbird). Western Australian Museum, Perth, W.A.

Johnstone, R.E. and Storr, G.M. (2004) Handbook of Western Australian birds. Volume II: Passerines (Blue-winged Pitta to Goldfinch). Western Australian Museum, Perth, W.A.

Kendrick, P. (2001) Pilbara 3 (PIL3 - Hamersley subregion), in: Cowan, M., Graham, G., McKenzie, N. (Eds.), A Biodiversity Audit of Western Australia's 53 Biogeographic Subregions in 2002. Department of Conservation and Land Management.

Lee, A.K. (1995) The Action Plan for Australian Rodents. Australian Department of the Environment and Heritage., Canberra, Australia.

Maslin, B.R. and Reid, J.E. (2012) A taxonomic revision of Mulga (*Acacia aneura* and its close relatives: Fabaceae) in Western Australia. Nuytsia **22**, 129–267.

McDougall, A., Porter, G., Cupitt, R., Joseph, L. and Burbidge, A. (2009) Another piece in an Australian ornithological puzzle - a second night parrot is found dead in Queensland. Emu - Austral Ornithology, **109**, 198–203.

McGilp, J. (1931) Geopsittacus occidentalis, Night-Parrot. South Australian Ornithologist, 11, 68-70.

McKenzie, N.L. and Bullen, R.D. (2003) Identifying Little Sandy Desert bat species from their echolocation calls. Australian Mammalogy **25**, 73–80.

McKenzie, N.L. and Bullen, R.D. (2009) The echolocation calls, habitat relationships, foraging niches and communities of Pilbara microbats. Records of the Western Australian Museum Supplement. **78**, 123–155.

Medellin, R.A., Wiederholt, R. and Lopez-Hoffman, L. (2017) Conservation relevance of bat caves for biodiversity and ecosystem services. Biological Conservation **211 (Part B)**, 45–50.

Menkhorst, P. and Knight, F. (2010) A Field Guide to the Mammals of Australia. Third Edition. 18 November 2010. Oxford University Press, Australia.

Michelmore, K. and Birch, L. (2020) Night parrot located by KJ rangers on Martu country in the Pilbara. ABC Pilbara.

Moore, H.A., Michael, D.R., Ritchie, E.G., Dunlop, J.A., Valentine, L.E., Hobbs, R.J. and Nimmo, D.G. (2021) A rocky heart in a spinifex sea: occurrence of an endangered marsupial predator is multiscale dependent in naturally fragmented landscapes. Landscape Ecology.

Murphy, S., Silcock, J.L., Murphy, R., Reid, J. and Austin, J. (2017) Movements and habitat use of the night parrot Pezoporus occidentalis in south-western Queensland. Austral Ecology, 42(7), 858-868. doi:https://doi.org/10.1111/aec.12508.

Murray, B.B.R., Zeppel, M.J., Hose, G.C. and Eamus, D. (2003) Groundwater-dependent ecosystems in Australia: It's more than just water for rivers. Ecological Management & Restoration **4**, 110–113.

NAFI (2021) North Australia & Rangelands Fire Information. https://firenorth.org.au/nafi3/

Oakwood, M. (2002) Spatial and social organization of a carnivorous marsupial Dasyurus hallucatus (Marsupialia: Dasyuridae). Journal of Zoology **257**, 237–248.

Onshore Environmental (2017) Mining Area C Southern Flank Flora and Vegetation Impact Assessment. Report prepared for BHP Billiton Iron Ore.

Outback Ecology Services (2008) Area C Mining Operation Environmental Management Plan (Revision 4) A, D, P1 and P3 Deposits. Unpublished report for BHP Billiton Iron Ore Pty Ltd.

Pearson (1993) Distribution, status and conservation of Pythons in Western Australia, in: D. Lunney, D. Ayers (Eds.), Herpetology in Australia, a Diverse Discipline. Surrey Beatty & Sons, pp. 383–395.

Rapallo Environmental (2012a) Level 2 Vertebrate Fauna Survey and Targeted Northern Quoll Survey of the Lamb Creek Project Area. Report prepared for Process Minerals International.

Rapallo Environmental (2012b) Level 2 Flora and Vegetation Survey of Lamb Creek Project Area. Report prepared for Process Minerals International.

Rapallo Environmental (2021a) Memo J020247 – Review of the Lamb Creek haul road corridor extrapolated vegetation mapping.

Rapallo Environmental (2021b) Detailed flora and vegetation survey of the Great Northern Highway intersection area of the Lamb Creek project. Report prepared for Mineral Resources Limited, 29 October 2021.

Rapallo Environmental (2022) Baseline Short-range Endemic Invertebrate Survey of the Lamb Creek Iron Ore Project. Report No. J020969. Prepared for Mineral Resources Limited, January 2022.

Ratcliffe, D.A. (1993) The Peregrine Falcon, 2nd ed. T & AD Poyser Ltd, London.

Richards, G.C., Hand, S., Armstrong, K.N. and Hall, L.S. (2008) Ghost Bat. In S. Van Dyck & R. Strahan (Eds.)., Mammals of Australia 3rd Edition. ed. Sydney: Reed New Holland.

Shepherd, D., Beeston, G. and Hopkins, A. (2002) Native Vegetation in Western Australia: Extent, type, and status. Resource Management Technical Report 249. Department of Agriculture, South Perth, Western Australia.

Specialised Zoological (2008) Area C bat survey.

Thackway, R. and Cresswell, I. (Eds.) (1995) An interim biogeographic regionalisation for Australia : a framework for setting priorities in the National Reserves System Cooperative Program / edited by R Thackway and I D Cresswell. Australian Nature Conservation Agency, Reserve Systems Unit, Canberra.

Thorne, A.M. and Tyler, I.M. (1997) Roy Hill 1:250,000 Map Sheet SF50-12. Geological Survey of Western Australia.

Tidemann, C.R., Priddel, D.M., Nelson, J.E. and Pettigrew, J.D. (1985) Foraging behaviour of the Australian Ghost Bat, Macroderma gigas (Microchiroptera: Megadermatidae). Australian Journal of Zoology. **33**, 705–713.

Turpin, J. and Bamford, M. (2014) A new population of the northern quoll (Dasyurus hallucatus) on the edge of the Little Sandy Desert, Western Australia. Australian Mammalogy **37**, 86–91.

Tyler, M.J. and Doughty, P. (2009) Field guide to frogs of Western Australia. Western Australian Museum, Welshpool, W.A. :

Van Dyck, S., Gynther, I. and Baker, A. (2013) Field Companion to The Mammals of Australia. New Holland Publishers.

Van Dyck, S. and Strahan, R. (2008) The mammals of Australia. New Holland Publishers, Sydney.

Van Vreeswyk, A.M.E., Payne, A.L., Leighton, K.A. and Hennig, P. (2004) Inventory and condition survey of the Pilbara region, Western Australia. Department of Agriculture and Food, Western Australia, Perth, W.A.

Vavrek, M.V. (2011) fossil: Palaeoecological and palaeogeographical analysis tools. Palaeontologia Electronica **14**, 16p.

Western Australian Land Information Authority (2018) Soil Landscape Mapping - Rangelands (DPIRD-063). Land system mapping for the pastoral area of Western Australia (Version April 2018).

Western Australian Museum (2012) Preservation and Lodgement of Terrestrial Invertebrate Specimens. Version 8 (June 2012).

Western Australian Museum (2018) Frog Watch. Alcoa Frog Watch. Western Australian Museum. http://museum.wa.gov.au/explore/frogwatch

Western Australian Museum (2019) Checklist of the Terrestrial Vertebrate Fauna of Western Australia. Updated October 2019.

Wilson, H. (1937) Notes on the Night Parrot, with references to recent occurrences. 37, 79-87.

Wilson, S. and Swan, G. (2017) Complete Guide to Reptiles of Australia. 5th Edition. New Holland Publishers, Chatswood, NSW.

Woinarski, J.C.Z., Legge, S., Fitzsimons, J.A., Traill, B.J., Burbidge, A.A., Fisher, A. and Ziembicki, M. (2011) The disappearing mammal fauna of northern Australia: context, cause, and response. Conservation Letters **4**, 192–201.

Woinarski, J.C.Z., Oakwood, M., Winter, J., Burnett, S., Milne, D., Foster, P., Myles, H. and Holmes, B. (2008) Surviving the toads: patterns of persistence of the northern quoll Dasyurus hallucatus in Queensland. Department of Natural Resources, Environment and the Arts, Darwin.

7 Appendices

No	Title
Appendix I	Likelihood of occurrence matrix: Vertebrate fauna
Appendix II	Conservation codes
Appendix III	Site coordinates, camera trap and SM4 deployment details
Appendix IV	Significance assessment criteria: Habitat
Appendix V	Fauna desktop results: All fauna
Appendix VI	Fauna desktop results: Conservation significant vertebrate fauna
Appendix VII	Field Records
Appendix VIII	SM4 Analysis
Appendix IX	Fauna habitat sites

Appendix I Likelihood of occurrence matrix: Vertebrate fauna

Species records relative to survey area	Habitat suitability			
	High (breeding and foraging)	Medium (foraging habitat)	Low (dispersal habitat)	Unsuitable [6]
Records within 10 km [1]	Highly Likely	Likely	Likely	Possible
Records within 50 km [2]	Likely	Possible	Possible	Unlikely
Records within 100 km [3]	Possible	Possible	Possible	Unlikely
Records within 200 km [4]	Possible	Unlikely	Unlikely	Unlikely
No records within 200 km [5]	Unlikely	Unlikely	Unlikely	Highly unlikely

Footnotes for highly cryptic or poorly known species for which there are few records, and for under-surveyed areas:
1 – Survey area occurs within currently known range and species has high dispersal capability.
2 – Survey area occurs within currently known range and species has low dispersal capability.
3 – Survey area occurs on margin of currently known range and species has high dispersal capability.
4 – Survey area occurs outside of currently known range and species has high dispersal capability.
5 – Survey area occurs outside of currently known range and species has low dispersal capability.
Footnotes with habitat suitability:
6 – Depending on a species' ecology, 'unsuitable' can either mean 'not preferred' or 'not containing resources', or it can be 'prohibitive' (i.e. absence of water for aquatic species). This distinction affects the final likelihood score in this column.

Appendix II Conservation codes

Threatened species under the Commonwealth EPBC Act

Threatened fauna and flora may be listed under Section 178 of the *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act) in any one of the following categories:

EX Extinct

EW Extinct in the wild

CR Critically endangered

EN Endangered

VU Vulnerable

CD Conservation dependent

Migratory and Marine species under the Commonwealth EPBC Act

Migratory and Marine species are not listed as Threatened but are protected for other reason. Only Migratory species are considered Matters of National Environmental Significance (MNES) while Marine species are not.

MI Migratory

MA Marine

Migratory species listed under international agreements to which Australia is a party are protected under section 209 of the EPBC Act and are considered MNES. Listed migratory species are those listed in the:

- Convention on the Conservation of Migratory Species of Wild Animals (Bonn Convention)
- China-Australia Migratory Bird Agreement (CAMBA)
- Japan-Australia Migratory Bird Agreement (JAMBA)
- Republic of Korea-Australia Migratory Bird Agreement (ROKAMBA)

Marine species are those listed under s248 of the EPBC Act. Marine species are not considered MNES.

Conservation codes for Western Australian flora and fauna under the Western Australian *Biodiversity Conservation Act 2016*

Threatened, Extinct and Specially Protected fauna or flora are species which have been adequately searched for and are deemed to be, in the wild, threatened, extinct or in need of special protection, and have been gazetted as such.

The *Wildlife Conservation (Specially Protected Fauna) Notice 2018* and the *Wildlife Conservation (Rare Flora) Notice 2018* have been transitioned under regulations 170, 171 and 172 of the *Biodiversity Conservation Regulations 2018* to be the lists of Threatened, Extinct and Specially Protected species under Part 2 of the *Biodiversity Conservation Act 2016*.

Categories of Threatened, Extinct and Specially Protected fauna and flora are:

Threatened species

Listed by order of the Minister as Threatened in the category of critically endangered, endangered or vulnerable under section 19(1), or is a rediscovered species to be regarded as threatened species under section 26(2) of the *Biodiversity Conservation Act 2016* (BC Act).

Threatened fauna is that subset of 'Specially Protected Fauna' listed under schedules 1 to 3 of the *Wildlife Conservation (Specially Protected Fauna) Notice 2018* for Threatened Fauna.

Threatened flora is that subset of 'Rare Flora' listed under schedules 1 to 3 of the *Wildlife Conservation (Rare Flora) Notice 2018* for Threatened Flora.

The assessment of the conservation status of these species is based on their national extent and ranked according to their level of threat using IUCN Red List categories and criteria as detailed below.

CR Critically endangered species

Threatened species considered to be "facing an extremely high risk of extinction in the wild in the immediate future, as determined in accordance with criteria set out in the ministerial guidelines". Listed as critically endangered under section 19(1)(a) of the BC Act in accordance with the criteria set out in section 20 and the ministerial guidelines.

Published under **schedule 1** of the *Wildlife Conservation (Specially Protected Fauna) Notice 2018* for critically endangered fauna or the *Wildlife Conservation (Rare Flora) Notice 201*8 for critically endangered flora.

EN Endangered species

Threatened species considered to be "facing a very high risk of extinction in the wild in the near future, as determined in accordance with criteria set out in the ministerial guidelines". Listed as endangered under section 19(1)(b) of the BC Act in accordance with the criteria set out in section 21 and the ministerial guidelines. Published under **schedule 2** of the *Wildlife Conservation (Specially Protected Fauna) Notice 2018* for endangered fauna or the *Wildlife Conservation (Rare Flora) Notice 2018 for endangered flora*.

VU Vulnerable species

Threatened species considered to be "facing a high risk of extinction in the wild in the medium-term future, as determined in accordance with criteria set out in the ministerial guidelines". Listed as vulnerable under section 19(1)(c) of the BC Act in accordance with the criteria set out in section 22 and the ministerial guidelines.

Published under **schedule 3** of the *Wildlife Conservation (Specially Protected Fauna) Notice 2018* for vulnerable fauna or the *Wildlife Conservation (Rare Flora) Notice 2018* for vulnerable flora.

Extinct species

Listed by order of the Minister as extinct under section 23(1) of the BC Act as extinct or extinct in the wild.

EX Extinct species

Species where "there is no reasonable doubt that the last member of the species has died", and listing is otherwise in accordance with the ministerial guidelines (section 24 of the BC Act).

Published as presumed extinct under **schedule 4** of the *Wildlife Conservation (Specially Protected Fauna) Notice 2018* for extinct fauna or the *Wildlife Conservation (Rare Flora) Notice 2018 for extinct flora*.

EW Extinct in the wild species

Species that "is known only to survive in cultivation, in captivity or as a naturalised population well outside its past range; and it has not been recorded in its known habitat or expected habitat, at appropriate seasons, anywhere in its past range, despite surveys over a time frame appropriate to its life cycle and form", and listing is otherwise in accordance with the ministerial guidelines (section 25 of the BC Act).

Currently there are no threatened fauna or threatened flora species listed as extinct in the wild. If listing of a species as extinct in the wild occurs, then a schedule will be added to the applicable notice.

Specially protected species

MI Migratory species

Fauna that periodically or occasionally visit Australia or an external Territory or the exclusive economic zone; or the species is subject of an international agreement that relates to the protection of migratory species and that binds the Commonwealth; and listing is otherwise in accordance with the ministerial guidelines (section 15 of the BC Act).

Includes birds that are subject to an agreement between the government of Australia and the governments of Japan (JAMBA), China (CAMBA) and The Republic of Korea (ROKAMBA), and fauna subject to the Convention on the Conservation of Migratory Species of Wild Animals (Bonn Convention), an environmental treaty under the United Nations Environment Program.

Migratory species listed under the BC Act are a subset of the migratory animals, that are known to visit Western Australia, protected under the international agreements or treaties, excluding species that are listed as Threatened species. Published as migratory birds protected under an international agreement under **schedule 5** of the *Wildlife Conservation (Specially Protected Fauna) Notice 2018*.

CD **Species of conservation interest (conservation dependent fauna)**

Fauna of special conservation need being species dependent on ongoing conservation intervention to prevent it becoming eligible for listing as threatened, and listing is otherwise in accordance with the ministerial guidelines (section 14 of the BC Act). Published as conservation dependent fauna under **schedule 6** of the *Wildlife Conservation (Specially Protected Fauna) Notice 2018.*

OS **Other specially protected species**

Fauna otherwise in need of special protection to ensure their conservation, and listing is otherwise in accordance with the ministerial guidelines (section 18 of the BC Act). Published as other specially protected fauna under **schedule 7** of the *Wildlife Conservation (Specially Protected Fauna) Notice 2018*.

Priority species

Priority species are possibly threatened species that do not meet survey criteria, or are otherwise data deficient, are added to the Priority Fauna or Priority Flora Lists under Priorities 1, 2 or 3. These three categories are ranked in order of priority for survey and evaluation of conservation status so that consideration can be given to their declaration as threatened fauna or flora.

Species that are adequately known, are rare but not threatened, or meet criteria for near threatened, or that have been recently removed from the threatened species or other specially protected fauna lists for other than taxonomic reasons, are placed in Priority 4. These species require regular monitoring.

Assessment of Priority codes is based on the Western Australian distribution of the species, unless the distribution in WA is part of a contiguous population extending into adjacent States, as defined by the known spread of locations. In this report, priority species are given the codes P1, P2, P3 and P4.

P1 **Priority 1: Poorly-known species**

Species that are known from one or a few locations (generally five or less) which are potentially at risk. All occurrences are either: very small; or on lands not managed for conservation, e.g. agricultural or pastoral lands, urban areas, road and rail reserves, gravel reserves and active mineral leases; or otherwise under threat of habitat destruction or degradation. Species may be included if they are comparatively well known from one or more locations but do not meet adequacy of survey requirements and appear to be under immediate threat from known threatening processes. Such species are in urgent need of further survey.

P2 **Priority 2: Poorly-known species**

Species that are known from one or a few locations (generally five or less), some of which are on lands managed primarily for nature conservation, e.g. national parks, conservation parks, nature reserves and other lands with secure tenure being managed for conservation. Species may be included if they are comparatively well known from one or more locations but do not meet adequacy of survey requirements and appear to be under threat from known threatening processes. Such species are in urgent need of further survey.

P3 **Priority 3: Poorly-known species**

Species that are known from several locations, and the species does not appear to be under imminent threat, or from few but widespread locations with either large population size or significant remaining areas of apparently suitable habitat, much of it not under imminent threat. Species may be included if they are comparatively well known from several locations but do not meet adequacy of survey requirements and known threatening processes exist that could affect them. Such species are in need of further survey.

P4 **Priority 4: Rare, Near Threatened and other species in need of monitoring**

(a) **Rare**. Species that are considered to have been adequately surveyed, or for which sufficient knowledge is available, and that are considered not currently threatened or in need of special protection but could be if present circumstances change. These species are usually represented on conservation lands.

(b) **Near Threatened**. Species that are considered to have been adequately surveyed and that are close to qualifying for vulnerable but are not listed as Conservation Dependent.

(c) Species that have been removed from the list of threatened species during the past five years for reasons other than taxonomy.

Appendix III Site coordinates, camera trap and SM4 deployment details

Site Name	Site Type	Easting	Northing	Zone	Broad fauna habitat
LCS01	Trap Site	684819	7467764	50	Tussock grassland plain
LCS02	Trap Site	685084	7468479	50	Tussock grassland plain
LCS03	Trap Site	682885	7471282	50	Stony plain
LCS04	Trap Site	685943	7475368	50	Stony plain
LCS05	Trap Site	688629	7477055	50	Stony plain
LCS06	Trap Site	690247	7477147	50	Mulga/corymbia plain
LCS07	Trap Site	691349	7476300	50	Medium drainage lines
LCS08	Trap Site	692588	7476971	50	Stony plain
LCS09	Trap Site	692984	7477591	50	Medium drainage lines
LCS10	Trap Site	693039	7476648	50	Majority Hill crests and hill slope. Some minor drainage (scree slope)

Site Name	Site Type	Transect ID	Easting	Northing	Zone	Broad fauna habitat
MDCNQ01210420	Camera Transect	Transect 1	693611	7476123	50	Gorge, gully and rocky breakaway
MDCNQ02210420	Camera Transect	Transect 1	693624.1	7476107	50	Gorge, gully and rocky breakaway
MDCNQ03210420	Camera Transect	Transect 1	693628.7	7476099	50	Gorge, gully and rocky breakaway
MDCNQ04210420	Camera Transect	Transect 1	693620.9	7476084	50	Gorge, gully and rocky breakaway
MDCNQ05210420	Camera Transect	Transect 1	693609.4	7476071	50	Gorge, gully and rocky breakaway
MDCNQ06210420	Camera Transect	Transect 1	693600.4	7476057	50	Gorge, gully and rocky breakaway
MDCNQ07210420	Camera Transect	Transect 1	693605.6	7476056	50	Gorge, gully and rocky breakaway
MDCNQ07210420	Camera Transect	Transect 1	693601.1	7476056	50	Gorge, gully and rocky breakaway
MDCNQ08210420	Camera Transect	Transect 1	693591	7476034	50	Gorge, gully and rocky breakaway
MDCNQ08210420	Camera Transect	Transect 1	693589.9	7476035	50	Gorge, gully and rocky breakaway
MDCNQ09210420	Camera Transect	Transect 1	693587.4	7476026	50	Gorge, gully and rocky breakaway
MDCNQ10210420	Camera Transect	Transect 1	693587	7476013	50	Gorge, gully and rocky breakaway
MDCNQ11220420	Camera Transect	Transect 2	694542.3	7475730	50	Gorge, gully and rocky breakaway
MDCNQ12210420	Camera Transect	Transect 2	694495.3	7475731	50	Gorge, gully and rocky breakaway
MDCNQ13220420	Camera Transect	Transect 2	694414.2	7475744	50	Gorge, gully and rocky breakaway
MDCNQ14220420	Camera Transect	Transect 2	694368.2	7475770	50	Gorge, gully and rocky breakaway
MDCNQ15220420	Camera Transect	Transect 2	694319.1	7475766	50	Gorge, gully and rocky breakaway

Site Name	Site Type	Transect ID	Easting	Northing	Zone	Broad fauna habitat
MDCNQ16220420	Camera Transect	Transect 2	694238.9	7475780	50	Gorge, gully and rocky breakaway
MDCNQ17220420	Camera Transect	Transect 2	694169.5	7475772	50	Gorge, gully and rocky breakaway
MDCNQ18220420	Camera Transect	Transect 2	694101.8	7475779	50	Gorge, gully and rocky breakaway
MDCNQ19220420	Camera Transect	Transect 2	694040.9	7475778	50	Gorge, gully and rocky breakaway
MDCNQ20220420	Camera Transect	Transect 2	693998.3	7475789	50	Gorge, gully and rocky breakaway
MDCNQ21220420	Camera Transect	Transect 2	688959.4	7473331	50	Gorge, gully and rocky breakaway
MDCNQ22220420	Camera Transect	Transect 2	688921	7473319	50	Gorge, gully and rocky breakaway
MDCNQ230420	Camera Transect	Transect 3	688868.4	7473340	50	Gorge, gully and rocky breakaway
MDCNQ24220420	Camera Transect	Transect 3	688832.4	7473378	50	Gorge, gully and rocky breakaway
MDCNQ25220420	Camera Transect	Transect 3	688795.1	7473365	50	Gorge, gully and rocky breakaway
MDCNQ26220420	Camera Transect	Transect 3	688724	7473347	50	Gorge, gully and rocky breakaway
MDCNQ27220420	Camera Transect	Transect 3	688667.4	7473334	50	Gorge, gully and rocky breakaway
MDCNQ28220420	Camera Transect	Transect 3	688593.2	7473349	50	Gorge, gully and rocky breakaway
MDCNQ29220420	Camera Transect	Transect 3	688524.1	7473391	50	Gorge, gully and rocky breakaway
MDCNQ30220420	Camera Transect	Transect 3	688468.1	7473404	50	Gorge, gully and rocky breakaway
MDCNQ31230420	Camera Transect	Transect 4	687953.5	7472869	50	Gorge, gully and rocky breakaway
MDCNQ32230420	Camera Transect	Transect 4	687901.9	7472876	50	Gorge, gully and rocky breakaway
MDCNQ33230420	Camera Transect	Transect 4	687853.9	7472883	50	Gorge, gully and rocky breakaway
MDCNQ34230420	Camera Transect	Transect 4	687796.5	7472886	50	Gorge, gully and rocky breakaway
MDCNQ35230420	Camera Transect	Transect 4	687729.3	7472869	50	Gorge, gully and rocky breakaway
MDCNQ36230420	Camera Transect	Transect 4	687672.5	7472870	50	Gorge, gully and rocky breakaway
MDCNQ37230420	Camera Transect	Transect 4	687596.8	7472840	50	Gorge, gully and rocky breakaway
MDCNQ38230420	Camera Transect	Transect 4	687536.3	7472774	50	Gorge, gully and rocky breakaway
MDCNQ39230420	Camera Transect	Transect 4	687513.4	7472762	50	Gorge, gully and rocky breakaway
MDCNQ40230420	Camera Transect	Transect 4	687453.9	7472748	50	Gorge, gully and rocky breakaway

Site Name	Type	Date deployed	Survey nights	Zone	Easting	Northing	Survey Period	Comment
SM4U-6479_Site 1	Bat Detector	20/04/20	1	50	684831.3	7467776.8	2020	Vertebrate Trap Site
SM4U-6488_Site 2	Bat Detector	20/04/20	1	50	685101.9	7468474.6	2020	Vertebrate Trap Site
SM4U-6479_Site 3	Bat Detector	21/04/20	1	50	682905.3	7471293.6	2020	Vertebrate Trap Site
SM4U-6479_Site 4	Bat Detector	22/04/20	1	50	685919.3	7475392	2020	Vertebrate Trap Site
SM4U-6479_Site 5	Bat Detector	23/04/20	1	50	688642.3	7477107.3	2020	Vertebrate Trap Site
SM4U-6488_Site 6	Bat Detector	16/04/20	2	50	690293.6	7477135	2020	Vertebrate Trap Site
SM4U-6479_Site 7	Bat Detector	16/04/20	2	50	691388.9	7476256.9	2020	Vertebrate Trap Site
SM4A-4717_A3	Night Parrot	20/04/20	3	50	682915.6	7471272.9	2020	Spinifex patch
SM4U-6488_Site 8	Bat Detector	18/04/20	1	50	692623.3	7476976.7	2020	Vertebrate Trap Site
SM4U-6488_Site 9	Bat Detector	19/04/20	1	50	692959.1	7477588.3	2020	Vertebrate Trap Site
SM4U-6479_Site10	Bat Detector	18/04/20	2	50	693016.2	7476648.8	2020	Vertebrate Trap Site
SM4A-4717_A_Haul Road	Night Parrot	23/04/20	2	50	683241.5	7473176.7	2020	Spinifex patch
SM4U-6479_Gully	Bat Detector	27/04/20	0	50	688385	7475295.9	2020	Deep Gully - Failed to record
SM4U-6488_Cave 1	Bat Detector	21/04/20	4	50	693571.3	7476273.6	2020	Cave
SM4U-6488_Cave 2	Bat Detector	25/04/20	2	50	690696.5	7473764.1	2020	Cave
SM4U-6479_Cave 3	Bat Detector	24/04/20	4	50	694116.6	7476556.6	2020	Cave
SM4A-4717_A_footprint	Night Parrot	25/04/20	3	50	691745.9	7475914.2	2020	Spinifex patch in disturbed area
SM4U-4031_Cave 1	Bat Detector	20/02/21	3	50	693571	7476273	2021	Cave
SM4U-8168_Cave 3	Bat Detector	20/02/21	3	50	694116	7476556	2021	Cave
SM4U-4031_Cave 4	Bat Detector	23/02/21	2	50	683844	7469750	2021	Cave
SM4U-8168_Cave 5	Bat Detector	23/02/21	2	50	683848	7469788	2021	Cave

Appendix IV Significance assessment criteria: Habitat

Rank	Criteria
High	Fauna listed as threatened under the EPBC Act and/ or BC Act and fauna listed as Species of Special Conservation Interest or Other Specially Protected Species have been recorded breeding from this habitat type within the survey area
	Fauna listed as threatened under the EPBC Act and/ or BC Act and fauna listed as species of Special Conservation Interest or Other Specially Protected Species have been recorded foraging or sheltering from this habitat type within the survey area where the species is solely reliant on this habitat type for foraging or sheltering
	Habitat known to be suitable core habitat (breeding), for EPBC Act and/ or BC Act listed threatened fauna and/or fauna listed as species of Special Conservation Interest or Other Specially Protected Species, and there are records of this species within 40km^2
	Habitat known to be suitable core habitat (foraging or sheltering), for EPBC Act and/ or BC Act listed threatened fauna and or fauna listed as species of Special Conservation Interest or Other Specially Protected Species, and there are records of this species within 40km^2 and the species is solely reliant on this habitat type for foraging or sheltering.
	Habitat is regionally uncommon or limited in extent and known to support species listed as: ▪ Threatened fauna under the EPBC Act and/or BC Act, but it is not their core habitat (e.g. may be used periodically/ seasonally or for dispersal). ▪ DBCA listed Priority fauna which are known to be solely reliant on this habitat.
	Habitat known to support EPBC Act and/or BC Act listed Migratory fauna such as breeding grounds, or important feeding grounds such as Eighty Mile Beach (including ephemeral habitats) defined via international agreement e.g. RAMSA and also Important Bird Areas (Dutson *et al.* 2009) https://www.birdlife.org.au/documents/OTHPUB-IBA-supp.pdf
Moderate	Habitat known to regularly support EPBC Act and/or BC Act listed Migratory fauna – (not breeding grounds or important feeding grounds)
	Habitat that is regionally uncommon (e.g. occurs in small and isolated areas) and supports a particularly diverse and uncommon faunal assemblage.
	Habitat is common and widespread and known to support species listed as: Threatened fauna under the EPBC Act and/or BC Act but it is not their core habitat (e.g. may be used periodically/ seasonally or for dispersal, or foraging habitats that where the species is not solely reliant on that habitat for resources, is an occasional visitor or foraging habitat is marginal. Species of Special Conservation Interest or Other Specially Protected Species under the BC Act but it is not their core habitat (e.g. may be used periodically/ seasonally or for dispersal) or foraging habitats that where the species is not solely reliant on that habitat for resources, is an occasional visitor or foraging habitat is marginal. DBCA listed Priority fauna which are known to be solely reliant on this habitat
Low	▪ Habitat is widespread/common and does not solely support any DBCA listed Priority fauna ▪ Habitat has minimal records of EPBC Act and/or BC Act listed Migratory fauna – (not breeding grounds or important feeding grounds). Especially so if these records are > 10 years old.

Appendix V Desktop results: All vertebrate fauna species recorded within 50 km of Lamb Creek

Family	Scientific name[1)]	Common name	Status[2)]		Databases[3)]				Survey reports[4)]													
			EPBC	BCA	TPFa	NM	PM50	BD50	BL11	BL12	BL13	BL16	EC04a	EC04b	EC05	EC98	EV07	EV08	MA99	OE08	SZ08	Ra12
Birds																						
Casuariidae	*Dromaius novaehollandiae*	Emu						1								1						
Anatidae	*Dendrocygna eytoni*	Plumed Whistling-Duck						1														
Anatidae	*Malacorhynchus membranaceus*	Pink-eared Duck						1														
Anatidae	*Cygnus atratus*	Black Swan						1														
Anatidae	*Aythya australis*	Hardhead						1														
Anatidae	*Anas superciliosa*	Pacific Black Duck						1														
Anatidae	*Anas gracilis*	Grey Teal						1														
Phasianidae	*Synoicus ypsilophorus*	Brown Quail						1														
Podicipedidae	*Tachybaptus novaehollandiae*	Australasian Grebe						1														
Podicipedidae	*Poliocephalus poliocephalus*	Hoary-headed Grebe						1														
Columbidae	**Columba livia*	Rock Dove					1															
Columbidae	*Geophaps plumifera*	Spinifex Pigeon						1	1	1		1	1	1		1	1	1	1	1		1
Columbidae	*Phaps chalcoptera*	Common Bronzewing						1	1	1	1		1			1	1	1		1		1
Columbidae	*Ocyphaps lophotes*	Crested Pigeon						1	1	1	1		1	1		1	1	1	1	1		1
Columbidae	*Geopelia cuneata*	Diamond Dove						1	1		1		1	1		1	1	1	1	1		1
Columbidae	*Geopelia placida*	Peaceful Dove						1	1		1					1	1					
Cuculidae	*Centropus phasianinus*	Pheasant Coucal						1														
Cuculidae	*Chalcites basalis*	Horsfield's Bronze-Cuckoo	MA					1	1	1	1		1	1		1		1		1		1
Cuculidae	*Chalcites osculans*	Black-eared Cuckoo	MA				1	1								1			1			
Cuculidae	*Heteroscenes pallidus*	Pallid Cuckoo	MA					1	1		1		1	1		1	1	1	1	1		1
Otididae	*Ardeotis australis*	Australian Bustard						1	1	1	1					1		1		1		1
Podargidae	*Podargus strigoides*	Tawny Frogmouth						1	1	1			1	1		1	1	1				1
Eurostopodidae	*Eurostopodus argus*	Spotted Nightjar	MA					1	1	1	1		1	1		1	1			1		1
Aegothelidae	*Aegotheles cristatus*	Australian Owlet-nightjar						1	1	1	1		1	1		1	1	1	1	1		1
Apodidae	*Apus pacificus*	Fork-tailed Swift	MI, MA	MI		1	2	1	1											1		1
Rallidae	*Hypotaenidia philippensis*	Buff-banded Rail						1														
Rallidae	*Fulica atra*	Eurasian Coot						1														
Burhinidae	*Burhinus grallarius*	Bush Stone-curlew						1														
Recurvirostridae	*Himantopus leucocephalus*	Pied Stilt	MA					1									1					
Charadriidae	*Charadrius ruficapillus*	Red-capped Plover	MA					1														
Charadriidae	*Charadrius veredus*	Oriental Plover	MI				2															
Charadriidae	*Elseyornis melanops*	Black-fronted Dotterel						1			1					1						

Family	Scientific name[1]	Common name	Status[2]		Databases[3]				Survey reports[4]													
			EPBC	BCA	TPFa	NM	PM50	BD50	BL11	BL12	BL13	BL16	EC04a	EC04b	EC05	EC98	EV07	EV08	MA99	OE08	SZ08	Ra12
Rostratulidae	*Rostratula australis*	Australian Painted-snipe	EN, MA	EN			2															
Scolopacidae	*Calidris acuminata*	Sharp-tailed Sandpiper	MI, MA				2															
Scolopacidae	*Calidris ferruginea*	Curlew Sandpiper	CR, MI, MA	CR			3															
Scolopacidae	*Calidris melanotos*	Pectoral Sandpiper	MI, MA				2															
Scolopacidae	*Actitis hypoleucos*	Common Sandpiper	MI, MA				2															
Scolopacidae	*Tringa nebularia*	Common Greenshank	MI, MA	IA	2	1																
Turnicidae	*Turnix velox*	Little Button-quail						1	1		1		1	1		1	1	1	1	1		1
Pelicanidae	*Pelecanus conspicillatus*	Australian Pelican						1														
Ardeidae	*Nycticorax caledonicus*	Nankeen Night-Heron						1														
Ardeidae	*Bubulcus ibis*	Cattle Egret	MA				1															
Ardeidae	*Ardea pacifica*	White-necked Heron						1														
Ardeidae	*Ardea alba*	Great Egret	MA				1	1														
Ardeidae	*Egretta novaehollandiae*	White-faced Heron						1								1						1
Threskiornithidae	*Threskiornis spinicollis*	Straw-necked Ibis						1														
Phalacrocoracidae	*Microcarbo melanoleucos*	Little Pied Cormorant						1														
Phalacrocoracidae	*Phalacrocorax sulcirostris*	Little Black Cormorant						1														
Phalacrocoracidae	*Phalacrocorax varius*	Pied Cormorant						1			1							1		1		
Anhingidae	*Anhinga novaehollandiae*	Australasian Darter						1														
Accipitridae	*Elanus axillaris*	Black-shouldered Kite						1			1						1					1
Accipitridae	*Elanus scriptus*	Letter-winged Kite		P4	1	1																
Accipitridae	*Hamirostra melanosternon*	Black-breasted Buzzard						1	1		1											1
Accipitridae	*Lophoictinia isura*	Square-tailed Kite						1														
Accipitridae	*Aquila audax*	Wedge-tailed Eagle						1	1	1	1		1	1		1	1	1				1
Accipitridae	*Hieraaetus morphnoides*	Little Eagle						1	1								1	1		1		1
Accipitridae	*Circus approximans*	Swamp Harrier						1														
Accipitridae	*Circus assimilis*	Spotted Harrier						1	1		1					1	1					1
Accipitridae	*Accipiter fasciatus*	Brown Goshawk	MA					1	1	1	1					1						1
Accipitridae	*Accipiter cirrocephalus*	Collared Sparrowhawk						1	1	1	1					1						1
Accipitridae	*Haliaeetus leucogaster*	White-bellied Sea-Eagle	MA				1															
Accipitridae	*Haliastur sphenurus*	Whistling Kite	MA					1	1	1	1		1			1	1	1		1		1
Accipitridae	*Milvus migrans*	Black Kite						1												1		1
Tytonidae	*Tyto alba*	Barn Owl						1	1				1	1								
Strigidae	*Ninox boobook*	Southern Boobook	MA					1	1	1				1		1	1					1
Strigidae	*Ninox connivens subsp. connivens*	Barking Owl (southwest)		P3		1																

Family	Scientific name[1]	Common name	Status[2]		Databases[3]				Survey reports[4]													
			EPBC	BCA	TPFa	NM	PM50	BD50	BL11	BL12	BL13	BL16	EC04a	EC04b	EC05	EC98	EV07	EV08	MA99	OE08	SZ08	Ra12
Meropidae	*Merops ornatus*	Rainbow Bee-eater	MA				1	1	1	1	1					1	1	1	1	1		1
Alcedinidae	*Todiramphus sanctus*	Sacred Kingfisher	MA					1										1	1			
Alcedinidae	*Todiramphus pyrrhopygius*	Red-backed Kingfisher						1	1	1	1		1	1			1	1		1		1
Alcedinidae	*Dacelo leachii*	Blue-winged Kookaburra						1	1		1									1		
Falconidae	*Falco cenchroides*	Nankeen Kestrel	MA					1	1	1	1			1		1	1	1	1			1
Falconidae	*Falco longipennis*	Australian Hobby						1	1		1					1		1				1
Falconidae	*Falco berigora*	Brown Falcon						1	1	1	1		1	1		1	1	1		1		1
Falconidae	*Falco hypoleucos*	Grey Falcon	VU	VU	4	1							1					1				
Falconidae	*Falco peregrinus*	Peregrine Falcon		OS	10	1		1	1	1						1						
Cacatuidae	*Nymphicus hollandicus*	Cockatiel						1														1
Cacatuidae	*Eolophus roseicapilla*	Galah						1	1	1	1		1	1		1	1	1		1		1
Cacatuidae	*Cacatua sanguinea*	Little Corella						1			1					1	1		1			
Psittaculidae	*Psephotellus varius*	Mulga Parrot						1			1						1			1		
Psittaculidae	*Barnardius zonarius*	Australian Ringneck						1	1	1	1		1	1		1	1	1	1	1		1
Psittaculidae	*Pezoporus occidentalis*	Night Parrot	EN	CR			1															
Psittaculidae	*Neopsephotus bourkii*	Bourke's Parrot						1		1			1			1				1		
Psittaculidae	*Melopsittacus undulatus*	Budgerigar						1	1		1		1	1		1	1		1	1		1
Ptilonorhynchidae	*Ptilonorhynchus guttatus*	Western Bowerbird						1	1	1	1		1	1		1	1	1	1	1		1
Climacteridae	*Climacteris melanurus*	Black-tailed Treecreeper						1					1			1						
Maluridae	*Malurus lamberti*	Variegated Fairy-wren						1	1	1	1		1	1		1	1		1	1		1
Maluridae	*Malurus splendens*	Splendid Fairy-wren						1			1							1				
Maluridae	*Malurus leucopterus*	White-winged Fairy-wren						1	1	1	1		1	1		1	1	1		1		
Maluridae	*Malurus leucopterus subsp. leucopterus*	White-winged Fairy-wren (Dirk Hartog Island)	VU	VU		1																
Maluridae	*Stipiturus ruficeps*	Rufous-crowned Emu-wren						1	1	1	1		1	1		1						
Maluridae	*Amytornis striatus*	Striated Grasswren						1	1	1	1		1	1		1				1		
Meliphagidae	*Sugomel niger*	Black Honeyeater						1														1
Meliphagidae	*Lichmera indistincta*	Brown Honeyeater						1	1	1	1		1	1		1	1	1	1	1		1
Meliphagidae	*Melithreptus gularis*	Black-chinned Honeyeater						1	1	1			1	1		1	1					1
Meliphagidae	*Certhionyx variegatus*	Pied Honeyeater						1									1					1
Meliphagidae	*Conopophila whitei*	Grey Honeyeater						1	1	1	1									1		1
Meliphagidae	*Epthianura tricolor*	Crimson Chat						1	1		1						1	1				1
Meliphagidae	*Epthianura aurifrons*	Orange Chat						1														
Meliphagidae	*Acanthagenys rufogularis*	Spiny-cheeked Honeyeater						1	1	1	1		1	1		1	1	1		1		1
Meliphagidae	*Gavicalis virescens*	Singing Honeyeater						1	1	1	1		1	1		1	1	1	1	1		1
Meliphagidae	*Ptilotula keartlandi*	Grey-headed Honeyeater						1	1	1	1	1	1	1		1	1	1		1		1

Family	Scientific name[1]	Common name	Status[2]		Databases[3]				Survey reports[4]													
			EPBC	BCA	TPFa	NM	PM50	BD50	BL11	BL12	BL13	BL16	EC04a	EC04b	EC05	EC98	EV07	EV08	MA99	OE08	SZ08	Ra12
Meliphagidae	*Ptilotula plumula*	Grey-fronted Honeyeater						1														
Meliphagidae	*Ptilotula penicillata*	White-plumed Honeyeater						1	1	1	1					1			1	1		1
Meliphagidae	*Purnella albifrons*	White-fronted Honeyeater							1													1
Meliphagidae	*Manorina flavigula*	Yellow-throated Miner						1	1	1	1		1	1		1	1	1	1	1		1
Pardalotidae	*Pardalotus rubricatus*	Red-browed Pardalote						1	1	1	1					1	1			1		1
Pardalotidae	*Pardalotus striatus*	Striated Pardalote						1	1	1	1		1	1		1	1		1	1		
Acanthizidae	*Gerygone fusca*	Western Gerygone						1	1	1	1			1		1		1	1	1		1
Acanthizidae	*Smicrornis brevirostris*	Weebill						1	1	1	1		1	1		1	1	1	1	1		1
Acanthizidae	*Pyrrholaemus brunneus*	Redthroat						1			1											
Acanthizidae	*Aphelocephala leucopsis*	Southern Whiteface						1														
Acanthizidae	*Acanthiza chrysorrhoa*	Yellow-rumped Thornbill						1		1	1					1						
Acanthizidae	*Acanthiza apicalis*	Inland Thornbill						1	1	1	1			1		1			1	1		1
Acanthizidae	*Acanthiza robustirostris*	Slaty-backed Thornbill						1		1	1			1		1		1				
Acanthizidae	*Acanthiza uropygialis*	Chestnut-rumped Thornbill						1		1	1					1						1
Pomatostomidae	*Pomatostomus temporalis*	Grey-crowned Babbler						1	1	1	1			1		1		1		1		1
Pomatostomidae	*Pomatostomus superciliosus*	White-browed Babbler						1		1	1					1			1			
Neosittidae	*Daphoenositta chrysoptera*	Varied Sittella						1			1					1	1					
Campephagidae	*Coracina maxima*	Ground Cuckoo-shrike						1	1	1	1					1	1					1
Campephagidae	*Coracina novaehollandiae*	Black-faced Cuckoo-shrike	MA					1	1	1	1		1	1		1	1	1	1	1		1
Campephagidae	*Lalage tricolor*	White-winged Triller						1	1	1	1		1	1		1	1	1	1	1		1
Cinclosomatidae	*Cinclosoma castaneothorax*	Chestnut-breasted Quail-thrush						1		1												
Pachycephalidae	*Pachycephala rufiventris*	Rufous Whistler						1	1	1	1		1	1		1	1	1	1	1		1
Pachycephalidae	*Colluricincla harmonica*	Grey Shrike-thrush						1	1	1	1	1	1	1		1	1	1	1	1		1
Oreoicidae	*Oreoica gutturalis*	Crested Bellbird						1	1	1	1		1	1		1	1	1	1	1		1
Psophodidae	*Psophodes occidentalis*	Chiming Wedgebill						1														
Artamidae	*Gymnorhina tibicen*	Australian Magpie						1	1	1	1		1	1		1	1	1	1	1		1
Artamidae	*Cracticus nigrogularis*	Pied Butcherbird						1	1	1	1		1	1		1	1	1	1	1		1
Artamidae	*Cracticus torquatus*	Grey Butcherbird						1	1	1	1		1	1		1	1	1		1		1
Artamidae	*Artamus personatus*	Masked Woodswallow						1								1	1		1			1
Artamidae	*Artamus cinereus*	Black-faced Woodswallow						1	1	1	1		1	1		1	1	1		1		1
Artamidae	*Artamus minor*	Little Woodswallow						1	1	1	1		1	1		1	1		1	1		1
Artamidae	*Artamus leucorynchus*	White-breasted Woodswallow																				
Rhipiduridae	*Rhipidura leucophrys*	Willie Wagtail						1	1	1	1	1	1	1		1	1	1	1	1		1
Rhipiduridae	*Rhipidura fuliginosa*	Grey Fantail						1	1	1	1			1		1	1	1				

Family	Scientific name[1]	Common name	Status[2]		Databases[3]				Survey reports[4]													
			EPBC	BCA	TPFa	NM	PM50	BD50	BL11	BL12	BL13	BL16	EC04a	EC04b	EC05	EC98	EV07	EV08	MA99	OE08	SZ08	Ra12
Corvidae	*Corvus orru*	Torresian Crow						1	1	1	1		1	1			1	1	1	1		1
Corvidae	*Corvus bennetti*	Little Crow						1								1						1
Corvidae	*Corvus coronoides*	Australian Raven																				1
Monarchidae	*Grallina cyanoleuca*	Magpie-lark	MA					1	1	1	1		1	1		1	1	1	1	1		1
Petroicidae	*Petroica goodenovii*	Red-capped Robin						1		1	1					1	1		1			
Petroicidae	*Melanodryas cucullata*	Hooded Robin						1	1	1	1		1	1		1	1	1	1	1		1
Dicaeidae	*Dicaeum hirundinaceum*	Mistletoebird						1	1	1	1		1	1		1	1					1
Estrildidae	*Emblema pictum*	Painted Finch						1	1	1	1		1	1		1	1	1		1		1
Estrildidae	*Neochmia ruficauda*	Star Finch						1					1	1								
Estrildidae	*Taeniopygia guttata*	Zebra Finch						1	1	1	1		1	1		1	1	1	1	1		1
Motacillidae	*Anthus novaeseelandiae*	Australasian Pipit	MA					1	1	1							1		1	1		
Motacillidae	*Motacilla flava*	Yellow Wagtail	MI, MA				2															
Motacillidae	*Motacilla cinerea*	Grey Wagtail	MI, MA				2															
Alaudidae	*Mirafra javanica*	Horsfield's Bushlark						1					1					1				
Locustellidae	*Cincloramphus cruralis*	Brown Songlark						1														1
Locustellidae	*Cincloramphus mathewsi*	Rufous Songlark						1	1		1		1			1	1	1		1		1
Locustellidae	*Poodytes carteri*	Spinifexbird						1	1	1	1		1	1		1	1	1		1		1
Acrocephalidae	*Acrocephalus australis*	Australian Reed-Warbler						1														
Hirundinidae	*Cheramoeca leucosterna*	White-backed Swallow						1														
Hirundinidae	*Petrochelidon ariel*	Fairy Martin						1									1			1		
Hirundinidae	*Petrochelidon nigricans*	Tree Martin						1								1	1					
Hirundinidae	*Hirundo neoxena*	Welcome Swallow	MA					1									1	1				
Hirundinidae	*Hirundo rustica*	Barn Swallow	MI, MA				2															
Mammals																						
Tachyglossidae	*Tachyglossus aculeatus*	Short-beaked Echidna							1	1	1	1				1						1
Dasyuridae	*Dasycercus blythi*	Brush-tailed Mulgara, Ampurta		P4	1	1																
	Dasykaluta rosamondae	Kaluta							1	1	1			1		1	1			1		1
	Dasyurus geoffroii	Western Quoll, Chuditch	VU	VU		1																
	Dasyurus hallucatus	Northern Quoll	EN	EN	9	1	1			1												1
	Ningaui timealeyi	Pilbara Ningaui							1	1	1			1		1				1		1
	Planigale ingrami	Long-tailed Planigale																				1
	Planigale sp. 1	(undescribed planigale species)							1	1	1			1		1	1					
	Pseudantechinus woolleyae	Woolley's Pseudantechinus							1	1												

Family	Scientific name[1)]	Common name	Status[2)]		Databases[3)]				Survey reports[4)]													
			EPBC	BCA	TPFa	NM	PM50	BD50	BL11	BL12	BL13	BL16	EC04a	EC04b	EC05	EC98	EV07	EV08	MA99	OE08	SZ08	Ra12
	Sminthopsis macroura	Froggatt's Stripe-faced Dunnart							1	1	1			1		1						1
	Sminthopsis ooldea	Ooldea Dunnart									1					1						
	Sminthopsis youngsoni	Lesser Hairy-footed Dunnart									1											
Thylacomyidae	*Macrotis lagotis*	Bilby, Dalgyte	VU	VU	2	1	1															
Macropodidae	*Osphranter robustus*	Euro, Biggada							1	1		1	1	1		1	1	1	1	1		1
	Osphranter rufus	Red Kangaroo, Marlu								1								1	1	1		
	Petrogale rothschildi	Rothschild's Rock-wallaby							1	1	1	1				1		1		1		1
Muridae	**Mus musculus*	House Mouse					1		1	1	1	1										1
	Leggadina lakedownensis	Short-tailed Mouse		P4	2	1																
	Pseudomys chapmani	Western Pebble-mound Mouse		P4	191	1			1	1	1		1	1		1	1	1	1	1		1
	Pseudomys desertor	Desert Mouse							1	1	1						1					1
	Pseudomys hermannsburgensis	Sandy Inland Mouse							1	1	1			1		1				1		1
	Zyzomys argurus	Common Rock-rat							1	1	1	1		1		1	1	1		1		1
	Zyzomys pedunculatus	Central Rock-rat	CR	CR		1																
Leporidae	**Oryctolagus cuniculus*	Rabbit					1			1	1											
Rhinonycteridae	*Rhinonicteris aurantia (Pilbara)*	Pilbara Leaf-nosed Bat	VU	VU	8	1	1			1							1					
Megadermatidae	*Macroderma gigas*	Ghost Bat	VU	VU	133	1	1		1	1	1											1
Emballonuridae	*Saccolaimus flaviventris*	Yellow-bellied Sheath-tailed Bat							1	1			1	1				1			1	1
	Taphozous georgianus	Common Sheath-tailed Bat							1	1	1		1	1	1		1	1			1	1
	Taphozous hilli	Hill's Sheath-tailed Bat							1	1	1					1						
Molossidae	*Austronomus australis*	White-striped Free-tailed Bat								1	1			1				1				
	Chaerephon jobensis	Greater Northern Free-tailed Bat							1	1	1						1	1				1
	Ozimops lumsdenae	Northern Free-tailed Bat							1	1	1		1	1			1	1			1	
	Ozimops planiceps	Southern Free-tailed Bat														1						
Vespertilionidae	*Chalinolobus gouldii*	Gould's Wattled Bat							1	1	1		1	1		1	1	1			1	1
	Nyctophilus geoffroyi	Lesser Long-eared Bat							1	1			1				1					
	Scotorepens balstoni	Inland Broad-nosed Bat														1						
	Scotorepens greyii	Little Broad-nosed Bat							1	1	1		1	1		1	1	1			1	1
	Vespadelus finlaysoni	Finlayson's Cave Bat							1	1	1		1	1	1	1	1	1			1	1
Canidae	**Canis familiaris familiaris*	Dog					1					1										
	**Vulpes vulpes*	Red Fox					1											1				

Family	Scientific name[1)]	Common name	Status[2)]		Databases[3)]				Survey reports[4)]												
			EPBC	BCA	TPFa	NM	PM50	BD50	BL11	BL12	BL13	BL16	EC04a	EC04b	EC05	EC98	EV07	EV08	MA99	OE08	SZ08	Ra12
	Canis familiaris dingo	Dingo							1	1	1		1	1		1		1	1	1		1
Felidae	**Felis catus*	Cat					1			1	1	1		1		1		1	1	1		
Equidae	**Equus asinus*	Donkey					1			1												
	**Equus caballus*	Horse					1															
Camelidae	**Camelus dromedarius*	Dromedary, Camel					1		1	1												
Bovidae	**Bos taurus*	European Cattle							1	1						1		1		1		1
Reptiles																						
Carphodactylidae	*Nephrurus cinctus*	Northern Banded Knob-tailed Gecko							1	1	1											1
	Underwoodisaurus seorsus	Pilbara Barking Gecko		P2	17	1			1	1	1		1									
Diplodactylidae	*Crenadactylus ocellatus*	South-western Clawless Gecko																				1
	Diplodactylus conspicillatus	Variable Fat-tailed Gecko																				1
	Diplodactylus pulcher	Pretty Gecko								1	1											1
	Diplodactylus savagei	Southern Pilbara Beak-faced Gecko							1		1					1		1		1		1
	Lucasium stenodactylum	Sand-plain Gecko							1	1	1			1								1
	Lucasium wombeyi	Pilbara Ground Gecko							1	1	1					1	1					1
	Oedura fimbria	Western Marbled Velvet Gecko							1	1	1		1	1		1	1	1		1		1
	Rhynchoedura ornata	Western Beaked Gecko							1	1	1									1		1
	Strophurus elderi	Jewelled Gecko							1													
	Strophurus wellingtonae	Western-shield Spiny-tailed Gecko							1	1	1		1				1	1				1
Gekkonidae	*Gehyra pilbara*	Pilbara Dtella							1							1						
	Gehyra punctata	Spotted Rock Dtella							1	1	1		1	1		1	1	1				1
	Gehyra variegata	Variegated gehyra							1	1	1			1		1	1	1				1
	Heteronotia binoei	Bynoe's Gecko							1	1	1			1		1	1			1		1
	Heteronotia spelea	Pilbara Cave Gecko							1	1	1			1			1	1				
Pygopodidae	*Delma butleri*	Spinifex Delma														1						
	Delma elegans	Pilbara Delma							1		1											1
	Delma haroldi	Neck-barred Delma												1								
	Delma nasuta	Sharp-snouted Delma							1	1	1			1								1
	Delma pax	Peace Delma							1		1			1		1				1		
	Delma tincta	Black-necked Delma							1	1	1					1				1		1
	Lialis burtonis	Burton's Snake-lizard							1	1	1						1					1
	Pygopus nigriceps	Western Hooded Scaly-foot									1							1				1

Family	Scientific name[1)]	Common name	Status[2)]		Databases[3)]				Survey reports[4)]												
			EPBC	BCA	TPFa	NM	PM50	BD50	BL11	BL12	BL13	BL16	EC04a	EC04b	EC05	EC98	EV07	EV08	MA99	OE08	SZ08	Ra12
Agamidae	*Ctenophorus caudicinctus*	Western Ring-tailed Dragon							1	1	1		1	1		1	1	1		1		1
	Ctenophorus isolepis	Yellowy Military Dragon							1	1	1			1		1		1				1
	Ctenophorus nuchalis	Central Netted Dragon									1											
	Ctenophorus reticulatus	Western Netted Dragon								1	1											
	Diporiphora amphiboluroides	Mulga Dragon								1	1					1						1
	Diporiphora valens	Southern Pilbara Tree Dragon								1	1			1								1
	Gowidon longirostris	Long-nosed Dragon							1	1	1		1	1		1		1	1	1		1
	Pogona minor	Dwarf Bearded Dragon							1	1	1		1	1		1			1			1
	Tympanocryptis cephalus	Coastal pebble-mimic dragons									1											
Scincidae	*Carlia munda*	Striped Rainbow Skink							1	1	1		1	1		1	1			1		1
	Carlia triacantha	Desert Rainbow Skink							1	1												
	Cryptoblepharus buchananii	Buchanan's Snake-eyed Skink								1	1											
	Cryptoblepharus ustulatus	Russet Snake-eyed Skink							1	1	1											1
	Ctenotus duricola	Eastern Pilbara Lined Ctenotus							1		1		1	1		1						1
	Ctenotus hanloni	Nimble Ctenotus									1					1						
	Ctenotus helenae	Dusky Ctenotus							1	1	1			1			1	1				1
	Ctenotus leonhardii	Common Desert Ctenotus														1						
	Ctenotus pantherinus	Leopard Ctenotus							1	1	1		1	1		1	1			1		1
	Ctenotus piankai	Coarse Sands Ctenotus														1						
	Ctenotus rubicundus	Ruddy Ctenotus							1		1		1	1		1						1
	Ctenotus rutilans	Rusty-shouldered Ctenotus								1						1		1				1
	Ctenotus saxatilis	Rock Ctenotus							1	1	1		1	1		1	1	1		1		1
	Ctenotus schomburgkii	Barred Wedge-snouted Ctenotus								1	1			1		1						1
	Ctenotus serventyi	North-western Sandy-loam Ctenotus							1													
	Ctenotus uber	Western Spotted Ctenotus									1											1
	Cyclodomorphus melanops	Spinifex Slender Blue-tongue							1	1	1					1	1			1		1
	Egernia cygnitos	Western Pilbara Spiny-tailed Skink								1	1											1
	Egernia depressa	Southern Pygmy Spiny-tailed Skink							1		1		1	1		1						
	Egernia formosa	Goldfields Crevice-skink							1	1		1				1	1	1		1		1

Family	Scientific name[1]	Common name	Status[2]		Databases[3]				Survey reports[4]													
			EPBC	BCA	TPFa	NM	PM50	BD50	BL11	BL12	BL13	BL16	EC04a	EC04b	EC05	EC98	EV07	EV08	MA99	OE08	SZ08	Ra12
	Eremiascincus pallidus	Western Narrow-banded Skink							1		1					1		1		1		
	Eremiascincus richardsonii	Broad-banded Sand Swimmer							1													
	Lerista chalybura	Pilbara blue-tailed Slider							1	1	1		1	1		1						1
	Lerista flammicauda	Pilbara Flame-tailed Slider									1											
	Lerista muelleri	Mueller's Three-toed Slider							1	1	1					1		1				1
	Lerista neander	Pilbara Robust Slider									1					1	1					
	Menetia greyii	Common Dwarf Skink							1	1	1			1		1		1				1
	Menetia surda	Western Dwarf Skink									1											
	Morethia ruficauda	Fire-tailed Skink							1	1	1		1	1		1				1		1
	Tiliqua multifasciata	Central Blue-tongue							1	1	1		1			1	1	1				1
Varanidae	*Varanus acanthurus*	Spiny-tailed Goanna							1	1	1		1	1		1				1		1
	Varanus brevicauda	Short-tailed Pygmy Goanna																		1		1
	Varanus bushi	Pilbara Mulga Goanna							1	1	1			1		1	1					1
	Varanus giganteus	Perentie							1	1		1				1		1		1		1
	Varanus gouldii	Bungarra or Sand Goanna																1				
	Varanus hamersleyensis	Southern Pilbara Rock Goanna							1	1						1	1	1				1
	Varanus panoptes	Yellow-spotted Monitor							1	1			1			1		1	1	1		1
	Varanus tristis	Racehorse Goanna							1	1		1	1				1	1		1		1
Typhlopidae	*Anilios ammodytes*	Pilbara Blind Snake															1	1				
	Anilios ganei	Gane's Blind Snake		P1	2	1			1					1				1				
	Anilios grypus	Northern Beaked Blind Snake							1									1				
	Anilios hamatus	Northern Hook-snouted Blind Snake								1								1				
Pythonidae	*Antaresia perthensis*	Pygmy Python							1	1				1		1		1				1
	Antaresia stimsoni	Stimson's Python																	1			
	Aspidites melanocephalus	Black-headed Python														1						
	Liasis olivaceus barroni	Pilbara Olive Python	VU	VU	4	1	1			1							1					1
Elapidae	*Acanthophis wellsi*	Pilbara Death Adder							1				1	1								
	Brachyurophis approximans	North-western Shovel-nosed Snake							1	1								1				
	Demansia psammophis	Yellow-faced Whipsnake							1	1				1				1				1
	Demansia rufescens	Rufous Whipsnake							1	1			1				1	1	1			
	Furina ornata	Moon Snake							1	1				1			1	1				
	Parasuta monachus	Monk Snake							1	1								1				1

Family	Scientific name[1)]	Common name	Status[2)]		Databases[3)]				Survey reports[4)]													
			EPBC	BCA	TPFa	NM	PM50	BD50	BL11	BL12	BL13	BL16	EC04a	EC04b	EC05	EC98	EV07	EV08	MA99	OE08	SZ08	Ra12
	Pseudechis australis	Mulga Snake							1	1				1								1
	Pseudonaja mengdeni	Western Brown Snake								1							1			1		1
	Pseudonaja modesta	Ringed Brown Snake							1	1								1				1
	Suta fasciata	Rosen's Snake							1							1		1				1
	Vermicella snelli	Pilbara Bandy Bandy							1													1
Amphibians																						
Pelodryadidae	*Cyclorana maini*	Sheep Frog							1	1	1					1		1		1		1
	Cyclorana occidentalis	Western Water-holding Frog																1				
	Litoria rubella	Little Red Tree Frog							1	1	1					1	1	1		1		1
Limnodynastidae	*Neobatrachus sutor*	Shoemaker Frog									1							1				
	Platyplectrum spenceri	Centralian Burrowing Frog									1											
Myobatrachidae	*Pseudophryne douglasi*	Gorge Toadlet							1													
	Uperoleia russelli	Northwest Toadlet							1													

Footnotes:
1) Scientific name:
Asterisk (*) preceding name indicates fauna species in introduced (not native) to Western Australia.
2) Status:
EPBC = Conservation listing under the federal EPBC Act: CR = Critically Endangered, EN = Endangered, VU = Vulnerable, MI = Migratory, MA = Marine
BCA = Conservation listing under the Western Australian Biodiversity Conservation Act and Priority listing by the DBCA: CR = Critically Endangered, EN = Endangered, VU = Vulnerable, MI = Migratory, OS = Other specially protected fauna, P1 to P4 = DBCA Priority 1 to 4
3) Databases:
TPFa = DBCA Threatened and Priority Fauna Database (50 km radius)
NM = DBCA NatureMap online database (40 km radius)
PM = Protected Matters database (50 km radius). Only returns species and communities listed under the EPBC Act.
BD50 = Birdlife Australia Birdata database (50 km radius)
4) Fauna survey reports:
BL11 = Biologic (2011) Area C and surrounds fauna survey
BL12 = Biologic (2012) Southern Flank vertebrate fauna survey
BL13 = Biologic (2013) Mudlark vertebrate fauna survey
BL16 = Biologic (2016) South Flank targeted fauna survey
EC04a = Ecologia (2004a) Packsaddle Range biological survey
EC04b = Ecologia (2004b) Area C: Deposits D, E, F biological survey
EC05 = Ecologia (2005) Pilbara Leaf-nosed Bat and Ghost Bat monitoring survey at Nimingarra and Cattle Gorge.
EC98 = Ecologia (1998) Mining area C biological survey
EV07 = ENV (2007) Area C: R deposit fauna assessment
EV08 = ENV (2008) Area C southern flank deposit fauna assessment
MA99 = Halpern Glick Maunsell (1999) Mining Area C western access corridor biological assessment
OE08 = Outback Ecology (2008) Area C Mining Operation Environmental Management Plan
SZ08 = Specialised Zoological (2008) Area C bat survey
Ra12 = Rapallo (2012) Lamb Creek detailed fauna survey and targeted northern quoll survey
*RA20 = Rapallo (2020) Lamb Creek - **THIS SURVEY***

Appendix VI Desktop results: Conservation significant fauna recorded within 50 km of Lamb Creek

Family	Scientific name	Common name	Status[1)]		Total records	Likelihood in Survey area
			EPBC	BCA		
Birds						
Cuculidae	*Chalcites basalis*	Horsfield's Bronze-Cuckoo	MA		10	Confirmed
Cuculidae	*Chalcites osculans*	Black-eared Cuckoo	MA		5	Likely
Cuculidae	*Heteroscenes pallidus*	Pallid Cuckoo	MA		11	Confirmed
Eurostopodidae	*Eurostopodus argus*	Spotted Nightjar	MA		10	Confirmed
Apodidae	*Apus pacificus*	Fork-tailed Swift	MI, MA	MI	11	Confirmed
Scolopacidae	*Tringa nebularia*	Common Greenshank	MI, MA	IA	3	Unlikely
Ardeidae	*Bubulcus ibis*	Cattle Egret	MA		2	Possible
Threskiornithidae	Threskiornis spinicollis	Straw-necked Ibis	MA		1	Possible
Accipitridae	*Elanus scriptus*	Letter-winged Kite		P4	2	Possible
Accipitridae	*Accipiter fasciatus*	Brown Goshawk	MA		7	Confirmed
Accipitridae	*Haliastur sphenurus*	Whistling Kite	MA		11	Confirmed
Strigidae	Ninox boobook	Southern Boobook	MA		7	Likely
Strigidae	Ninox connivens subps. connivens	Barking Owl (southwest)		P3	1	Highly unlikely
Meropidae	*Merops ornatus*	Rainbow Bee-eater	MA		13	Confirmed
Alcedinidae	Todiramphus sanctus	Sacred Kingfisher	MA		3	Possible
Falconidae	*Falco cenchroides*	Nankeen Kestrel	MA		11	Confirmed
Falconidae	*Falco hypoleucos*	Grey Falcon	VU	VU	7	Possible
Falconidae	*Falco peregrinus*	Peregrine Falcon		OS	16	Likely
Psittaculidae	*Pezoporus occidentalis*	Night Parrot	EN	CR	2	Possible
Campephagidae	*Coracina novaehollandiae*	Black-faced Cuckoo-shrike	MA		13	Confirmed
Maluridae	Malurus leucopterus subsp. leucopterus	White-winged Fairy-wren (Dirk Hartog Island)	VU	VU	1	Highly unlikely
Monarchidae	*Grallina cyanoleuca*	Magpie-lark	MA		12	Confirmed

Family	Scientific name	Common name	Status[1)]		Total records	Likelihood in Survey area
			EPBC	BCA		
Motacillidae	Anthus novaeseelandiae	Australasian Pipit	MA		6	Possible
Hirundinidae	*Hirundo neoxena*	Welcome Swallow	MA		3	Possible
Mammals						
Dasyuridae	*Dasycercus blythi*	Brush-tailed Mulgara, Ampurta		P4	2	Unlikely
Dasyuridae	*Dasyurus hallucatus*	Northern Quoll	EN	EN	16	Confirmed
Dasyuridae	*Dasyurus geoffroii*	Western quoll, Chuditch	VU	VU	1	Highly unlikely
Thylacomyidae	*Macrotis lagotis*	Bilby, Dalgyte	VU	VU	5	Unlikely – no sandplains
Muridae	*Leggadina lakedownensis*	Short-tailed Mouse		P4	3	Likely
Muridae	*Pseudomys chapmani*	Western Pebble-mound Mouse		P4	205	Confirmed
Muridae	*Zyzomys pedunculatus*	Central rock rat	CR	CR	1	Highly unlikely
Rhinonycteridae	*Rhinonicteris aurantia (Pilbara)*	Pilbara Leaf-nosed Bat	VU	VU	13	Unlikely
Megadermatidae	*Macroderma gigas*	Ghost Bat	VU	VU	142	Confirmed
Reptiles						
Carphodactylidae	*Underwoodisaurus seorsus*	Pilbara Barking Gecko		P2	22	Likely
Typhlopidae	*Anilios ganei*	Gane's Blind Snake		P1	6	Likely
Pythonidae	*Liasis olivaceus barroni*	Pilbara Olive Python	VU	VU	10	Confirmed

Appendix VII List of vertebrate fauna species recorded during the survey

Family	Scientific Name	Common name	Status[1)]	Systematic trap sites										Other sites[2)]		
				S01	S02	S03	S04	S05	S06	S07	S08	S09	S10	Opp	CT	SM4
Birds																
Phasianidae	*Coturnix pectoralis*	Stubble Quail	MA					1							1	
Columbidae	*Geophaps plumifera*	Spinifex Pigeon					1							1		
Columbidae	*Ocyphaps lophotes*	Crested Pigeon		2		1						1		2		
Columbidae	*Geopelia cuneata*	Diamond Dove		2				1						2		
Columbidae	*Geopelia placida*	Peaceful Dove						1								
Cuculidae	*Chalcites osculans*	Black-eared Cuckoo	MA				1							1		
Otididae	*Ardeotis australis*	Australian Bustard												1		
Turnicidae	*Turnix velox*	Little Button-quail		2										3		
Accipitridae	*Elanus axillaris*	Black-shouldered Kite												1		
Accipitridae	*Aquila audax*	Wedge-tailed Eagle												1		
Accipitridae	*Accipiter fasciatus*	Brown Goshawk	MA			1										
Accipitridae	*Haliastur sphenurus*	Whistling Kite	MA	2		1		1						2		
Accipitridae	*Milvus migrans*	Black Kite		1												
Falconidae	*Falco cenchroides*	Nankeen Kestrel	MA			1										
Falconidae	*Falco berigora*	Brown Falcon								2	1			2		
Cacatuidae	*Nymphicus hollandicus*	Cockatiel				1					1	1		3		
Cacatuidae	*Eolophus roseicapilla*	Galah									3					
Psittacidae	*Barnardius zonarius*	Australian Ringneck				1			1		3					
Psittacidae	*Melopsittacus undulatus*	Budgerigar					1		3		2	5	2	2		
Maluridae	*Malurus lamberti*	Variegated Fairy-wren				2		1						7		

Family	Scientific Name	Common name	Status[1)]	Systematic trap sites										Other sites[2)]		
				S01	S02	S03	S04	S05	S06	S07	S08	S09	S10	Opp	CT	SM4
Maluridae	*Malurus leucopterus*	White-winged Fairy-wren				1								2		
Meliphagidae	*Lichmera indistincta*	Brown Honeyeater				1			1					1		
Meliphagidae	*Certhionyx variegatus*	Pied Honeyeater									1			1		
Meliphagidae	*Conopophila whitei*	Grey Honeyeater		1								1				
Meliphagidae	*Epthianura tricolor*	Crimson Chat												1		
Meliphagidae	*Acanthagenys rufogularis*	Spiny-cheeked Honeyeater		2	1	3	1	2	1	4	4	3	6	4		
Meliphagidae	*Gavicalis virescens*	Singing Honeyeater		4	1	2	1	5	8	6	6	6		4		
Meliphagidae	*Ptilotula keartlandi*	Grey-headed Honeyeater		2	1	2	1	1	2	2	3		6	4		
Meliphagidae	*Ptilotula plumula*	Grey-fronted Honeyeater												1		
Meliphagidae	*Ptilotula penicillata*	White-plumed Honeyeater				2										
Meliphagidae	*Purnella albifrons*	White-fronted Honeyeater		1	1	3	2							3		
Meliphagidae	*Manorina flavigula*	Yellow-throated Miner		1										1		
Pardalotidae	*Pardalotus rubricatus*	Red-browed Pardalote									4			4		
Pardalotidae	*Pardalotus striatus*	Striated Pardalote												1		
Acanthizidae	*Gerygone fusca*	Western Gerygone		1					1		2			1		
Acanthizidae	*Smicrornis brevirostris*	Weebill			1	1		2			3	8	2	1		
Acanthizidae	*Aphelocephala leucopsis*	Southern Whiteface								1				1		
Acanthizidae	*Acanthiza chrysorrhoa*	Yellow-rumped Thornbill												1		
Acanthizidae	*Acanthiza apicalis*	Inland Thornbill				2				2	3					
Acanthizidae	*Acanthiza robustirostris*	Slaty-backed Thornbill									2					
Pomatostomidae	*Pomatostomus temporalis*	Grey-crowned Babbler		1	1			1	3	1		3		2		

Family	Scientific Name	Common name	Status[1)]	Systematic trap sites										Other sites[2)]		
				S01	S02	S03	S04	S05	S06	S07	S08	S09	S10	Opp	CT	SM4
Campephagidae	*Coracina maxima*	Ground Cuckoo-shrike								3						
Campephagidae	*Coracina novaehollandiae*	Black-faced Cuckoo-shrike	EPBC Marine									1		2		
Campephagidae	*Lalage tricolor*	White-winged Triller		3							1					
Pachycephalidae	*Pachycephala rufiventris*	Rufous Whistler		2	1	3	1					2		7		
Pachycephalidae	*Colluricincla harmonica*	Grey Shrike-thrush										2		4		
Oreoicidae	*Oreoica gutturalis*	Crested Bellbird		1	1	2	1	2	2	4	7	1	4	7		
Artamidae	*Gymnorhina tibicen*	Australian Magpie									4					
Artamidae	*Cracticus nigrogularis*	Pied Butcherbird		1	1	1	1				2	1	3	2		
Artamidae	*Artamus cinereus*	Black-faced Woodswallow		1			1		7			2		2		
Artamidae	*Artamus minor*	Little Woodswallow							4	1				3		
Artamidae	*Artamus leucorynchus*	White-breasted Woodswallow		1					5	5			1			
Rhipiduridae	*Rhipidura leucophrys*	Willie Wagtail		3	1			1	2		8	6		5		
Corvidae	*Corvus orru*	Torresian Crow												1	1	
Corvidae	*Corvus bennetti*	Little Crow							1					1		
Petroicidae	*Petroica goodenovii*	Red-capped Robin												1		
Petroicidae	*Melanodryas cucullata*	Hooded Robin								2	7		1	2		
Estrildidae	*Emblema pictum*	Painted Finch												1		
Estrildidae	*Taeniopygia guttata*	Zebra Finch		2				1	3	4		5	1	3		
Locustellidae	*Cincloramphus cruralis*	Brown Songlark		1										1		
Locustellidae	*Cincloramphus mathewsi*	Rufous Songlark								1				1		
Locustellidae	*Poodytes carteri*	Spinifexbird							3	2				2		

Family	Scientific Name	Common name	Status[1)]	Systematic trap sites										Other sites[2)]		
				S01	S02	S03	S04	S05	S06	S07	S08	S09	S10	Opp	CT	SM4
Mammals																
Dasyuridae	*Dasykaluta rosamondae*	Kaluta					2		1		1				1	
Dasyuridae	*Dasyurus hallucatus*	Northern Quoll	EN											1		
Dasyuridae	*Ningaui timealeyi*	Pilbara Ningaui			1	2	1	1								
Dasyuridae	*Sminthopsis ooldea*	Ooldea Dunnart			2			1				2				
Macropodidae	*Osphranter robustus*	Euro, Biggada												3		
Macropodidae	*Petrogale rothschildi*	Rothschild's Rock-wallaby												10		
Muridae	*Mus musculus*	House Mouse	s11										1			
Muridae	*Pseudomys chapmani*	Western Pebble-mound Mouse	P4											35		
Muridae	*Pseudomys desertor*	Desert Mouse		2								1				
Muridae	*Pseudomys hermannsburgensis*	Sandy Inland Mouse		1			2		1	1						
Megadermatidae	*Macroderma gigas*	Ghost Bat	VU													3
Emballonuridae	*Taphozous hilli*	Hill's Sheath-tailed Bat														8
Molossidae	*Chaerephon jobensis*	Greater Northern Free-tailed Bat														8
Molossidae	*Ozimops lumsdenae*	Northern Free-tailed Bat														2
Vespertilionidae	*Chalinolobus gouldii*	Gould's Wattled Bat														7
Vespertilionidae	*Scotorepens greyii*	Little Broad-nosed Bat														9
Vespertilionidae	*Vespadelus finlaysoni*	Finlayson's Cave Bat														9
Canidae	*Canis familiaris dingo*	Dingo												1		
Felidae	*Felis catus*	Cat	s11											1		

Family	Scientific Name	Common name	Status[1)]	Systematic trap sites										Other sites[2)]		
				S01	S02	S03	S04	S05	S06	S07	S08	S09	S10	Opp	CT	SM4
Reptiles																
Carphodactylidae	*Nephrurus cinctus*	Northern Banded Knob-tailed Gecko						3		1						
Diplodactylidae	*Diplodactylus pulcher*	Pretty Gecko		1												
Diplodactylidae	*Diplodactylus savagei*	Southern Pilbara Beak-faced Gecko									2		5			
Diplodactylidae	*Lucasium wombeyi*	Pilbara Ground Gecko			1	7	10	5	4	5	2	2	1			
Diplodactylidae	*Rhynchoedura ornata*	Western Beaked Gecko		2				2	12	8		12				
Diplodactylidae	*Strophurus elderi*	Jewelled Gecko							1							
Gekkonidae	*Gehyra variegata*	Variegated gehyra		4	4				1							
Gekkonidae	*Heteronotia binoei*	Bynoe's Gecko				3	9	3	2		6	4	2			
Pygopodidae	*Delma butleri*	Spinifex Delma				1										
Pygopodidae	*Delma nasuta*	Sharp-snouted Delma									1					
Pygopodidae	*Delma pax*	Peace Delma						1			1					
Pygopodidae	*Delma tincta*	Black-necked Delma					1									
Pygopodidae	*Lialis burtonis*	Burton's Snake-lizard						1			1		1			
Agamidae	*Ctenophorus caudicinctus*	Western Ring-tailed Dragon		1	2	1	4	2	5	1	3	2	2	14		
Agamidae	*Ctenophorus isolepis*	Yellowy Military Dragon		4		1	1		1			1		3		
Agamidae	*Diporiphora amphiboluroides*	Mulga Dragon												2		
Agamidae	*Diporiphora valens*	Southern Pilbara Tree Dragon		1		4	1		1	2	2			1		
Agamidae	*Gowidon longirostris*	Long-nosed Dragon												1		

Family	Scientific Name	Common name	Status[1)]	Systematic trap sites										Other sites[2)]		
				S01	S02	S03	S04	S05	S06	S07	S08	S09	S10	Opp	CT	SM4
Agamidae	*Pogona minor*	Dwarf Bearded Dragon		2					1							
Scincidae	*Carlia triacantha*	Desert Rainbow Skink		7	1	1	1		2							
Scincidae	*Cryptoblepharus ustulatus*	Russet Snake-eyed Skink													2	
Scincidae	*Ctenotus duricola*	Eastern Pilbara Lined Ctenotus				2					1	1				
Scincidae	*Ctenotus helenae*	Dusky Ctenotus										1				
Scincidae	*Ctenotus pantherinus*	Leopard Ctenotus		20	7	11	8	2	3	2	2	4	1	1		
Scincidae	*Ctenotus saxatilis*	Rock Ctenotus		18	10	5	3	3	7	8	11	11	6	5	4	
Scincidae	*Ctenotus schomburgkii*	Barred Wedge-snouted Ctenotus		2				1	4	2	1	2	1			
Scincidae	*Ctenotus serventyi*	North-western Sandy-loam Ctenotus										1				
Scincidae	*Cyclodomorphus melanops*	Spinifex Slender Blue-tongue						1								
Scincidae	*Egernia formosa*	Goldfields Crevice-skink													2	
Scincidae	*Eremiascincus richardsonii*	Broad-banded Sand Swimmer							1	4						
Scincidae	*Lerista jacksoni*	Jackson's Three-toed Slider				1						1				
Scincidae	*Menetia greyii*	Common Dwarf Skink											1			
Scincidae	*Morethia ruficauda*	Fire-tailed Skink				1										
Scincidae	*Proablepharus reginae*	Western soil-crevice skink				1										
Scincidae	*Tiliqua multifasciata*	Central Blue-tongue			1			1	1							
Varanidae	*Varanus acanthurus*	Spiny-tailed Goanna											1		1	

Family	Scientific Name	Common name	Status[1)]	Systematic trap sites										Other sites[2)]		
				S01	S02	S03	S04	S05	S06	S07	S08	S09	S10	Opp	CT	SM4
Varanidae	*Varanus brevicauda*	Short-tailed Pygmy Goanna				3	2	1			1	1				
Varanidae	*Varanus bushi*	Pilbara Mulga Goanna										1				
Varanidae	*Varanus hamersleyensis*	Southern Pilbara Rock Goanna													2	
Varanidae	*Varanus tristis*	Racehorse Goanna												2		
Typhlopidae	*Anilios hamatus*	Northern Hook-snouted Blind Snake			1											
Elapidae	*Brachyurophis approximans*	North-western Shovel-nosed Snake								1	1	1				
Elapidae	*Pseudechis australis*	Mulga Snake													2	
Elapidae	*Pseudonaja modesta*	Ringed Brown Snake					1							1		
Amphibians																
Pelodryadidae	*Cyclorana maini*	Sheep Frog												1		

Footnotes:

1) Status:

VU = Vulnerable under the EPBC Act and BC Act;
P4 = DBCA Priority 4,
MA = Marine under the EPBC Act;
s11 = Introduced species (feral) listed permitted under the Western Australian Organism List (WAOL);
s22(2) = Introduced (feral) species listed as a Declared Pest under the WAOL.

2) Other sites

Opp = Opportunistic records across the survey area
CT = Recorded on camera transects
SM4 = Recorded from bat detectors deployed across the survey area

Appendix VIII Bat call analysis

Lamb Creek, Pilbara WA,

Acoustic Survey of Bat and Night Parrot Activity, April 2020, February 2021.

Prepared for Rapallo Group

Bat Call WA Pty Ltd
ABN 26 146 117 839
43 Murray Drive
Hillarys Western Australia 6025
bullen2@bigpond.com
+61 8 9402 1987
+61 488 930 735

Prepared by:
R. D. Bullen – Bat Call WA
Issue 5
10 November 2021

This document has been prepared to the requirements of Rapallo Group. It may be cited for the purposes of scientific research or other reasonable use. It may not be reproduced or distributed to any third party by hardcopy or electronic means without the permission of the client or Bat Call WA.

Document Revision History

Issue	Date	Revision History
A	7 May 2020	Initial draft for Rapallo review
1	15 May 2020	First formal issue
2	17 Nov 2020	Second issue with minor corrections
3	15 March 2021	Third issue incorporating Feb 21 data
4	6 April 2021	Fourth Issue incorporating client review comments.
5	10 November 2021	Fifth Issue incorporating further client review comments.

Summary
Bat and Night Parrot (*Pezoporus occidentalis*) presence is reported for seventeen sites at Lamb Creek, in the Pilbara, WA. Rapallo carried out an echolocation-based survey in April 2020 and February 2021. Sixteen sites were surveyed for all bats present including Ghost bat social and ultrasonic calls. Three were surveyed using acoustic detectors set to record Night Parrot and Ghost bat social calls. Bat Call WA has reviewed the recordings made and provided species lists for the bats present.

Seven species of echolocating bats were confirmed present including the Ghost bat (*Macroderma gigas*) (PGb) that is listed as vulnerable under both state and commonwealth legislation. PGb presence was detected at five caves. Multiple calls consistent with at least four diurnally roosting PGb were detected on three nights at Cave 1 in April 2020 and for 2 nights at Cave 5 in February 2021. Calls consistent with a single diurnally roosting PGb were detected on one night at Cave 4 in February 2021. Calls at times consistent with foraging visits were detected at Caves 2 and 3 in April 2020 and at Cave 3 in February 2021. This result is consistent with the known population and dispersal of PGb in the district.

No Pilbara leaf-nosed bats (*Rhinonicteris aurantia*) (PLNb) or Night Parrot calls were detected.

Habitats
The sites for the survey were chosen by Rapallo. Details of the sites are presented in table 1 and caves are described in detail in Appendix A. The bat sites included each type of habitat present in the study area including cave entrances, an incised gully, drainage lines and spinifex plains. All the Night Parrot sites are on spinifex plains with thin shrubland. The locations are shown in relation to local features in figure 1.

Timing, Moon Phase and Weather
The dry season echolocation survey was conducted between 16th to 28th April 2020. The sampling evenings were hot and dry with minimum overnight temperatures between 25 and 30^{O}C. Occasional showers fell during the survey. The moon was between third quarter and new.

The wet season echolocation survey was conducted between 20th to 24th February 2021. The sampling evenings were hot and dry with minimum overnight temperatures between 20 and 25^{O}C. No rain fell during the survey. The moon was between first quarter and full.

Survey Team
Sites were chosen and detectors placed by Rapallo ecologists. Bob Bullen of Bat Call WA completed analysis of audio and echolocation recordings.

Sampling
The bat survey consisted of completing a total of thirty-three overnight ultrasonic bat sound recordings, beginning at twilight, at sixteen locations within the survey area. A total of eight acoustic survey nights were completed at three sites for Night Parrot. The recordings were "continuous" (Hyder *et al.* 2010) made using ultrasonic SM4BAT-FS and acoustic SM4A SongMeter (both by Wildlife Acoustics Inc., USA) detectors. The audio settings used followed the manufacturer's recommendations contained in the user manuals.

For the ultrasonic recordings, once reformatted as .wav files, COOL EDIT 2000 (now available as AUDITION from Adobe Systems Inc.) was used to display each sequence for identification. Calls were identified manually. Only good quality call sequences were used. Details of calls analysed are provided in Table 2 as recommended by Australasian Bat Society (ABS 2006). Reference data for

the species identified are available in Bullen and McKenzie 2002, McKenzie and Bullen 2003 and McKenzie and Bullen 2009.

For the acoustic recordings, each was reviewed both manually and using an automatic scan technique for Night Parrot calls. Candidate calls were compared with the author's confirmed reference calls from two Western Australian arid zone locations.

Survey Limitations
The sites surveyed were accessible on foot and the detectors, using omnidirectional microphones, were set on the ground with the microphone horizontal. Species are unlikely to be under-represented as a result.

Bat species density away from cave or adit entrances is impossible to estimate from echolocation records. Bat activity is therefore substituted as an approximate guide to the relative numbers of each species using the study area.

Results of bat fauna survey
An assemblage of seven echolocating bat species was confirmed as present at the study sites including the PGb, table 4. Species activity levels were low to high, which is expected for the study area habitat and the times of year.

PLNb detections
No PLNb were detected during the survey

PGb detections
Ghost bats were detected ultrasonically at all five cave sites, table 4, figure 1. At least four diurnally roosting PGb were confirmed at Cave 1 in April 20 by the temporal pattern of their recorded calls on three nights. Both social and ultrasonic calls were recorded before dawn followed by similar numbers of calls soon after dusk that day. This was not repeated in February 2021. Calls consistent with diurnally roosting PGb were detected at Caves 4 and 5 in February. Calls consistent with foraging PGb were detected at Caves 2 and 3 on one night each in February and for two nights at cave 3 in February. These records are consistent with the PGb being present in the study area ridges. This result is consistent with the known presence of the PGb across the central Pilbara in general and on the major ridges in the district.

The five caves have been provisionally classified as roost caves of either Category 2, 3 or 4 based on the detected call pattern and the descriptions of their internal complexity, table 4 and Appendix A. Cave 1 is provisionally a Cat 2 while Caves 2, and 3 are provisionally Cat 3. Caves 4 and 5 are known Cat 3 and 2 respectively (authors unpublished data). Caves that are confirmed as Category 2 and groupings of caves that surround them are critical PGb habitat. The categories are described in detail in Appendix B.

Common bat species detections
Four common species, *Chaerephon jobensis*, *Chalinolobus gouldii*, *Taphozous hilli* and *Vespadelus finlaysoni* dominated bat presence in the area.

Taxonomy presented herein is after Reardon *et al.* (2014) and Jackson and Groves (2015).

Results of Night Parrot survey.
No Night Parrot calls were detected.

References

ABS (2006). Recommendations of the Australasian Bat Society Inc for reporting standards for insectivorous bat surveys using bat detectors. *The Australasian Bat Society Newsletter* 27: 6-9.

Bullen R.D. and McKenzie N.L. (2002). Differentiating Western Australian Nyctophilus (Chiroptera: Vespertilionidae) echolocation calls. *Australian Mammalogy*. 23: 89-93

Hyder, B.M., Dell, J. and Cowan, M.A. (eds) (2010). *Technical guide – Terrestrial vertebrate fauna surveys for environmental impact assessment.* Technical report of the Environmental Protection Authority and the Department of Environment and Conservation.

Jackson, S. and Groves, C (2015). *Taxonomy of Australian Mammals*. CSIRO Publishing: Collingwood Vic.

McKenzie N.L. and Bullen R.D. (2003). Identifying Little Sandy Desert bat species from their echolocation calls. *Australian Mammalogy* 25: 73-80.

McKenzie, N.L. and Bullen R.D. (2009). The echolocation calls, habitat relationships, foraging niches and communities of Pilbara microbats. *Rec. West. Aust. Mus.* Supplement 78:123-155.

Reardon, T.B., McKenzie, N.L., Cooper, S.J., Appleton, B. Carthew, S. and Adams, M. (2014). A molecular and morphological investigation of species boundaries and phylogenetic relationships in Australian free-tailed bats *Mormopterus* (Chiroptera: Molossidae). *Australian Journal of Zoology*, available on-line 23 April 2014.

Table 1: Microbat site specific details. Coordinates are Zone 50K

	Date	Recording Time & SM unit	Habitat	Easting	Northing
April 2020					
Site 1	20 Apr 20	One overnight recording using SM4U-6479 recording at 384 kbps	Thin woodland	684831	7467776
Site 2	20 Apr 20	One overnight recording using SM4U-6488 recording at 384 kbps	Thin woodland	685101	7468474
Site 3	21 Apr 20	One overnight recording using SM4U-6479 recording at 384 kbps	Shrubland	682905	7471293
Site 4	22 Apr 20	One overnight recording using SM4U-6479 recording at 384 kbps	Spinifex plain	685919	7475392
Site 5	23 Apr 20	One overnight recording using SM4U-6479 recording at 384 kbps	Shrubland	688642	7477107
Site 6	16 to 17 Apr 20	Two overnight recordings using SM4U-6488 recording at 384 kbps	Shrubland	690293	7477134
Site 7	16 to 17 Apr 20	Two overnight recordings using SM4U-6479 recording at 384 kbps	Thin woodland	691388	7476256
Site 8	18 Apr 20	One overnight recording using SM4U-6488 recording at 384 kbps	Thin woodland	692623	7476976
Site 9	19 Apr 20	One overnight recording using SM4U-6488 recording at 384 kbps	Minor drainage line	692959	7477588
Site 10	18 to 19 Apr 20	Two overnight recordings using SM4U-6479 recording at 384 kbps	Minor drainage line	693016	7476648
Site Gully	27 to 28 Apr 20	Detector failed to record	Incised gully	688384	7475295
Cave 1	21 to 24 Apr 20	Four overnight recordings using SM4U-6488 recording at 384 kbps	Cave Entrance	693571	7476273
Cave 2	25 to 26 Apr 20	Two overnight recordings using SM4U-6488 recording at 384 kbps	Cave Entrance	690696	7473764
Cave 3	24 to 27 Apr 20	Four overnight recordings using SM4U-6479 recording at 384 kbps	Cave Entrance	694116	7476556
February 2021					
Cave 1	20 to 22 Feb 21	Three overnight recordings using SM4U-4031 recording at 384 kbps	Cave Entrance	693571	7476273
Cave 3	20 to 22 Feb 21	Three overnight recordings using SM4U-8168 recording at 384 kbps	Cave Entrance	694116	7476556
Cave 4	23 to 24 Feb 21	Two overnight recordings using SM4U-4031 recording at 384 kbps	Cave Entrance	683844	7469750
Cave 5	23 to 24 Feb 21	Two overnight recordings using SM4U-8168 recording at 384 kbps	Cave Entrance	683848	7469788

Table 2: Night Parrot site specific details.

	Date	Recording Time & SM2 unit	Habitat	Easting	Northing
April 2020					
Site A3	20 to 22 April	Three overnight recordings using SM4A-4717	Thin Shrubland	682915	7471272
A-Haul Road	23 to 24 April	Two overnight recordings using SM4A-4717	Spinifex plain	683241	7473176
A-Footprint	25 to 27 April	Three overnight recordings using SM4A-4717	Spinifex plain	691745	7475914

Note 1: Coordinates are Zone 50K

Table 3: Summary of Echolocation call characteristics for microbat species present.

Genus species Authority	Common name	Typical F_{peak} kHz Note 1	Ave. Q Note 1	Typical Duration msec	Typical Call Shape
Chaerephon jobensis (Miller 1902)	Northern free-tailed bat	22	5	8 - 15	Shallow FM
Chalinolobus gouldii (Grey 1841)	Gould's wattled bat	32	10	7 - 11	FM
Macroderma gigas (Dobson 1880)	Ghost bat	20 – 52 variable	2 – 20 variable	variable	Complex FM
Ozimops lumsdenae Reardon *et al*.2014	Northern free-tailed bat	26	10	8 - 13	Shallow FM
Scotorepens greyii (Gray 1843)	Little broad-nosed bat	38	10	7 - 13	FM
Taphozous hilli Thomas 1915	Hills sheath-tailed bat	26	14	9 - 18	CF– shallow FM
Vespadelus finlaysoni (Kitchener, Jones and Caputi 1987)	Inland cave bat	55	14	4 - 8	FM


Note 1: Fpeak and Q are defined in McKenzie and Bullen 2003, 2009.
Note 2: Taxonomy follows Jackson and Groves (2015). *O. lumsdenae* was recently *Mormopterus beccarii*.

Table 4: Survey microbat lists presented by site.

Site	*Chaerephon jobensis*	*Chalinolobus gouldii*	*Macroderma gigas*	*Ozimops lumsdenae*	*Scotorepens greyii*	*Taphozous hilli*	*Vespadelus finlaysoni*
April 2020							
Site 1					Yes		Yes
Site 2	Yes				Yes		Yes
Site 3							Yes
Site 4	Yes	Yes			Yes	Yes	Yes
Site 5					Yes	Yes	
Site 7	Yes	Yes			Yes	Yes	Yes
Site 8	Yes	Yes		Yes		Yes	
Site 9	Yes	Yes			Yes		
Site 10	Yes	Yes		Yes	Yes	Yes	Yes
Cave 1	Yes	Yes	Multiple calls consistent with diurnal roosting over multiple days		Yes	Yes	Yes
Cave 2	Yes		Multiple calls consistent with nocturnal foraging on one night			Yes	Yes
Cave 3		Yes	1 call consistent with nocturnal foraging on one night		Yes	Yes	Yes
February 21							
Cave 1	Yes	Yes			Yes	Yes	Yes
Cave 3	Yes		Multiple calls consistent with nocturnal foraging on two nights			Yes	Yes
Cave 4			Multiple calls consistent with diurnal roosting			Yes	Yes
Cave 5	Yes		Multiple calls consistent with diurnal roosting			Yes	Yes

Note: Both *Taphozous* species were detected. The majority of calls were *T. georgianus. T hilli* calls were also present at some sites

Figure 1. Survey sites in relation to features in the study area. The white and black areas are the proposed impact area and the haul road to the GNH. Pink pins denote sites where PGb ultrasonic calls and opportunistic observations were recorded. Yellow pins denote sites where microbat calls were recorded but no PLNb or PGb were detected. Green pins denote sites where acoustic detectors were placed to record Night Parrot and Ghost bat social calls.



Appendix 1. Cave Descriptions.

Descriptions and images provided by Rapallo.

	MGA Zone 50 K		Description	Photograph
	Easting (mE)	Northing (mE)		
Cave 1 **Cat 2.** PGb diurnal roosting detected. 5 PGb observed April 2020 No PGb detected Feb 21	693571	7476273	**Entrance:** 4 m wide x 1.5 m high **Orientation:** South **Internal:** 2 chambers over 10 m deep. **Conditions:** Ghost Bats roosting diurnally in April 20 and middens present.	

	MGA Zone 50 K		Description	Photograph
	Easting (mE)	Northing (mE)		
Cave 2 **Cat 3.** PGb nocturnal visit detected April 2020.	690696	7473764	**Entrance:** 3.5 m wide x 2 m high **Orientation:** East **Internal:** Single chamber 10 m deep. **Conditions:** PGb nocturnal visit detected but no middens present.	

	MGA Zone 50 K		Description	Photograph
	Easting (mE)	Northing (mE)		
Cave 3 **Cat 3.** PGb nocturnal visits detected April 2020 and Feb 21.	694116	7675556	**Entrance:** 4 m wide x 1.5 m high **Orientation:** West **Internal:** Single chamber with a 4 m high dome. **Conditions:** PGb nocturnal visit detected but no middens present.	

	MGA Zone 50 K		Description	Photograph
	Easting (mE)	Northing (mE)		
Cave 4 **Cat 3.** Feb 21. PGb nocturnal visits detected. Possible diurnal roosting	683844	7469750	**Entrance:** 3 m high x 3.5 m wide. **Orientation:** West **Internal:** Inner chamber approx. 2 m high. **Conditions:** Large deep cave with high roof. Inner chamber approx. 2 m high.	

	MGA Zone 50 K		Description	Photograph
	Easting (mE)	Northing (mE)		
Cave 5 **Cat 2.** Feb 21. PGb diurnal roosting detected.	683848	7469788	**Entrance:** 7 m wide x 6 m high. **Orientation:** East **Conditions:** Large deep cave with high roof and complex interior. PGb diurnal roosting detected.	

Appendix B: Ghost bat Cave Habitat Classifications

Each Ghost bat roost cave identified can be categorised according to the following definitions based on usage. These definitions are based on contemporary observations and unpublished data and have been developed from the earlier cave definitions contained in TSSC 2016 and other publications.

Category 1 diurnal roost caves with permanent Ghost bat occupancy.

There are a number of documented permanent roost caves and underground mines in northern Australia, e.g. Tunnel Creek in the Kimberley and Kohinoor adit in the NT. These tend to have large but variable populations, e.g. Kohinoor's colony has grown from 300+ in 1981 to ~1,500 in 1990 and then reduced to 550 in 2013 (Woinarski *et al*. 2014). In the Pilbara, other than a number of historical underground mines e.g. Comet, Klondyke Queen, Lalla Rookh and Bamboo Creek which do have large populations of over 100 Ghost bats, very few such roosts in natural caves are documented. Those natural caves that may be permanently occupied have been observed with variable populations present. One example is a significant cave with a complex surrounding gully in the Robe Valley south-west of Pannawonica that has had Ghost bats present on most, if not all, survey visits. The colony size at this cave has varied from a few to over 70 recorded in April 2017 (Bat Call 2017). Where permanent presence at category 1 sites is proven, they must all be assumed to be maternity caves. These are considered as critical habitat essential for the persistence of the Ghost bat in the Pilbara.

Category 2 diurnal roost caves with regular occupancy.

There are a number of Pilbara caves and adits where Ghost bats have regular, but not continuous, presence over long periods. These tend to be deep caves with ceiling heights in rear chambers of at least 1.5 m allowing multiple roosting opportunities for Ghost bats out of reach of predators. The longest continuous monitoring programs have been at Rio Tinto's West Angelas project and at BHPs Mining Area C and South Flank projects. At all three locations there are a number of caves with roosting Ghost bats records but none of these have had either permanent presence or consistently high numbers present. Numbers have varied between zero and five with very occasional counts of 20 or more (author's unpublished data). Based on recent monitoring of caves using ultrasonic call detectors, these caves have Ghost bats present for 25 to 75% of nights for mid to long periods but then may be abandoned for periods. There is insufficient data at present to see if there are any seasonal trends in these occupancy rates. These caves typically have a

number of other caves, shelters and overhangs within a few hundred meters. Together they make up an "apartment block" grouping (TSSC 2016, Bat Call 2017) that supports the ongoing presence of the bats.

Recent analysis at West Angelas based on genetic sampling at five monitored caves in 2015 and 2017 (Ottwell *et al*. 2018) suggests that some Ghost bats tend to use particular caves regularly over a season or year, but others move between caves in the same period. Their analysis identifies 34 unique individuals at caves over those two years and indicated that the "genetic effective population size" was twelve. Two of the five caves have been shown by the long-term observations to have regular occupancy (Biologic 2016). In all surveys undertaken, Ghost bats have been either roosting in low numbers or there was evidence of recent roosting at the former and, with the exception of one survey, at the latter. The genetic analysis also supports this conclusion with presence of multiple bats over the two years of that study at these caves. Similar occupancy patterns have been recorded at several caves at the BHP projects. There are an increasing number of observations becoming available of pregnant Ghost bats or Ghost bats carrying pups at some of these caves, plus others (e.g. Silvergrass East cave SG-1, Hamersley Iron 1999) although again there is insufficient data to identify any trends other than to say that any cave that has regular occupancy must be assumed to be capable of supporting one or more reproducing females and their offspring. These caves are considered as critical habitat essential for the persistence of the Ghost bat in the Pilbara.

Category 3 roost caves with occasional occupancy.

There are a large number of caves and adits where Ghost bats roost occasionally or rarely in small numbers of one to a few. Many are located nearby higher category roosts, but many are also in isolated locations. Surveys in recent years have identified numerous caves that have Ghost bats scats or small food middens present but either no evidence of roosting bats or with rarely repeated presence observations, e.g. five of the seven monitored caves at West Angelas (Biologic 2016) show such a pattern with occasional Ghost bats present and/or intermittent evidence of recent occupancy. Reproducing females have been reported from at least two caves at West Angelas that ongoing observations indicate fall into this category, but no firm evidence exists that such caves are necessary for successful reproduction. Individually, these are not considered as critical habitat but when they are located nearby one or more category 1 or 2 caves, and are part of an "apartment block" of disturbance refuges or nocturnal feeding sites, they are important for the persistence of the Ghost bat in the local area and the cave grouping becomes critical. Due

to the number of caves across the Hamersley Ranges and the Eastern Pilbara, isolated category 3 caves may only be considered important for the long-range dispersal of the species.

Category 4 nocturnal roost caves, opportunistic usage.

Numerous observations suggest that the majority of caves and adits in the Pilbara are used in at least an opportunistic manner by itinerant Ghost bats. This may be anything from a single foraging visit to a longer visit with a resting period or possibly a feeding session. Evidence of such visits is the widespread presence of small numbers of scats found or occasional echolocation calls recorded during surveys. These visits may or may not be repeated depending whether the bat is passing through a district or is a more permanent resident nearby. These are not considered as critical habitat but when they are located close to higher category caves and are part of an apartment block of refuges, the cave grouping is important for the persistence of the Ghost bat in the local area. Due to the number of caves across the Hamersley Ranges and the Eastern Pilbara, isolated category 4 caves are not considered important for the species.

Appendix A References

Bat Call (2017). Robe Valley Mesa A to Mesa 2405A, impact of mining on Ghost bat presence and activity, April 2017, including assessment of caves on Mesas F and G. Unpublished report for Rio Tinto dated 10 July 2017.

Biologic (2016). West Angelas Iron Ore Mine – Deposit B and F Ghost bat monitoring 2015. Unpublished report prepared for Rio Tinto dated January 2016.

Hamersley Iron (1999). Nammuldi/Silvergrass Exploration Project. Biological Survey Report November 1998 - May 1999. Hamersley Iron Pty. Ltd.

Ottwell, K, McArthur, S., Van Leeuwen, S. and Byrne, M. (2018). Cave use by Ghost Bat (*Macroderma gigas*) at the West Angelas mine site. WA Department of Biodiversity and Attractions report dated January 2018.

Threatened Species Scientific Committee (2016). Conservation advice, *Macroderma gigas*, Ghost bat. Australian Government Department of Environment, dated 5 May 2016.

Woinarski, J.C., Burbidge, A.A. and Harrison, P.L. (2014). The action plan for Australian mammals, 2012. CSIRO Publishing: Collingwood, Australia.

Appendix IX Habitat assessment data

Appendix IX Habitat assessment data

Date	Site Name	Habitat	Slope	Shading	Soil	Soil Colour	Soil Comments	Rocks	Litter Depth	Litter Distribution	Large Fallen Logs	Fire History	Disturbance	Drainage	Main_Veget Form	Easting	Northing	Zone
17/02/2021	LC01	Medium Drainage	Negligible	Minimal Shading from topography, Shade only under corymbias	Loam	Red Brown	Some piles of soil but not deep even under trees	Negligible	0-2cm	Patchy Under Trees	None	Within 5 years	Buffel grass	Creek Wide	Open Woodland	691730.6	7477159.8	50
17/02/2021	LC02	Medium Drainage	Negligible	Some shade from vegetation not heavy	Loam	Red Brown			2-5 cm	Patchy Under Trees		Long Unburnt	Buffel grass	Creek Wide	Open Woodland	691751.39	7477231.6	50
17/02/2021	LC03	Medium Drainage	Gentle	Some shading from vegetation	Loam	Red Brown			Gr20cm	Patchy Under Trees	Some	Long Unburnt	Creek choked with buffel grass	Creek Wide	Open Woodland	691483.75	7476658.5	50
17/02/2021	LC04	Mulga/corymbia plain	Negligible	Some shading from patchy vegetation (mulgas)	Sandy Clay Loam	Red Brown	Mostly hard soil except right against trees	Small Rocks	2-5 cm	Patchy Under Trees	Some	Within 5 years	Buffel grass	Sheet flow		691578.66	7476651	50
18/02/2021	LC05	Mulga/corymbia plain	Negligible	Some shading from patchy vegetation (mulgas)	Sandy Clay Loam	Red Brown	Patches of soil mostly shallow 0-5cm		2-5 cm	Patchy Under Trees		Within 10 years	Buffel grass	Sheet flow	Open Woodland	691809.64	7475592	50
18/02/2021	LC06	Mulga/corymbia plain	Negligible	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown		Small Rocks	2-5 cm	Patchy Under Trees		Within 10 years	Buffel grass	Sheet flow	Open Woodland	691874.62	7475537.1	50
19/02/2021	LC07	Mulga/corymbia plain	Negligible	Average shading from vegetation	Sandy Clay Loam	Red Brown	Skeletal hard soil between mulga patches	Small Rocks	2-5 cm	Patchy Under Trees	Some	Within 5 years		Sheet flow	Open Shrubland	690726.58	7476079.3	50
19/02/2021	LC08	Mulga/corymbia plain	Negligible	Some shading from patchy vegetation	Loam	Red Brown	Loamy. The mulga patch tending to sandy clay loam out of the patch	Pebbles	5-10 cm	Patchy Under Trees	Some	Within 10 years		Sheet flow	Open Woodland	690772.62	7475978.9	50
19/02/2021	LC09	Mulga/corymbia plain	Negligible	Some shading from patchy vegetation	Loam	Red Brown		Surface sprinkle	2-5 cm	Patchy Under Trees	Some	Within 10 years	Buffel grass	Sheet flow	Open Woodland	692264.79	7477404.7	50
20/02/2021	LC10	Mulga/corymbia plain	Negligible	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown		Surface sprinkle	5-10 cm	Patchy Under Trees		Within 10 years	Buffel grass	Sheet flow	Open Woodland	692336.31	7477314.8	50
20/02/2021	LC11	Hillcrest/ hillslope	Gentle	Minimal Shading from topography	No Soil	Red Brown	Skeletal under rocks	Gravel	Negligible		None	Within 10 years		Negligible		694331.16	7476078.3	50
20/02/2021	LC12	Shallow Open Gully	Steep	Some shade from topography	Sandy Clay Loam	Dark Brown			Gr20cm	Patchy against rocks	None	Long Unburnt		gully	Spinifex Grassland	694379.69	7475884.1	50
20/02/2021	LC13	Deep Gully	Steep	Some shade from topography	No Soil	Red Brown	Patches of soil (sandy clay loam) against rocks, not deep	Large Rocks	5-10 cm	Patches of litter under trees and against rocks	None	Long Unburnt		gully	Spinifex Grassland	694389.26	7475797.2	50
20/02/2021	LC14	Shallow Open Gully	Steep	Some shade from topography	No Soil	Red Brown	Patches of soil (sandy clay loam) against rocks, not deep	Large Rocks	5-10 cm	Patches of litter under trees and against rocks	None	Long Unburnt		gully	Spinifex Grassland	694288.2	7475719.9	50
21/02/2021	LC15	Mulga/corymbia plain	Negligible	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown	Some soil against trees but not deep	Small Rocks	2-5 cm	Patchy Under Trees	Some	Within 5 years		Sheet flow	Open Shrubland	690264.72	7476809.2	50

Date	Site Name	Habitat	Slope	Shading	Soil	Soil Colour	Soil Comments	Rocks	Litter Depth	Litter Distribution	Large Fallen Logs	Fire History	Disturbance	Drainage	Main_Veget Form	Easting	Northing	Zone
21/02/2021	LC16	Stony Plain	Negligible	Minimal Shading from topography	Clay_loam	Red Brown	Skeletal under rocks	Small Rocks on surface	0-2cm	Patchy Under Trees	None	Within 5 years		Negligible	Spinifex Grassland	692741.5	7477004	50
21/02/2021	LC17	Hillcrest/ hillslope	Gentle	Minimal Shading from topography	Clay_loam	Red Brown	Skeletal	Small Rocks	Negligible		None	Within 10 years		Negligible	Spinifex Grassland	693400.78	7476697.5	50
21/02/2021	LC18	Minor Drainage	Moderate	Minimal Shading from topography	No Soil	Red Brown	Very little soil mostly creek gravel	Gravel	0-2cm			Within 10 years		Creek Narrow	Open Shrubland	693385.61	7476629.3	50
21/02/2021	LC19	Hillcrest/ hillslope	Gentle	Minimal Shading from topography	Clay_loam	Red Brown		Small Rocks, Soil is present under rocks but skeletal	Negligible			Within 5 years		Negligible	Spinifex Grassland	694647.79	7475985.4	50
21/02/2021	LC20	Shallow Open Gully	Moderate	Some shade from topography	Sandy Clay Loam	Dark Brown		Large Rocks	2-5 cm	Patches of litter under trees and against rocks	None	Long Unburnt		gully	Spinifex Grassland	694800.9	7475965.1	50
21/02/2021	LC 21	Deep Gully	Moderate	Some shade from topography	Sandy Clay Loam	Dark Brown		Small Rocks	5-10 cm	Patches of litter in the twist and turns of gullies or gorges	None	Long Unburnt		gully		694883.35	7475947.5	50
22/02/2021	LC22	Stony Plain	Gentle	Minimal Shading from topography	Sandy Clay Loam	Red Brown	Skeletal under rocks	Small Rocks	0-2cm	Patchy Under Trees	None	Within 5 years		Negligible	Spinifex Grassland	687114.4	7476173.8	50
22/02/2021	LC23	Minor Drainage	Gentle	Minimal Shading from topography and vegetation	Sandy Clay Loam	Red Brown	Little bit deeper under trees; patches of loamier soil in places	Gravel	0-2cm	Patchy Under Trees	None	Within 5 years		Creek Narrow	Other	687235.88	7476276.6	50
22/02/2021	LC24B	Stony Plain	Negligible	Minimal Shading from topography and vegetation	Loam	Red Orange		Pebbles	5-10 cm	Patchy Under Trees	None	Within 5 years	Edge of laydown and road	Sheet flow	Open Woodland	692511.24	7476409.2	50
22/02/2021	LC24A	Stony Plain	Negligible	Minimal Shading from topography and vegetation	Loam	Red Orange		Pebbles	5-10 cm	Patchy Under Trees	None	Within 5 years	Next to laydown and road	Sheet flow	Open Woodland	692218.17	7476788.5	50
22/02/2021	LC25	Minor Drainage	Gentle	Minimal Shading from topography and vegetation	No Soil	Red Brown	Skeletal Clay loam under rocks	Small Rocks	0-2cm	Patchy Under Trees	Some	Within 5 years	Exploration disturbance	Creek Narrow	Open Shrubland	692318.72	7476031.6	50
22/02/2021	LC26	Hillcrest/ hillslope	Gentle	Minimal Shading from topography and vegetation	Loam	Red Brown	Skeletal under rocks	Small Rocks	Negligible		None	Within 5 years	Exploration	Negligible	Open Shrubland	692152.09	7475861.3	50
22/02/2021	LC27B	Stony Plain	Gentle	Minimal Shading from topography and vegetation	Sandy Clay Loam	Red Brown	Soil under rocks	Small Rocks	0-2cm	Patchy Under Trees	None	Within 10 years		Negligible	Spinifex Grassland	684003.25	7473771.8	50
22/02/2021	LC27A	Minor Drainage	Gentle	Some shading from vegetation	Sandy Clay Loam	Red Brown	Patches of deeper soil in creekbed but still not that deep	Surface sprinkle	0-2cm	Patchy Under Trees	None	Within 10 years		Creek Narrow	Other	684032.84	7473928.5	50
23/02/2021	LC 28	Stony Plain	Gentle	Minimal Shading from topography and vegetation	Sandy Clay Loam	Red Brown		Surface sprinkle	5-10 cm	Patchy Under Trees	Some	Within 10 years		Creek Narrow	Shrubland	683361.54	7473308.9	50
23/02/2021	LC 29A	Stony Plain	Gentle	Minimal Shading from topography and vegetation	Sandy Clay Loam	Red Brown		Small Rocks	0-2cm	Patchy Under Trees	Some	Within 5 years		Negligible	Spinifex Grassland	683413.49	7473241	50
23/02/2021	LC30	Stony Plain	Gentle	Minimal Shading from topography and vegetation	Sandy Clay Loam	Red Brown		Small Rocks	Negligible	Even	None	Long Unburnt		Negligible	Spinifex Grassland	682956.21	7472197.5	50

Date	Site Name	Habitat	Slope	Shading	Soil	Soil Colour	Soil Comments	Rocks	Litter Depth	Litter Distribution	Large Fallen Logs	Fire History	Disturbance	Drainage	Main_Veget Form	Easting	Northing	Zone
24/02/2021	LC31	Tussock grassland plain	Negligible	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown	Quite dry	Surface sprinkle	2-5 cm	Patchy Under Trees	None	Within 10 years			Open Woodland/ grassland	684046.02	7469318.5	50
24/02/2021	LC32	Tussock grassland plain	Negligible	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown	Quite dry	Surface sprinkle	2-5 cm	Patchy Under Trees	None	Within 10 years			Open Woodland/ grassland	684130.16	7469366	50
24/02/2021	LC33	Tussock grassland plain	Negligible	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown			2-5 cm	Patchy Under Trees	Some	Within 10 years	Buffel grass	Creek Wide	Open Woodland/ grassland	685147.6	7468502.9	50
24/02/2021	LC34	Tussock grassland plain	Negligible	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown			2-5 cm	Patchy Under Trees	None	Within 10 years	Buffel grass	Creek Wide	Open Woodland/ grassland	685073.66	7468505.3	50
24/02/2021	LC35	Tussock grassland plain	Negligible	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown			2-5 cm	Patchy Under Trees	None	Within 10 years	Buffel grass	Creek Wide	Open Woodland/ grassland	685046.68	7468252.4	50
24/02/2021	LC36	Minor Drainage	Gentle	Minimal Shading from topography and vegetation	No Soil	Red Brown		Gravel	0-2cm	Patchy Under Trees	None	Within 5 years		Creek Narrow	Open Shrubland	683317.24	7470009.9	50
24/02/2021	LC37A	Stony Plain	Gentle	Minimal Shading from topography and vegetation	Sandy Clay Loam	Red Brown		Small Rocks	0-2cm	Patchy Under Trees	None	Within 5 years				683263.51	7470052.9	50
25/02/2021	LC37	Minor Drainage	Gentle	Minimal Shading from topography and vegetation	No Soil	Red Brown		Gravel	Negligible		None	Within 5 years		Creek Wide	Open Shrubland	693722.6	7477914.9	50
25/02/2021	LC38	Hillcrest/ hillslope	Negligible	Minimal Shading from topography and vegetation	Loam	Red Orange		Small Rocks	Negligible	Patchy Under Trees	None	Within 5 years			Spinifex Grassland	693720.91	7477981.9	50
25/02/2021	LC39A	Medium Drainage	Gentle	Some shading from patchy vegetation	Loam	Red Brown			Gr20cm	Patchy Under Trees	Some	Long Unburnt	Creek choked with buffel grass	Creek Wide	Open Woodland	692608.6	7477833.7	50
25/02/2021	LC39	Medium Drainage	Negligible	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown		Surface sprinkle	5-10 cm	Patchy Under Trees		Within 10 years		Sheet flow	Open Woodland	692440.57	7477837.2	50
25/02/2021	LC40	Stony Plain	Gentle	Minimal Shading from topography and vegetation	Loam	Red Brown	Skeletal under rocks	Small Rocks	Negligible		None	Within 5 years	Exploration rehab	Negligible	Spinifex Grassland	692479.53	7477649.2	50
25/02/2021	LC41	Tussock grassland plain	Negligible	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown			2-5 cm	Patchy Under Trees	None	Within 10 years	Buffel grass	Sheet flow	Open Woodland/ grassland	684223.16	7468840.2	50
25/02/2021	LC42	Tussock grassland plain	Negligible	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown			2-5 cm	Patchy Under Trees	None	Within 10 years	Buffel grass	Creek Wide	Open Woodland/ grassland	684045.25	7468807.2	50
22/02/2021	LC42A	Minor Drainage	Gentle	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown	Patches of deeper soil in creekbed but still not that deep	Surface sprinkle	0-2cm	Patchy Under Trees	None	Within 10 years		Creek Narrow	Other	684659.52	7474554.3	50
23/02/2021	LC44	Minor Drainage	Gentle	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown		Surface sprinkle	2-5 cm	Patchy Under Trees	None	Within 10 years		Creek Narrow	Shrubland	685150.51	7474776.6	50
22/02/2021	LC43	Minor Drainage	Gentle	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown	Patches of deeper soil in creekbed but still not that deep	Surface sprinkle	0-2cm	Patchy Under Trees	None	Within 10 years		Creek Narrow	Other	684796.95	7474492.7	50
23/02/2021	LC45	Minor Drainage	Gentle	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown		Surface sprinkle	2-5 cm	Patchy Under Trees	None	Within 10 years		Creek Narrow	Shrubland	685087.82	7474822.8	50
23/02/2021	LC29B	Minor Drainage	Gentle	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown		Surface sprinkle	2-5 cm	Patchy Under Trees	None	Within 10 years		Creek Narrow	Shrubland	683019.84	7472195.7	50

Report No. J020969

Baseline Short-range Endemic Invertebrate Survey of the Lamb Creek Iron Ore Project

Prepared for: Mineral Resources Limited
Date: 1 February 2022

Rapallo Environmental is a Western Australian consultancy with a strong reputation for technical excellence, client-focus and innovation. We build long-term alliances through outstanding delivery on a range of services to the resource sector, government and associated industries.





ENVIRONMENTAL | ENGINEERING | CONSTRUCTION & OPERATIONS *NDT & Inspections* | MINING | RESOURCE MANAGEMENT

Report No. J020969
Draft Baseline Short-range Endemic Invertebrate Survey of the Lamb Creek Iron Ore Project
Prepared for Mineral Resources Limited
1 February 2022

Revision	Date	Prepared	Reviewed	Approved
Draft A	26/08/2021	Kate George	Unreviewed	Not approved for publishing or circulation
Draft B	4/11/2021	Kate George	Marieke Weerheim	Issued as DRAFT only
Final	24/01/2022	Marieke Weerheim	Kate George Carl Paton (MRL)	Kate George
Final V2	01/02/2022	Marieke Weerheim	Kate George Carl Paton (MRL)	Kate George

Rapallo Group
Perth Office
10 Elmsfield Road, Midvale WA 6056
Phone: (08) 6279 0900
Fax: (08) 6279 0934

Kalgoorlie Office
10 Broadwood Street, West Kalgoorlie 6430
Phone: (08) 9460 4300
Fax: (08) 9226 2388
PO Box 1123 Kalgoorlie

ABN: 31 726 506 590
ACN: 009 257 836
www.rapallo.com.au

This document has been prepared based on assumptions as reported throughout and upon information and data supplied by others.

While Rapallo Pty. Ltd. has taken all reasonable care to ensure the facts and opinions expressed in this document are accurate, it does not accept any legal responsibility to any person for any loss or damage suffered by him resulting from his or her use of this report however caused and whether by breach of contract, negligence or otherwise.

© Rapallo Group

Table of Contents

Executive Summary **1**

1 Introduction **3**

1.1 Project overview 3

1.2 Scope and objectives 3

1.3 Survey area 3

1.4 Definitions 4

2 Regional context **7**

2.1 Climate and weather 7

2.2 Biogeography 8

2.2.1 IBRA bioregions 8

2.2.2 Land System 8

2.2.3 Hydrology 9

2.2.4 Topography 9

2.2.5 Geology 9

2.2.6 Soils 10

2.3 Regional vegetation 12

2.3.1 Botanical district 12

2.3.2 Vegetation system association 12

2.4 Habitat 13

2.4.1 Stony plain 13

2.4.2 Hillcrests and hillslopes 13

2.4.3 Gorges, gullies and rocky breakaways 14

2.4.4 Medium drainage lines 14

2.4.5 Minor drainage lines 15

2.4.6 Tussock grassland plain 15

2.4.7 Mulga/Corymbia plain 15

2.4.8 Disturbance 16

3 Methods **17**

3.1 Desktop study 17

3.1.1 Database Searches 17

3.1.2 Historical Data 17

3.2 Field Survey 17

3.2.1 Timing and Site Selection 17

3.2.2 Habitats 18

3.2.3 Survey Methods 24
3.2.4 Sample curation and lodgement 24
3.2.5 Personnel and licensing 27
3.2.6 Morphological identifications, taxonomic nomenclature and statistics 27
3.2.7 Assessment Of Short-Range Endemism 29
4 Results 30
4.1 Desktop 30
4.2 Field survey results 34
4.2.1 Summary 34
4.2.2 Abundance 38
4.2.3 Species richness estimates 39
4.2.4 SRE category taxa per habitat type 41
5 Discussion 44
5.1 Summary of SRE status and collections relative to the disturbance footprint 44
5.2 SRE invertebrate category fauna assemblage 50
5.2.1 Arachnida (spiders) 50
5.2.2 Pseudoscorpiones (pseudoscorpions) 51
5.2.3 Scorpiones (scorpions) 54
5.2.4 Chilopoda (centipedes) 56
5.2.5 Diplopoda (millipedes) 58
5.2.6 Isopoda (slaters) 60
5.2.7 Gastropoda (Snails) 62
5.3 Habitat 63
5.3.1 Stony plain 64
5.3.2 Hill crests and hill slopes 64
5.3.3 Gorges, gullies and rocky breakaways 64
5.3.4 Medium drainage lines 65
5.3.5 Minor drainage lines 65
5.3.6 Tussock grassland plain 65
5.3.7 Mulga/Corymbia plain 65
6 Survey adequacy and limitations 67
7 Conclusion 69
8 References 70
9 Appendices 77

Tables

Table 1.1 Project and survey area definitions 4
Table 2.1 Rainfall and temperature over the survey period (Source BoM 2021) 7
Table 2.2 Land Systems of the survey area 8
Table 2.3 Pre-European vegetation within the survey area 12
Table 2.4 Broad Fauna Habitats 13
Table 3.1 Examples of Habitats Surveyed 18
Table 3.2 Personnel 27
Table 3.3 General references and collections used to assist with morphospecies designations 27
Table 4.1 Summary statistics of desktop results (status SRE) 30
Table 4.2 Summary statistics of desktop results (potential SRE) 30
Table 4.3 Desktop results (potential SRE) within 10 kilometres of the Lamb Creek Survey Area. Records from the survey area are highlighted 31
Table 4.4 Summary of the field survey results; bold text identifies species identifications confirmed using DNA sequences. Refer to Barcoding report (Appendix III) for detail and sequence divergence. Note Buddelundia species were sequenced for reference and identified via morphology. 35
Table 4.5 Summary of short-range endemic category taxa, abundance, species richness and number of sites sampled per habitat type 41
Table 4.6 Short-range endemic category taxa per broad habitat type and sample sites. 41
Table 5.1 Location of sampled potential short-range endemic taxa relative to disturbance footprint V3 and regional records. 45
Table 5.2 Potential SRE taxa collected across broad fauna habitats in the survey area 63
Table 6.1 Limitations of the survey 67

Figures

Figure 1.1 Tenements of the Lamb Creek Iron Ore project area as per December 2021 5
Figure 1.2 Location and extent of the survey area 6
Figure 2.1 Weather graph (source BOM 2021) 7
Figure 2.2 Land Systems Mapping and Regional Localities 11
Figure 3.1 Field survey effort – SRE survey sites relative to footprint V3 25
Figure 3.2 Field survey effort – SRE survey sites relative to broad fauna habitats 26
Figure 4.1 Abundance of SRE category taxa collected from Lamb Creek (2020 and 2021) 38
Figure 4.2 Number of sites within the survey area that SRE category taxa were collected from (2020 and 2021). 38
Figure 4.3 Species accumulation curve 40
Figure 5.1 Potential SRE taxa recorded in the survey area (map 1 of 3) 47
Figure 5.2 Potential SRE taxa recorded in the survey area (map 2 of 3) 48
Figure 5.3 Potential SRE taxa recorded in the survey area (map 3 of 3) 49

Appendices

Appendix I Western Australian Museum Invertebrate Database Searches .....

Appendix II Field Data: Location and Habitat Data .....

Appendix III Lamb Creek SRE Barcoding Report .....

Appendix IV Lamb Creek Specimen Data .....

Appendix V WAM MSU Sequencing Report .....

Executive Summary

The Lamb Creek Iron Ore Project comprises a proposed mining area and an associated haul road, located approximately 130 kilometres (km) north-west of Newman in the Pilbara region of Western Australia.

A desktop assessment, comprising searches of the Western Australian Museum Invertebrate databases yielded a total of 8894 records of SRE category taxa (i.e. taxa belonging to taxonomic groups prone to shortrange endemism). Of these records, six taxa were assessed to be SRE and 376 were assessed as potential SRE. The remainder were assessed as widespread.

Seventy-eight records of potential SRE taxa were collected from within ten kilometres of the survey area (central point). Thirteen records of potential SRE taxa were collected from the survey area from the pseudoscorpion and scorpion groups. No confirmed SRE taxa records occurred from the survey area.

During the February 2021 survey, 51 sites from the following habitats were surveyed via foraging and litter sampling.

- stony plain
- mulga shrubland patches
- spinifex grassland dominated hillcrest/hillslopes
- deep gullies
- shallow open gullies
- minor drainage
- medium drainage
- tussock grassland plain

The 2021 field survey yielded a total of 119 SRE invertebrate category specimens, representing 25 different taxa, collected from 23 sites. When combined with the SRE category taxa collected from the 2020 vertebrate fauna survey, a total of 159 invertebrate specimens from SRE target groups, representing 30 different taxa have been collected over a two-year period. The data set is made up of three mygalomorph spider taxa, seven pseudoscorpions, five scorpions, seven soil centipedes, two millipedes, one snail and five isopod taxa.

Of these taxa, 24 are classified as potential SRE with 23 regarded as data deficient due to known distribution and one assessed as data deficient due to limited taxonomic resolution. The remaining six taxa collected from the survey area are regarded as widespread.

There are fourteen potential SRE taxa collected from the survey area that have not been recorded regionally. Of these taxa, six were recorded from the proposed 2021 disturbance footprint only

- Austrostrophus 'Clade M'
- Cryptops 'LCr02'
- Indolpium 'LCr03'
- Indolpium 'LCr05'
- Mecistocephalus 'LCr01'
- Orphnaeus 'LCr01'

Three taxa were collected from adjacent to the proposed disturbance footprint only (within 100 metres). Of these taxa, two had not been recorded regionally.

- Austrochthonius 'LCr01'
- Mecistocephalus 'LCr02'

Potential SRE taxa were collected from all habitats. The mulga shrubland patches within the mulga/corymbia plain habitat yielded the highest abundance and species richness followed by stony plain, although survey effort was not uniform across habitats.

On a macro scale there is connectivity of all habitats to the surrounding landscape, accordingly, it is unlikely that the Potential SRE taxa collected would be restricted to survey area habitats especially where the survey area is narrow (haul road portion). As with all SRE invertebrate surveys, there are limitations to using broad habitat to predict whether a species is restricted and only more surveying, sequencing and greater public access to sequencing data will confirm whether a species is restricted.

Disruption to sheet flow could impact the mulga patches within the mulga/corymbia plain habitat outside of the survey disturbance footprint and if so, it is recommended that planning incorporate drainage design to minimise alterations to sheet flow.

1 Introduction

1.1 Project overview

Mineral Resources Limited (MRL) commissioned Rapallo Environmental (Rapallo) to conduct a single-phase, baseline short-range endemic (SRE) invertebrate survey of the Lamb Creek Iron Ore Project (Lamb Creek). The field survey was completed in February 2021, with supplementary data collected during a detailed vertebrate fauna survey in April 2020.

The project comprises a proposed mining area and an associated haul road, located approximately 130 kilometres (km) north-west of Newman in the Pilbara region of Western Australia.

The Lamb Creek project area as well as the proposed footprint have undergone several changes since the SRE survey was completed. The current project area (Figure 1.1) as per December 2021 comprises retention licence R47/19 (pending conversion into mining lease M47/1592) and miscellaneous licences L47/736, L47/974, and L47/1008. Together these tenements cover an area of 2199 hectares. There is significant overlap between the tenements hence this number is not cumulative.

The SRE survey area comprised retention licence R47/19, miscellaneous licence L47/736 and an additional alternative haul road section adjacent to the Great Northern Highway (intersection version B) as shown in Figure 1.2. The total size of the survey area was 1645 hectares (75% of the project area).

1.2 Scope and objectives

The scope of the SRE survey was to:

- conduct a desktop assessment of SRE invertebrate fauna likely to occur within and within the vicinity of the survey area;
- conduct a SRE invertebrate fauna survey to determine the occurrence of SRE invertebrates within the survey area and document associated habitat.

The objective of the survey was to provide SRE invertebrate fauna data to inform environmental planning and environmental impact assessment of the project, to support approval applications. An indicative disturbance footprint was provided by MRL prior to the survey, in early 2020. Note as the disturbance footprint is subject to change, this report focuses predominately on survey area as defined in section 1.3.

1.3 Survey area

The survey area was 1645 hectares in size and comprised R47/19, L47/736, and intersection version B. A proposed disturbance footprint (footprint V1) was provided by MRL in March 2020, and this footprint formed the basis for survey planning and site selection. Footprint V1 comprised a mine pit, stock piles, infrastructure, and a camp within R47/19, and a haul road alignment within L47/736.


Two new footprints have been provided since the surveys were completed. The current footprint V3 was provided in December 2021. Footprint V3 is 657 hectares in size, and extends outside the survey area by 24 hectares (4% of total footprint), with most of the unsurveyed area comprising the southern section of the proposed haul road (Figure 1.2).

1.4 Definitions

To aid interpretation of this report and associated mapping, Table 1.1 provides explanation of the various components of the Lamb Creek project and associated survey areas, as mapped in Figure 1.1.

Table 1.1 Project and survey area definitions

Component	Description
Project area	Project area as per December 2021, comprising tenements R47/19 (pending M47/1592), L47/736, L47/974, and L47/1008. The project area has a total size of 2199 hectares. There is significant overlap between the tenements, so this number is not cumulative.
Survey area	The survey area as per February 2021, which includes R47/19 (resource area), L47/736 (haul road corridor) and intersection version B. Total size of the survey area is 1645 hectares.
Resource area	General description of R47/19 (pending M47/1592) in which the proposed mine pit and associated infrastructure will be located, as well as the northernmost section of the proposed haul road.
Haul road corridor	General description of the area in L47/736 in which most of the proposed haul road will be located.
Great Northern Highway intersection (GNHI)	General name given to the area where the proposed haul road intersects the Great Northern Highway.
Intersection version B	Alternative intersection of the haul road and the Great Northern Highway, investigated during flora and fauna assessments, but to date not used for any of the footprints.
Footprint V1	Proposed disturbance footprint provided by MRL in March 2020 and used to develop the initial survey area as defined in section 1.3.
Footprint V2	Revised disturbance footprint provided by MRL in July 2021, which has now been superseded by footprint V3.
Footprint V3	Revised disturbance footprint provided by MRL in December 2021 and used to describe localities of recorded target species and potential impacts.
Adjacent to footprint V3	Within 100 metres of the December 2021 disturbance footprint (footprint V3).



Rapallo environmental


Mineral Resources Limited
Lamb Creek Project

Lamb Creek Iron Ore Project
SRE survey

Original Size: A4 Scale: 1:70,000
Datum: MGA94 Zone 50
0 2 km

Figure 1.1

Tenements of the Lamb Creek Iron Ore project area as per December 2021



Rapallo environmental

Mineral Resources Limited
Lamb Creek Project

Lamb Creek Iron Ore Project
Short Range Endemic Survey

Original Size: A4 Scale: 1:65,000
Datum: MGA94 Zone 50
0 2000 m

Figure 1.2

Location of the Lamb Creek project and delineation of the survey area

2 Regional context

2.1 Climate and weather

The Pilbara bioregion has a semi-desert to tropical climate, with rainfall occurring sporadically throughout the year, mostly during summer (Thackway & Cresswell 1995). Summer rainfall is usually the result of tropical storms in the north or tropical cyclones that impact upon the coast and move inland. Winter rainfall is generally lighter and is the result of cold fronts moving north easterly across the state (Leighton 2004). The average annual rainfall ranges from 200-350 mm, although there are significant fluctuations between years (Bureau of Meteorology 2021), with up to 1,200 mm falling in some locations in some years (McKenzie et al. 2009).




Figure 2.1 Weather graph (source BOM 2021)

Table 2.1 Rainfall and temperature over the survey period (Source BoM 2021)

Survey date	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)
16 February 2021	0	33.5	24.3
17 February 2021	0	37.7	26.5
18 February 2021	0	37.9	26.7
19 February 2021	34.6	32.8	22.3
20 February 2021	0.2	36.7	24.2
21 February 2021	0	38.1	26.3
22 February 2021	0	37.7	25.2
23 February 2021	0	37.6	25.5
24 February 2021	0	37.4	24.6
25 February 2021	0	37.2	20.7

Rainfall over the three months preceding the survey was low, with February (the month of the survey) experiencing the largest amount of rainfall within 12 months.

Daily maximum temperatures during the survey ranged from 33.5°C to 38.1°C. Daily minimum temperatures ranged from 20.7°C to 26.7°C.

2.2 Biogeography

2.2.1 IBRA bioregions

The bioregions of Australia are described in the Interim Biogeographic Regionalisation for Australia (IBRA) (Thackway & Cresswell 1995). Bioregions are large, geographically distinct areas of land with common characteristics such as geology, landform patterns, climate, ecological features and plant and animal communities. The latest version, IBRA7, classifies Australia's landscapes into 89 large geographically distinct bioregions and 419 subregions (DoE 2012).

The survey area is located within the Pilbara Bioregion, characterised by vast coastal plains and inland mountain ranges with cliffs and deep gorges (Thackway & Cresswell 1995). Vegetation is predominantly mulga low woodlands or snappy gum over bunch and hummock grasses (Bastin 2008).

The survey area is located in the Hamersley (PIL3) subregion of the Pilbara bioregion. The Hamersley subregion comprises the southern section of the Pilbara Craton. It is a mountainous area of Proterozoic sedimentary ranges and plateaux, dissected by gorges (basalt, shale and dolerite). Geographically it is synonymous with the Hamersley vegetation system as described by Beard (1990). The dominant vegetation is mulga low woodland over bunch grasses on fine textured soils in valley floors, and *Eucalyptus leucophloia* (snappy gum) over *Triodia brizoides* on skeletal soils of the ranges. Regional vegetation is further described in section 2.3.

2.2.2 Land System

The land systems of the Pilbara region are classified according to similarities in landform, soil, vegetation, geology and geomorphology, following van Vreeswyk et al. (2004). Five land systems occur on the survey area, as listed in Table 2.2 below and displayed in Figure 2.2. The dominant land system within the survey area is the Boolgeeda land system, characterised by stony plains and lower slopes supporting spinifex grasslands or mulga shrublands.

Table 2.2 Land Systems of the survey area

Name	Land type	Description	Extent in survey area	Total Area
Boolgeeda Land System	Stony plains with spinifex grasslands	Stony lower slopes, stony plains below hills, and narrow sub-parallel drainage floors. Supports hard and soft spinifex grasslands or mulga shrublands. Often occurs below hill systems such as Newman and Rocklea	1036 ha	511442 ha
McKay Land System	Hills and ranges with spinifex grasslands	Hills, ridges, plateaux remnants and breakaways of meta sedimentary and sedimentary rocks supporting hard spinifex grasslands. Relief up to 100 m	44 ha	153286 ha

Name	Land type	Description	Extent in survey area	Total Area
Newman Land System	Hills and ranges with spinifex grasslands	Rugged high mountains, ridges and plateaux with near vertical escarpments of jaspilite, chert and shale, supporting hard spinifex grasslands. Relief up to 400 m.	340 ha	1141628 ha
Platform Land System	Stony plains with spinifex grasslands	Stony upper plains, dissected slopes and drainage floors, supporting hard spinifex grasslands. Erosional surfaces formed by partial dissection of the old tertiary surface. The gently inclined upper plains have extensive marginal dissection zones with gently inclined to steep slopes. Floors incised up to 30 m with steep stable marginal slopes becoming wider downslope.	198 ha	188829 ha
Wannamunna Land System	Wash plains on hardpan with mulga shrublands	Hardpan plains and internal drainage tracts supporting mulga shrubland and woodlands, and occasionally eucalypt woodlands. Depositional surfaces, level hardpan wash plains subject to overland sheet flow. Broad internal drainage flats receiving run-on from adjacent hardpan surfaces; rare, channelled tracts but mostly not organised through drainage. Relief up to 5 m.	27 ha	62648 ha

2.2.3 Hydrology

Within the Hamersley (PIL3) subregion drainage runs into either the Fortescue River to the north, the Ashburton river to the south, or the Robe river to the west (Kendrick 2001). The majority of the survey area falls within the Fortescue River Upper Catchment with a smaller portion occurring within the Ashburton River Catchment. Nine intermittent creek lines bisect the survey area, draining into the larger Marillana Creek, and ultimately into Weeli Wooli Creek within the Fortescue River basin.

2.2.4 Topography

The survey area occurs within the central Hamersley Ranges which dominate the sub-region (Thorne & Tyler 1997). The topography of the region is highly mountainous comprising three smaller ranges: Packsaddle Range in the centre, Jirrpalpur Range in the south and the Hancock Range to the north. The uplands of the survey area fall within the western edge of the Hancock Range.

The haul road portion of the survey area skirts the western edge of the Hancock Range, with the survey area predominantly characterised by plain and valley floor. The south-eastern corner of the survey area contains significant rocky landforms associated with the Hancock Range.

2.2.5 Geology

The survey area is located in the south-west corner of the Roy Hill 1:250,000 Geological Survey Sheet (SF50-12: Thorne & Tyler 1997). The geology of the survey area is generally defined by the assemblage

of prehnite, pumpellyite, epidote, actinolite. Basement rocks comprise the early Proterozoic Brockman Iron Formation and Weeli Wolli Formation. The Brockman Iron Formation consists of banded iron formation (BIF) and shale, while the Weeli Wolli formation consists of BIF separated by shale and siltstone bands, with younger dolerite sills that intersect the sedimentary sequence.

Regionally, the fresh basement rocks are typically overlain by weathered basement rocks which occur as lateritic and basal gravel and/or conglomerate deposits. These weathered deposits underlie early Tertiary Channel Iron Deposits (CID), which are the dominant economic-grade iron deposits in the region. The CID is typically overlain by younger alluvial and colluvial gravels and sediments (Thorne & Tyler 1997). The survey area overlies the following geological units (Thorne & Tyler 1997).

- Brockman Iron Formation (PLHB): banded iron-formation, chert, and pelite;
- Quaternary Alluvium (Qa): unconsolidated silt, sand, and gravel; in drainage channels and on adjacent floodplains;
- Quaternary Alluvium and Colluvium (Qw): red-brown sandy and clayey soil; on low slopes and sheetwash areas; and
- Cainozoic Colluvium (Czc): partly consolidated quartz and rock fragments in silt and sand matrix; old valley-fill deposits.


2.2.6 Soils

The survey area is located within the Fortescue botanical district of the Pilbara region (Beard 1990). This region is mountainous, with soils ranging from shallow, stony sandy loams along slopes, to cracking clays, stripped hardpans and calcareous loams along active waterways (Beard 1990).

The landforms of the survey area are typical of the eastern Pilbara with rocky hills, small gorges, mostly seasonal watercourses, and gravelly loam valleys. The soils are typified by hard red alkaline soils on plains, pediments and alluvial areas, while shallow, skeletal soils are common on ranges that rise to 1,250 m (Beard 1990). The southern part of eastern Pilbara region is characterised by earthy loams underlain by red-brown hardpan (Beard 1975, 1990).

The survey area has two distinct soil and landform assemblages. The majority of the haul road corridor and the edges of the mine tenement are characterised as soil unit Fa13. The central part of the mine tenement and small portion of the potential haul road alignment is characterised as soil unit Fb3. These are defined as follows (CSIRO Australia 2018):

- Fa13 – Ranges of banded jaspilite and chert along with shales, dolomites, and iron ore formations with some areas of ferruginous duricrust as well as occasional narrow winding valley plains and steeply dissected pediments. This unit is largely associated with the Hamersley and Ophthalmia Ranges. The soils are frequently stony and shallow and there are extensive areas without soil cover: chief soils are shallow stony earthy loams (Um5.51) along with some (Uc5.11) soils on the steeper slopes. Associated are (Dr2.33, Dr2.32) soils on the limited areas of dissected pediments, while (Um5.52) and (Uf6.71) soils occur on the valley plains; and
- Fb3 – High-level valley plains set in extensive areas of unit Fa13. There are extensive areas of pisolitic limonite deposits: principal soils are deep earthy loams (Um5.52) along with small areas of (Gn2.12) soils.



Rapallo environmental

Mineral Resources Limited
Lamb Creek Project

Lamb Creek Iron Ore Project
SRE Survey

Original Size: A4 Scale: 1:300,000
Datum: MGA94 Zone 50
0 10 km

Figure 2.2

Land System Mapping and Regional localities

2.3 Regional vegetation

2.3.1 Botanical district

The survey area is located in the Fortescue botanical district of the Pilbara region (Beard 1990), which forms part of the Eremaean Botanical Province. The Pilbara region receives a slightly higher than average rainfall than most of the Eremaean Province, due to the prevalence of cyclones off the coast, but this is not enough to modify the essentially desert appearance of the plant cover (Beard 1990).

The Fortescue botanical district consists predominantly of tree and shrub steppe communities with *Eucalyptus* trees, Acacia shrubs and spinifex grasses including *Triodia pungens* and *T. wiseana* (Beard 1975). Mulga (species of the *Acacia aneura* complex) occurs in valleys, and short-grass plains may be present on alluvial soils (Beard 1990).

2.3.2 Vegetation system association

Digital maps (spatial data) of pre-European vegetation communities, based on state-wide mapping by J.S. Beard at 1:250,000 scale, are published by the Department of Primary Industries and Regional Development (DPIRD) (Beard 2018).

Vegetation of the Hamersley (PIL3) IBRA subregion is generally low Mulga woodland over bunch grasses on fine textured soils in the valleys with snappy gums (*Eucalyptus leucophloia*) over *Triodia brizoides* on skeletal soils of the ranges (Kendrick 2001). The mountain tops and gorges of the Hamersley subregion provide refugia for humidophile and/or fire intolerant flora, and support a diversity of range-restricted species (Kendrick 2001).

The survey area falls within two Beard (2018) vegetation system-associations: Hamersley 18: Low woodland of *Acacia aneura*, and Hamersley 82: Hummock-grass (*Triodia wiseana*) steppe with irregularly scattered *Eucalyptus brevifolia* trees.

Table 2.3 Pre-European vegetation within the survey area

Beard Vegetation System and Association	Extent in survey area	Current extent in Australia (ha) [1)]	Pre-European extent remaining (%) [1)]
Hamersley 18	982.5 ha	575 852 ha	99.2%
Hamersley 82	662.7 ha	2 157 841 ha	99.4%

Footnotes: 1) Numbers from 2018 Statewide Vegetation Statistics (DBCA 2019)

2.4 Habitat

Seven broad fauna habitats were identified in the Lamb Creek survey area (as defined Table 1.1) during a detailed vertebrate fauna survey, as reported in Rapallo (2022), and listed in Table 2.4.

Table 2.4 Broad Fauna Habitats

Broad fauna habitat	Area (hectares)
Gorges, gullies and rocky breakaways	54.7
Hill crests and hill slopes	319
Stony plain	518
Medium drainage lines	113
Minor drainage lines	211
Mulga/Corymbia plain	292
Tussock grassland plain	137
Road – Bitumen (not a habitat)	0.83
	1645

2.4.1 Stony plain

A habitat of the lower slopes, undulating and level plains, the stony plain habitat often occurs in shallow valleys below hill systems. This habitat typically has a low habitat complexity due to low diversity of microhabitat and minimum shading from vegetation and landform dependent on surrounding topography and outcropping.

At Lamb Creek the stony plain habitat is the most extensive habitat on the survey area (518 hectares), covering most of the retention licence and haul road corridor on the lower valley sides to valley floor. At Lamb Creek this habitat is characterised by little to no overstorey aside from scattered trees or patches of mixed shrubs often regenerating from fire. *Eucalyptus leucophloia* often occurs on the slopes, *Eucalyptus gamophylla* on the valley floor and lower slopes and Corymbia grades into drainage. Within the survey area the stony plain typically has low habitat complexity with microhabitats restricted to infrequent rocky outcrops and limited shade provided by vegetation.

Stony plain habitat is a common habitat in the Pilbara particularly in the Boolgeeda Land System. Aerial photography and visual assessment from a helicopter confirm that this broad habitat occurs outside of the survey area (Rapallo 2022).

2.4.2 Hillcrests and hillslopes

Hillcrests and hillslopes are the rocky crest and slopes of the large hills and ranges. This habitat typically has a low habitat complexity due to low diversity of microhabitat and minimum shading from vegetation and landform dependent on surrounding topography and outcropping (Rapallo 2022).

At Lamb Creek this habitat is confined to the higher elevation areas (centre and south-east corner of the retention licence) and falls within the Newman Land and Boolgeeda Land System. There are no high elevation south-facing slopes and outcropping with cracks and crevices predominately occurs in the adjacent gorge, gully and rocky breakaway habitat. Hill crests and hill slopes formed the second most extensive habitat within the survey area, covering 319 hectares. Vegetation is characterised by a *Triodia*

hummock grassland with scattered *Eucalyptus leucophloia* trees and mallee, and acacia and grevillea shrubs. Aerial photography, helicopter visuals and ground-truthing as part of vertebrate fauna surveying (Rapallo 2022) confirmed that this habitat extends outside of the retention licence, to the south of the haul road corridor. In a regional context, rocky spinifex dominated hillcrests and hillslopes habitats of the Pilbara are common.

2.4.3 Gorges, gullies and rocky breakaways

Gorges are deeply incised, with vertical cliff faces, while gullies are more open and shallower. Breakaways refer to rugged slopes with vertical fall on the edge of a hill or range. This habitat can support caves and semi-permanent rock pools and has a moderate to high habitat complexity largely dependent on landform and aspect (Rapallo 2022).

At Lamb Creek this habitat is confined to the higher elevation areas and falls within the Newman Land System. This habitat bisects the hillcrest/hillslopes of the high elevation areas and contains caves, deep cracks/crevices, and shaded microhabitats from both vegetation and landform shadow. The more open, shallow gullies have lower habitat complexity with microhabitats occurring within the rocky substrate and partial shade provided by vegetation and landform. The deepest gorge on the retention licence has northern-facing slope and there are no south facing gorges or deep gullies. Despite extensive use of helicopter in 2012, 2020 and 2021 for baseline surveys, to date there have not been permanent or semi-permanent pools recorded in this habitat (Rapallo 2022).

This habitat occurs as two deep gorges and two smaller gorges in the centre and south-east corner of the retention licence and is typically vegetated with spinifex hummock grassland with mixed shrubland patches with occasional figs (*Ficus* sp.) occurring in shaded locations and occasional *Eucalyptus leucophloia*. The gorge, gully and rocky breakaway habitat does not occur on the haul road corridor.

The gorge, gully and rocky breakaway habitat is the smallest habitat in the survey area due to its narrow features (54.7 hectares). Aerial photography, helicopter visuals, and ground-truthing for vertebrate fauna survey (Rapallo 2022) confirmed that this habitat extends outside of the retention licence, bisecting the high elevation areas to the south of the haul road corridor. In a regional context, the gorges, gully and rocky breakaway habitats of the Pilbara are restricted to the Chichester and Hamersley IBRA subregions but are well represented. Locally this habitat occurs at Mining Area C (Biologic 2017) and within Karijini National Park.

2.4.4 Medium drainage lines

Medium drainage is defined as the narrow gravelly drainage channels that become wider on the lower plains of the valley. This drainage is made up of minor tributaries that feed into the major creek lines of the catchment. Medium drainage is often fringed by *Corymbia hamersleyana*. Medium drainage habitat typically exhibits a moderate habitat diversity with some tree hollows and woody debris (logs and leaf litter) and typically does not contain semi-permanent/ permanent pools or the large fringing river gums (Rapallo 2022).

At Lamb Creek this habitat occurs on the valley floor of the retention licence as wide loamy drainage channels to undefined drainage (gravelly) containing occasional emergent *Corymbia hamersleyana* over patches of low mixed shrubs over buffel grass and tussock grass dominated understory on low relief. Contains very occasional mulga stands in loamy soils as the habitat transitions into Mulga/Corymbia plain habitat (Rapallo 2022).

This habitat provides higher protection than the surrounding stony plain habitat due to partial shading from vegetation and some leaf litter and woody debris, however it was noted in 2020 and 2021 that detritus and litter within this habitat was sparse or in piles without accumulated soil - indicating recent fast flow and little opportunity for soil and fine detritus to accumulate. This habitat typically has deeper loamier soils than the surrounding stony plain, therefore greater potential to retain moisture.

The medium drainage habitat although small in area (113 hectares) due to narrow features is relatively common throughout the Pilbara. Aerial photography and helicopter visuals confirm that this habitat occurs outside of the survey area aligning with the Lamb Creek that feeds into Marillana Creek (Rapallo 2022).

2.4.5 Minor drainage lines

Minor drainage represents the small drainage channels that originate from the hillcrest/ hillslope habitats and bisect the stony plain habitat. Minor drainage typically exhibits a low-moderate habitat complexity, with some shading from vegetation but low soil moisture levels, low accumulated litter, and generally gravelly soils (Rapallo 2022).

At Lamb Creek this habitat occurs throughout the survey area and represents the smaller drainage channels and shallow gullies. Typically, vegetation can be denser than the surrounding habitat of stony plain or hill slopes and hill crests, consisting of mixed open shrubland to shrubland often over tussock grass and herbs with occasional fringing trees (scattered *Eucalyptus leucophloia, Corymbia hamersleyana or Eucalyptus gamophylla*). The substrate can be sandy in places but generally consists of a skeletal loam gravel or stone. This broad habitat although small in area (210 hectares) is relatively common throughout the Pilbara. Aerial photography and helicopter visuals confirm that this habitat occurs outside of the survey area (Rapallo 2022).

2.4.6 Tussock grassland plain

The tussock grassland plain habitat (137 hectares) is defined as tussock grassland dominated drainage plain (hardpan) containing open mulga woodland stands or scattered mulga individuals on brown sandy clay loam to loams with surface mantles of very few to few pebbles of ironstone (Rapallo 2022).

This habitat occurs at the southern end of the haul road corridor within the Wannamunna and Boolgeeda land systems. This habitat receives run-on from adjacent hills and surrounding stony plain and much of the drainage is undefined. The tussock grassland broad habitat is not widespread throughout the Pilbara, compared with the adjacent spinifex stony plain and hillcrest/hillslope habitats and aligns broadly with the groves landform unit of the Boolgeeda Land System, the hardpan plains landform unit of the Wannamunna Land System and 'valley floor mulga' as described by Kendrick (2001). Grove-intergrove mulga and valley floor mulga are threatened by water shadow from linear infrastructure (Kendrick 2001). Disruption to sheet flow could impact this habitat.

Aerial photography suggests that this habitat continues south east from the survey area parallel to the Great Northern Highway, aligning with the mulga habitat found at Area C (Biologic 2017), approximately three kilometres to the south-south west of the survey area.

2.4.7 Mulga/Corymbia plain

The mulga/corymbia plain habitat is defined as level plain subject to sheet flow containing mulga woodland patches adjacent to run-on zones of stonier plain (Rapallo 2022).

At Lamb Creek this habitat occurs on the valley floor adjacent to medium drainage primarily in the retention licence and also in the northern section of the haul road corridor covering 292 hectares. Vegetation is broadly open mulga shrubland patches over spinifex or tussock grassland surrounded by run - on zones of stonier plain of open spinifex/tussock grassland under very open mulga/ *Corymbia deserticola* shrubland. Soils are loams to sandy clay loam (Rapallo 2022).

The mulga/corymbia plain habitat exhibits a moderate habitat complexity. Mulga stands provide shade; however, the stands are not extensive or thick, therefore the shade is patchy as is the accumulated litter and associated patches of moister soil. Within the mulga patches this habitat provides loamier soil for burrowing species, however the substrate in adjacent run-on areas is predominantly hard and stony (Rapallo 2022).

This habitat aligns broadly with the stony lower plains and narrow drainage floors, channels land landform unit of the Boolgeeda Land System (van Vreeswyk et al. 2004) and 'valley floor mulga' as described by Kendrick (2001).

Boolgeeda is a common system in shallow valleys below hill systems such as the Newman and Rocklea Land system ((Van Vreeswyk *et al.* 2004). Aerial photography and helicopter visuals suggest that this habitat occurs outside of the survey area however ground truthing has not verified the extent of individual mulga patches beyond 50 metres south of the survey area. Grove-intergrove mulga and valley floor mulga are threatened by water shadow from linear infrastructure (Kendrick 2001). Disruption to sheet flow could impact this habitat.

2.4.8 Disturbance

Some habitats have been disturbed via selective clearing for tracks, drill pads and laydown associated with exploration activities, particularly within the stony plain habitat of the retention licence. A large portion of the survey area has been burnt multiple times over recent years resulting in a mosaic of post fire ages (NAFI 2021, Rapallo 2022).

3 Methods

3.1 Desktop study

3.1.1 Database Searches

Searches from within the Western Australian Museum's (WAM) invertebrate databases were conducted with interpretation by Dr Erich Volschenk. At the time of report preparation there is limited taxonomic support or screening for SRE invertebrate fauna. Database search results for arachnids (pseudoscorpions, scorpions, and spiders) and myriapods (centipedes and millipedes) consisted of ALL records from within the database search area, as WAM do not provide SRE filtered results that reflect the rapidly evolving taxonomy of this group. Database search results were edited and filtered prior to assessment to align the different WAM departmental databases and remove non-target data such as subterranean fauna. Search parameters, filter methodology and SRE status justification are located with the WAM database results in Appendix I.

3.1.2 Historical Data

The desktop study focused on records of specimens lodged within the WAM. Unpublished reports for projects carried out within the search area are required to have all voucher specimens lodged with the WAM (Environmental Protection Authority 2009); therefore, WAM records provide the best consolidated and up to date source of information regarding SRE candidates previously recorded from within a search area. Records from previous reports also represent static taxonomic interpretations, therefore the names of taxa in these reports may no longer be current if they are revised in the intervening period. WAM records are largely maintained and incorporate contemporary taxonomy. Records of SREs from other sources cannot be verified and are therefore of limited or questionable value if the original specimen is not available.

3.2 Field Survey

3.2.1 Timing and Site Selection

The SRE field survey was completed between 16 and 25 February 2021. The survey area was accessed by a combination of four-wheel drive vehicle using existing tracks, and by helicopter, and was surveyed on foot.

Survey locations were selected prior to the field survey, in consultation with Dr Volschenk from aerial imagery. Areas of vegetation along drainage lines, deep gullies, shaded topography and patches of dense vegetation were targeted. At Lamb Creek, and regionally some SRE groups have been sampled from habitats typically thought to be unsuitable for SREs (trapdoor spiders, scorpions, pseudoscorpions and isopods). For this reason, survey effort included landscapes previously regarded as unconducive for SREs such as stony spinifex plain and slopes. Foraging sites were also selected in accordance with the preliminary disturbance footprint outline (dated March 2020) that was available in February 2021.

The disturbance footprint has changed with advanced mine and haul road planning, with the current disturbance footprint V3 provided in December 2021, after all fieldwork had been completed. At the time of report preparation, footprint V3, there were 27 SRE foraging sites located within the proposed disturbance footprint V3 and 24 located outside of the proposed disturbance footprint. Of the out of

impact sites, 13 foraging sites are within 100 metres of proposed footprint V3 proposed disturbance footprint (eight sites proximal to the proposed haul road and five sites proximal to the mining area). Survey sites relative to broad fauna habitats and disturbance footprint V3 are mapped in Figure 3.1.

3.2.2 Habitats

Table 2.2 shows examples of representative habitats sampled with habitat data located in Appendix II. Note habitats sampled for SRE generally align with broad vertebrate habitats as described in section 2.4 and mapped Figure 3.1, however there are differences in scale for SRE invertebrate habitat versus broad habitat.

Table 3.1 Examples of Habitats Surveyed

Habitat	Representative Photo
Stony Plain Plains and lower slopes of spinifex hummock grasslands (or in small patches, tussock grass) on red sandy clay loam to loam soil. Typically, with a mantle of gravel (less so on the valley floor adjacent to drainage, where soils are loamier). Little to no overstory aside from scattered trees or patches of mixed shrubs often regenerating from fire. Generally, *Eucalyptus leucophloia* occurs on the slopes, *Eucalyptus gamophylla* on the valley floor and lower slopes and *Corymbia* is typically associated with drainage). Sites[1]: LC16, LC22, LC24B, LC24A, LC27B, LC28, LC29A, LC30, LC37A, LC40, LCS08*, LCS03* LCS04*	

[1] Asterisk denotes site was a vertebrate fauna trapping site surveyed in April 2020

Habitat	Representative Photo
Mulga shrubland patches Open mulga shrubland patches over spinifex or tussock grassland on loams to sandy clay loam occurring in areas of sheet flow drainage. The mulga patches are surrounded by run-off zones of stonier plain of open spinifex/tussock grassland under very open mulga/ *Corymbia deserticola (*shrubland). Sites: LC04, LC05, LC06, LC07, LC08, LC09, LC10, LC15, LC17, LCS06*	
Spinifex grassland dominated hillcrest/hillslopes Slopes and hill crests of the higher elevation areas. Spinifex hummock grassland dominated with scattered *Eucalyptus leucophloia* trees and mallee, and acacia and grevillea shrubs on rocky, red skeletal soils (loams to clay/loam). Sites: LC11, LC17, LC19, LC38, LC26, LCS10*	

Habitat	Representative Photo
Deep Gullies The deep rocky gullies that bisect the hillcrest/hillslopes of the high elevation areas containing caves, deep cracks, and crevices. Spinifex hummock grassland with mixed shrubland patches or ficus occurring in shaded locations or occasional *Eucalyptus leucophloia.* Sites: LC13, LC21	
Shallow Open Gullies The shallow rocky gullies that bisect the hillcrest/hillslopes of the high elevation areas. Spinifex hummock grassland with scattered *Eucalyptus leucophloia.* Occasional fig trees (*Ficus* sp.) Sites: LC12, LC14, LC20	

Habitat	Representative Photo
Minor Drainage The smaller narrow drainage channels and shallow gullies that bisect the stony plain habitat and hill slopes, forming flow zones on the valley floor. Mixed open shrubland to shrubland often over tussock grass and herbs with occasional fringing trees (scattered *Eucalyptus leucophloia, Corymbia or Eucalyptus gamophylla)* Sites: LC18, LC23, LC25, LC27A, LC36, LC37, LC42A, LC44, LC43, LC45, LC29B	

Habitat	Representative Photo
Medium Drainage Wide loamy drainage channels to undefined drainage (gravelly) containing occasional *Corymbia* over patches of low mixed shrubs over buffel grass and tussock grass dominated understory on low relief. Contains very occasional mulga stands in loamier soils. Sites: LC01, LC02, LC03, LC39, LC39A, LCS07*, LCS09 *	

Habitat	Representative Photo
Tussock grassland plain Tussock grass (*Aristida inaequiglumis*, *A. contorta*, *Themeda triandr*a) dominated largely undefined drainage plain. Contains occasional open mulga woodland stands or scattered mulga individuals on brown sandy clay loam to loams. Contains patches of spinifex. Sites: LC31, LC32, LC33, LC34, LC35, LC41, LC42, LCS01*, LCS02*	
* 2020 Vertebrate Fauna trapping sites	

3.2.3 Survey Methods

Habitat assessment, spider/scorpion burrow searching, and foraging occurred at all sites. Foraging methods included turning rocks, logs, peeling bark, raking leaf litter, and searching under vegetation. If no leaf litter was present, then litter sifting could not be conducted as was the case at sites LC11, LC17, LC18, LC26, LC37, LC38 AND LC40). Black lighting (nocturnal searches) did not occur due to logistics as per client safety protocol.

Litter sifting utilised a series of sieves (32 cm diameter), each sieve being progressively finer (top-bottom: 17 mm, 11 mm, and 3 mm mesh) through which leaf litter (and surface soil below the leaf litter) was sieved. The finest particles passing through the sieves into a receiving pan. Where possible, leaf litter was collected from the southern sides of a shady tree or shrub and from close to its trunk.

At each site, where litter was present, a minimum of six sifts were carried out, each one targeting a different tree or patch of litter. During each sift, approximately 5 litres of leaf litter and surface soil were sieved. The retained litter from each sieve and the receiving pan were examined separately and targeted invertebrates were picked using forceps or an aspirator.


A handheld blower was used to aid spider burrow searching. Opportunistic collection and observations were also made during the field survey.

A minimum of 1.5 person-hours occurred at each site (independent of time spent litter sifting).

In addition to the February 2021 collections, potential SRE specimens were also collected as bycatch to vertebrate fauna surveying (April 2020). These specimens were also sequenced and are discussed in this report. Seven of the ten vertebrate trap sites are considered to be within footprint V3.

3.2.4 Sample curation and lodgement

All specimens were initially preserved in >95% ethanol. After fixing, tissues (usually a leg) were removed from appropriate specimens and stored separately under refrigeration. The remainder of the specimens were transferred to 75% ethanol to better facilitate morphological identification since samples preserved in 100% ethanol are often very brittle and fragile. At the completion of the project, morphological samples will be deposited to the WAM for inclusion in the state's biological collection, in accordance with requirements of EPA Technical Guidance for sampling SREs (EPA 2016).



Rapallo environmental


Mineral Resources Limited
Lamb Creek Project

Lamb Creek Iron Ore Project
SRE Survey

Original Size: A4 Scale: 1:70,000
Datum: MGA94 Zone 50
0 2000 m

Figure 3.1

Field survey effort - SRE survey sites relative to footprint V3



Rapallo environmental

Mineral Resources Limited
Lamb Creek Project

Lamb Creek Iron Ore Project
SRE Survey

Original Size: A4 Scale: 1:70,000
Datum: MGA94 Zone 50
0 2 km

Figure 3.2

Field survey effort - SRE survey sites relative to broad fauna habitats

3.2.5 Personnel and licensing

The personnel involved in the field survey, data entry and analysis, and the preparation of this report are listed in Table 3.2. The field survey was conducted under Fauna Taking (Biological Assessment) Licence BA27000239 issued under Regulation 17 of the *Biodiversity Conservation Regulations 2018.* As part of the license conditions, a list of species recorded in the survey will be forwarded to the DBCA.

Table 3.2 Personnel

Name	Position	Survey	Analysis	Reporting
Kate George	Principal Environmental Scientist	•		•
Marieke Weerheim	Senior Environmental Scientist		•	•
Jari Cornelis	Ecologist	•		•
Jon-Paul Emery	Ecologist		•	•
Molly George	Ecologist		•	

3.2.6 Morphological identifications, taxonomic nomenclature and statistics

Morphological identifications and SRE assessment of scorpions, pseudoscorpions, trapdoor spiders, centipedes, millipedes and snails were carried out by Dr Erich Volschenk of Alacran Environmental Science (Alacran). Dr Simon Judd contributed information and identification of isopods. References used for species determination and taxonomic nomenclature of invertebrates are detailed in Table 3.3.

Morphospecies designations follow the parataxonomy of the scientist(s) working on the group; these informal names are written between single quotation marks rather than being italicised as they are not valid under the International Code of Zoological Nomenclature (International Commission on Zoological Nomenclature 1999). Morphospecies is defined as per the "Phylogenetic Species Concept" (Cracraft 1983): "A species is the smallest diagnosable cluster of individual organisms within which there is a parental pattern of ancestry and descent."

Table 3.3 General references and collections used to assist with morphospecies designations

Order	Taxonomic Reference	Morphospecies and reference collection
Araneae (Mygalomorphae)	Raven *et al*. 2002; Framenau & Leung 2013 Harms & Framenau 2013; Miglio et al. 2014; World Spider Catalog 2014; Framenau & Hudson 2017; Framenau & Harms 2017; Rix et al. 2017; Harvey et al. 2018; Huey *et al.* 2019	W.A. Museum reference collection.
Pseudoscorpiones	Harvey 1992; Murienne *et al.* 2008;Harvey *et al*. 2012, Harvey 2013	W.A. Museum reference collection.
Scorpiones	Glauert 1925, a; Acosta 1990; Kovařík 1977; Fet *et al.* 2000; Volschenk *et al*. 2000; Volschenk & Prendini 2008; Volschenk et al. 2010)	Morphospecies designation by Dr Erich S Volschenk, W.A. Museum reference collection.
Chilopoda	Colloff *et al*. 2005	W.A. Museum reference collection.
Isopoda	Judd *et al.* 2003; Schmalfuss 2003; Judd 2004; Schmidt & Leistikow 2004; Schotte *et al.* 2008;	Morphospecies designation by Dr Simon

Order	Taxonomic Reference	Morphospecies and reference collection
	Judd *et al.* 2013; Javidkar et al. 2015 ;Javidkar et al. 2016; Javidkar et al. 2017; Javidkar *et al*. 2017)	Judd. Reference collection at the W.A. Museum and with Dr Simon Judd.
Eupulmonata	Solem 1985, Solem 1988, Solem 1997; Whisson & Köhler 2012; Whisson & Kirkendale 2014; Stanasic et al. 2017	W.A. Museum reference collection.

Fifty-eight specimens (Appendix III) representing unidentifiable and or ambiguously identified taxa were sequenced for the gene Cytochrome C Oxidase subunit I (COI) for the purpose of species delimitation (DNA barcoding). A total of fifty-six yielded sequences. Sequence fragments of the COI gene were amplified from muscle tissues obtained from specimens fixed and preserved in >95% ethanol or from samples fixed in propylene glycol and later preserved in >95% ethanol. Sequence generation from tissues was undertaken by Genotyping Australia Pty Ltd and AGRF Perth (Alacran 2021a).

Phylogenetic analyses, species delimitation and SRE status was determined by Alacran (2021a) utilising Alacran and GenBank reference sequences for the majority of sequences. Figures 5.1 to 5.15 of Appendix III show Bayesian phylogeny of each SRE category taxon. Query taxa (Lamb Creek specimens) are highlighted in coloured text and conspecific species 'groups' are denoted in bold text.

First pass species delimitation was based on an 8% sequence divergence threshold for most taxa (Hebert *et al*. 2003; Hebert, Ratnasingham, *et al*. 2003; Barret & Hebert 2005; Robinson *et al.* 2009). For trapdoor spiders, the delimiting threshold of 9.5 % was used (Castalanelli *et al.* 2014); (Huey e*t al*. 2019) and 5% was used for scorpions (Volschenk unpublished data). For *Austrostrophus* millipedes the WAM Museum clade identification system was used to identify specific clades; however, the divergence between these clades is often very low suggesting strong sexual selection may be present.

Where there was no match with Alacran or GenBank sequences, or where there was outstanding ambiguity, the Lamb Creek sequences were assessed against various datasets derived from WAM research projects via the Western Australian Museum Molecular Systematics Unit (WAM MSU). The sequences for 14 specimens that did not have matches with GenBank or Alacran reference sequences were BLASTED against WAM MSU data sets (Appendix V). Extraneous primers sequences were removed prior to analysis. The top 10 blast hits for each major taxon were gathered, duplicates removed, and analysed with a Maximum Likelihood phylogenetic analysis using a GTR+G model of evolution and 100 bootstraps (RAxML). Distances were calculated via tree-based estimates of identical bases in Geneious Prime 2020.2.5.

To avoid confusion, where the WAM MSU assigned a WAM code for a morphospecies (Appendix V) this replaces the designation given by (Alacran 2021a) which is referred to in the text of this report as the Alacran Preliminary ID. Where there is no code system for this group, then the Alacran designation remains.

For further detail on Genomic Identification (DNA Barcoding) refer to Appendix III and Appendix V.

The species accumulation curve was generated using EstimateS software version 9.1.0 (copyright R.K. Colwell) (Colwell 2016). The analysis was conducted using presence-absence data of the 25 taxa of SRE category specimens (i.e. both potential SRE and widespread) recorded through foraging, from the 23

sites that yielded SRE category specimens. Predicted species richness was calculated using the Chao2 estimator (Gotelli and Colwell 2011).

3.2.7 Assessment Of Short-Range Endemism

There are no published systems for assessing the SRE potential for a species. The WAM previously employed the following system to assess SRE-status of invertebrates:

- **Confirmed SRE**: This category applies when the identity of the taxon is unambiguous and its distribution is less than 10 000 km^2 based on publicly available vouchered records. Supporting data can be either genomic (from DNA sequences) or morphological, ideally both.
- **Potential SRE**: This category applies to situations where there are knowledge gaps for the taxon. The following sub-categories further elucidate this status:
    - **Data Deficiency (DD)**: This category covers taxa for which there is insufficient data available to determine SRE status. Factors that fall under this category include:
    - insufficient geographic information, and/or
    - inappropriate life stages prevent identification to species level.
    - **Habitat Indicators (H)**: This category employs habitat characteristics to evaluate SRE status when habitats are known to support SRE taxa. For example, many species sampled from subterranean habitats are known to be range restricted; a new species discovered from such habitat therefore has greater potential to be range restricted (i.e. a SRE) than widespread.
    - **Morphological Evidence (M)**: This category uses one or more morphological characters that are characteristic of SRE taxa inhabiting restricted environments, e.g. the specialised morphological features of animals adapted to subterranean habitats, including body markings that are absent or significantly paler than surface dwelling relatives, eyes that are absent or significantly reduced, and/or longer appendages (legs and antennae) than surface relatives.

- **Unpublished Research & Expertise (U):** This category relies on unpublished research or expertise to develop SRE status.
- **Widespread (not an SRE)**: This category applies when vouchered evidence demonstrates a distribution greater than 10,000 km^2.

SRE assessment and classification of field specimens and WAM database records was conducted by Dr Erich Volschenk.

4 Results

4.1 Desktop

The search area yielded a total of 8894 records of SRE category taxa (i.e., taxa belonging to taxonomic groups prone to shortrange endemism). Of these records, six taxa were assessed to be SRE and 376 were assessed as potential SRE (Table 4.1 and Table 4.2). The remainder were assessed as widespread (Appendix I). .

Seventy-eight records of potential SRE taxa were collected from within ten kilometres of the survey area (central point) (Table 4.3). Thirteen records of potential SRE taxa were collected from the survey area from the pseudoscorpion and scorpion groups (Table 4.3). No confirmed SRE taxa records occurred from the survey area.

Table 4.1 Summary statistics of desktop results (status SRE)

Higher Level Classification	Number of Taxa	Number of Records
Araneae (selenopid spiders)	2	4
Pseudoscorpiones (pseudoscorpions)	2	13
Schizomida (schizomids)	1	5
Scorpiones (scorpions)	1	2
Grand Total	6	24

Table 4.2 Summary statistics of desktop results (potential SRE)

Higher Level Classification	Number of Taxa*	Number of Records*
Araneae (mygalomorph spiders)	100	1058
Araneae (oonopid spiders)	1	1
Araneae (theraphosid spiders)	2	3
Araneae (selenopid spiders)	6	232
Pseudoscorpiones (pseudoscorpions)	83	2406
Scorpiones (scorpions)	46	750
Opiliones (Harvestmen)	5	16
Palpigrades (micro-whip scorpions)	1	1
Myriapoda (flat back millipedes, round back millipedes , centipedes, symphyla)	65	653
Isopoda (Isopods)	43	650

Higher Level Classification	Number of Taxa*	Number of Records*
Gastropoda (snails)	24	538
Grand Total	**376**	**6308**
* Indicative numbers only: contains undescribed morphospecies and ambiguous identifications		

Table 4.3 Desktop results (potential SRE) within 10 kilometres of the Lamb Creek Survey Area. Records from the survey area are highlighted

Taxon	Reg No
Araneae (mygalomorph spiders)	
Aname sp.	T113643
Aname sp.	T113644
Aname sp.	T113647
Aname sp.	T113652
Aname sp.	T136487
Aurecocrypta 'MYG246'	T113641
Barychelidae sp.	T114809
Conothele 'MYG282'	T113649
Conothele 'MYG282'	T113667
Conothele 'MYG282'	T137333
Conothele 'MYG282'	T137443
Idiosoma sp.	T122816
Idiosoma sp.	T122818
Kwonkan 'MYG323'	T113633
Kwonkan 'MYG324'	T113627
Kwonkan 'MYG324'	T113640
Kwonkan 'MYG324'	T122817
Kwonkan 'MYG378'	T113638
Kwonkan 'MYG653'	T113639
Kwonkan 'MYG653'	T113646
Kwonkan 'MYG653'	T113650
Kwonkan 'MYG654'	T113628
Kwonkan 'MYG654'	T113630
Kwonkan 'MYG654'	T113632
Kwonkan 'MYG683'	T113631
Kwonkan 'MYG683'	T113635
Kwonkan 'MYG683'	T113651
Mygalomorphae sp.	T144521
Pseudoscorpiones (pseudoscorpions)	

Taxon	Reg No
Austrohorus sp.	T122186
Beierolpium '8/2'	T118346
Beierolpium '8/2'	T118351
Beierolpium '8/3'	T118349
Beierolpium '8/3'	T122193
Beierolpium sp.	T118343
Beierolpium sp.	T118344
Beierolpium sp.	T118347
Beierolpium sp.	T118348
Beierolpium sp.	T122188
Euryolpium sp.	T122189
Euryolpium sp.	T122190
Euryolpium sp.	T122191
Euryolpium sp.	T122195
Oratemnus sp.	T118345
Oratemnus sp.	T122179
Oratemnus sp.	T122181
Oratemnus sp.	T122182
Oratemnus sp.	T122184
Oratemnus sp.	T122185
Oratemnus sp.	T122187
Oratemnus sp.	T122192
Oratemnus sp.	T122194
Xenolpium sp.	T122180
Scorpiones (scorpions)	
Lychas 'harveyi complex'	T114310
Lychas 'harveyi complex'	T114311
Lychas 'harveyi complex'	T114314
Lychas 'harveyi complex'	T114315
Lychas 'harveyi complex'	T114316
Lychas 'harveyi complex'	T114317
Lychas sp.	T114307
Lychas sp.	T114308
Urodacus 'SCO031'	T113670
Urodacus 'SCO031'	T113671
Myriapoda (flat back millipedes, round back millipedes , ground centipedes)	

Taxon	Reg No
Antichiropus 'DIP006, Area C, species1'	T146788
Antichiropus 'DIP173, danberrin5'	T144512
Antichiropus 'DIP173, danberrin5'	T146787
Antichiropus pendiculus	T144510
Antichiropus pendiculus	T144513
Antichiropus pendiculus	T144514
Antichiropus pendiculus	T144515
Antichiropus sp.	T144516
Antichiropus sp.	T144517
Antichiropus sp.	T144519
Polyzoniida sp.	T144518
'Trigoniulidae?' sp.	T118342
Isopoda (Isopods)	
Buddelundia '16'	C49825
Buddelundia '16'	C49827
Gastropoda (snails)	
Bothriembryon 'Pilbara'	S83523

4.2 Field survey results

4.2.1 Summary

Fifty-one sites were sampled during the February 2021 survey (Figure 3.1). Field data is presented in Appendix II.

The 2021 field survey yielded a total of 119 invertebrate specimens from SRE target groups, representing 25 different taxa. When combined with the SRE category taxa collected in 2020 from dry pitfall traps and litter sampling (Rapallo 2022), a total of 159 invertebrate specimens from SRE target groups, representing 30 different taxa have been collected over a two-year period from the Lamb Creek survey area.

Of this combined dataset of SRE category taxa, 24 taxa are classified as potential SRE with 23 regarded as data deficient due to known distribution (DDG) and one assessed as potential SRE owing to limited taxonomic resolution (DDT). The remaining six taxa were assessed as widespread (Alacran 2021a).

Eight potential SRE taxa were linked with existing sequenced, undescribed species (Bothriembryon BOT065, Buddelundiinae (Armadillidae) 'ISOP009', Kwonkan MYG324, Olpiidae 'LCr02', Lychas 'bituberculatus complex', Lychas 'multipunctatus complex' , Lychas 'hairy tail complex') and Buddelundia '10ma'.

Lychas 'harveyi complex' was identified by Alacran on the basis of morphology. This taxon is considered a potential SRE because it is a species complex containing potential SRE. The Lychas 'harveyi complex' specimens were not sequenced as the taxa was previously believed to be widespread, however information from WAM in October 2021 indicated a change of status to potential SRE (Volschenk unpublished data provided by Alacran).

One potential SRE taxon (Buddelundia '13') was identified via morphology and not linked with reference sequences because at the time of report writing no reference sequences were available through either GenBank, Alacran, or WAM MSU.

Ten potential SRE taxa were identified as a new undescribed or previously unsequenced species (Austrochthonius 'LCr01', Austrostrophus 'Clade M' , Cryptops 'LCr01', Cryptops 'LCr02', Euryolpium 'LCr01', Indolpium 'LCr03', Indolpium 'LCr04', Indolpium 'LCr05', Mecistocephalus 'LCr01' and Mecistocephalus 'LCr02')

Two potential SRE taxa sequences (Sepedonophilus 'LCr01' (AES210156 and AES210143)) and Orphnaeus 'LCr01 (AES210206) were not run against the WAM MSU database because there were no reference sequences available.

No confirmed SRE invertebrate taxa were collected from the survey area.

Figure 4.1 gives abundance records, for SRE category taxa (potential SRE and widespread) and Figure 4.2 presents the number of sites SRE category taxa were recorded from. Table 4.5 and Table 4.6 summarises the abundance, species richness and number of sites sampled per habitat type.

Table 4.4 Summary of the field survey results; bold text identifies species identifications confirmed using DNA sequences. Refer to Barcoding report (Appendix III) for detail and sequence divergence. Note Buddelundia species were sequenced for reference and identified via morphology.

Class	Order	Family	SRE category taxa	Matched with reference sequence?	SRE status (Alacran 2021a)	Reason for status/Comments
Arachnida	Araneae	Anamidae	Aname mellosa	Yes (GenBank reference sequences)	Widespread	Harvey et al 2012, WAM database
Arachnida	Araneae	Anamidae	Kwonkan 'MYG324'	Yes, (WAM MSU reference sequences)	Potential SRE: DDG	WAM database
Arachnida	Araneae	Barychelidae	Synothele 'MYG311'	Yes (GenBank and Alacran reference sequences)	Widespread	WAM database
Arachnida	Pseudoscorpiones	Atemnidae	Oratemnus 'WA1'	Yes (GenBank and Alacran reference sequences)	Widespread	T149473 (AES190320) a sequence match to the Lamb Creek specimen was collected ca 30 km to the south-southeast of Lamb Creek (unrelated project/client) and identified by WAM MSU as Oratemnus 'WA1' (Volchenck pers com). T149473 (AES190320) is recorded within the WAM database.
Arachnida	Pseudoscorpiones	Chthoniidae	Austrochthonius 'LCr01'	No	Potential SRE: DDT	A new undescribed or previously unsequenced species (Wilson & Harvey 2021).
Arachnida	Pseudoscorpiones	Olpiidae	Euryolpium 'LCr01'	No	Potential SRE: DDG	A new undescribed or previously unsequenced species (Wilson & Harvey 2021).
Arachnida	Pseudoscorpiones	Olpiidae	Indolpium 'LCr03'	No	Potential SRE: DDG	A new undescribed or previously unsequenced species (Wilson & Harvey 2021).
Arachnida	Pseudoscorpiones	Olpiidae	Indolpium 'LCr04'	No	Potential SRE: DDG	A new undescribed or previously unsequenced species (Wilson & Harvey 2021).
Arachnida	Pseudoscorpiones	Olpiidae	Indolpium 'LCr05'	No	Potential SRE: DDG	A new undescribed or previously unsequenced species (Wilson & Harvey 2021).

Class	Order	Family	SRE category taxa	Matched with reference sequence?	SRE status (Alacran 2021a)	Reason for status/Comments
Arachnida	Pseudoscorpiones	Olpiidae	Olpiidae 'LCr02'	No	Potential SRE: DDG	A new undescribed or previously unsequenced species (Wilson & Harvey 2021).
Arachnida	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	Yes	Potential SRE: DDG	Volschenk unpublished data provided by Alacran
Arachnida	Scorpiones	Buthidae	Lychas 'hairy tail complex'	Yes (GenBank reference sequences)	Potential SRE: DDG	Volschenk unpublished data provided by Alacran
Arachnida	Scorpiones	Buthidae	Lychas 'harveyi complex'	N/A	Potential SRE: DDG	Volschenk unpublished data provided by Alacran
Arachnida	Scorpiones	Buthidae	Lychas 'SCO046' (multipunctatus complex)	Yes (GenBank and Alacran reference sequences)	Potential SRE: DDG	Volschenk unpublished data provided by Alacran
Arachnida	Scorpiones	Buthidae	Lychas 'pilbara 1'	N/A	Widespread	Volschenk unpublished data provided by Alacran
Chilopoda	Geophilomorpha	Chilenophilidae	Sepedonophilus 'LCr01'	No	Potential SRE: DDG	No reference sequence match, potentially a new undescribed or previously unsequenced species.
Chilopoda	Geophilomorpha	Mecistocephalidae	Mecistocephalus 'LCr01'	No	Potential SRE: DDG	A new undescribed or previously unsequenced species (Wilson & Harvey 2021).
Chilopoda	Geophilomorpha	Mecistocephalidae	Mecistocephalus 'LCr02'	No	Potential SRE: DDG	A new undescribed or previously unsequenced species (Wilson & Harvey 2021).
Chilopoda	Geophilomorpha	Oryidae	Orphnaeus 'LCr01'	No	Potential SRE: DDG	No reference sequence match, potentially a new undescribed or previously unsequenced species.
Chilopoda	Scolopendromorpha	Cryptopidae	Cryptops 'LCr01'	No	Potential SRE: DDG	A new undescribed or previously unsequenced species (Wilson & Harvey 2021).
Chilopoda	Scolopendromorpha	Cryptopidae	Cryptops 'LCr02'	No	Potential SRE:	A new undescribed or previously

Class	Order	Family	SRE category taxa	Matched with reference sequence?	SRE status (Alacran 2021a)	Reason for status/Comments
					DDG	unsequenced species (Wilson & Harvey 2021).
Chilopoda	Scolopendromorpha	Scolopendridae	Arthrorhabdus mjobergi	N/A	Widespread	(Koch 1984)
Diplopoda	Spirobolida	Trigoniulidae	Austrostrophus 'Clade A'	Yes (GenBank reference sequences	Potential SRE: DDG	WAM database
Diplopoda	Spirobolida	Trigoniulidae	Austrostrophus 'Clade M'	No	Potential SRE: DDG	A new undescribed or previously unsequenced species (Wilson & Harvey 2021).
Malacostraca	Isopoda	Armadillidae	Buddelundia '10ma'	Yes, matched with specimen collected from a different MRL site.	Potential SRE: DDG	Judd unpublished data provided by Alacran
Malacostraca	Isopoda	Armadillidae	Buddelundia '13'	No	Potential SRE: DDG	Judd unpublished data provided by Alacran
Malacostraca	Isopoda	Armadillidae	Buddelundia '15'	Yes	Widespread	Judd unpublished data provided by Alacran
Malacostraca	Isopoda	Armadillidae	Buddelundia '16'	N/A	Potential SRE: DDG	W.A. Museum assessment provided by Alacran
Malacostraca	Isopoda	Armadillidae	Buddelundiinae (Armadillidae) 'ISOP009'	Yes, WAM MSU sequence database match	Potential SRE: DDG	This specimen falls in a clade that represents a known but undescribed species *Armadillidae* with a code from GenBank ISOP009 (2.13% divergent) (Wilson & Harvey 2021).
Gastropoda		Bothriembryontidae	Bothriembryon 'BOT065'	Yes, WAM MSU sequence database match	Potential SRE: DDG	There are 44 records of Bothriembryon 'BOT065' held by WAM MSU extending 170 kilometres from Prairie Downs west of Newman to near Tom Price (WAM unpublished data supplied by Alacran).

4.2.2 Abundance




Figure 4.1 Abundance of SRE category taxa collected from Lamb Creek (2020 and 2021).




Figure 4.2 Number of sites within the survey area that SRE category taxa were collected from (2020 and 2021).

4.2.3 Species richness estimates

To provide an indication of survey completeness the software program EstimateS (Version 9.1.0) (Colwell 2013) was used to generate species accumulation curves and to calculate predicted species richness. Species accumulation curves represent a theoretical model of the relationship between survey effort and species accumulation: as the number of specimen captures or sites foraged increases, the accumulation of invertebrate taxa decreases until the curve reaches an asymptote (Gotelli & Colwell 2011).

Since models can only be generated from data collected through (the same) systematic methods, the species accumulation curve and predicted species richness was calculated using the 2021 foraging data. Analyses were conducted on presence-absence data of the 25 taxa of SRE category specimens (i.e. both potential SRE and widespread taxa) recorded through foraging in 2021, from the 23 sites that yielded SRE category specimens. The analysis was run using the default settings, with the following exceptions:

- Accumulations (runs) were randomised 10,000 times without replacement.
- Upper abundance limit for rare or infrequent species was set to 5.

The species accumulation curve is presented in Figure 4.3 plotting number of SRE category taxa (y-axis) against the number of foraging sites sampled. Observed species richness is presented as a sample-based rarefaction curve, computing the mean expected number of SRE category taxa (S(est)) over all possible combinations of 1, 2, and up to 23 sites sampled (Colwell et al. 2012). The Chao2 estimator (which is a robust estimator of minimum species richness for incidence-based data) was used to calculate predicted species richness (Gotelli and Colwell 2011).

The Chao 2 estimator gave a predicted species richness of 48.41 taxa, which indicates that the survey recorded 52% of the (estimated) total SRE category species richness in the survey area that could have been recorded through foraging. This relatively low percentage is reflected in the species accumulation curve which by the end of the survey had not commenced towards an asymptote (Figure 4.3).

The total number SRE category taxa recorded in the Lamb Creek survey area to date (including the 2020 dry pitfall trapping by-catch) was 30 taxa. Hence, even when taking into account additional taxa collected as by-catch during the vertebrate fauna survey, only 62.5% of the (estimated) total species richness of the survey area has been collected to date. Additional survey work completed under favourable climatic conditions is highly likely to capture additional taxa.




Figure 4.3 Species accumulation curve

4.2.4 SRE category taxa per habitat type

All eight habitat types surveyed yielded invertebrates belonging to SRE category taxa (Table 4.5). Of those eight habitats mulga shrubland patches supported the greatest species richness of taxa from SRE groups. Interestingly minor drainage, with a high foraging effort comparable to stony plain, and mulga shrubland patches yielded only one taxon from SRE groups.

Table 4.5 Summary of short-range endemic category taxa, abundance, species richness and number of sites sampled per habitat type

	Deep Gullies	Shallow Open Gullies	Hillcrest /hillslopes	Medium Drainage	Minor Drainage	Mulga shrubland patches	Stony Plain	Tussock grassland
Abundance	**12,** (12), (N/S)	**17,** (17), (N/S)	**6,** (0), (6)	**22,** (18), (4)	**1**, (1), (N/S),	**48, (**31), (17)	**38,** (29), (9)	**15,** (11), (4)
Species Richness	**5**, (5), (NS)	**5**, (5), (NS)	**3**, (0), (3)	**7**, (5), (2)	**1**, (1), NS	**15,** (11), (4)	**9**, 7, (4)	**6,** (4), (2)
Number of sites sampled	**2**, (2), (0)	**3**, (3), (0)	**6,** (5), (1)	**7,** (5), (2)	**11**, (11), (0)	**9,** (8), (1)	**14,** (11), (3)	9, (7), (2)
Site Code	LC13, LC21	LC12, LC14, LC20	LC11, LC19, LC17, LC38, LC26, LCS10*	LC01, LC02, LC03, LC39, LC39A, LCS07*, LCS09*	LC18, LC23, LC25, LC27A, LC36, LC37, LC42A, LC44, LC43, LC45, LC29B	LC04, LC05, LC06, LC07, LC08, LC09, LC10, LC15, , LCS06*	LC16, LC22, LC24B, LC24A, LC27B, LC28, LC29A, LC30, LC37A, LC40, LCS08*, LCS03*, LCS04*, LCS05*	LC31, LC32, LC33, LC34, LC35, LC41, LC42, LCS01*, LCS02*

Bold = Total, first parenthesis is 2021 foraging data, second parenthesis is 2020 data (vertebrate survey), NS=not sampled * = 2020 vertebrate survey sites

Table 4.6 presents each SRE category taxa per broad habitat type as described in Table 2.4. Nine SRE category taxa were sampled from 2 or more different habitats. Eighteen taxa belonging to SRE groups were found in only one habitat type, of which, sixteen SRE category taxa were also sampled from single sites.

Table 4.6 Short-range endemic category taxa per broad habitat type and sample sites.

Short-range endemic category taxa	No of foraging sites taxa sampled from (2021)	No of broad habitat types taxa sampled from (2021)	No of sites taxa sampled from (2020)	No of broad habitat types taxa sampled from (2020)	Broad Habitats
Aname mellosa	3	2	1	2	Mulga, Stony Plain
Arthrorhabdus mjobergi	1	1	0	1	Mulga
Austrochthonius 'LCr01'	1	1	0	1	Mulga
Austrostrophus 'Clade A'	2	2	0	2	Mulga, Gully/Gorge

Short-range endemic category taxa	No of foraging sites taxa sampled from (2021)	No of broad habitat types taxa sampled from (2021)	No of sites taxa sampled from (2020)	No of broad habitat types taxa sampled from (2020)	Broad Habitats
Austrostrophus 'Clade M'	2	2	0	2	Mulga, Stony Plain
Bothriembryon 'BOT065'	1	1	0	1	Mulga
Buddelundia '10ma'	1	1	0	1	Stony Plain
Buddelundia '13'	5	3	0	3	Hillcrest/hillslope, medium drainage, mulga,
Buddelundia '15'	5	3	0	3	Medium Drainage, Mulga, Tussock Grassland
Buddelundia '16'	1	1	0	1	Deep Gully
Buddelundiinae (Armadillidae) 'ISOP009'	1	1	0	1	Medium Drainage
Cryptops 'LCr01'	1	1	0	1	Gully/Gorge
Cryptops 'LCr02'	1	1	0	1	Stony Plain
Euryolpium 'LCr01'	5	1	0	2	Gully/Gorge
Indolpium 'LCr03'	0	1	1	1	Hillcrest/hillslope
Indolpium 'LCr04'	3	2	0	2	Gully/Gorge
Indolpium 'LCr05'	1	1	0	1	Minor Drainage
Kwonkan 'MYG324'	1	1	0	1	Mulga
Lychas 'bituberculatus complex'	2	2	3	2	Mulga, Stony Plain
Lychas 'hairy tail complex'	1	1	0	1	Gully/Gorge
Lychas 'harveyi complex'	0	0	5	4	Mulga shrubland Patches, Medium Drainage, Stony Plain, Tussock grassland plain
Lychas 'multipunctatus complex'	0	0	1	1	Tussock grassland plain
Lychas 'pilbara 1'	0	0	6	4	Hillcrest/Hillslope, Medium Drainage, Mulga Shrubland Patches, Stony Plain
Mecistocephalus 'LCr01'	3	2	0	2	Mulga, Stony Plain

Short-range endemic category taxa	No of foraging sites taxa sampled from (2021)	No of broad habitat types taxa sampled from (2021)	No of sites taxa sampled from (2020)	No of broad habitat types taxa sampled from (2020)	Broad Habitats
Mecistocephalus 'LCr02'	1	1	0	1	Tussock Grassland
Olpiidae 'LCr02'	0	1	1	1	Hillcrest/hillslope
Oratemnus 'WA1'	9	4	0	4	Medium Drainage, Mulga, Stony Plain, Tussock Grassland
Orphnaeus 'LCr01'	1	1	0	1	Medium Drainage
Sepedonophilus 'LCr01'	2	1	0	1	Gully/Gorge
Synothele 'MYG311'	1	1	0	1	Tussock Grassland

5 Discussion

5.1 Summary of SRE status and collections relative to the disturbance footprint

Table 5.1 summarises the potential SRE taxa collected from the survey area with regards to occurrence relative to footprint V3 and regional records. The taxa that were sampled from the disturbance footprint V3, that were not found elsewhere on the survey area or known to have regional records are highlighted. Section 5.2 discusses each potential SRE taxa individually and habitats are discussed in section 5.3.

There are fourteen potential SRE taxa collected from the survey area that have not been recorded regionally. Of these taxa, six were recorded from within footprint V3 only (highlighted blue in Table 5.1).

- Austrostrophus 'Clade M'
- Cryptops 'LCr02'
- Indolpium 'LCr03'
- Indolpium 'LCr05'
- Mecistocephalus 'LCr01'
- Orphnaeus 'LCr01'

Three taxa were collected from adjacent to the proposed disturbance footprint V3 only (within 100 metres). Of these taxa, two taxa had not been recorded regionally (highlighted in orange in Table 5.1).

- Austrochthonius 'LCr01'
- Mecistocephalus 'LCr02'


Figure 5.1 to Figure 5.3 show the collection locations of potential SRE taxa across the survey area. Note that SRE category taxa assessed to be widespread have not been mapped.

Table 5.1 Location of sampled potential short-range endemic taxa relative to disturbance footprint V3 and regional records.


Taxon name	SRE status	Survey area collections relative to footprint V3 [2]			Regional records?
		In footprint V3	Within 100 m of footprint V3	More than 100 m outside V3	
Austrochthonius 'LCr01'	Potential SRE: DDT		1		No
Austrostrophus 'Clade A'	Potential SRE: DDG	1		1	Yes , undisclosed sampling location accessed via GenBank
Austrostrophus 'Clade M'	Potential SRE: DDG	2			No
Bothriembryon BOT065	Potential SRE: DDG	1			Yes, unpublished WAM MSU data (Section 5.2.7).
Buddelundia '10ma'	Potential SRE: DDG	1			Yes from 53 km NE of Lamb Creek (Alacran 2021c)
Buddelundia '13'	Potential SRE: DDG	2	1	2	No. There are WAM database records of Buddelundia '13' however no sequenced specimen data publicly available or available via WAM MSU.
Buddelundia '16'	Potential SRE: DDG			1	There are WAM database records of Buddelundia '16' however no sequenced specimen data
Buddelundiinae (Armadillidae) 'ISOP009'	Potential SRE: DDG	1			Yes, 124 km NW (Wilson & Harvey 2021) and NE of Lamb Creek (Alacran 2021c)
Cryptops 'LCr01'	Potential SRE: DDG			1	No
Cryptops 'LCr02'	Potential SRE: DDG	1			No
Euryolpium 'LCr01'	Potential SRE: DDG			7	No
Indolpium 'LCr03'	Potential SRE: DDG	1			No
Indolpium 'LCr04'	Potential SRE: DDG			3	No
Indolpium 'LCr05'	Potential SRE: DDG	1			No

[2] Numbers in this column represent the number of unique collection locations (sites) and not the number of individual specimens collected.

Taxon name	SRE status	Survey area collections relative to footprint V3 [2]			Regional records?
		In footprint V3	Within 100 m of footprint V3	More than 100 m outside V3	
Kwonkan 'MYG324'	Potential SRE: DDG	1			Yes, records from Karijini and Juna Downs (Wilson & Harvey 2021)
Lychas 'bituberculatus complex'	Potential SRE: DDG	4	1		Yes, record from approx. 30km , south south-east of Lamb Creek (Alacran reference sequence)
Lychas 'hairy tail complex'	Potential SRE: DDG			1	Yes, undisclosed sampling locations accessed via GenBank
Lychas 'harveyi complex'	Potential SRE: DDG	3	1	1	No matches with sequenced specimen as Lychas 'harveyi complex' was not sequenced (previously believed to be widespread). as Lychas 'harveyi complex' was collected during the 2012 fauna survey of Lamb Creek.from Nearest regional specimen of Lychas 'harveyi complex' is from Area C ca. 14 km to SE.
Lychas 'multipunctatus complex'	Potential SRE: DDG			1	Yes record from approx. 30km, south of Lamb Creek (Alacran reference sequence)
Mecistocephalus 'LCr01'	Potential SRE: DDG	3			No
Mecistocephalus 'LCr02'	Potential SRE: DDG		1		No
Olpiidae 'LCr02'	Potential SRE: DDG	1			Yes, two WAM lodged specimens collected approximately 7 kilometres north of the Lamb Creek specimen (Wilson & Harvey 2021)
Orphnaeus 'LCr01'	Potential SRE: DDG	1			No
Sepedonophilus 'LCr01'	Potential SRE: DDG			2	No



Rapallo environmental	Mineral Resources Limited	Lamb Creek Iron Ore Project SRE Survey	Original Size: A4 Scale: 1:30,000 Datum: MGA94 Zone 50 0 1 km	**Figure 5.1** Potential SRE recorded in the survey area (map 1 of 3)



Rapallo environmental


Mineral Resources Limited

Lamb Creek Iron Ore Project
SRE Survey

Original Size: A4 Scale: 1:30,000
Datum: MGA94 Zone 50
0 1 km

Figure 5.2

Potential SRE recorded in the survey area (map 2 of 3)



Rapallo environmental

Mineral Resources Limited

Lamb Creek Iron Ore Project
SRE Survey

Original Size: A4 Scale: 1:40,000
Datum: MGA94 Zone 50
0 1 km

Figure 5.3

Potential SRE recorded in the survey area (map 3 of 3)

5.2 SRE invertebrate category fauna assemblage

This section discusses the SRE category taxa collected from the survey area, SRE status classification, distribution (where known), and site information. Habitats are discussed in section 5.3.

5.2.1 Arachnida (spiders)

Australia's spiders are broadly divided into two groups, the Araneomorphae (modern spiders) and the Mygalomorphae (trapdoor spiders). Typically, most modern spiders have large distributions and achieve this through 'ballooning'; a process where a spiderling creates and releases a long strand of silk into the wind. The silk strand eventually becomes able to 'catch the wind' and lift the spiderling into the wind to be deposited elsewhere, potentially many kilometres from its original site.

In Western Australia, the modern spiders currently considered to contain SRE's are members of the family Selenopidae (wall crab spiders) (Crews & Harvey 2011, Crews 2013); and some members of the family Archiidae (assassin spiders Rix & Harvey 2011, Rix & Harvey 2012). Additionally, salt lake specialist Lycosidae (wolf spiders) have the potential to be range restricted cryptic species (Hudson & Adams 1996; Framenau & Hudson 2017).

Most of Western Australia's SRE spiders are trapdoor spiders. In Western Australia, 10 trapdoor spider species are listed in the Wildlife Conservation (Specially Protected Fauna) Notice 2017 (Western Australian Government 2018).

Anamidae (Open-hole trapdoor spiders)

Anamidae is a diverse family of trapdoor spiders that are broadly characterised by building burrows without trapdoors. Most of this family was previously referred to as Nemesiidae prior to the global revision by Opatova *et al.* (2019). The higher level systematics of the Australasian representatives (as Nemesiidae) was revised by Harvey *et al*. (2018). Anamidae includes the genera Aname, Chenistonia, Hesperonatalius, Kwonkan, Merredinia, Namea, Pseudoteyl, Swolnpes, Teyl, Teyloides and Yilgarnia and all except for Namea are represented in Western Australia.

This survey sampled five specimens of Anamidae belonging to the genera Aname and Kwonkan.

Three taxa from the family Anamidae: Aname sp., Kwonkan sp. and c.f. Aname mellosa. Aname sp. (two samples) and Kwonkan sp. (one sample) were represented by adult female specimens and could not be identified to species using morphology. For species level taxonomic resolution, these specimens required assessment using DNA sequences.

Aname mellosa

Three samples that were loosely assigned to one morphospecies of Aname on the basis of morphology were matched to each other using DNA sequences. These sequences were grouped with seven GenBank reference sequences of undisclosed locations. (Figure 5.1 of Appendix III). A fourth male specimen had been previously identified on the basis of morphology as *Aname mellosa*.

Aname mellosa represents a species complex with two representatives in the Pilbara and several from the Midwest and Murchison regions. While the Pilbara forms appear to be widespread (Harvey et al. 2012), those collected from outside of the Pilbara appear to be potential SRE (WAM unpublished data provided by Alacran). The WAM database search returned 339 records of *Aname mellosa* (WAM 2020).

Four specimens of *Aname mellosa* were collected from the survey area, comprising three adult females and one male) from mulga shrubland and stony plain habitats.

Kwonkan 'MYG324', (Alacran Preliminary ID: Kwonkan 'LCr01')

Sequencing: one sample that was identified as Kwonkan sp. on the basis of morphology was not grouped with GenBank or Alacran reference sequences (Figure 5.2 of Appendix III). The specimen did match with WAM MSU sequences and was placed in a clade known as MYG324 which is a known but undescribed species (Wilson & Harvey 2021).

Kwonkan 'MYG324' is regarded as Potential SRE owing to geographical data deficiencies (Alacran 2021a).

The specimen of Kwonkan 'MYG324' collected from the survey area (one adult female) was from mulga shrubland habitat (LC09, Table 3.1 and Appendix II). Kwonkan 'MYG324' was collected within the disturbance footprint V3 (Table 5.1). Sequenced specimens from the WAM MSU database are known from Karijini as well as the Juna Downs area (Wilson & Harvey 2021, Appendix V).

Barychelidae (Brush-Footed Spiders)

The family Barychellidae is diverse in Western Australia where it is represented by the genera Aurecocrypta, Synothele and Idiommata. They are characterised by distinctive foot pads. There are many undescribed species from Western Australia with a high proportion being potential SRE and only known from limited numbers of specimens.

***Synothele* 'MYG311'**

Sequencing: one sample that was loosely assigned to the genus of *Synothele* on the basis of morphology was grouped with six GenBank and one Alacran reference sequences of *Synothele* 'MYG311' (Figure 5.3 of Appendix III). With collections of *Synothele* 'MYG311' from Jinayri, Mudlark, Hope Downs, Koodaideri and Area C (WAM 2020), the taxon is regarded as widespread (Alacran 2021a).

The specimen of *Synothele* 'MYG311' collected from the survey area was from tussock grassland habitat (LC33 Table 3.1 and Appendix II).

5.2.2 Pseudoscorpiones (pseudoscorpions)

In Western Australia pseudoscorpions are represented by 19 families (Harvey 2013). They occur in most undisturbed terrestrial habitats but are easily unobserved due to their small size and cryptic behaviour. The Western Australian pseudoscorpion fauna is poorly known with only a few groups receiving taxonomic attention since the turn of the century and these are primarily focussed on subterranean species (Harvey & Edward 2007; Harvey & Volschenk 2007; Edward & Harvey 2008; Harvey & Leng 2008). The epigean (surface dwelling) fauna flagged as SREs or Potential SREs are largely undescribed.

FAMILY ATEMNIDAE

Most representatives of this family collected from Western Australia represent species in the genus Oratemnus. The taxonomy of Oratemnus is not well known and numerous undescribed species have been identified on the basis of their DNA sequences. In many baseline studies, Oratemnus sp. was regarded as being widespread; however, unpublished molecular data (WAM unpublished cited in Alacran 2021b) indicate that this genus is more complex and has greater diversity than is currently recognised.

***Oratemnus* 'WA1'**

Sequencing: six samples of Oratemnus sp. were matched to each other using DNA sequences and grouped with five GenBank reference sequences and one Alacran reference sequence (AES190320; T149473) (Figure 5.4 of Appendix III).

T149473 (AES190320) was collected ca 30 km to the south-southeast of Lamb Creek (unrelated project/client) and identified by WAM MSU as Oratemnus 'WA1' (E. Volschenk *pers. comm.*). Oratemnus 'WA1' is not considered SRE (E. Volschenk *pers. comm.*).

Forty-five specimens of Oratemnus 'WA1' were collected from the survey area (18 adult males, 13, adult females and 14 juveniles) from stony plain, tussock grassland drainage, mulga shrubland and medium drainage habitats (LC28, LC42, LC05, LC15, LC06, LC32, LC01, LC02, LC35, LC28) (Table 3.1 and Appendix II).

FAMILY CHTHONIIDAE

Chthoniidae represents a family of fairly primitive pseudoscorpions and in the Pilbara they are mostly represented by troglobitic species in the genera Tyrannochthonius and Lagynochthonius. Epigean (surface) chthoniids are known from the Pilbara and are representatives of the genera Tyrannochthonius and Austrochthonius. Only one epigean species is described, *Tyrannochthonius aridus*; however, that species is known to represent a species complex (E Volschenk pers comm).

Austrochthonius 'LCr01'

Sequencing: this morphospecies could not be matched to a GenBank or Alacran reference sequence at species level and was found to be cogeneric with Austrochthonius 'Australia'- EU559513 and Austrochthonius sp.- EU559512 (Figure 5.5 of Appendix III). WAM MSU concluded the specimen represented a new undescribed or previously un-sequenced species (Wilson & Harvey 2021, Appendix V).

The taxon is regarded as a potential SRE owing to limited taxonomic resolution (Alacran 2021a).

Austrochthonius 'LCr01'was represented by a single collection from the survey area (one male), sampled from mulga shrubland habitat (LC06). The site was within 100 meters of footprint V3 in R47/19 (Table 5.1, Figure 5.1, Appendix II).

FAMILY OLPIIDAE

Olpiidae is diverse in Western Australia; however, most of that diversity is undescribed and represented by genetically determined cryptic species (E Volschenk pers comm).

Sequencing determined the identity of 12 samples that were loosely assigned to five morphospecies of the genera Indolpium (three morphospecies), Euryolpium (one morphospecies) and one morphospecies from an unknown genus.

Euryolpium 'LCr01'

Six samples of Euryolpium were grouped together according to DNA sequences. This taxon could not be matched to a known species or morphospecies from GenBank, Alacran or WAM MSU sequence databases (Appendix III, Appendix V).

Fifteen specimens of Euryolpium 'LCr01' were collected from the survey area (three adult males, six adult females and six juveniles) from deep gully and shallow open gully habitats, corresponding to areas of high elevation (LC21, LC20, LC14, LC12, LC13) all outside of footprint V3 (Table 5.1 and Appendix II).

Beyond Lamb Creek, this taxon is not currently known to occur elsewhere, representing a new undescribed or previously unsequenced species (Wilson & Harvey 2021). Euryolpium 'LCr01' is a potential SRE owing to data deficiency concerning its distribution limits (Alacran 2021a).

Indolpium 'LCr04'

Three samples of Indolpium 'LCr04' were grouped together according to DNA sequences. The taxon could not be matched to a known species or morphospecies from GenBank, Alacran or WAM MSU sequence databases (Figure 5.7 of Appendix III, Appendix V).

WAM MSU do not have a good grasp of typical species level divergences in this group, so it is unclear if the queried taxa is conspecific with others or not (Wilson & Harvey 2021). This species is a potential SRE owing to data deficiency concerning its distribution limits (Alacran 2021a).

Three specimens of Indolpium 'LCr04' were collected from the survey area (one adult male, one adult female and one juvenile) from deep gully and shallow open gully habitats, corresponding to areas of high elevation (LC21, LC20, LC14, LC12, LC13) all outside of footprint V3 (Table 5.1, Figure 5.1, Figure 5.2, Figure 5.2, Appendix II).

Indolpium 'LCr05'

This taxon could not be matched to a known species or morphospecies from GenBank, Alacran or WAM MSU sequence databases (Figure 5.7 of Appendix III, Appendix V).

The Lamb Creek specimen is 12.82% divergent from its nearest relative in the tree (WAM T114698). WAM MSU do not have a good grasp of typical species level divergences in this group, so it is unclear if the queried taxa is conspecific with others or not (Wilson & Harvey 2021). This species is a potential SRE owing to data deficiency concerning its distribution limits (Alacran 2021a).

One specimen of Indolpium 'LCr05' was collected from the survey area (one adult female) from a minor drainage habitat (LC23) within footprint V3 (Table 5.1, Figure 5.2, Appendix II).

Indolpium 'LCr03'

Three samples of Indolpium 'LCr03' were grouped together according to DNA sequences. This taxon could not be matched to a known species or morphospecies from GenBank, Alacran or WAM MSU reference sequences (Figure 5.7 of Appendix III, Appendix V).

The Lamb Creek specimen is 10.38% divergent from its nearest relative in the tree (WAMT149362). WAM MSU do not have a good grasp of typical species level divergences in this group, so it is unclear if the queried taxa is conspecific with others or not (Wilson & Harvey 2021). This species is a potential SRE owing to data deficiency concerning its distribution limits (Alacran 2021a).

Two specimens of Indolpium 'LCr03' were collected from the survey area during the 2020 vertebrate pitfall trapping (one adult female and one adult male) from hillcrest/hillslope habitat (LCS10) within footprint V3 (Table 5.1, Figure 5.1 of Appendix II). Indolpium 'LCr03 was not recollected during the 2021 foraging survey.

Olpiidae 'LCr02'

Three samples of Indolpium 'LCr02' were grouped together according to DNA sequences. This taxon could not be matched to a known species or morphospecies from GenBank or Alacran sequences (Figure 5.6 in Appendix III) but was matched with specimens WAMT122180 and T122190 that were collected approximately seven kilometres north of the Lamb Creeks specimen (Wilson & Harvey 2021, Appendix V). Olpiidae 'LCr02' represents a known but undescribed species (Wilson & Harvey 2021) and is a potential SRE owing to data deficiency concerning its distribution limits (Alacran 2021a).

Three specimens of Olpiidae 'LCr02' were collected from the survey area (one adult female and one juvenile) from hillcrest/hillslope habitat during the 2020 vertebrate fauna survey within footprint V3 (LCS10) (Table 5.1, Figure 5.1, Appendix II). Olpiidae 'LCr02' was not re-collected during the 2021 foraging survey.

5.2.3 Scorpiones (scorpions)

Scorpions are represented by four families from Western Australia. Short-range endemic species are known from the families Buthidae, Urodacidae and Hormuridae. Australian scorpion fauna is poorly understood with as much as 85% suspected of being undescribed (Volschenk et al. 2000; (Volschenk & Prendini 2008; Volschenk et al. 2010; (Volschenk et al. 2012; (Harvey 2014).

In Western Australia, the family Buthidae is represented by three genera, Lychas, Isometroides and Isometrus. Representatives of Lychas are frequently collected in surveys within Western Australia and current investigations on the genus Lychas by the WAM indicates the presence of several species' complexes, some of which appear to contain SREs (Alacran 2021b).

The family Urodacidae is represented by two genera, Urodacus and Aops, the latter *Aops oncodactylus* is only known from a single specimen from Barrow Island (Volschenk & Prendini 2008). Most species of Urodacus appear to be relatively widespread, but are often patchily distributed, such as their distribution does not equate to their area of occupation (Volschenk et al. 2010). Several Urodacus species are also known to be SREs including the described species *Urodacus planimanus* and *Urodacus koolanensis* as well as several undescribed species from the Pilbara.

Thirty-three specimens were collected during the vertebrate fauna survey (2020), and three specimens were collected during the 2021 survey period, all from the *Lychas* genera (Buthidae).

Lychas 'bituberculatus complex'

The *Lychas* 'bituberculatus complex' is a known species complex that supports multiple cryptic species (E. Volschenk unpublished data provided by Alacran). Five samples that were assigned to the morphospecies of '*Lychas* 'bituberculatus complex' on the basis of morphology, were matched according to DNA sequences. The Lamb Creek collections were grouped with seven reference sequences (GenBank and Alacran) (Figure 5.8 of Appendix III).

This species is a potential SRE owing to data deficiency concerning its distribution limits (Alacran 2021a).

Specimens of '*Lychas* 'bituberculatus complex')13 adult males, 1 adult female and 2 juveniles) were collected from five sites within the survey area, from mulga shrubland and stony plain habitat. The taxon has been collected from five sites, with the majority (LC16, LC28, LCS05, LCS06) within footprint

V3 and one site (LCS04) adjacent to footprint V3 (Table 5.1, Figure 5.1, Figure 5.2, Figure 5.3, and Appendix II).

Specimen AES190065 (WAM 149489) from the Alacran sequence library that matched with the Lamb creek specimen (Appendix III) was collected approximately 30 km to the south south-east of Lamb Creek.

Lychas 'multipunctatus complex'

The Lychas 'multipunctatus complex' is a known species complex that support multiple cryptic species (Volschenk unpublished data provided by Alacran). One sample that was assigned to the morphospecies of Lychas 'multipunctatus' was grouped with three reference sequences (Figure 5.8, Appendix III) with two reference sequences closely matching the Lamb Creek specimen (Lychas SCO046 (multpunctatus cmpx)-MW078434 and Lychas SCO046 (multpunctatus cmpx) – AES190080).

This taxon is a potential SRE owing to data deficiency concerning its distribution limits (Alacran 2021a).

One adult male was sampled from the survey area during the 2020 vertebrate fauna survey from tussock grassland habitat outside of footprint V3 (LCS01) (Table 5.1, Figure 5.3, Appendix II). Lychas 'multipunctatus' was not recollected during the 2021 foraging survey.

Specimen AES190080 (WAM 149497): from the Alacran sequence library that matched with the Lamb creek sequence (Appendix III) was collected from approximately 30 km to the south of Lamb Creek.

Lychas 'hairy tail complex'

The *Lychas* 'hairy tail complex' is a known species complex that supports multiple cryptic species (E. Volschenk unpublished data). One specimen that was assigned to the morphospecies of Lychas 'hairy tail complex' was grouped with five GenBank reference sequences with undisclosed locations (Figure 5.8 of Appendix III).

This taxon is a potential SRE owing to data deficiency concerning its distribution limits (Alacran 2021a). One juvenile was sampled from deep gully habitat (LC21) outside of footprint V3 (Table 5.1, Figure 5.1, Appendix II).

Lychas 'pilbara 1'

Fifteen specimens of *Lychas* 'pilbara 1' were collected from the vertebrate fauna survey (2020) from mulga shrubland, medium drainage, stony plain and hillcrest/hillslope habitats (LCS06, LCS09, LCS05, LCS04, LCS10, LCS08).

Lychas 'pilbara 1' was identified by Alacran on the basis of morphology and is considered a widespread species (E. Volschenk unpublished data provided by Alacran).

Lychas 'harveyi complex'

Fifteen specimens of *Lychas* 'harveyi complex' were collected during the vertebrate fauna survey (2020) from medium drainage, stony plain, tussock grassland and mulga shrubland habitats (LCS07, LCS05, LCS01, LCS06 and LCS08) (Figure 5.1, Figure 5.2, Figure 5.3) Lychas 'harveyi complex' was collected during the 2012 Lamb Creek fauna survey from a variety of habitats.

Lychas 'harveyi complex' was identified by Alacran on the basis of morphology. This taxon is considered a potential SRE because it is a species complex containing potential SRE (Volschenk unpublished data provided by Alacran).

The *Lychas* 'harveyi complex' specimens were not sequenced with the other specimens, as they were believed to be widespread at the time. The change in status only came into effect in October 2021 (E. Volschenk pers. comm. 22 October 2021). The nearest WAM database record of Lychas 'harveyi complex' is from Area C ca. 14 kilometres to the south east. Only sequencing will confirm if all the individuals collected from Lamb Creek are the same species as each other and the same species as those collected from Area C or those collected in 2012. Regardless, given the taxon was collected from four habitats in 2021, it does appear (based on morphology) that *Lychas* 'harveyi complex' occurs across multiple habitats in the survey area.

5.2.4 Chilopoda (centipedes)

Two orders of centipedes from Western Australia are known to contain SREs: Geophilomorpha (Soil Centipedes) and members of the family Cryptopidae from the order Scolopendromorpha. Geophilomorphs and cryptopids are blind and strongly associated with habitats characterised by numerous rocks or boulders, and habitats with deep leaf litter, usually encountered when turning over rocks or larger pieces of fallen wood/logs. Members of both groups are also frequently collected in subterranean fauna surveys where their presence as troglofauna or soil fauna is debated. Regardless of their specific ecophysiological requirements, unpublished genetic studies on Pilbara cryptopids and geophilomorphs, both terrestrial and subterranean, indicates highly localised genetic species. For this reason, species occurring in arid or semi-arid environments may be considered SRE (E. Volschenk *pers. comm.*).

5.2.4.1 Geophilomorpha (Soil Centipedes)

Geophilomorpha represents the largest (most speciose) of centipede orders but it is also the most taxonomically challenging owing to their highly reduced mouth parts, features heavily relied on for diagnosing species in other centipede orders. The recent application of DNA sequencing to this group of centipedes has exposed numerous species and most appear to be SRE (E Volschenk pers comm).

The survey collected representatives of three taxa belonging to three families: Sepedonophilus sp. (Chilenophilidae); Mecistocephalus sp. (Mecistocephalidae) and Oryidae sp. (Oryidae). For species level taxonomic resolution, all specimens required assessment using DNA sequences (Appendix III) and publicly available sequences are lacking.

FAMILY CHILENOPHILIDAE

Sepedonophilus 'LCr01'

Two samples of this taxon were matched to each other using DNA sequences. This taxon could not be grouped with GenBank or Alacran reference sequences (Figure 5.9 of Appendix III). Sepedonophilus 'LCr01' is a potential SRE owing to data deficiency concerning its distribution limits (Alacran 2021a). The sequences were not run against the WAM MSU sequence databases because WAM advised at the time of the request that there was no applicable sequence data available (E. Volschenk *pers. comm.*).

Two specimens of Sepedonophilus 'LCr01' were collected from the survey area from shallow open gully habitats outside of the footprint V3 (LC14 and LC12) (Table 5.1, Figure 5.1, Appendix II).

FAMILY MECISTOCEPHALIDAE

Mecistocephalus 'LCr01'

Six samples of this taxon were matched to each other using DNA sequences. This taxon could not be grouped with GenBank, Alacran or WAM MSU reference sequences (Figure 5.10 of Appendix III, Appendix V).

Six specimens of Mecistocephalus 'LCr01' were sampled from the survey area from mulga shrubland and stony plain habitats within disturbance footprint V3 (LC05, LC04, LC16) (Table 5.1, Figure 5.1, Appendix II).

Beyond Lamb Creek, this taxon is not currently known to occur elsewhere, representing a new undescribed or previously unsequenced species (Wilson & Harvey 2021). Mecistocephalus 'LCr01' is regarded as a potential SRE owing to data deficiency concerning its distribution limits (Alacran 2021a).

Mecistocephalus 'LCr02'

One sample was delineated as separate and given the morphospecies name of Mecistocephalus 'LCr02'. This taxon could not be matched to a known species or morphospecies from GenBank , Alacran or WAM MSU sequence databases (Figure 5.10 of Appendix III, Appendix V).

One specimen of Mecistocephalus 'LCr02' was sampled from the survey area from a tussock grassland habitat (LC34) adjacent to disturbance footprint V3 (Table 5.1, Figure 5.3, Appendix II).

Beyond Lamb Creek, this taxon is not currently known to occur elsewhere, representing a new undescribed or previously unsequenced species (Wilson & Harvey 2021). Mecistocephalus 'LCr02' is regarded as a potential SRE owing to data deficiency concerning its distribution limits (Alacran 2021a).

FAMILY ORVIDAE

Orphnaeus 'LCr01'

This taxon could not be matched to a known species or morphospecies from GenBank or Alacran sequences (Figure 5.11 of Appendix III) and is regarded as a potential SRE owing to data deficiency concerning its distribution limits (Alacran 2021a). The sequence was not run against the WAM MSU sequence databases because WAM advised at the time of the request that there was no applicable sequence data available (E. Volschenk *pers. comm.*).

One specimen was collected from the survey area from a medium drainage habitat within disturbance footprint V3 (LC01) (Table 5.1, Figure 5.1, Appendix II). This taxon is not currently known to occur elsewhere.

Scolopendromorpha

Scolopendromorph centipedes represent the largest centipedes and are the ones most commonly encountered native centipedes. The order is represented by two families, Scolopendridae and Cryptopidae, both present in Western Australia. Scolopendridae is relatively well known taxonomically in Western Australia where most epigean (surface) species in this family appear to be widespread. Accordingly, several non-target species were collected from the survey area but were assessed to be widespread or not from groups known to be SRE (*Arthrorhabdus mjobergi, Cormocephalus aurantiipes, Cormocephalus westangelasensis, Scolopendra laeta, Scolopendra morsitans*).

Collections were also made from the order Scutigeromorpha that were also deemed to be non-target, widespread species.

FAMILY CRYPTOPIDAE

Cryptopidae is poorly known and in Western Australia and in the Pilbara they are known mostly from subterranean SRE (troglobitic) species, none of which are described (Volschenk pers comm). Epigean cryptopids are rare in the Pilbara and molecular species delimitation indicates that they are also SREs Volschenk unpublished data provided by Alacran).

Cryptops 'LCr01'

This taxon could not be grouped with reference library sequences from GenBank, Alacran or WAM MSU (Figure 5.12 of Appendix III, Appendix V) and is regarded as a potential SRE owing to data deficiency concerning its distribution limits (Alacran 2021a).

One specimen was sampled from the survey area from a shallow open gully habitat (LC14) located outside of disturbance footprint V3 (Table 5.1, Figure 5.1, Appendix II). This taxon is not currently known to occur elsewhere and represents a new undescribed or previously unsequenced species (Wilson & Harvey 2021).

Cryptops 'LCr02'

This taxon could not be grouped with GenBank, Alacran or WAM MSU reference sequences (Figure 5.12 of Appendix III, Appendix V) and is regarded as a potential SRE owing to data deficiency concerning its distribution limits (Alacran 2021a).

One specimen was sampled from the survey area from a stony plain habitat (LC16) located within disturbance footprint V3 (Table 5.1, Figure 5.1, Appendix II).

This taxon is not currently known to occur elsewhere and represents a new undescribed or previously unsequenced species (Wilson & Harvey 2021).

5.2.5 Diplopoda (millipedes)

In Western Australia, millipedes are diverse and are often short-range endemic fauna. Five orders are known to contain epigean (surface dwelling) SREs: Polydesmida (Car & Harvey 2013; (Car, Short, et al. 2013; (Car, Wojcieszek, et al. 2013; Car & Harvey 2014), Polyzoniida (Harvey 2002; Moir & Harvey 2008; Harvey et al. 2011), Spirobolida (Harvey 2002; Harvey et al. 2011) Spirostreptida (Edward & Harvey 2010) and Sphaerotheriida (Harvey 2002; Moir & Harvey 2008; (Harvey et al. 2011).

In the Pilbara, Paradoxosomatidae are represented by two described genera Antichiropus and Boreohesperus, both of which contain SRE representatives and Spirobolis likely harbour significant undescribed species diversity (Harvey pers comm cited in Alacran (2018); (WAM 2021)).

The orders Polyzoniida (sucking millipedes) and Spirostreptida are poorly known from the Pilbara; however, based on investigations of the fauna of south western Australia (Harvey 2002; Moir et al. 2009; Edward & Harvey 2010; Harvey et al. 2011), it is likely that most Pilbara representatives are SRE.

5.2.5.1 Spirobolida (Roundback millipedes)

Until recently, the Pilbara spirobolida was thought to be represented by a single widespread species *Austrostrophus stictopygus* (Hoffman 2003) and the troglobitic genus Speleostrophus (Hoffman 1994). Molecular investigations into this group by the WAM indicate significant variation between some Pilbara populations of *Austrostrophus stictopygus* which are consistent with species level divergences (Harvey pers comm cited in Alacran (2018); (WAM 2021)). *Austrostrophus stictopygus* therefore appears to represent a complex of species, some of which may be SREs.

Four spirobolids (Trigoniulidae) were collected from the survey area and for species level taxonomic resolution, all specimens required assessment using DNA sequences.

Austrostrophus 'Clade A'

Two samples were matched using DNA sequences and grouped with 12 reference sequences from GenBank of undisclosed sampling location (Figure 5.13 of Appendix III). This taxon is a potential SRE owing to data deficiency concerning its distribution limits (Alacran 2021a).

Two specimens of Austrostrophus 'Clade A' were sampled from the survey area from mulga shrubland and the shallow open gully habitat (LC15, LC20) both within and outside of disturbance footprint V3 (Table 5.1, Figure 5.1, Appendix II).

Austrostrophus 'Clade M', (Alacran Preliminary ID: Austrostrophus 'Clade Lc01')

Two Lamb Creek samples were matched to each other using DNA sequencing. This taxon could not be grouped with reference library sequences (Figure 5.13 of Appendix III, Appendix V) and is recognised that there are few publicly available reference sequences of Austrochthonius available to enable confident species delimitation (Alacran 2021a).

Wilson & Harvey (2021) found the Lamb Creek specimen was at least 6.08% divergent from its nearest relative in the tree (WAMT100193). Based on the topology of the tree, which places this specimen on a branch that falls between known clades (Wilson & Harvey 2021). Wilson and Harvey (2021) allocated this taxon a new clade name (M) where clade names approximate species level clades i.e.. Austrostrophus 'clade M', represents a new undescribed or previously unsequenced species. This taxon is a potential SRE owing to taxonomic data deficiency (Alacran 2021a).

Two specimens of Austrostrophus 'Clade M' were sampled from stony plain and mulga shrubland habitats (LC28, LC04) (Table 5.1, Figure 5.1, Appendix II). Both collection sites were within disturbance footprint V3.

5.2.5.2 Polyxenida (pincushion millipedes)

The order Polyxenida (pincushion millipedes) contains mostly widespread epigean (surface dwelling) species (Short & Huynh 2011, 2013).

Polyxenidae sp.

Three pincushion millipede specimens were collected from the survey area (LC12, LC01 and LC04) but were assessed to be widespread and not from groups known to be SRE.

5.2.6 Isopoda (slaters)

The Western Australian terrestrial isopod fauna is largely undescribed and is diverse (Judd & Horwitz 2003; Judd & Perina 2013). Isopods have poor dispersal capabilities and often have specific habitat preferences, making them target SRE taxa.

Four samples of the genus Buddelundia and one Buddelundiinae of the family Armadillidae were sequenced to determine species level taxonomic resolution. Additional representatives of Buddelundia (identified on morphology) were also sequenced as additional reference taxa for comparison with the unidentified taxa.

Buddelundia '13'

Buddelundia '13' is a relatively small morphospecies belonging to a complex found in the Pilbara region likely to contain numerous species (S Judd unpublished data provided by Alacran). Two Lamb Creek samples identified as Buddelundia '13' via morphology were matched using DNA sequences (Figure 5.14 of Appendix III) but were not grouped with reference sequences as reference sequences were not available for the species. Buddelundia '13' is a potential SRE owing to data deficiency concerning its distribution limits (Alacran 2021a).

Ten specimens of Buddelundia '13' (four adult males, two adult females and four juveniles) were collected from the survey area from deep gullies, medium drainage and mulga shrubland habitats (LC21, LC01, LC13, LC39A, LC04) from within and outside of disturbance footprint V3 (Table 5.1, Figure 5.1, Figure 5.2, Figure 5.3, Appendix II).

The WAM database search yielded twenty-two regional collections of Buddelundia '13' from locations such as Cloudbreak, Wonmunna, Christmas Creek and Turee Syncline (Reg No: 62079, 62078, 62077, 62076, 62081, 62082, 62083, 62729, 62963, 63269, 62965, 62964, 62080, 48222, 48228, 48227, 48225, 48224, 48223, 48221, 48226, 51859) (WAM 2020). The closest regional collections to the survey area are from Wonmunna, ca. 40 kilometres to the south-east.

At the time of report preparation there were no publicly available reference sequences or WAM MSU reference sequences available for comparison with the Lamb Creek specimens and the WAM database does not indicate if the specimens lodged in the WAM have been sequenced.

There were specimens initially identified on morphology as Buddelundia '13' collected from a different MRL site to the north-west. Sequencing found that the Lamb Creek specimens (AES210142, AES210215) did not match with these specimens (AES210628, AES210616, AES210571) (Alacran Environmental Science 2021b), confirming there is more than one clade in this complex and there is limited value to compare WAM database search results to the Lamb Creek results.

Buddelundia '10ma'

Two Lamb Creek samples were matched together using DNA sequences verifying the morphological identification as Buddelundia '10ma'. Samples were not grouped with reference sequences as reference sequences were not available for the taxon (Figure 5.14 of Appendix III). Buddelundia '10ma' has a limited distribution and is considered a potential SRE (S Judd unpublished data provided by Alacran).

Three specimens of Buddelundia '10ma' (one adult male and two adult females) were collected from the survey area from stony plain habitat (LC22). This site falls within disturbance footprint V3 (Table 5.1, Figure 5.2, Appendix II).

Regionally, Buddelundia '10ma' has been collected from another MRL site approximately 53 kilometres to the north-east of Lamb Creek, and sequencing found that specimens AES210603A, AES210576, AES210608, AES210602, AES210644, AES210622 matched with the sequenced Lamb Creek specimen (AES210193) (Alacran 2021c).

Buddelundia '15'

Buddelundia '15' is a relatively widespread Hamersley Range species and not considered SRE (S Judd unpublished data provided by Alacran).

Four Buddelundia '15' samples were sequenced to provide a reference for other isopod taxa and all Buddelundia '15' samples were grouped together using DNA sequences verifying the morphological identification. Samples were not grouped with reference sequences as reference sequences were not available for the taxon (Figure 5.14 of Appendix III)., however at a later date, one specimen of Buddelundia '15'(AES210562) collected from a separate MRL site, approximately 53 kilometres to the north-east of Lamb Creek was matched via sequencing ((Alacran Environmental Science 2021b), confirming the widespread status.

Seven specimens of Buddelundia '15' (three adult males, one adult female and three juveniles) were collected from the survey area from mulga shrubland, medium drainage and tussock grassland habitats (LC06, LC15, LC05, LC06, LC39A, LC42) (Figure 5.1, Figure 5.2, Figure 5.3, Appendix II).

***Buddelundia* '16'**

This morphospecies has been collected extensively in numerous other projects in the area and was regarded as widespread (S Judd unpublished data provided by Alacran), however the WAM assessment is potential SRE. There are WAM database records of Buddelundia '16' however no sequenced specimen data to prove that all specimens currently lodged under that name represent the same species. Because it was considered widespread, this taxon was not sequenced.

Two specimens of Buddelundia '16' 1 adult male, 1 adult female) were collected from the survey area from deep gully habitats located off the V3 disturbance footprint (LC13) (Appendix II).

Buddelundiinae (Armadillidae) 'ISOP009'

The specimen collected from the survey area belongs to an undescribed genus closely related to *Buddelundia* which is mostly found in the Pilbara region. This type of isopod lacks the morphological characters used to determine *Buddelundia* and it is, therefore, difficult to determine morphospecies (S Judd pers comm provided by Alacran).

One sample of this taxon was matched with one of the reference isopod taxon on GenBank (MT902625) (Figure 5.14 of Appendix III).

Morphologically the Lamb Creek specimen was unusual and differed from other specimens of this genus in a couple of obvious morphological characters, the taxa are much less common than *Buddelundia* and all are potential SRE species (S Judd unpublished data provided by Alacran). Consequently, Buddelundiinae (Armadillidae) 'ISOP009' is a potential SRE owing to data deficiency concerning its distribution limits (Alacran 2021a).

One specimen was collected from the survey area from medium drainage habitat (LC01) within disturbance footprint V3 (Table 5.1, Figure 5.1, Appendix II).

The Lamb Creek specimen falls within a clade that represents a known but undescribed species of Armadillidae with a code from GenBank ISOP009 (2.13% divergent). That specimen was collected 124 kilometres north-west of this target specimen (Wilson & Harvey 2021, Appendix V). A second collection of Buddelundiinae (Armadillidae) 'ISOP009' was made from a different MRL site to the northwest and matched via sequencing (AES210609, AES210594). (Alacran Environmental Science 2021b).

5.2.7 Gastropoda (Snails)

FAMILY BOTHRIEMBRYONITIDAE

Bothriembryontidae is represented by the genus Bothriembryon, which is endemic to Australia. The genus is represented by 31 described species in Western Australia, many of which are SREs.

Bothriembryon 'BOT065', (Alacran Preliminary ID: Bothriembryon 'Pilbara')

Three live samples of Bothriembryon were collected from the survey area, all from a single site (LC07) within the mulga/Corymbia plain broad fauna habitat. The specimens were collected under spinifex clumps during a period of significant rainfall (34.6 mm was recorded on 19th March at Newman Aerodrome). The sampling location was within disturbance footprint V3 (Table 5.1, Figure 5.1, Appendix II).

Based on traditional morphological analysis this morphospecies was thought to be widespread in the eastern and central Pilbara (Alacran 2021a), distributed across most of the Hamersley Range, from Gregory Gorge at the north-western end, intermittently through to Roy Hill at the south-eastern end of the Hamersley Range. There is considerable variation in the shell characters of specimens from the Hamersley Range, and it is not known whether one or more species exists (Durrant 2011).

DNA barcoding assessment by WAM MSU assigned the Lamb Creek specimen to a clade known as BOT065, representing a known but undescribed species of Bothriembryon. (Wilson & Harvey 2021, Appendix V). There are 44 records of Bothriembryon 'BOT065' held by WAM MSU extending 170 kilometres from Prairie Downs west of Newman to near Tom Price (WAM unpublished data supplied by Alacran).

Bothriembryon 'BOT065' is regarded as a potential SRE owing to data deficiency concerning its distribution limits (Alacran 2021a).

FAMILY SUBULINIDAE

Eremopeas interioris

This species is native to the warmer areas of Australia, being recorded in Western Australia from the North West Cape area to the Kimberley, and through the Northern Territory to western Queensland. In the Pilbara Region it has been found in the areas of Roy Hill, Port Hedland, and across much of the Hamersley Range (Durrant 2011).

Eremopeas interioris is regarded as widespread and non-target . One specimen was collected from the survey area (LC13) from deep gully habitat (Whisson & Kirkendale 2014).

5.3 Habitat

On a macro scale there is connectivity of all habitats to the surrounding landscape, accordingly, it is unlikely that the Potential SRE taxa collected would be restricted to survey area habitats especially where the survey area is narrow (haul road portion). As with all SRE invertebrate surveys, there are limitations to using broad habitat to predict whether a species is restricted and only more surveying, sequencing and greater public access to sequencing data will confirm whether a species is restricted.

Potential SRE taxa collected from each of the seven broad fauna habitats are summarised in Table 5.2

Table 5.2 Potential SRE taxa collected across broad fauna habitats in the survey area

Potential SRE Taxon	Broad vertebrate fauna habitats *						
	STPL	HCHS	GGRB	MEDR	MIDR	MCPL	TGPL
Austrochthonius 'LCr01'						x	
Austrostrophus 'Clade A'			x			x	
Austrostrophus 'clade M'	x					x	
Bothriembryon 'BOT065'						x	
Buddelundia '10ma'	x						
Buddelundia '13'			x	x		x	
Buddelundia '16'			x				
Buddelundiinae (Armadillidae) 'ISOP009'				x			
Cryptops 'LCr01'			x				
Cryptops 'LCr02'	x						
Euryolpium 'LCr01'			x				
Indolpium 'LCr03'		x					
Indolpium 'LCr04'			x				
Indolpium 'LCr05'					x		
Kwonkan 'MYG324'						x	
Lychas 'bituberculatus complex'	x					x	
Lychas 'hairy tail complex'			x				
Lychas 'harveyi complex'	x			x		x	x
Lychas 'multipunctatus complex'							x
Mecistocephalus 'LCr01'	x					x	
Mecistocephalus 'LCr02'							x
Olpiidae 'LCr02'		x					
Orphnaeus 'LCr01'				x			
Sepedonophilus 'LCr01'			x				

*Footnotes: * Habitats: STPL = Stony plain; HCHS = Hill crests and hill slopes; GGRB = Gullies, gorges and rocky breakaways; MEDR = Medium drainage lines; MIDR = Minor drainage lines, MCPL = Mulga/Corymbia plain; TGPL = Tussock grassland plain.*

5.3.1 Stony plain

The stony plain habitat generally has skeletal soils with loamier patches adjacent to drainage and sparse to patchy vegetation (mainly Triodia hummock grassland) with various overstory that provides minimal to some shading and patchy litter. On the survey area within this habitat there are no areas of continuous shade occurring due to topography. Within the survey area this habitat type is continuous not isolated. Suitability for SRE is medium to low suitability based on low - medium protection and low isolation. This broad habitat type is not restricted to the survey area.

Six potential SRE category taxa were collected from this habitat over 2020 and 2021 combined. In 2021 five potential SRE category taxa were collected from this habitat type: Austrostrophus 'Clade M', Buddelundia '10ma', Cryptops 'LCr02', Lychas 'bituberculatus complex' and Mecistocephalus 'LCr01'. In 2020 Lychas 'bituberculatus complex' was collected from dry pitfall traps within the stony plain habitat.

Cryptops 'LCr02, and Buddelundia '10ma' have been collected from this habitat type only.

5.3.2 Hill crests and hill slopes

The hillcrest/hill slope habitat generally has skeletal soils and sparse vegetation (mainly Triodia hummock grassland) that provides little if any protection from exposure and no leaf litter or woody debris accumulation (Appendix II). Steep, south-facing hill slopes can provide a degree of protection; however, within the survey area there are no areas of high elevation that are steep, south facing and constantly shaded. Within the survey area this habitat type is continuous (not isolated). Suitability for SRE is low based on low protection and low isolation and this broad habitat type is not restricted to the survey area.

In 2021 no potential SRE category taxa were collected from this habitat type. Indolpium 'LCr03' and Olpiidae 'LCr02' were collected from litter sifts that occurred during the 2020 vertebrate fauna survey and have not been collected from other habitat types.

5.3.3 Gorges, gullies and rocky breakaways

Within this habitat protection is medium to high dependent on orientation and gully depth where the majority of the gullies on the survey area are shallow and offer low protection. In the deepest gullies on the survey area leaf litter accumulation was common and areas of partial to full shade (deep cracks) were recorded as were Ficus (Appendix II). No areas of permanent or semi permanent water or seeps have been found on the survey area to date. In the deep gullies after rain small rockpools form but dry out due to evaporation.

The deepest gullies on the project area occur on the south eastern corner of the survey area within a north-west and northern-facing slope. Within the survey area this habitat type is not isolated with no gorges terminal gorges or gullies. Suitability for SRE is rated as medium to high. This broad habitat type is not restricted to the survey area.

Shallow open gully and deep gully habitats fall within this broad habitat. Eight potential SRE category taxa were collected from this habitat over the 2020 and 2021 field surveys combined. In 2021 eight potential SRE category taxa were collected from this habitat type: Austrostrophus 'Clade A', Buddelundia ‘13’, Buddelundia ‘16’, Cryptops 'LCr01', Euryolpium 'LCr01', Indolpium 'LCr04', Lychas ‘hairy tail complex’, and Sepedonophilus 'LCr01'.

Lychas 'hairy tail complex', Cryptops 'LCr01' and Sepedonophilus 'LCr01' were collected from this habitat type only.

5.3.4 Medium drainage lines

Connectivity of the medium drainage habitat is high, as this habitat is part of an interconnected network prone to disturbance from flooding. This habitat provides higher protection than the surrounding stony plain habitat due to partial shading from vegetation and some leaf litter and woody debris. This habitat typically has deeper loamier soils than the surrounding stony plain, therefore greater potential to retain moisture. In the survey area, detritus and litter within this habitat was sparse or in piles without accumulated soil - indicating recent fast flow and little opportunity for soil and fine detritus to accumulate. Suitability for SRE is medium to low based on medium to low protection and low isolation. This broad habitat type is not restricted to the survey area.

Four potential SRE category taxa have been collected from this habitat type. These were Lychas ‘harveyi complex’ collected in 2020 from dry pitfall trapping, and Buddelundia '13', Buddelundiinae (Armadillidae) 'ISOP009' and Orphnaeus 'LCr01' collected in 2021.

Buddelundiinae (Armadillidae) 'ISOP009' and Orphnaeus 'LCr01' were collected from this habitat type only.

5.3.5 Minor drainage lines

Despite some patchy shading from vegetation the minor drainage lines assessed had low soil moisture levels, low accumulated litter, and generally gravelly soils. Connectivity of minor drainage is high as the drainage lines flow fast after significant rainfall into a network of drainage. Suitability for SRE is low based on low protection and low isolation. This broad habitat type is not restricted to the survey area.

In 2021 one potential SRE category taxa was collected from this habitat type; Indolpium 'LCr05'.

5.3.6 Tussock grassland plain

The tussock grassland plain habitat is connected via vegetation and undefined flow occurs after significant rainfall. The mulga stands provide shade; however, the stands are not extensive or thick, therefore the shade is patchy as is the accumulated litter. The soils are loamier than the surrounding habitats, so there are areas of higher soil moisture under the bigger mulga stands. Suitability for SRE is medium based on low isolation and medium protection. This broad habitat type is unlikely to be restricted to the survey area.

Three potential SRE taxa have been collected from this habitat type. In 2020 Lychas ‘multipunctatus complex’ and Lychas ‘harveyi complex’ were collected from a dry pitfall trap (LCS01) during the 2020 vertebrate fauna survey. In 2021 Mecistocephalus ‘LCR02’ was collected from a litter sift at site LC34.

Both Lychas ‘multipunctatus complex’ and Mecistocephalus ‘LCR02’ were not collected from other habitat types.

5.3.7 Mulga/Corymbia plain

The mulga/corymbia plain habitat has high connectivity due to drainage, however it is sheet flow rather than fast flowing channel drainage. Mulga stands provide shade; however, the stands are not extensive

or thick, therefore the shade is patchy as is the accumulated litter and associated patches of moister soil. Within the mulga patches this habitat provides loamier soil for burrowing species, however the substrate in adjacent run-on areas is predominantly hard and stony. Suitability for SRE is medium based on low isolation and medium protection. This broad habitat type is unlikely to be restricted to the survey area. However, mulga is sensitive to disruptions to sheet flow, and any disturbances that disrupt sheet flow could impact this habitat both within and outside the project area. Hence, in situations where the footprint V3 would impact sheet flow, it is not important whether sites are inside or outside of the footprint area as impacts would extend well beyond.

Nine taxa of potential SRE invertebrates were collected from this habitat over the 2020 and 2021 field surveys, through the combined methods of dry pitfall trapping, litter sifting, and burrow excavations. These taxa were: Austrochthonius 'LCr01', Austrostrophus 'Clade A', Austrostrophus 'clade M', Bothriembryon 'BOT065', Buddelundia '13', Kwonkan 'MYG324', Lychas 'bituberculatus complex', Lychas 'harveyi complex', and Mecistocephalus 'LCr01'.

Austrochthonius 'LCr01', Bothriembryon BOT065, and Kwonkan 'MYG324' were only recorded from the mulga/corymbia plain habitat.

6 Survey adequacy and limitations

An assessment of survey adequacy , limitations and discussion and variance against EPA Technical Guidance for sampling SRE (Environmental Protection Authority 2016) is presented in Table 6.1.

Table 6.1 Limitations of the survey

Aspect	Limitation	Discussion
Scope and intensity	No	This survey was designed with the intention of sampling multiple habitats throughout the survey area, including habitats not typically thought to harbour SRE invertebrate groups. The survey targeted all invertebrate groups likely to represent SREs rather than just focussing on a small subset of these such as spiders or snails. All likely terrestrial SRE groups were sampled including some groups rarely sampled in terrestrial SRE surveys and more commonly detected in subterranean fauna surveys. There are difficulties that apply to all SRE surveys such as cryptic habitats and taxa occurring in low numbers leading to taxa being difficult to detect.
Availability of contextual information at a regional and local scale	No	Contextual information is strongly dependent on data from the WAM invertebrate databases. The Hamersley subregion has been subject to numerous SRE surveys, most associated with EIA for mining developments. Lodgement requirements of EPA (2009) make WAM database searches the most reliable source of contextual knowledge with which to assess the findings of this survey. Additional data sources include publicly available DNA sequences on GenBank from significant recent revisions of Australian and Western Australian Trapdoor Spiders (Rix, Wilson, et al. 2018); (Castalanelli et al. 2014); (Rix, Huey, et al. 2017); (Harvey et al. 2018); Rix, Huey, et al. 2018; Rix, Wilson, et al. 2018). The data required to classify SRE category taxa, and the interpretation of species' distributions is dependent on the current state of taxonomic and ecological knowledge of the target groups at time of survey and the public availability of this information. Contextual information is available for many groups but often not in published form. Numerous morphospecies could not be matched with WAM records on the basis of morphology. Molecular identifications relied heavily on DNA sequences available to the invertebrate taxonomist and publicly accessible via GenBank. The WAM internal collection of DNA sequences was also queried for additional morphospecies matches. Despite this there remains some SRE target groups that have few reference sequences available to query.
Competency/experience of the team carrying out the survey, including experience in bioregion surveyed	No	The field personnel have experience conducting SRE invertebrate surveys in Western Australia and surveying and collecting SRE target groups. The field team were advised by the invertebrate taxonomist (Dr Erich Volschenk) prior to the survey on locations and habitats to target prior to conducting the field work. The invertebrate taxonomist is well versed in the taxonomy of terrestrial arthropods using both morphological and molecular data and is experienced classifying SRE category taxa. This is especially important as currently WAM invertebrate database searches, although geographically filtered, do not come with taxonomic support/interpretation with regards to SRE category taxa and SRE status and there is a lag updating taxonomic knowledge. This is especially important as genetic analysis is finding

Aspect	Limitation	Discussion
		that many morpho-species once thought to be widespread are actually species complexes that may contain SRE species, and status is rapidly changing.
Proportion of fauna recorded and/or collected, any identification issues	No	Morphological identifications were made by the invertebrate taxonomist (Dr Erich Volschenk) using expert knowledge (scorpions and pseudoscorpions), or morphological comparisons against voucher specimens at the WAM. Where available, relevant taxonomic experts were consulted in order to identify unfamiliar species: Dr Simon Judd (independent taxonomist: terrestrial Isopoda). Where species boundaries were questionable and when suitable tissue samples were available, DNA barcoding was undertaken to help verify species identity. Where reference sequences were not available to help verify species identity, this is not seen as a limitation because taxa are still able to be given the status of Potential SRE based on morphology.
Was the appropriate area fully surveyed (effort and extent)	No	51 sites were sampled across the survey area. Use of helicopter meant that foraging sites were selected based on vegetation/litter cover and habitat complexity rather than a reliance of sites near tracks. All broad habitats of the survey area were sampled. This survey also targeted all invertebrate groups likely to represent SREs rather than just focussing on a small subset of these such as spiders or snails. Night spotting with UV lights was not conducted due to client safety requirements. Scorpions were sampled in 2020 through dry pitfall trapping, and via litter sifting in 2021. Therefore, there is representation of this group in the collection despite not being able to survey at night. Wet pits were not deployed as per client request. Wet pitfall traps, owing to their longer sampling period relative to foraging, would have increased diversity and abundance of SRE category taxa collected. This is not variance against guidance as SRE ((EPA 2016)) does not direct the use of wet pits over other sampling methods such as foraging. The species accumulation curve (section 4.2.3) depicted a curve that had not plateaued, indicating that more sampling would have yielded more species. This is not unusual for a single phased SRE survey or even multi phased SRE survey because of the cryptic nature of many of the target groups and the general lack of ecological knowledge of invertebrates in comparison to vertebrate fauna. Despite this, this survey is not at variance with the EPA Technical Guidance for sampling SREs because EPA 2016) offers no guidance on minimum survey effort for SRE surveys.
Access restrictions within the survey area	No	The survey area was accessible with minimal restrictions once land access was granted across the full survey area. Land access issues meant that the haul road portion of the survey area could not be visited until the latter half of the February sampling period.
Survey timing, rainfall, season of survey	No	The timing of the survey followed EPA (2016) and the survey intercepted a significant rainfall period.
Disturbances that may have affected the results of the survey (e.g. fire, flooding, clearing)	No	No disturbances beyond clearing for tracks and exploration office/ laydown

7 Conclusion

There are fourteen potential SRE taxa collected from the survey area that have not been recorded regionally. Of these taxa, six were recorded from the proposed footprint V3 only.

- Austrostrophus 'Clade M'
- Cryptops 'LCr02'
- Indolpium 'LCr03'
- Indolpium 'LCr05'
- Mecistocephalus 'LCr01'
- Orphnaeus 'LCr01'

Three taxa were collected from adjacent to the proposed disturbance footprint V3 only (within 100 metres). Of these taxa, two had not been recorded regionally.

- Austrochthonius 'LCr01'
- Mecistocephalus 'LCr02'

Potential SRE taxa were collected from all habitats. The mulga shrubland patches within the mulga/corymbia plain broad habitat yielded the highest abundance and species richness followed by stony plain, although survey effort was not uniform across habitats. The mulga/Corymbia plain habitat is sensitive to interruption of sheet flow, and impacts to sheet flow may affect the entire habitat, not just within the immediate footprint.

On a macro scale there is connectivity of all habitats to the surrounding landscape, accordingly, it is unlikely that the Potential SRE taxa collected would be restricted to survey area habitats especially where the survey area is narrow (haul road portion).

8 References

Acosta, L.E. (1990) El genero Cercophonius Peters, 1861 (Scorpiones, Bothriuridae). Boletín de la Sociedad de Biología de Concepción **61**, 7–27.

Alacran Environmental Science (2018) Short-range Endemic Assessment of Invertebrates from a two-season survey of the Paraburdoo Range. Report 1803. Report prepared for Astron (Rio Tinto).

Alacran Environmental Science (2021a) DNA-Barcoding report for the Lamb Creek Short-range Endemic Invertebrate Survey. Report 2116.

Alacran Environmental Science (2021b) Molecular Taxonomy report For Phil's Creek Invertebrates. Report No. 2106.DNA prepared for Rapallo, 16/11/2021.

Alacran Environmental Science (2021c) Baseline Short-range Endemic Invertebrate Survey for Mount Richardson Iron Ore Project.

Barret, M. and Hebert, P.D.N. (2005) Identifying spiders through DNA Barcodes. Canadian Journal of Zoology **83**, 481–491.

Bastin, G. (2008) Rangelands 2008 - Taking the Pulse. Canberra, Australian Capital Territory.

Beard, J.S. (1975) Vegetation Survey of Western Australia, Pilbara 1:1 000 000. Map and Explanatory Notes to Sheet 7. Published by University of Western Australia Press., Perth.

Beard, J.S. (1990) Plant life of Western Australia. Kangaroo Press, Kenthurst, N.S.W.

Beard, J.S. (2018) Pre-European Vegetation - Western Australia (NVIS Compliant version 20110715). ArcView shapefiles published by the Department of Primary Industry and Regional Development. The major sources of data in this database are the published and unpublished mapping of J.S. Beard at 1:250,000 scale.

Biologic (2017) Proposed Mining Area C Development Envelope Vertebrate Fauna Desktop Assessment. Report prepared for BHP Iron Ore Pty Ltd. February 2017.

Bureau of Meteorology (2021) Climate data online. Australian Government Bureau of Meteorology. http://www.bom.gov.au/climate/data/

Car, C.A. and Harvey, M.S. (2013) A review of the Western Australian keeled millipede genus Boreohesperus (Diplopoda, Polydesmida, Paradoxosomatidae). ZooKeys **290**, 1–19.

Car, C.A. and Harvey, M.S. (2014) The millipede genus Antichiropus (Diplopoda: Polydesmida: Paradoxosomatidae), part 2: species of the Great Western Woodlands region of Western Australia. Records of the Western Australian Museum **29**, 20–77.

Car, C.A., Short, M., Huynh, C. and Harvey, M.S. (2013) The millipedes of Barrow Island, Western Australia (Diplopoda). Records of the Western Australian Museum, Supplement **83**, 209–219.

Car, C.A., Wojcieszek, J.M. and Harvey, M.S. (2013) The millipede genus Antichiropus (Diplopoda: Polydesmida: Paradoxosomatidae), part 1: redefinition of the genus and redescriptions of existing species. Records of the Western Australian Museum **28**, 83–118.

Castalanelli, M.A., Teale, R., Rix, M.G., Kennington, J. and Harvey, M.S. (2014) Barcoding of mygalomorph spiders (Araneae: Mygalomorphae) in the Pilbara region of Western Australia. Invertebrate Systematics **28**, 375–385.

Colloff, M.J., Hastings, A.M., Spier, F. and Devonshire, J. (2005) Centipedes of Australia.

Colwell, R.K. (2016) EstimateS: Statistical estimation of species richness and shared species from samples. Version 9.1.0.

Cracraft, J. (1983) Species concepts and speciation analysis. In “Current Ornithology”. (Johnston, R. F. Ed.). Plenum Press, New York and London **1**, 159–187.

Crews, S.C. (2013) Thirteen new species of the spider genus Karaops (Araneae: Selenopidae) from Western Australia. Zootaxa **3647**, 443–469.

Crews, S.C. and Harvey, M.S. (2011) The spider family Selenopidae (Arachnida, Araneae) in Australasia. ZooKeys **99**, 1–103.

CSIRO Australia (2018) Australian Soil Resource Information System (ASRIS). http://www.asris.csiro.au/themes/Atlas.html

Department of Biodiversity Conservation and Attractions (2019) 2018 Statewide Vegetation Statistics incorporating the CAR Reserve Analysis (Full Report). Current as of March 2019. Government of Western Australia, Department of Biodiversity, Conservation and Attractions, Perth.

Department of the Environment and Energy (2012) Australia’s bioregions (IBRA), Version 7. http://www.environment.gov.au/land/nrs/science/ibra

Durrant, B. (2011) Short-range endemism in the Central Pilbara (Final Report). Wildlife Research Centre, Science Division, Woodvale WA 6026.

Edward, K.L. and Harvey, M.S. (2008) Short-range endemism in hypogean environments: the pseudoscorpion genera Tyrannochthonius and Lagynochthonius (Pseudoscorpiones: Chthoniidae) in the semiarid zone of Western Australia. Invertebrate Systematics **22**, 259–293.

Edward, K.L. and Harvey, M.S. (2010) A review of the Australian millipede genus Atelomastix (Diplopoda: Spirostreptida: Iulomorphidae). Zootaxa **2371**, 1–63.

Environmental Protection Authority (2009) Guidance Statement No. 20: Sampling of Short-Range Endemic Invertebrate Fauna for Environmental Impact Assessment In Western Australia.

Environmental Protection Authority (2016) Technical Guidance - Sampling of Short-Range Endemic Invertebrate Fauna. December 2016. EPA, Perth, Western Australia.

Fet, V., Sissom, W.D., Lowe, G. and Braunwalder, M.E. (2000) Catalogue of the scorpions of the world (1758–1998). New York Entomological Society.

Framenau, V.W. and Harms, D. (2017) A new species of Mouse Spider (Actinopodidae, Missulena) from the Goldfields region of Western Australia. Evolutionary Systematics **1**, 39–46.

Framenau, V.W. and Hudson, P. (2017) Taxonomy, systematics and biology of the Australian halotolerant wolf spider genus Tetralycosa (Araneae: Lycosidae: Artoriinae). European Journal of Taxonomy **335**, 1–72.

Framenau, V.W. and Leung, A.E. (2013) Costacosa, a new genus of wolf spider (Araneae, Lycosidae) from coastal north-west Western Australia. Records of the Western Australian Museum Supplement **83**, 173–184.

Glauert, L. (1925) The flora and fauna of the Nuyts Archipelago and the Investigator group. No. 17. - The scorpions, with descriptions of some species from other localities in South Australia. Transactions of the Royal Society of South Australia **49**, 85–87.

Harms, D. and Framenau, V.W. (2013) New species of mouse spiders (Araneae: Mygalomorphae: Actinopodidae: Missulena) from the Pilbara region, Western Australia. Zootaxa **3637**, 521–540.

Harvey, F.S., Framenau, V.W., Wojcieszek, J.M., Rix, M.G. and Harvey, M.S. (2012) Molecular and morphological characterisation of new species in the trapdoor spider genus Aname (Araneae: Mygalomorphae: Nemesiidae) from the Pilbara bioregion of Western Australia. Zootaxa **3383**, 15–38.

Harvey, M.S. (1992) The phylogeny and classification of the pseudoscorpionida (Chelicerata: Arachnida). Invertebrate Taxonomy **6**, 1373–1435.

Harvey, M.S. (2002) Short-range endemism amongst the Australian fauna: some examples from non-marine environments. Invertebrate Systematics **16**, 555–570.

Harvey, M.S. (2013) Pseudoscorpions of the World, version 3.0. http://www.museum.wa.gov.au/catalogues/pseudoscorpions

Harvey, M.S. (2014) Arachnida (Arthropoda: Chelicerata) of Western Australia: overview and prospects. Journal of the Royal Society of Western Australia, WA Science **97**, 57–64.

Harvey, M.S. and Edward, K.L. (2007) A review of the pseudoscorpion genus Ideoblothrus (Pseudoscorpion, Syarinidae) from western and northern Australia. Journal of Natural History **41**, 445–472.

Harvey, M.S., Hilyer, M.J., York Main, B., Moulds, T.A., Raven, R.J., Rix, M.G., Vink, C.J. and Huey, J.A. (2018) Phylogenetic relationships of the Australasian open-holed trapdoor spiders (Araneae: Mygalomorphae: Nemesiidae: Anaminae): multi-locus molecular analyses resolve the generic classification of a highly diverse fauna. Zoological Journal of the Linnean Society **184**, 1–46.

Harvey, M.S. and Leng, M.C. (2008) Further observations on Ideoblothrus (Pseudoscorpiones: Syarinidae) from subterranean environments in Australia. Records of the Western Australian Museum **24**, 379–386.

Harvey, M.S., Rix, M.G., Framenau, V.W., Hamilton, Z.R., Johnson, M.S., Teale, R.J., Humphreys, G. and Humphreys, W.F. (2011) Protecting the innocent: studying short-range endemic taxa enhances conservation outcomes. Invertebrate Systematics **25**, 1–10.

Harvey, M.S. and Volschenk, E.S. (2007) Systematics of the Gondwanan pseudoscorpion family Hyidae (Pseudoscorpiones: Neobisioidea); new data and a revised phylogenetic hypothesis. Invertebrate Systematics **21**, 365–406.

Hebert, P.D.N., Cywinska, A., Ball, S.L. and de Waard, J.R. (2003) Biological identifications through DNA barcodes. Proceedings of the Royal Society of London B **270**, 313–321.

Hebert, P.D.N., Ratnasingham, S. and de Waard, J.R. (2003) Hebert, P. D. N., Ratnasingham, S. & de Waard, J. R. Barcoding animal life: Cytochrome c oxidase subunit 1 divergences among closely related species. Proceedings of the Royal Society London B, Supplement 270: 96–99. Proceedings of the Royal Society of London B, Supplement **270**, 96–99.

Hoffman, R.L. (1994) Studies on spirobolid millipeds. XVIII. *Speleostrphus nesiotes*, the first known troglobitic spirobolis milliped, from Barrow Island, Western Autralia (Diplopoda: Pachybolidae: Trigoniulinae). Myriapodologica **3**, 19–24.

Hoffman, R.L. (2003) A new genus and species of trigoniuline millepede from Western Australia (Spirobolidae: Pachybolidae: Trigoniulinae). Records of the Western Australian Museum **22**, 17–22.

Hudson, P. and Adams, M. (1996) Allozyme characterisation of the salt lake spiders (Lycosa: Lycosidae: Araneae) of southern Australia: systematic and population genetic implications. Australian Journal of Zoology **44**, 535–567.

Huey, J.A., Hilyer, M.J. and Harvey, M.S. (2019) Phylogenetic relationships and biogeographic history of the Australian trapdoor spider genus Conothele (Araneae: Mygalomorphae: Halonoproctidae): diversification into arid habitats in an otherwise tropical radiation. Invertebrate Systematics **33**, 628–643.

International Commission on Zoological Nomenclature (1999) International Code of Zoological Nomenclature. International Trust for Zoological Nomenclature: London.

Javidkar, M., Cooper, S.J.B., Humphreys, W.F., King, R.A., Judd, S. and Austin, A.D. (2017) Biogeographic history of subterranean isopods from groundwater calcrete islands in Western Australia. Zoologica Scripta 1–15.

Javidkar, M., Cooper, S.J.B., King, R.A., Humphreys, W.F. and Austin, A.D. (2015) Molecular phylogenetic analyses reveal a new southern hemisphere oniscidean family (Crustacea : Isopoda) with a unique water transport system **29**, 554–577.

Javidkar, M., Cooper, S.J.B., King, R.A., Humphreys, W.F., Bertozzi, T., Stevens, M.I. and Austin, A.D. (2016) Molecular systematics and biodiversity of oniscidean isopods in the groundwater calcretes of central Western Australia **104**, 83–98.

Javidkar, M., King, R.A., Cooper, S.J.B., Humphreys, W.F. and Austin, A.D. (2017) Taxonomy of Paraplatyarthrus Javidkar and King (Isopoda: Oniscidea: Paraplatyarthridae) with description of five new species from Western Australia, and comments on Australian Trichorhina Budde-Lunde, 1908 (Platyarthridae). Zootaxa **4243**, 401–431.

Judd, S. (2004) Terrestrial isopods (Crustacea: Oniscidea) and biogeographical patterns from south-western Australia. Edith Cowan University: Joondalup, WA.

Judd, S. and Horwitz, P. (2003) Diversity and biogeography of terrestrial isopods (Isopoda, Oniscidea) from southwestern Australia: organic matter and habitat utilization in seasonally dry landscapes. Biology of Terrestrial Isopods V Proceedings **2**, 191–215.

Judd, S. and Perina, G. (2013) An illustrated key to the morphospecies of terrestrial isopods (Crustacea: Oniscidea) of Barrow Island, Western Australia. Records of the Australian Museum Supplement **83**, 185–207.

Kendrick, P. (2001) Pilbara 3 (PIL3 - Hamersley subregion), in: Cowan, M., Graham, G., McKenzie, N. (Eds.), A Biodiversity Audit of Western Australia's 53 Biogeographic Subregions in 2002. Department of Conservation and Land Management.

Koch, L.E. (1984) Australian species of the centipede genus Arthrorhabdus Pocock (Chilopoda: Scolopendridae: Scolopendrinae). Journal of Natural History **18**, 363–368.

Kovařík, F. (1977) Revision of the genera Lychas and Hemilychas, with descriptions of six new species (Scorpiones: Buthidae). Acta Societatis Zoologicae Bohemoslovacae **61**, 311–371.

Leighton, K.A. (2004) Climate. In A. M. E. van Vreeswyk, A. L. Payne, K. A. Leighton, & P. Hennig (Eds.), An Inventory and Condition Survey of the Pilbara Region, Western Australia. Perth, Western Australia: Technical Bulletin No. 92. Western Australian Department of Agriculture.

McKenzie, N.L., Van Leeuwen, S. and Pinder, A.M. (2009) Introduction to the Pilbara Biodiversity Survey 2002-2007. Records of the Western Australian Museum, Issue Supplement 78, pp. 3-89.

Miglio, L.T., Harms, D., Framenau, V.W. and Harvey, M.S. (2014) Four new mouse spider species (Araneae, Mygalomorphae, Actinopodidae, Missulena) from Western Australia. ZooKeys **410**, 121–148.

Moir, M.L., Brennan, K.E.C. and Harvey, M.S. (2009) Diversity, endemism and species turnover of millipedes within the south-western Australian global biodiversity hotspot. Journal of Biogeography **36**.

Moir, M.L. and Harvey, M.S. (2008) Discovery of the pill millipede genus Epicyliosoma (Diplopoda: Sphaerotheriida: Sphaerotheriidae) in Western Australia, with the description of a new species. Records of the Western Australian Museum **24**, 113-119.

Murienne, J., Harvey, M.S. and Giribet, G. (2008) First molecular phylogeny of the major clades of Pseudoscorpiones (Arthropoda: Chelicerata). Molecular phylogenetics and evolution **49**, 170–184.

NAFI (2021) North Australia & Rangelands Fire Information. https://firenorth.org.au/nafi3/

Opatova, V., Hamilton, C.A., Hedin, M., Montes de Oca, L., Král, J. and Bond, J.E. (2019) Phylogenetic systematics and evolution of the spider infraorder Mygalomorphae using genomic scale data. Systematic Biology.

Rapallo Environmental (2022) Detailed vertebrate fauna survey of the Lamb Creek project. Report J020348 prepared for Mineral Resources Limited. FINAL, January 2022.

Raven, R.J., Baehr, B.C. and Harvey, M.S. (2002) Spiders of Australia: Interactive Identification to Subfamily. 'ABRS Identification Series. CSIRO Publishing.

Rix, M. and Harvey, M.S. (2012) Australian assassins, part II: a review of the new assassin spider genus Zephyrarchaea (Araneae, Archaeidae) from southern Australia. ZooKeys **191**, 1–62.

Rix, M.G. and Harvey, M.S. (2011) Phylogeny and historical biogeography of ancient assassin spiders (Araneae: Archaeidae) in the Australian mesic zone: Evidence for Miocene speciation within Tertiary refugia. Molecular Phylogenetics & Evolution **62**, 375–396.

Rix, M.G., Huey, J.A., Cooper, S.J.B., Austin, A.D. and Harvey, M.S. (2018) Conservation systematics of the shield-backed trapdoor spiders of the nigrum-group (Mygalomorphae, Idiopidae, Idiosoma): integrative taxonomy reveals a diverse and threatened fauna from south-western Australia. ZooKeys **756**, 1–121.

Rix, M.G., Huey, J.A., Main, B.Y., Waldock, J.M., Harrison, S.E., Comer, S., Austin, A.D. and Harvey, M.S. (2017) Where have all the spiders gone? The decline of a poorly known invertebrate fauna in the agricultural and arid zones of southern Australia. Austral Entomology **56**, 14–22.

Rix, M.G., Raven, R.J., Main, B.Y., Harrison, S.E., Austin, A.D., Cooper, S.J.B. and Harvey, M.S. (2017) The Australasian spiny trapdoor spiders of the family Idiopidae (Mygalomorphae : Arbanitinae): a relimitation and revision at the generic level. Invertebrate Systematics 566–634.

Rix, M.G., Wilson, J.D., Rix, A.G., Wojcieszek, A.M., Huey, J.A. and Harvey, M.S. (2018) Population demography and biology of a new species of giant spiny trapdoor spider (Araneae: Idiopidae: Euoplos) from inland Queensland: developing a 'slow science' study system to address a conservation crisis. Austral Entomology.

Robinson, E.A., Blagoev, G.A., Hebert, P.D.N. and Adamowicz, S.J. (2009) Prospects for using DNA barcoding to identify spiders in species: rich genera. ZooKeys **16**, 27–46.

Schmalfuss, H. (2003) World catalog of terrestrial isopods (Isopoda: Oniscidea). Stuttgarter Beiträge zur Naturkunde, Serie A **654**, 1–341.

Schmidt, C. and Leistikow, A. (2004) Catalogue of genera of the terrestrial Isopods (Crustacea: Isopoda: Oniscidea). Steenstrupia **28**, 1–118.

Schotte, M., Boyko, C.B., Bruce, N.L., Poore, G.C.B., Taiti, S. and Wilson, G.D.F. (2008) World list of marine freshwater and terrestrial isopod crustaceans.

Short, M. and Huynh, C. (2011) The genus Unixenus Jones, 1944 (Diplopoda, Penicillata, Polyxenida) in Australia. Zookeys **156**, 105–122.

Short, M. and Huynh, C. (2013) Four new species of Unixenus Jones, 1944 (Diplopoda, Penicillata, Polyxenida) from Australia. Zookeys **278**, 75–90.

Solem, A. (1985) Camaenid land snails from Western and central Australia (Mollusca: Pulmonata: Camaenidae). V. Remaining Kimberley genera and addenda to the Kimberley. Records of the Western Australian Museum, Supplement **20**, 707–981.

Solem, A. (1988) Non-camaenid land snails of the Kimberley and Northern Territory, Australia. 1. Systematics, affinities and ranges. Invertebrate Taxonomy **2**, 455–604.

Solem, A. (1997) Camaenid land snails from Western and Central Australia (Mollusca: Pulmonata: Camaenidae). VII. Taxa from Dampierland through the Nullabor. Records of the Western Australian Museum, Supplement **50**, 1461–1906.

Stanasic, J., Shea, M., Potter, D. and Griffiths, O. (2017) Australian Land Snails Volume 2: A Field Guide to Southern, Central and Western Species. Bioculture Press.

Thackway, R. and Cresswell, I. (Eds.) (1995) An interim biogeographic regionalisation for Australia : a framework for setting priorities in the National Reserves System Cooperative Program / edited by R Thackway and I D Cresswell. Australian Nature Conservation Agency, Reserve Systems Unit, Canberra.

Thorne, A.M. and Tyler, I.M. (1997) Roy Hill 1:250,000 Map Sheet SF50-12. Geological Survey of Western Australia.

Van Vreeswyk, A.M.E., Payne, A.L., Leighton, K.A. and Hennig, P. (2004) Inventory and condition survey of the Pilbara region, Western Australia. Department of Agriculture and Food, Western Australia, Perth, W.A.

Volschenk, E.S., Burbidge, A.H., Durrant, B.J. and Harvey, M.S. (2010) Spatial distribution patterns of scorpions (Scorpiones) in the arid Pilbara region of Western Australia. Records of the Western Australian Museum, Supplement **78**, 271–284.

Volschenk, E.S., Harvey, M.S. and Prendini, L. (2012) A new species of Urodacus (Scorpiones: Urodacidae) from Western Australia. American Museum Novitates 3748 1–18.

Volschenk, E.S. and Prendini, L. (2008) Aops oncodactylus, gen. et sp. nov., the first troglobitic urodacid (Urodacidae: Scorpiones), with a re-assessment of cavernicolous, troglobitic and troglomorphic scorpions. Invertebrate Systematics **22**, 235–257.

Volschenk, E.S., Smith, G.T. and Harvey, M.S. (2000) A new species of Urodacus from Western Australia, with additional descriptive notes for Urodacus megamastigus (Scorpiones). Records of the Western Australian Museum **20**, 57–67.

Western Australian Government (2018) Wildlife Conservation Act 1950, Wildlife Conservation (Specially Protected Fauna). Western Australian Government Gazette 191–203.

Western Australian Museum (2021) WA Museum Collections and Research. Austrostrophus `DIP054`.

Whisson, C. and Kirkendale, L. (2014) Field Guide to the terrestrial and freshwater molluscs of the North West, version 1.0.

Whisson, C. and Köhler, F. (2012) Gastrocopta (Mollusca, Gastropoda, Pupillidae) in the Pilbara region of Western Australia. ZooKeys **261**, 15–39.

Wilson, N. and Harvey, M. (2021) Molecular identification of terrestrial arthropods from near Juna Downs Station, Western Australia (2116). Report by the Western Australian Museum. WAM-MSU-498.

World Spider Catalog (2014) World Spider Catalog.

9 Appendices

No	Title
Appendix I	Western Australian Museum Invertebrate Database Searches
Appendix II	Habitat Data
Appendix III	Lamb Creek SRE Barcoding Report
Appendix IV	Lamb Creek SRE Specimen Data
Appendix V	WAM MSU Sequencing Report

Appendix I Western Australian Museum Invertebrate Database Searches

Western Australian Museum Database Search Interpreted Results

REGNO	CLASS	HIGHER LEVEL CLASSIFICATION	ORDER	FAMILY	Binomial	ECOTYPE	SRE	SRE_justification	SITE	LATDEC	LONGDEC	DTFR
C47358	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	?epigean	Potential SRE: DD	Order contains SREs and potential SREs	Cloud Break mine area	-22.2666	119.3	
C49785	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	?epigean	Potential SRE: DD	Order contains SREs and potential SREs	Yandicoogina mine	-22.7246	119.323	
C49783	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	?epigean	Potential SRE: DD	Order contains SREs and potential SREs	Yandicoogina mine	-22.7403	119.307	
C49782	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	?epigean	Potential SRE: DD	Order contains SREs and potential SREs	Yandicoogina mine	-22.741	119.306	
C49776	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	?epigean	Potential SRE: DD	Order contains SREs and potential SREs	Yandicoogina mine	-22.7513	119.301	
C49774	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	?epigean	Potential SRE: DD	Order contains SREs and potential SREs	Yandicoogina mine	-22.7289	119.313	
C49773	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	?epigean	Potential SRE: DD	Order contains SREs and potential SREs	Yandicoogina mine	-22.7541	119.303	
C49772	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	?epigean	Potential SRE: DD	Order contains SREs and potential SREs	Yandicoogina mine	-22.7292	119.32	
C49770	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Yandicoogina mine	-22.741	119.306	
C45640	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs		-22.4647	119.772	
C47359	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	?epigean	Potential SRE: DD	Order contains SREs and potential SREs	Cloud Break mine area	-22.3	119.3	
C49788	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	?epigean	Potential SRE: DD	Order contains SREs and potential SREs	Yandicoogina mine	-22.7282	119.312	
C47357	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	?epigean	Potential SRE: DD	Order contains SREs and potential SREs	Cloud Break mine area	-22.3166	119.367	
C47356	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	?epigean	Potential SRE: DD	Order contains SREs and potential SREs	Cloud Break mine area	-22.2833	119.367	
C47355	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	?epigean	Potential SRE: DD	Order contains SREs and potential SREs	Cloud Break mine area	-22.2833	119.367	
C47354	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	?epigean	Potential SRE: DD	Order contains SREs and potential SREs	Cloud Break mine area	-22.3166	119.433	
C47353	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	?epigean	Potential SRE: DD	Order contains SREs and potential SREs	Cloud Break mine area	-22.2833	119.367	
C45645	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs		-22.4647	119.772	
C45644	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs		-22.4647	119.772	
C45643	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs		-22.4419	119.724	
C47361	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	?epigean	Potential SRE: DD	Order contains SREs and potential SREs	Ore Body 25, site 5	-23.3166	119.767	
C52474	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs		-23.1724	118.623	
C52567	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs		-23.1216	118.874	
C52485	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs		-23.1216	118.874	
C52484	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs		-23.1723	118.624	
C52483	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs		-23.1229	118.862	
C52482	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs		-23.1724	118.623	
C52481	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs		-23.1723	118.624	
C52480	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs		-23.193	118.642	
C52478	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs		-23.1724	118.623	
C49786	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	?epigean	Potential SRE: DD	Order contains SREs and potential SREs	Yandicoogina mine	-22.7413	119.312	
C52475	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs		-23.1917	118.642	
C49787	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	?epigean	Potential SRE: DD	Order contains SREs and potential SREs	Yandicoogina mine	-22.7286	119.312	
C52473	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs		-23.1917	118.642	
C52472	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs		-23.1723	118.625	
C52471	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs		-23.1915	118.858	
C52470	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs		-23.1904	118.828	
C50323	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Hamersley Range	-23.0781	119.865	
C50322	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Hamersley Range	-22.738	119.54	
C50321	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	West Angelas	-23.1991	118.724	
C50320	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Hamersley Range	-23.0781	119.865	
C52477	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs		-23.1216	118.874	
C52476	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs		-23.1922	118.642	
C42711	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	?epigean	Potential SRE: DD	Order contains SREs and potential SREs	100km NW Newman, HD4-9	-23.0663	119.279	
C52479	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs		-23.1724	118.625	
C45638	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs		-22.4419	119.724	
C45639	Crustacea	Isopoda (isopods)	Isopoda	Indet	Isopoda sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs		-22.2872	119.03	
C61317	Crustacea	Isopoda (isopods)	Isopoda	Armadilidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hancock Gorge, Karijini National Park	-22.3591	118.284	
C61316	Crustacea	Isopoda (isopods)	Isopoda	Armadilidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Woodland site, Karijini National Park	-22.5713	118.378	
C61315	Crustacea	Isopoda (isopods)	Isopoda	Armadilidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Dales Gorge, Circular Pool, Karijini NP	-22.4758	118.562	
C61314	Crustacea	Isopoda (isopods)	Isopoda	Armadilidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Kalamina Gorge , Karijini NP	-22.4172	118.402	
C61313	Crustacea	Isopoda (isopods)	Isopoda	Armadilidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Dales Gorge, Circular Pool, Karijini NP	-22.4758	118.562	
C60151	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Acanthodillo 'B14'	epigean	Potential SRE: DD	W.A. Museum assessment	Mount Mcrae	-22.0976	118.174	
C60223	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Acanthodillo 'B14'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.0976	118.174	
C62181	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Acanthodillo sp.	epigean	Potential SRE: DD	genus contains SREs	Chichester Range	-23.3671	119.787	
C62108	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Acanthodillo sp.	epigean	Potential SRE: DD	genus contains SREs	Cloudbreak	-22.3303	119.232	
C62236	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Acanthodillo sp.	epigean	Potential SRE: DD	genus contains SREs	Roy Hill Station	-22.4266	119.942	
C62237	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Acanthodillo sp.	epigean	Potential SRE: DD	genus contains SREs	Roy Hill Station	-22.441	119.979	
C62722	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Acanthodillo sp.	epigean	Potential SRE: DD	genus contains SREs	115 km N of Newman	-22.3134	119.789	
C62723	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Acanthodillo sp.	epigean	Potential SRE: DD	genus contains SREs	108 km N of Newman	-22.3132	119.86	
C62142	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Acanthodillo sp.	epigean	Potential SRE: DD	genus contains SREs	Fortescue Marsh	-22.0192	119.034	
C62141	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Acanthodillo sp.	epigean	Potential SRE: DD	genus contains SREs	Fortescue Marsh	-22.109	119.224	
C48134	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Acanthodillo 'sp. 6'	epigean	Potential SRE: DD	W.A. Museum assessment	113 km NNW of Newman	-22.3351	119.653	
C48133	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Acanthodillo 'sp. 6'	epigean	Potential SRE: DD	W.A. Museum assessment	113 km NNW of Newman	-22.3351	119.653	
C48132	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Acanthodillo 'sp. 6'	epigean	Potential SRE: DD	W.A. Museum assessment	118 km N of Newman	-22.2972	119.863	

Western Australian Museum Database Search Interpreted Results

C48135	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Acanthodillo 'sp. 6'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna, approx. 70 km heading 291° from New	-23.1318	119.096	
C48358	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Armadillidae 'Roy Hill'	epigean	Potential SRE: DD	Family contains SREs and potential SREs	113 km NNW of Newman	-22.3351	119.653	
C75044	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Armadillidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	88.2 km NW of Newman	-23.06	118.932	
C75045	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Armadillidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	79.9 km NW of Newman	-23.0777	119.011	
C45678	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Armadillidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Mindy	-22.7513	119.417	
C62712	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Barrowdillo 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini N.P., Mt Meharry	-22.9797	118.589	
C48177	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km N of Newman	-22.3134	119.789	
C48200	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	104 km NNE of Newman	-22.4481	119.986	
C48176	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km N of Newman	-22.3134	119.789	
C48198	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3263	119.749	
C48178	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	112 km NNE of Newman	-22.3621	119.969	
C48197	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	110 km NNE of Newman	-22.3827	119.973	
C48199	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3263	119.749	
C48196	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3263	119.749	
C48169	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3257	119.739	
C48180	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	118 km N of Newman	-22.2954	119.811	
C48168	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3257	119.739	
C48167	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3257	119.739	
C48166	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km N of Newman	-22.3134	119.789	
C48201	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	108 km N of Newman	-22.3132	119.86	
C48202	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km NNW of Newman	-22.3178	119.748	
C48159	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	113 km NNW of Newman	-22.3351	119.653	
C62122	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Fortescue Marsh	-22.4233	119.01	
C62121	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Fortescue Marsh	-22.5306	119.169	
C48165	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	108 km N of Newman	-22.3132	119.86	
C48170	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	112 km NNE of Newman	-22.3621	119.969	
C48192	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	118 km N of Newman	-22.2972	119.863	
C48183	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km NNW of Newman	-22.3178	119.748	
C48174	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km NNW of Newman	-22.3178	119.748	
C48184	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km NNW of Newman	-22.3178	119.748	
C48185	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	118 km N of Newman	-22.2954	119.811	
C48186	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	108 km N of Newman	-22.3132	119.86	
C48203	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km NNW of Newman	-22.3178	119.748	
C48187	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	108 km N of Newman	-22.3132	119.86	
C48188	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	108 km N of Newman	-22.3132	119.86	
C48189	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km NNW of Newman	-22.3178	119.748	
C48193	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3263	119.749	
C48191	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	118 km N of Newman	-22.2972	119.863	
C48195	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	112 km NNE of Newman	-22.3871	119.966	
C48173	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km NNW of Newman	-22.3178	119.748	
C48172	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	108 km N of Newman	-22.3132	119.86	
C48171	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	112 km NNE of Newman	-22.3621	119.969	
C62123	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Fortescue Marsh	-22.4083	119.006	
C48175	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km NNW of Newman	-22.3178	119.748	
C48181	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	108 km N of Newman	-22.3132	119.86	
C48182	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km NNW of Newman	-22.3178	119.748	
C48179	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	112 km NNE of Newman	-22.3621	119.969	
C48194	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3263	119.749	
C48190	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km NNW of Newman	-22.3178	119.748	
C48161	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	113 km NNW of Newman	-22.3351	119.653	
C48155	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3257	119.739	
C48143	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	108 km N of Newman	-22.3132	119.86	
C48144	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	112 km NNE of Newman	-22.3871	119.966	
C48145	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km N of Newman	-22.3134	119.789	
C48146	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km N of Newman	-22.3134	119.789	
C48147	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km N of Newman	-22.3134	119.789	
C48148	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km N of Newman	-22.3134	119.789	
C48149	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km N of Newman	-22.3134	119.789	
C48207	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3263	119.749	
C48150	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3257	119.739	
C48208	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3263	119.749	
C48151	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3257	119.739	
C48141	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	104 km NNE of Newman	-22.4481	119.986	
C62127	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Fortescue Marsh	-22.5098	119.127	
C48140	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3257	119.739	

C48162	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	113 km NNW of Newman	-22.3351	119.653	
C48163	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	112 km NNE of Newman	-22.3621	119.969	
C48220	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	118 km N of Newman	-22.2972	119.863	
C48219	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	110 km NNE of Newman	-22.3827	119.973	
C48209	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3263	119.749	
C48210	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3263	119.749	
C48211	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km NNW of Newman	-22.3178	119.748	
C48212	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	110 km NNE of Newman	-22.3827	119.973	
C48213	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	110 km NNE of Newman	-22.3827	119.973	
C48218	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	110 km NNE of Newman	-22.3827	119.973	
C48217	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km NNW of Newman	-22.3178	119.748	
C48216	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km N of Newman	-22.3134	119.789	
C48215	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	118 km N of Newman	-22.2972	119.863	
C48160	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	113 km NNW of Newman	-22.3351	119.653	
C62133	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Fortescue Marsh	-22.4083	119.006	
C48157	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3257	119.739	
C48156	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3257	119.739	
C48214	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	110 km NNE of Newman	-22.3827	119.973	
C48158	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	113 km NNW of Newman	-22.3351	119.653	
C48152	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km N of Newman	-22.3134	119.789	
C62128	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Fortescue Marsh	-22.5306	119.169	
C48204	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	110 km NNE of Newman	-22.3827	119.973	
C62129	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Fortescue Marsh	-22.4889	119.086	
C62130	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Fortescue Marsh	-22.4749	119.055	
C62131	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Fortescue Marsh	-22.4083	119.006	
C62132	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Fortescue Marsh	-22.5011	119.104	
C48142	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km NNW of Newman	-22.3178	119.748	
C48153	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km N of Newman	-22.3134	119.789	
C62726	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	118 km N of Newman	-22.2972	119.863	
C62124	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Fortescue Marsh	-22.4083	119.006	
C48206	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	118 km N of Newman	-22.2972	119.863	
C62125	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Fortescue Marsh	-22.3157	119.241	
C48205	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	118 km N of Newman	-22.2972	119.863	
C63265	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Christmas Creek	-22.3492	119.632	
C62126	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Fortescue Marsh	-22.4083	119.006	
C62727	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	113 km NNW of Newman	-22.3351	119.653	
C48164	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	112 km NNE of Newman	-22.3621	119.969	
C62725	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	118 km N of Newman	-22.2972	119.863	
C62724	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	118 km N of Newman	-22.2972	119.863	
C62136	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Fortescue Marsh	-22.1281	119.052	
C62135	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Fortescue Marsh	-22.2858	119.028	
C62134	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Fortescue Marsh	-22.2203	119.043	
C48154	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3257	119.739	
C73872	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10ma'	epigean	potential SRE: DD	W.A. Museum assessment	Greater Hope Downs, 79.5 km NW of Newman	-23.0828	119.013	
C73876	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10ma'	epigean	potential SRE: DD	W.A. Museum assessment	Greater Hope Downs, 79.5 km NW of Newman	-23.0828	119.013	
C73875	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10ma'	epigean	potential SRE: DD	W.A. Museum assessment	Greater Hope Downs, 80.5 km NW of Newman	-23.0828	119.002	
C73873	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10ma'	epigean	potential SRE: DD	W.A. Museum assessment	Greater Hope Downs, 80.9 km NW of Newman	-23.0779	119.001	
C73871	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10ma'	epigean	potential SRE: DD	W.A. Museum assessment	Greater Hope Downs, 80.5 km NW of Newman	-23.0828	119.002	
C73874	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '10ma'	epigean	potential SRE: DD	W.A. Museum assessment	Greater Hope Downs, 80.5 km NW of Newman	-23.0828	119.002	
C62192	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '12'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill Station	-22.5383	119.942	
C62193	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '12'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill Station	-22.4321	119.891	
C62194	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '12'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill Station	-22.5933	120.033	
C62195	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '12'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill Station	-22.5489	120.036	
C62191	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '12'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill Station	-22.4547	119.871	
C62190	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '12'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill Station	-22.5565	119.97	
C62189	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '12'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill Station	-22.459	119.902	
C62187	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '12'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill Station	-22.4697	119.878	
C62186	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '12'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill Station	-22.5565	119.97	
C62185	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '12'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill Station	-22.5039	120.021	
C62183	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '12'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill Station	-22.4898	119.895	
C62184	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '12'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill Station	-22.574	119.963	

Western Australian Museum Database Search Interpreted Results

C62188	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '12'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill Station	-22.574	119.963	
C62198	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '12'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill Station	-22.503	119.891	
C62076	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Cloudbreak	-22.3193	119.192	
C48224	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 79 km heading 286° from New	-23.1546	118.993	
C48225	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 77 km heading 288° from New	-23.1393	119.018	
C48226	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 71 km heading 290° from New	-23.1314	119.077	
C48227	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 75 km heading 290° from New	-23.1201	119.048	
C62077	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Cloudbreak	-22.298	119.394	
C48222	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 79 km heading 286° from New	-23.1546	118.993	
C62078	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Cloudbreak	-22.3251	119.446	
C48228	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 74 km heading 290° from New	-23.1216	119.05	
C62203	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Roy Hill Station	-22.459	119.902	
C63269	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Christmas Creek	-22.3932	119.78	
C62965	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, heading 286° from Newman	-23.1546	118.993	
C62964	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, heading 291° from Newman	-23.1255	119.08	
C62963	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, heading 286° from Newman	-23.1596	118.97	
C62729	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km N of Newman	-22.3134	119.789	
C62209	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Roy Hill Station	-22.4961	120.01	
C62207	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Roy Hill Station	-22.5174	119.931	
C62206	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Roy Hill Station	-22.5181	119.913	
C62205	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Roy Hill Station	-22.5489	120.036	
C48223	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 78 km heading 286° from New	-23.1615	119.002	
C62204	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Roy Hill Station	-22.505	119.914	
C48221	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 77 km heading 288° from New	-23.1393	119.018	
C62202	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Roy Hill Station	-22.4898	119.895	
C62201	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Roy Hill Station	-22.5565	119.97	
C62200	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Roy Hill Station	-22.5383	119.942	
C62199	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Roy Hill Station	-22.4943	119.922	
C62196	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Roy Hill Station	-22.5181	119.913	
C62083	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Cloudbreak	-22.3146	119.302	
C62082	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Cloudbreak	-22.3949	119.502	
C62081	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Cloudbreak	-22.3303	119.232	
C62080	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Cloudbreak	-22.3985	119.475	
C62079	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '13'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Cloudbreak	-22.4011	119.476	
C62094	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Cloudbreak	-22.2881	119.236	
C63268	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Christmas Creek	-22.4039	119.865	
C62691	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Karijini N.P.	-22.8437	118.533	
C48235	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 73 km heading 291° from New	-23.1185	119.065	
C48234	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 70 km heading 291° from New	-23.1287	119.09	
C48233	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 71 km heading 290° from New	-23.1314	119.077	
C48232	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 70 km heading 291° from New	-23.1287	119.09	
C48231	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 70 km heading 291° from New	-23.1318	119.096	
C48237	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 70 km heading 291° from New	-23.1318	119.096	
C48229	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 73 km heading 291° from New	-23.1185	119.065	
C48238	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 70 km heading 291° from New	-23.1287	119.09	
C62968	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, heading 291° from Newman	-23.1318	119.096	
C62967	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, heading 291° from Newman	-23.1287	119.09	
C62966	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, heading 291° from Newman	-23.1318	119.096	
C62695	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Karijini N.P., Dales Gorge	-22.4782	118.56	
C62694	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Karijini N.P., Dales Gorge	-22.4782	118.56	
C62693	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Karijini N.P., 77 km E of Tom Price	-22.8446	118.54	

C62092	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Cloudbreak	-22.3652	119.341	
C48230	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 74 km heading 290° from New	-23.1216	119.05	
C48246	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 71 km heading 290° from New	-23.1314	119.077	
C48254	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 75 km heading 289° from New	-23.1355	119.038	
C48253	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 75 km heading 289° from New	-23.1355	119.038	
C48252	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 73 km heading 291° from New	-23.1185	119.065	
C48251	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 73 km heading 291° from New	-23.1185	119.065	
C48250	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 71 km heading 290° from New	-23.1314	119.077	
C48249	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 70 km heading 291° from New	-23.1287	119.09	
C48236	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 75 km heading 290° from New	-23.1201	119.048	
C48247	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 75 km heading 290° from New	-23.1201	119.048	
C62690	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Karijini N.P.	-22.8437	118.533	
C48245	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 71 km heading 290° from New	-23.1314	119.077	
C48244	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 70 km heading 291° from New	-23.1287	119.09	
C48243	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 73 km heading 291° from New	-23.122	119.061	
C48242	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 73 km heading 291° from New	-23.1185	119.065	
C48241	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 70 km heading 291° from New	-23.1318	119.096	
C48240	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 70 km heading 291° from New	-23.1318	119.096	
C48239	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 71 km heading 290° from New	-23.1314	119.077	
C48248	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 70 km heading 291° from New	-23.1318	119.096	
C62088	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Cloudbreak	-22.2805	119.41	
C62084	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Cloudbreak	-22.3988	119.445	
C62085	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Cloudbreak	-22.3973	119.444	
C62692	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Karijini N.P., Dales Gorge	-22.4782	118.56	
C62087	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Cloudbreak	-22.2827	119.404	
C62089	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Cloudbreak	-22.3985	119.475	
C62090	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Cloudbreak	-22.4011	119.476	
C62091	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Cloudbreak	-22.298	119.394	
C62093	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Cloudbreak	-22.2598	119.279	
C62678	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Karijini N.P.	-22.8415	118.521	
C62687	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Karijini N.P	-22.8529	118.567	
C62086	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Cloudbreak	-22.2881	119.236	
C62679	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Karijini N.P.	-22.8397	118.524	
C62688	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Karijini N.P	-22.8534	118.546	
C62686	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Karijini N.P., Knox Gorge	-22.3714	118.299	
C62684	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Karijini N.P.	-22.4778	118.559	
C62683	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Karijini N.P.	-22.8397	118.524	
C62682	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Karijini N.P.	-22.8415	118.521	
C62681	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Karijini N.P.	-22.4782	118.56	
C62680	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Karijini N.P.	-22.8415	118.521	
C62689	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Karijini N.P	-22.849	118.545	
C62149	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14cr'	epigean	Potential SRE: DD	W.A. Museum assessment	Chichester Range	-22.8586	119.673	
C62155	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14cr'	epigean	Potential SRE: DD	W.A. Museum assessment	Chichester Range	-23.3289	119.84	
C62150	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14cr'	epigean	Potential SRE: DD	W.A. Museum assessment	Chichester Range	-23.1164	119.886	
C62151	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14cr'	epigean	Potential SRE: DD	W.A. Museum assessment	Chichester Range	-22.6687	119.419	
C62152	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14cr'	epigean	Potential SRE: DD	W.A. Museum assessment	Chichester Range	-23.3145	119.855	
C62153	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14cr'	epigean	Potential SRE: DD	W.A. Museum assessment	Chichester Range	-22.8586	119.673	
C62154	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14cr'	epigean	Potential SRE: DD	W.A. Museum assessment	Chichester Range	-22.6335	119.329	
C62197	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14cr'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill Station	-22.4321	119.891	

Western Australian Museum Database Search Interpreted Results

C62120	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14fm'	epigean	Potential SRE: DD	W.A. Museum assessment	Fortescue Marsh	-22.2276	119.032	
C62006	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14fm'	epigean	Potential SRE: DD	W.A. Museum assessment	Murray Hill, Mulga Downs Sation	-22.1215	118.513	
C62007	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14fm'	epigean	Potential SRE: DD	W.A. Museum assessment	Murray Hill, Mulga Downs Sation	-22.1291	118.505	
C62117	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14fm'	epigean	Potential SRE: DD	W.A. Museum assessment	Fortescue Marsh	-22.3089	119.154	
C62119	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14fm'	epigean	Potential SRE: DD	W.A. Museum assessment	Fortescue Marsh	-22.1716	119.102	
C62118	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '14fm'	epigean	Potential SRE: DD	W.A. Museum assessment	Fortescue Marsh	-22.3089	119.154	
C48279	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 77 km heading 289° from New	-23.1331	119.015	
C49818	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Southern Flank to Jinidi, 74.7km NW of Newman	-23.0294	119.093	
C75031	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	79.9 km NW of Newman	-23.0777	119.011	
C48273	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 77 km heading 289° from New	-23.1331	119.015	
C48281	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 77 km heading 288° from New	-23.1393	119.018	
C48274	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 77 km heading 289° from New	-23.1331	119.015	
C48276	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 79 km heading 286° from New	-23.1592	118.993	
C48277	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 72 km heading 290° from New	-23.1268	119.067	
C48271	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 72 km heading 290° from New	-23.1268	119.067	
C48280	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 77 km heading 289° from New	-23.1331	119.015	
C48270	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 78 km heading 288° from New	-23.1428	119.01	
C49820	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Southern Flank to Jinidi, 74.7km NW of Newman	-23.0294	119.093	
C62170	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Chichester Range	-22.6687	119.419	
C62969	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, heading 288° from Newman	-23.1393	119.018	
C62970	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, heading 291° from Newman	-23.1185	119.065	
C63347	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Angelo River	-23.3205	118.789	
C75030	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	84.2 km NW of Newman	-23.0606	118.974	
C48278	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 73 km heading 291° from New	-23.121	119.063	
C48263	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 72 km heading 290° from New	-23.1283	119.074	
C48255	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 72 km heading 290° from New	-23.1283	119.074	
C48256	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 73 km heading 291° from New	-23.121	119.063	
C48257	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 72 km heading 290° from New	-23.1309	119.069	
C48258	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 79 km heading 286° from New	-23.1546	118.993	
C48259	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 73 km heading 291° from New	-23.121	119.063	
C48260	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 78 km heading 288° from New	-23.1436	119.006	
C48272	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 74 km heading 289° from New	-23.1356	119.046	
C48262	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 79 km heading 286° from New	-23.1546	118.993	
C48275	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 80 km heading 285° from New	-23.1632	118.977	
C48264	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 72 km heading 290° from New	-23.1309	119.069	
C48265	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 74 km heading 290° from New	-23.1216	119.05	
C48266	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 80 km heading 285° from New	-23.1632	118.977	
C48267	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 77 km heading 288° from New	-23.1393	119.018	
C48268	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 77 km heading 288° from New	-23.1393	119.018	

C48269	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 79 km heading 286° from New	-23.1592	118.993	
C48261	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	Wonmunna, approx. 78 km heading 288° from New	-23.1436	119.006	
C75033	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	81.6 km NW of Newman	-23.077	118.994	
C75034	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	79.9 km NW of Newman	-23.0777	119.011	
C75032	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '15'	epigean	widespread	W.A. Museum assessment	78.5 km NW of Newman	-23.0838	119.023	
C63351	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	OB35	-23.3875	119.656	
C49826	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West to Yandi, 104.7km NW of Newman	-22.6322	119.07	
C63358	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	OB35	-23.3922	119.658	
C63357	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	OB35	-23.3908	119.662	
C63356	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	OB35	-23.3908	119.664	
C63355	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	OB35	-23.3905	119.664	
C75035	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	70.8 km NW of Newman	-23.0416	119.129	
C63352	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	OB35	-23.3886	119.658	
C63361	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	OB35	-23.3933	119.668	
C63350	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	OB35	-23.388	119.654	
C63349	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Angelo River	-23.2901	118.682	
C62973	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna, heading 291° from Newman	-23.1185	119.065	
C62972	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna, heading 291° from Newman	-23.1185	119.065	
C62711	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini N.P.	-22.8534	118.546	
C63353	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	OB35	-23.3883	119.66	
C49841	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West	-22.9338	118.664	
C49849	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West	-22.8316	118.603	
C49847	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West	-22.8316	118.603	
C49850	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West	-22.8316	118.603	
C49845	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West	-22.8316	118.603	
C49844	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West	-22.9338	118.664	
C63363	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	OB35	-23.3963	119.656	
C49842	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West	-22.8316	118.603	
C63362	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	OB35	-23.3933	119.668	
C49840	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West	-22.9338	118.664	
C49838	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West	-22.9338	118.664	
C49828	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West to Yandi, 104.7km NW of Newman	-22.6322	119.07	
C63359	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	OB35	-23.3938	119.669	
C63360	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	OB35	-23.3933	119.668	
C48283	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna, approx. 70 km heading 291° from New	-23.1287	119.09	
C49843	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West	-22.9338	118.664	
C48290	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna, approx. 75 km heading 289° from New	-23.1355	119.038	
C48282	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna, approx. 73 km heading 291° from New	-23.122	119.061	
C62971	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna	-23.1502	119.009	
C48296	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna, approx. 70 km heading 291° from New	-23.1318	119.096	
C48295	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna, approx. 70 km heading 291° from New	-23.1318	119.096	
C48294	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna, approx. 75 km heading 289° from New	-23.1355	119.038	
C48293	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna, approx. 73 km heading 291° from New	-23.122	119.061	
C62710	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini N.P.	-22.8553	118.573	
C48291	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna, approx. 73 km heading 291° from New	-23.122	119.061	
C49822	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	South Parmelia, 67.4km NW of Newman	-23.0325	119.178	
C48289	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna, approx. 75 km heading 289° from New	-23.1355	119.038	
C48288	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna, approx. 73 km heading 291° from New	-23.1185	119.065	
C48287	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna	-23.124	119.058	
C48286	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna	-23.134	119.05	
C48285	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna, approx. 73 km heading 291° from New	-23.1185	119.065	

Western Australian Museum Database Search Interpreted Results

C48284	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna, approx. 73 km heading 291° from New	-23.122	119.061	
C62439	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini NP	-22.2495	118.978	
C48292	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna, approx. 73 km heading 291° from New	-23.122	119.061	
C62705	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini N.P.	-22.8529	118.567	
C62709	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini N.P.	-22.8523	118.568	
C62708	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini N.P.	-22.852	118.543	
C62707	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini N.P., Mt Meharry	-22.9797	118.589	
C49819	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Southern Flank to Jinidi, 81.1km NW of Newman	-23.0169	119.036	
C62706	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini N.P.	-22.9268	118.372	
C49823	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	South Parmelia, 67.4km NW of Newman	-23.0325	119.178	
C62704	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini N.P.	-22.8449	118.525	
C49827	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West to Yandi, 110km NW of Newman	-22.7425	118.88	
C75036	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	84.2 km NW of Newman	-23.0606	118.974	
C62703	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini N.P.	-22.8533	118.547	
C49825	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West to Yandi, 110km NW of Newman	-22.7425	118.88	
C49839	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West	-22.8316	118.603	
C49846	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16?'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West	-22.8316	118.603	
C49829	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16?'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West to Yandi, 104.7km NW of Newman	-22.6322	119.07	
C49851	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16?'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West	-22.8316	118.603	
C49848	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '16?'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West	-22.8316	118.603	
C48333	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	110 km NNE of Newman	-22.3827	119.973	
C48311	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	113 km NNW of Newman	-22.3351	119.653	
C48336	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	118 km N of Newman	-22.2972	119.863	
C48335	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	110 km NNE of Newman	-22.3827	119.973	
C48334	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km N of Newman	-22.3134	119.789	
C48303	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3263	119.749	
C48313	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	108 km N of Newman	-22.3132	119.86	
C48312	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	113 km NNW of Newman	-22.3351	119.653	
C48310	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3257	119.739	
C48309	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km N of Newman	-22.3134	119.789	
C48308	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km N of Newman	-22.3134	119.789	
C48306	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km N of Newman	-22.3134	119.789	
C48315	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3257	119.739	
C48304	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	110 km NNE of Newman	-22.3827	119.973	
C48316	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km NNW of Newman	-22.3178	119.748	
C48302	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3263	119.749	
C48301	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	108 km N of Newman	-22.3132	119.86	
C48300	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	118 km N of Newman	-22.2954	119.811	
C48299	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	113 km NNW of Newman	-22.3351	119.653	
C48298	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	113 km NNW of Newman	-22.3351	119.653	
C48297	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	113 km NNW of Newman	-22.3351	119.653	
C48305	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	ca. 71 km heading 291° from Newman	-23.1246	119.067	
C48323	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	108 km N of Newman	-22.3132	119.86	
C48331	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3263	119.749	
C48330	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	118 km N of Newman	-22.2972	119.863	
C48329	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	118 km N of Newman	-22.2972	119.863	
C48328	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	118 km N of Newman	-22.2972	119.863	
C48327	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	118 km N of Newman	-22.2972	119.863	
C48326	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	110 km NNE of Newman	-22.3827	119.973	
C48307	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km N of Newman	-22.3134	119.789	
C48324	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3263	119.749	
C48332	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km NNW of Newman	-22.3178	119.748	
C48322	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	118 km N of Newman	-22.2954	119.811	
C48321	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km NNW of Newman	-22.3178	119.748	
C48320	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km NNW of Newman	-22.3178	119.748	
C48319	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	108 km N of Newman	-22.3132	119.86	
C48318	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km N of Newman	-22.3134	119.789	
C48317	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km NNW of Newman	-22.3178	119.748	
C48325	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	114 km NNW of Newman	-22.3263	119.749	
C62095	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Cloudbreak	-22.3527	119.419	
C48314	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km N of Newman	-22.3134	119.789	
C48337	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 76 km heading 290° from New	-23.1169	119.04	

Western Australian Museum Database Search Interpreted Results

C62976	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, heading 290° from Newman	-23.1309	119.069	
C62977	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, heading 289° from Newman	-23.1331	119.015	
C62974	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, heading 290° from Newman	-23.1142	119.023	
C62099	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Cloudbreak	-22.3149	119.154	
C62975	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, heading 291° from Newman	-23.1287	119.09	
C62097	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Cloudbreak	-22.3985	119.475	
C48434	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	115 km N of Newman	-22.3134	119.789	
C48346	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 70 km heading 291° from New	-23.1318	119.096	
C48344	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 74 km heading 289° from New	-23.1356	119.046	
C48343	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 72 km heading 290° from New	-23.1309	119.069	
C48342	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 72 km heading 290° from New	-23.1309	119.069	
C48341	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 71 km heading 290° from New	-23.1314	119.077	
C48340	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 71 km heading 290° from New	-23.1314	119.077	
C48339	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 72 km heading 290° from New	-23.1268	119.067	
C48345	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 72 km heading 291° from New	-23.1255	119.08	
C62098	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Cloudbreak	-22.3303	119.232	
C48338	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '19'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Wonmunna, approx. 72 km heading 291° from New	-23.1255	119.08	
C62146	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '20'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Fortescue Marsh	-22.2938	119.073	
C62147	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '20'	epigean	Potential SRE: DD	assessment by Dr Simon Judd	Fortescue Marsh	-22.2203	119.043	
C48347	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '26'	epigean	Potential SRE: DD	W.A. Museum assessment	114 km NNW of Newman	-22.3263	119.749	
C62731	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '26'	epigean	Potential SRE: DD	W.A. Museum assessment	115 km N of Newman	-22.3134	119.789	
C62730	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '26'	epigean	Potential SRE: DD	W.A. Museum assessment	118 km N of Newman	-22.2972	119.863	
C63346	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '47'	epigean	Potential SRE: DD	W.A. Museum assessment	Angelo River	-23.4331	118.733	
C63348	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '48'	epigean	Potential SRE: DD	W.A. Museum assessment	Angelo River	-23.2647	118.754	
C63354	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '49'	epigean	Potential SRE: DD	W.A. Museum assessment	OB35	-23.3936	119.653	
C63267	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '54'	epigean	Potential SRE: DD	W.A. Museum assessment	Christmas Creek	-22.3515	119.771	
C75042	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '77'	epigean	Potential SRE: DD	W.A. Museum assessment	70.8 km NW of Newman	-23.0416	119.129	
C75037	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '77'	epigean	Potential SRE: DD	W.A. Museum assessment	82.5 km NW of Newman	-23.0483	118.998	
C75040	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '77'	epigean	Potential SRE: DD	W.A. Museum assessment	84.2 km NW of Newman	-23.0606	118.974	
C75038	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '77'	epigean	Potential SRE: DD	W.A. Museum assessment	81.6 km NW of Newman	-23.077	118.994	
C75039	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '77'	epigean	Potential SRE: DD	W.A. Museum assessment	79.9 km NW of Newman	-23.0777	119.011	
C75041	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia '77'	epigean	Potential SRE: DD	W.A. Museum assessment	79.9 km NW of Newman	-23.0777	119.011	
C60224	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B27' (SJ13)	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.0976	118.174	
C60283	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B27' (SJ13)	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.0967	118.175	
C60230	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B27' (SJ13)	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.2657	118.644	
C60205	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B27' (SJ13)	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.3074	118.377	
C60203	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B27' (SJ13)	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.06	118.113	
C60170	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B27' (SJ13)	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.2657	118.644	
C60165	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B27' (SJ13)	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.3769	118.287	
C60163	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B27' (SJ13)	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.3769	118.287	
C60235	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B27' (SJ13)	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.3684	118.376	
C60204	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B47'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.06	118.113	
C60267	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B47'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.2358	118.284	
C60288	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B47'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.0928	118.234	
C60284	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B47'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.0967	118.175	
C60282	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B47'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.0972	118.174	
C60281	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B47'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.0963	118.175	
C60278	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B47'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.1471	118.174	
C60275	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B47'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.1152	118.112	

Western Australian Museum Database Search Interpreted Results

C60270	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B47'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.3769	118.287	
C60256	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B47'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.1476	118.173	
C60245	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B47'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.1537	118.172	
C60201	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B47'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.06	118.113	
C60153	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B47'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.06	118.113	
C60152	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B47'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.0969	118.175	
C60262	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B47'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.0972	118.174	
C60247	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B47'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.0978	118.174	
C60276	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B48'	epigean	widespread	W.A. Museum assessment	Solomon	-22.1152	118.112	
C60231	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B48'	epigean	widespread	W.A. Museum assessment	Solomon	-22.2657	118.644	
C60244	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B48'	epigean	widespread	W.A. Museum assessment	Solomon	-22.0972	118.174	
C60258	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B48'	epigean	widespread	W.A. Museum assessment	Solomon	-22.1551	118.307	
C60268	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B48'	epigean	widespread	W.A. Museum assessment	Solomon	-22.0935	118.234	
C60225	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B48'	epigean	widespread	W.A. Museum assessment	Solomon	-22.0976	118.174	
C60271	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B48'	epigean	widespread	W.A. Museum assessment	Solomon	-22.1476	118.173	
C60249	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B48'	epigean	widespread	W.A. Museum assessment	Solomon	-22.2343	118.284	
C60279	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B48'	epigean	widespread	W.A. Museum assessment	Solomon	-22.0971	118.648	
C60286	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B48'	epigean	widespread	W.A. Museum assessment	Solomon	-22.155	118.307	
C60269	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B48'	epigean	widespread	W.A. Museum assessment	Solomon	-22.1667	118.306	
C60155	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B48'	epigean	widespread	W.A. Museum assessment	Solomon	-22.0979	118.65	
C60261	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B48'	epigean	widespread	W.A. Museum assessment	Solomon	-22.1552	118.307	
C60219	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B48'	epigean	widespread	W.A. Museum assessment	Solomon	-22.1673	118.175	
C60154	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B48'	epigean	widespread	W.A. Museum assessment	Solomon	-22.0975	118.649	
C60156	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B48'	epigean	widespread	W.A. Museum assessment	Solomon	-22.0976	118.174	
C60167	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B48'	epigean	widespread	W.A. Museum assessment	Solomon	-22.1673	118.175	
C60169	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B48'	epigean	widespread	W.A. Museum assessment	Solomon	-22.2657	118.644	
C60171	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B48'	epigean	widespread	W.A. Museum assessment	Solomon	-22.2657	118.644	
C60173	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B48'	epigean	widespread	W.A. Museum assessment	Solomon	-22.2657	118.644	
C60190	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B48'	epigean	widespread	W.A. Museum assessment	Solomon	-22.1673	118.175	
C60208	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B48'	epigean	widespread	W.A. Museum assessment	Solomon	-22.2657	118.644	
C60158	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.3376	118.515	
C60180	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-23.4461	118.341	
C60200	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.06	118.113	
C60194	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.3368	118.565	
C60186	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.1673	118.175	
C60185	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-23.4461	118.341	
C60182	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-23.4461	118.341	
C60202	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.06	118.113	
C60179	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-23.4461	118.341	
C60178	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.1461	118.341	
C60176	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-23.4461	118.341	
C60174	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-23.4461	118.341	
C60162	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.3074	118.377	
C60209	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.2657	118.644	
C60196	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.2657	118.644	
C60172	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.2657	118.644	
C60232	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.2657	118.644	
C60251	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.3377	118.515	
C60250	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.2343	118.284	
C60191	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.1673	118.175	
C60210	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-23.4461	118.341	
C60280	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.3684	118.376	
C60233	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.06	118.113	
C60234	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.06	118.113	
C60227	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.1762	118.376	
C60226	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.0976	118.174	
C60221	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.1762	118.376	
C60217	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.3376	118.515	
C60215	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.3376	118.515	
C60212	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B49'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.3376	118.515	
C60183	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B50'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-23.4461	118.341	
C60181	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B50'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-23.4461	118.341	
C60211	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B50'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-23.4461	118.341	
C60213	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B50'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.3376	118.515	
C60214	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B50'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.3376	118.515	
C60177	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B50'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.1461	118.341	
C60218	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B50'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.3376	118.515	

C60184	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B50'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-23.4461	118.341	
C60175	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B50'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-23.4461	118.341	
C60229	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B50'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.1762	118.376	
C60216	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B50'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.3376	118.515	
C60238	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B50'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.152	118.347	
C60239	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B50'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.3377	118.515	
C60240	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B50'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.3377	118.515	
C60241	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B50'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.1461	118.341	
C60243	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B50'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.0928	118.316	
C60252	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B50'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.3377	118.515	
C60228	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B50'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.1762	118.376	
C60166	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B50'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.3769	118.287	
C60159	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B50'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.3376	118.515	
C60157	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B50'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.3376	118.515	
C60222	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B50'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.1762	118.376	
C60277	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B52'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.2354	118.284	
C60259	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B52'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.2354	118.284	
C60265	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B52'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.4169	118.418	
C60272	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B52'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.4045	118.417	
C60248	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B52'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.2351	118.284	
C60263	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B53'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.5717	118.315	
C60168	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B53'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.1673	118.175	
C60187	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B53'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.1673	118.175	
C60192	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B53'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.1673	118.175	
C60220	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B53'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.1673	118.175	
C60255	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B53'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.5351	118.202	
C60257	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B53'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.3712	118.473	
C60260	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B53'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.5344	118.201	
C60273	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B53'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.5351	118.202	
C60264	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B54'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.5717	118.315	
C60274	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia 'B54'	epigean	Potential SRE: DD	W.A. Museum assessment	Solomon	-22.5351	118.202	
C18438	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hooley (Kylan Pool) W.A.	-21.8833	118.217	
C62701	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Karijini N.P.	-22.8538	118.566	
C42742	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Murays Hill, Mulga Downs Station, Pilbara	-22.1188	118.512	
C62696	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Juna Downs Station	-22.9243	118.475	
C42770	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Juna Downs Station, Area A	-22.875	118.676	
C49824	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	South Parmelia, 67.4km NW of Newman	-23.0325	119.178	
C62728	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	113 km NNW of Newman	-22.3351	119.653	
C18431	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Wittenoom: W.A.	-22.2333	118.333	
C62213	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station	-22.5489	120.036	
C42740	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Murays Hill, Mulga Downs Station, Pilbara	-22.1185	118.51	
C42774	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Juna Downs Station, Area A	-22.8926	118.685	
C49961	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana	-22.0164	119.245	
C49962	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana	-22.3182	119.118	
C75043	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	79.9 km NW of Newman	-23.0777	119.011	
C42741	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Murays Hill, Mulga Downs Station, Pilbara	-22.1132	118.512	
C42773	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Murays Hill, Mulga Downs Station, Pilbara	-22.1188	118.512	
C62698	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Karijini N.P.	-22.8423	118.522	
C42761	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Murays Hill, Mulga Downs Station, Pilbara	-22.1132	118.512	
C42762	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Murays Hill, Mulga Downs Station, Pilbara	-22.1207	118.508	
C42763	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Murays Hill, Mulga Downs Station, Pilbara	-22.117	118.503	
C62702	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Karijini N.P.	-22.8446	118.54	
C42749	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Murays Hill, Mulga Downs Station, Pilbara	-22.1291	118.505	
C42760	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Juna Downs Station, Area A	-22.8759	118.683	
C62697	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Karijini N.P.	-22.8397	118.524	
C42765	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Murays Hill, Mulga Downs Station, Pilbara	-22.1246	118.518	
C62699	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Karijini N.P.	-22.8424	118.52	
C42748	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Murays Hill, Mulga Downs Station, Pilbara	-22.123	118.513	
C62005	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Phils Creek, East Hamersley Range	-22.7316	119.193	
C62700	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Karijini N.P.	-22.8553	118.573	
C62210	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station	-22.4793	119.942	
C62211	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station	-22.5181	119.913	
C62212	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundia sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station	-22.441	119.979	
C62217	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Roy Hill Station	-22.5565	119.97	
C62216	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Roy Hill Station	-22.5771	120.025	
C62215	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Roy Hill Station	-22.4547	119.871	
C62218	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Roy Hill Station	-22.4697	119.878	

C62219	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Roy Hill Station	-22.5383	119.942	
C62220	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Roy Hill Station	-22.4943	119.922	
C62221	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Roy Hill Station	-22.5843	120.017	
C62225	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Roy Hill Station	-22.5933	120.033	
C62107	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Cloudbreak	-22.3949	119.502	
C62223	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Roy Hill Station	-22.5843	120.017	
C62106	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Cloudbreak	-22.3527	119.419	
C62105	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Cloudbreak	-22.3251	119.446	
C62104	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Cloudbreak	-22.298	119.394	
C62103	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Cloudbreak	-22.2827	119.404	
C62102	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Cloudbreak	-22.2805	119.41	
C62101	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Cloudbreak	-22.3395	119.277	
C62096	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Cloudbreak	-22.3146	119.302	
C62100	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Cloudbreak	-22.3973	119.463	
C62145	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Fortescue Marsh	-22.293	119.061	
C62172	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Chichester Range	-22.8586	119.673	
C62176	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Chichester Range	-23.3145	119.855	
C62177	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Chichester Range	-23.3289	119.84	
C62173	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Chichester Range	-22.9841	119.771	
C62226	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Roy Hill Station	-22.4321	119.891	
C62174	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Chichester Range	-22.6687	119.419	
C62235	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Roy Hill Station	-22.4827	119.881	
C62143	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Fortescue Marsh	-22.1237	119.043	
C62140	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	potential SRE: DD	assessment by Dr S. Judd	Fortescue Marsh	-22.1716	119.102	
C62139	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Fortescue Marsh	-22.0192	119.034	
C62137	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Fortescue Marsh	-22.3157	119.241	
C63266	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Christmas Creek	-22.4078	119.877	
C62734	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	115 km NNW of Newman	-22.3178	119.748	
C62144	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Fortescue Marsh	-22.1237	119.043	
C62732	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	104 km N of Newman	-22.451	119.976	
C62175	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Chichester Range	-23.1164	119.886	
C62234	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Roy Hill Station	-22.5181	119.913	
C62233	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Roy Hill Station	-22.503	119.891	
C62232	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Roy Hill Station	-22.5271	120.042	
C62231	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Roy Hill Station	-22.5846	120.026	
C62229	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Roy Hill Station	-22.4967	120.024	
C62228	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Roy Hill Station	-22.505	119.914	
C62733	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	118 km N of Newman	-22.2954	119.811	
C62138	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Fortescue Marsh	-22.0021	119.013	
C62227	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Buddelundiinae sp.	epigean	Potential SRE: DD	assessment by Dr S. Judd	Roy Hill Station	-22.5174	119.931	
C48348	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	cf. Spherillo 'sp. 3'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna, approx. 73 km heading 291° from New	-23.122	119.061	
C60193	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Philosciidae 'B31'	epigean	Potential SRE: DD	W.A. Museum Assessment	Solomon	-22.1673	118.175	
C60188	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Philosciidae 'B31'	epigean	Potential SRE: DD	W.A. Museum Assessment	Solomon	-22.1673	118.175	
C60149	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Philosciidae 'B31'	epigean	Potential SRE: DD	W.A. Museum Assessment	Mount Mcrae	-22.1673	118.175	
C60189	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Philosciidae 'B31'	epigean	Potential SRE: DD	W.A. Museum Assessment	Solomon	-22.1673	118.175	
C75046	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Pseudodiploexochus sp.	epigean	Potential SRE: DD	W.A. Museum assessment	70.8 km NW of Newman	-23.0416	119.129	
C62180	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Spherillo sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Chichester Range	-22.9841	119.771	
C62978	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Spherillo 'sp. 3'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Wonmunna, heading 291° from Newman	-23.121	119.063	
C75047	Crustacea	Isopoda (isopods)	Isopoda	Armadillidae	Troglarmadillo sp.	epigean	Potential SRE: DD	W.A. Museum assessment	80.3 km NW of Newman	-23.0484	119.021	
C48395	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'PES4394'	epigean	Potential SRE: DD	W.A. Museum Assessment	118 km N of Newman	-22.2972	119.863	
C48390	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'PES4394'	epigean	Potential SRE: DD	W.A. Museum Assessment	108 km N of Newman	-22.3132	119.86	
C48386	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'PES4394'	epigean	Potential SRE: DD	W.A. Museum Assessment	104 km N of Newman	-22.451	119.976	
C48392	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'PES4394'	epigean	Potential SRE: DD	W.A. Museum Assessment	118 km N of Newman	-22.2972	119.863	
C48389	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'PES4394'	epigean	Potential SRE: DD	W.A. Museum Assessment	118 km N of Newman	-22.2954	119.811	
C48397	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'PES4394'	epigean	Potential SRE: DD	W.A. Museum Assessment	104 km NNE of Newman	-22.4481	119.986	
C48396	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'PES4394'	epigean	Potential SRE: DD	W.A. Museum Assessment	114 km NNW of Newman	-22.3263	119.749	
C48398	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'PES4394'	epigean	Potential SRE: DD	W.A. Museum Assessment	114 km NNW of Newman	-22.3263	119.749	

C48391	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'PES4394'	epigean	Potential SRE: DD	W.A. Museum Assessment	118 km N of Newman	-22.2972	119.863	
C48394	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'PES4394'	epigean	Potential SRE: DD	W.A. Museum Assessment	112 km NNE of Newman	-22.3871	119.966	
C48393	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'PES4394'	epigean	Potential SRE: DD	W.A. Museum Assessment	114 km NNW of Newman	-22.3263	119.749	
C48387	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'PES4394'	epigean	Potential SRE: DD	W.A. Museum Assessment	115 km N of Newman	-22.3134	119.789	
C48385	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'PES4394'	epigean	Potential SRE: DD	W.A. Museum Assessment	112 km NNE of Newman	-22.3871	119.966	
C48384	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'PES4394'	epigean	Potential SRE: DD	W.A. Museum Assessment	113 km NNW of Newman	-22.3351	119.653	
C48383	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'PES4394'	epigean	Potential SRE: DD	W.A. Museum Assessment	115 km NNW of Newman	-22.3178	119.748	
C48399	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'PES4394'	epigean	Potential SRE: DD	W.A. Museum Assessment	110 km NNE of Newman	-22.3827	119.973	
C48382	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'PES4394'	epigean	Potential SRE: DD	W.A. Museum Assessment	104 km NNE of Newman	-22.4481	119.986	
C48402	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'PES4394'	epigean	Potential SRE: DD	W.A. Museum Assessment	113 km NNW of Newman	-22.3351	119.653	
C48388	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'PES4394'	epigean	Potential SRE: DD	W.A. Museum Assessment	118 km N of Newman	-22.2954	119.811	
C48406	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'PES4394'	epigean	Potential SRE: DD	W.A. Museum Assessment	115 km NNW of Newman	-22.3178	119.748	
C48401	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'PES4394'	epigean	Potential SRE: DD	W.A. Museum Assessment	114 km NNW of Newman	-22.3257	119.739	
C48400	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'PES4394'	epigean	Potential SRE: DD	W.A. Museum Assessment	118 km N of Newman	-22.2972	119.863	
C48403	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'PES4394'	epigean	Potential SRE: DD	W.A. Museum Assessment	114 km NNW of Newman	-22.3257	119.739	
C48404	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'PES4394'	epigean	Potential SRE: DD	W.A. Museum Assessment	114 km NNW of Newman	-22.3257	119.739	
C48405	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'PES4394'	epigean	Potential SRE: DD	W.A. Museum Assessment	114 km NNW of Newman	-22.3257	119.739	
C62179	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia sp.	epigean	Potential SRE: DD	W.A. Museum Assessment	Chichester Range	-22.6335	119.329	
C62979	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia sp.	epigean	Potential SRE: DD	W.A. Museum Assessment	Wonmunna, heading 291° from Newman	-23.121	119.063	
C48359	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'Wonmunna A'	epigean	Potential SRE: DD	W.A. Museum Assessment	Wonmunna, approx. 78 km heading 288° from New	-23.1436	119.006	
C48361	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'Wonmunna A'	epigean	Potential SRE: DD	W.A. Museum Assessment	Wonmunna, approx. 73 km heading 291° from New	-23.121	119.063	
C48362	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'Wonmunna A'	epigean	Potential SRE: DD	W.A. Museum Assessment	Wonmunna, approx. 77 km heading 288° from New	-23.1393	119.018	
C48360	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Laevophiloscia 'Wonmunna A'	epigean	Potential SRE: DD	W.A. Museum Assessment	Wonmunna, approx. 73 km heading 291° from New	-23.121	119.063	
C61311	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Philosciidae sp.	epigean	Potential SRE: DD	family contains SREs and potential SREs	Dales Gorge, Circular Pool, Karijini NP	-22.4758	118.562	
C75048	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Philosciidae sp.	epigean	potential SRE: DD	family contains SREs and potential SREs	84.2 km NW of Newman	-23.0606	118.974	
C75049	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Philosciidae sp.	epigean	potential SRE: DD	family contains SREs and potential SREs	88.2 km NW of Newman	-23.06	118.932	
C61312	Crustacea	Isopoda (isopods)	Isopoda	Philosciidae	Philosciidae sp.	epigean	Potential SRE: DD	family contains SREs and potential SREs	Woodland site, Karijini NP	-22.5713	118.378	
T51619	Arachnida	Araneae (spiders)	Araneae		Mygalomorphae sp.	epigean	Potential SRE: DD	Infraorder contains SREs and potential SREs	Weeli Wolli Creek, ca. 28 km SW. of Marillana, site HDA7	-22.8344	119.2736	25/04/2003
T125303	Arachnida	Araneae (spiders)	Araneae		Mygalomorphae sp.	epigean	Potential SRE: DD	Infraorder contains SREs and potential SREs	Koodaideri Western Corridor, 200.6 km NW. of Newman	-22.17611	118.2702	28/03/2012
T144520	Arachnida	Araneae (spiders)	Araneae		Mygalomorphae sp.	epigean	Potential SRE: DD	Infraorder contains SREs and potential SREs	Packsaddle Range, 93 km NW. of Newman	-22.900645	118.993269	1/06/2017
T144521	Arachnida	Araneae (spiders)	Araneae		Mygalomorphae sp.	epigean	Potential SRE: DD	Infraorder contains SREs and potential SREs	ca. 105 km NW. of Newman	-22.879198	118.822872	1/06/2017
T113617	Arachnida	Araneae (spiders)	Araneae		Mygalomorphae sp.	epigean	Potential SRE: DD	Infraorder contains SREs and potential SREs	111.3 km NW. of Newman	-22.62453	118.9876	26/05/2011
T122353	Arachnida	Araneae (spiders)	Araneae		Mygalomorphae sp.	epigean	Potential SRE: DD	Infraorder contains SREs and potential SREs	Area C West, 114.9 km NW. of Newman	-22.89753	118.7061	6/02/2012
T131085	Arachnida	Araneae (spiders)	Araneae		Mygalomorphae sp.	epigean	Potential SRE: DD		Orebody 24, ca. 7 km N. of Newman	-23.27582	119.8071	29/04/2013
T131254	Arachnida	Araneae (spiders)	Araneae		Mygalomorphae sp.	epigean	Potential SRE: DD	Infraorder contains SREs and potential SREs	"Homestead", ca. 6 km N. of Newman	-23.32554	119.7477	5/08/2013
T122346	Arachnida	Araneae (spiders)	Araneae		Mygalomorphae sp.	epigean	Potential SRE: DD	Infraorder contains SREs and potential SREs	Area C West, 123.3 km NW. of Newman	-22.87906	118.6571	6/02/2012

Western Australian Museum Database Search Interpreted Results

T125323	Arachnida	Araneae (spiders)	Araneae		Mygalomorphae sp.	epigean	Potential SRE: DD	Infraorder contains SREs and potential SREs	Koodaideri Western Corridor, 144.2 km NW. of Newman	-22.37994	118.82	30/03/2012
T125304	Arachnida	Araneae (spiders)	Araneae		Mygalomorphae sp.	epigean	Potential SRE: DD	Infraorder contains SREs and potential SREs	Koodaideri Western Corridor, 154.8 km NW. of Newman	-22.33589	118.7158	27/03/2012
T136533	Arachnida	Araneae (spiders)	Araneae		Mygalomorphae sp.	epigean	Potential SRE: DD	Infraorder contains SREs and potential SREs	Koodaideri, 81.1 km NE. of Tom Price	-22.18674	118.3542	26/10/2013
T136523	Arachnida	Araneae (spiders)	Araneae		Mygalomorphae sp.	epigean	Potential SRE: DD	Infraorder contains SREs and potential SREs	Koodaideri, 83 km NE. of Tom Price	-22.2365	118.4254	25/10/2013
T136545	Arachnida	Araneae (spiders)	Araneae		Mygalomorphae sp.	epigean	Potential SRE: DD	Infraorder contains SREs and potential SREs	Koodaideri, 79.1 km NE. of Tom Price	-22.18447	118.3255	27/10/2013
T128631	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	ca. 18 km N. of Wittenoom	-22.09838	118.4099	20/05/2013
T97017	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena faulderi	epigean	Potential SRE: DD	W.A. Museum assessment, {Harms, 2013 #36186}	Jinayri, ca. 65 km NW. of Newman	-22.96783	119.2672	1/02/2009
T96132	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena faulderi	epigean	Potential SRE: DD	W.A. Museum assessment, {Harms, 2013 #36186}	Jinayri, ca. 60 km NW. of Newman	-23.04158	119.2776	5/02/2009
T96133	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena faulderi	epigean	Potential SRE: DD	W.A. Museum assessment, {Harms, 2013 #36186}	Jinayri, ca. 60 km NW. of Newman	-23.04075	119.2798	2/02/2009
T108710	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena insignis	epigean	widespread	W.A. Museum assessment	Chichester Range, northern slopes @	-22.18735	119.0258	22/08/2008
T108714	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena insignis	epigean	widespread	W.A. Museum assessment	Chichester Range, northern slopes @	-22.22492	118.9887	22/08/2008
T122441	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'insignis group'	epigean	widespread	W.A. Museum assessment	Mulga Downs Station, 16 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW07	-22.22172	119.0249	14/08/2003
T91913	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena langlandsi	epigean	Potential SRE: DD	W.A. Museum assessment, {Harms, 2013 #36186}	Hamersley Range, Weeli Wolli Creek region, Area C, site 15-15D	-22.93136	119.0472	17/06/2008
T91912	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena langlandsi	epigean	Potential SRE: DD	W.A. Museum assessment, {Harms, 2013 #36186}	Hamersley Range, Weeli Wolli Creek region, Area C, site 15-15B	-22.93136	119.047	17/06/2008
T91911	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena langlandsi	epigean	Potential SRE: DD	W.A. Museum assessment, {Harms, 2013 #36186}	Hamersley Range, Weeli Wolli Creek region, Area C, site 09-9C	-22.92583	119.0379	15/06/2008
T91914	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena langlandsi	epigean	Potential SRE: DD	W.A. Museum assessment, {Harms, 2013 #36186}	Hamersley Range, Weeli Wolli Creek region, Area C, site 15-15E	-22.93161	119.0473	17/06/2008
T115948	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena langlandsi	epigean	Potential SRE: DD	W.A. Museum assessment, {Harms, 2013 #36186}	Wonmunna, ca. 73 km heading 291° from Newman	-23.12101	119.0632	20/05/2011
T112076	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena langlandsi	epigean	Potential SRE: DD	W.A. Museum assessment, {Harms, 2013 #36186}	Wonmunna, ca. 73 km heading 291° from Newman	-23.11921	119.0643	20/05/2011
T136003	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'marillana'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill Station, Marillana Creek area	-22.56889	119.2325	30/06/2008
T136004	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'marillana'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill Station, Marillana Creek area	-22.55528	119.23	30/06/2008
T136002	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'marillana'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill Station, Marillana Creek area	-22.56639	119.2322	30/06/2008
T99600	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Bellbird Siding to Juna Downs, 76.4 km E. of Tom Price	-22.875	118.5039	9/05/2009
T116873	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	84.2 km NW. of Newman	-22.675	119.3492	26/07/2011
T116874	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	84.2 km NW. of Newman	-22.67472	119.3483	26/07/2011
T119969	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	84.8 km NW. of Newman	-22.66833	119.3747	27/07/2011
T116875	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	89.3 km NW. of Newman	-22.64083	119.3206	26/07/2011
T116881	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	89.3 km NW. of Newman	-22.64083	119.3203	26/07/2011
T116868	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Mudlark, 94 km W. of Newman	-23.07944	118.8578	6/07/2011
T119726	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Juna Downs Station, 116 km NW. of Newman	-22.64556	118.9028	11/05/2011
T116866	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Mudlark, 94 km W. of Newman	-23.07972	118.8581	6/07/2011
T145114	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	c. 10 km NW. of Kellerberrin, McCLellands [= McLennans] remnant, K49, quadrat T25-30	-22.36219	119.9691	23/03/2011
T126276	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	114 km NW. of Newman	-22.61444	118.955	21/11/2011
T119727	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Juna Downs Station, 116 km NW. of Newman	-22.64556	118.9028	11/05/2011
T126272	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	114 km NW. of Newman	-22.61444	118.955	21/11/2011

Western Australian Museum Database Search Interpreted Results

T126260	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	118.3 km NW. of Newman	-22.61111	118.9072	18/11/2011
T119728	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Juna Downs Station, 116 km NW. of Newman	-22.64556	118.9028	10/05/2011
T116839	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Mudlark, 102 km W. of Newman	-23.09	118.8111	3/07/2011
T119729	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Juna Downs Station, 116 km NW. of Newman	-22.64556	118.9028	10/05/2011
T122107	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.54303	119.9164	17/02/2012
T119731	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Juna Downs Station, 117 km NW. of Newman	-22.62889	118.9017	10/05/2011
T119733	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Juna Downs Station, 116 km NW. of Newman	-22.61056	118.9397	10/05/2011
T128629	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	ca. 18 km N. of Wittenoom	-22.08333	118.3104	20/05/2013
T128630	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	ca. 18 km N. of Wittenoom	-22.05	118.309	20/05/2013
T116811	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Mudlark, 110 km W. of Newman	-23.08444	118.6972	3/07/2011
T122105	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	BSF2, ca. 90 km NW. of Newman	-22.28222	119.1276	15/07/2010
T122861	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	118.6 km NW. of Newman	-22.88083	118.6872	1/04/2012
T119974	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	84.8 km NW. of Newman	-22.66833	119.3747	27/07/2011
T119718	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Juna Downs Station, 114 km NW. of Newman	-22.72583	118.8497	12/05/2011
T119975	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	84.8 km NW. of Newman	-22.66833	119.3747	27/07/2011
T119711	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Juna Downs Station, 113 km NW. of Newman	-22.68639	118.8931	10/05/2011
T119979	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	99.1 km NW. of Newman	-22.57167	119.2858	27/07/2011
T119980	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	99.1 km NW. of Newman	-22.57167	119.2861	27/07/2011
T119984	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	105.3 km NW. of Newman	-22.51194	119.2592	28/07/2011
T119703	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Juna Downs Station, 120 km NW. of Newman	-22.61083	118.8764	8/05/2011
T119993	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	105.3 km NW. of Newman	-22.51194	119.2589	28/07/2011
T122822	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	111.6 km NW. of Newman	-22.89194	118.7647	29/03/2012
T126257	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	118.2 km NW. of Newman	-22.60528	118.9192	19/11/2011
T122843	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	115.4 km NW. of Newman	-22.90861	118.7175	31/03/2012
T126264	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	118.3 km NW. of Newman	-22.61111	118.9072	18/11/2011
T122865	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	118.6 km NW. of Newman	-22.88083	118.6869	1/04/2012
T122872	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	124 km NW. of Newman	-22.86555	118.6411	1/04/2012
T120018	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	85.2 km NW. of Newman	-22.65333	119.4136	31/07/2011
T125176	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	63.5 km ESE. of Paraburdoo, site 1000-tur01	-23.28848	118.2849	27/04/2012
T122106	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.54303	119.9164	17/02/2012
T125308	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Koodaideri Western Corridor, 194.8 km NW. of Newman	-22.12856	118.1286	28/03/2012
T125317	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Koodaideri Western Corridor, 109.7 km NW. of Newman	-22.15622	118.1472	29/03/2012
T119725	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Juna Downs Station, 113 km NW. of Newman	-22.68722	118.8925	10/05/2011

Western Australian Museum Database Search Interpreted Results

T120019	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	85.2 km NW. of Newman	-22.65333	119.4139	31/07/2011
T147375	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	118.6 km NW. of Newman	-22.88083	118.6872	1/04/2012
T122234	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 70.2 km NE. of Tom Price	-22.15622	118.1344	20/02/2012
T119995	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	81.2 km NW. of Newman	-22.70028	119.3781	29/07/2011
T113665	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	117.6 km NW. of Newman	-22.6276	118.896	31/05/2011
T114598	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	IOH, Iron Valley Project, near Marillana Station, site rios2d5	-22.43389	119.1958	10/05/2011
T122248	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 71.6 km NE. of Tom Price	-22.13608	118.136	20/02/2012
T122252	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 82.1 km NE. of Tom Price	-22.2325	118.4146	20/02/2012
T122209	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 93.7 km NE. of Tom Price	-22.32831	118.6102	20/02/2012
T113591	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	South Parmelia, 52 km NW. of Newman	-23.08556	119.3181	16/04/2011
T113593	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Southern Flank, 72 km NW. of Newman	-23.00306	119.1394	13/04/2011
T116746	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Mudlark, 107 km W. of Newman	-23.09389	118.7194	30/06/2011
T113596	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Southern Flank, 72 km NW. of Newman	-23.00278	119.1394	14/04/2011
T114599	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	FMG Nyidinghu Project, near Marillana Station, site s1wt17	-22.31948	119.1135	10/05/2011
T128632	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	ca. 18 km N. of Wittenoom	-22.06667	118.3353	20/05/2013
T113597	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Southern Flank, 72 km NW. of Newman	-23.00306	119.1392	14/04/2011
T134156	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	ca. 40 km E. of Mount McRae, Solomon Mine	-22.08413	118.227	22/04/2014
T113653	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	110.6 km NW. of Newman	-22.74232	118.8806	29/05/2011
T113660	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	119.1 km NW. of Newman	-22.63364	118.8698	30/05/2011
T122224	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 71.7 km NE. of Tom Price	-22.13528	118.1362	20/02/2012
T128633	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	ca. 18 km N. of Wittenoom	-22.06667	118.3142	20/05/2013
T128634	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	ca. 18 km N. of Wittenoom	-22.08333	118.3104	20/05/2013
T136490	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Koodaideri, 117 km ENE. of Tom Price	-22.40159	118.8827	6/05/2012
T122226	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 70.1 km NE. of Tom Price	-22.15517	118.1345	20/02/2012
T122235	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 70.1 km NE. of Tom Price	-22.15622	118.1344	20/02/2012
T122217	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 89.4 km NE. of Tom Price	-22.26528	118.5217	20/02/2012
T116776	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Mudlark, 113 km W. of Newman	-23.03806	118.6828	1/07/2011
T115979	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Angelo River	-23.32678	118.7308	20/06/2011
T113626	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	113.8 km NW. of Newman	-22.65646	118.9182	26/05/2011
T122229	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 69.6 km NE. of Tom Price	-22.15569	118.1349	20/02/2012
T113599	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Southern Flank, 72 km NW. of Newman	-23.00306	119.1389	14/04/2011
T135563	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Karijini National Park, c. 25 km SSW. of Dales Gorge	-22.65806	118.4342	17/03/2015
T113598	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Southern Flank, 72 km NW. of Newman	-23.00306	119.1392	14/04/2011

Western Australian Museum Database Search Interpreted Results

T136502	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Koodaideri, 114.8 km E. of Tom Price	-22.63315	118.9042	8/05/2012
T136492	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG045'	epigean	widespread	W.A. Museum assessment	Koodaideri, 117 km ENE. of Tom Price	-22.40159	118.8827	7/05/2012
T122093	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG252'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.52258	119.9186	8/02/2011
T122094	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG252'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.52258	119.9186	8/02/2011
T122095	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG252'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.55611	119.9703	5/02/2011
T122097	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG252'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.57744	120.0255	6/02/2011
T122098	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG252'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.57744	120.0255	6/02/2011
T122096	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG252'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.55611	119.9703	5/02/2011
T122101	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG252'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.52247	119.9186	18/02/2012
T131217	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG252'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill Mine 1, ca. 90 km N. of Newman	-22.47892	119.9421	18/04/2013
T122099	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG252'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.47892	119.9421	16/02/2012
T97637	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG253'	epigean	widespread	W.A. Museum assessment	Murray Hills, Mulga Downs Station, Ecologia project 1142	-22.12782	118.5153	19/04/2009
T107393	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG253'	epigean	widespread	W.A. Museum assessment	Hope Downs, 73.7 km NW. of Newman	-22.99028	119.1217	27/06/2010
T105877	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG253'	epigean	widespread	W.A. Museum assessment	Area C, 87.3 km NW. of Newman	-23.01111	118.9708	16/08/2010
T116751	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG253'	epigean	widespread	W.A. Museum assessment	Mudlark, 111 km WNW. of Newman	-23.08667	118.6864	30/06/2011
T116755	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG253'	epigean	widespread	W.A. Museum assessment	Mudlark, 111 km WNW. of Newman	-23.08694	118.6861	30/06/2011
T122103	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG253'	epigean	widespread	W.A. Museum assessment	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.52247	119.9186	18/02/2012
T118328	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena 'MYG253'	epigean	widespread	W.A. Museum assessment	Mulga Downs Station, Cowra, site 994-13	-22.22709	119.0137	16/04/2012
T29985	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena occatoria	epigean	widespread	W.A. Museum assessment	Marandoo	-22.6166	118.1333	1/08/1991
T29984	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena occatoria	epigean	widespread	W.A. Museum assessment	Marandoo	-22.6166	118.1333	1/08/1991
T29980	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena occatoria	epigean	widespread	W.A. Museum assessment	Marandoo	-22.6166	118.1333	1/08/1991
T31039	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena occatoria	epigean	widespread	W.A. Museum assessment	Newman	-23.35	119.7333	10/05/1987
T30238	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena occatoria	epigean	widespread	W.A. Museum assessment	Marandoo Minesite	-22.6166	118.1333	22/04/1976
T29983	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena occatoria	epigean	widespread	W.A. Museum assessment	Marandoo	-22.6166	118.1333	1/08/1991
T29982	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena occatoria	epigean	widespread	W.A. Museum assessment	Marandoo	-22.6166	118.1333	1/08/1991
T29981	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena occatoria	epigean	widespread	W.A. Museum assessment	Marandoo	-22.6166	118.1333	1/08/1991
T120914	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena rutraspina	epigean	widespread	W.A. Museum assessment	14 km WSW. of Roy Hill Station, Pilbara Biological Survey site RHNE05	-22.67567	119.8406	19/11/2003
T120915	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena rutraspina	epigean	widespread	W.A. Museum assessment	10.5 km NW. of Bonney Downs Homestead, Pilbara Biological Survey site RHNE10	-22.11783	119.8772	7/08/2003
T149410	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena rutraspina	epigean	widespread	W.A. Museum assessment	18.4 km NW. of Newman	-23.05806	119.0052	10/03/2019
T149409	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena rutraspina	epigean	widespread	W.A. Museum assessment	18.4 km NW. of Newman	-23.05806	119.0052	10/03/2019
T120916	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena rutraspina	epigean	widespread	W.A. Museum assessment	Mulga Downs Station, 16 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW07	-22.22172	119.0249	9/08/2003
T84003	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 10)	-22.3275	119.3703	26/09/2006
T103213	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 86.4 km NW. of Newman	-22.94722	119.0153	27/06/2010

Western Australian Museum Database Search Interpreted Results

T84002	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 10)	-22.3275	119.3703	31/07/2006
T107190	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Chichester Range	-22.66878	119.4189	20/04/2010
T84005	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 25)	-22.335	119.4039	26/09/2006
T89294	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	9.3 km NE. of Newman, Orebody 24	-23.30369	119.8046	21/04/2008
T84004	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 25)	-22.335	119.4039	31/07/2006
T107192	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Chichester Range	-22.66878	119.4189	20/04/2010
T103237	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 85.7 km NW. of Newman	-22.94861	119.0247	27/06/2010
T98152	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Ecologia Project 1106	-22.57717	120.0247	25/05/2009
T140325	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	55.5 km S. of Auski Roadhouse	-22.89778	118.6531	17/05/2008
T112593	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinidy to Mindy, 71.9 km NW. of Newman	-23.00306	119.1394	29/03/2011
T122102	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.52247	119.9186	18/02/2012
T126322	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mt Florance Station, 123 km WNW. of Tom Price	-22.43306	118.9606	9/03/2012
T140324	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	55.5 km S. of Auski Roadhouse	-22.87833	118.6481	17/05/2008
T122108	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.54303	119.9164	17/02/2012
T115950	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Wonmunna, ca. 78 km heading 288° from Newman	-23.142843	119.009895	18/05/2011
T139792	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Wonmunna, ca. 72 km heading 290° from Newman	-23.12832	119.0736	19/05/2011
T112073	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	110 km NNE. of Newman	-22.38274	119.9727	23/03/2011
T135548	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, c. 20 km SW. of Hancock Gorge	-22.48389	118.1475	15/03/2015
T145014	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	South Flank to Jinidi mine lease, site SFJ02, c. 39 km NE. of West Mt Hilditch	-23.01972	119.0603	4/11/2011
T112594	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinidy to Mindy, 71.8 km NW. of Newman	-23.00278	119.14	29/03/2011
T116862	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 121 km W. of Newman	-23.08167	118.5842	6/07/2011
T125336	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri Western Corridor, 154.4 km NW. of Newman	-22.32094	118.7228	1/04/2012
T125339	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri Western Corridor, 154.8 km NW. of Newman	-22.32092	118.7226	1/04/2012
T137573	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area	-22.62717	119.2796	10/10/2008
T115962	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 100 km N. of Newman	-22.62858	119.3485	8/08/2011
T136491	Arachnida	Araneae (spiders)	Araneae	Actinopodidae	Missulena sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 117 km ENE. of Tom Price	-22.40159	118.8827	6/05/2012
T109363	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname baileyorum	epigean	widespread	W.A. Museum assessment	26 km WNW. of Bonney Downs Homestead, Pilbara Biological Survey site RHNE12	-22.08531	119.7035	8/08/2003
T109377	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname baileyorum	epigean	widespread	W.A. Museum assessment	Mulga Downs Station, 16 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW07	-22.22172	119.0249	14/08/2003
T109368	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname baileyorum	epigean	widespread	W.A. Museum assessment	10.5 km NW. of Bonney Downs Homestead, Pilbara Biological Survey site RHNE10	-22.1178	119.8769	
T145069	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname baileyorum	epigean	widespread	W.A. Museum assessment	10.5 km NW. of Bonney Downs Homestead, Pilbara Biological Survey site RHNE10	-22.1178	119.8769	
T117281	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname ellenae	epigean	widespread	W.A. Museum assessment	Hamersley Range, 20.5 km WNW. of Mt Marsh, Pilbara Biological Survey site RHNW03	-22.46653	119.0226	13/08/2003
T117282	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname ellenae	epigean	widespread	W.A. Museum assessment	14 km WSW. of Roy Hill Station, Pilbara Biological Survey site RHNE05	-22.67567	119.8406	9/08/2003
T117283	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname ellenae	epigean	widespread	W.A. Museum assessment	4 km SSW. of Mile Camp, Pilbara Biological Survey site RHNE01	-22.82014	119.6127	10/08/2003
T96124	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98994	119.2365	7/02/2009
T91712	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Hope Downs 4, ca. 100 km NW. of Newman, HD4-7	-23.11494	119.363	13/05/2008
T96122	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96317	119.227	6/02/2009
T96123	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.97875	119.2613	7/02/2009
T103200	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 84.6 km NW. of Newmam	-22.95306	119.0306	27/06/2010
T103199	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 88.7 km NW. of Newman	-22.90917	119.0067	29/06/2010
T91917	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Hamersley Range, Weeli Wolli Creek region, Area C, site 09-9A	-22.92583	119.0379	15/06/2008
T103198	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 86.4 km NW. of Newman	-22.94778	119.0153	27/06/2010
T103196	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 86.4 km NW. of Newman	-22.94861	119.0158	27/06/2010
T104784	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site 3-HC1	-23.40472	119.6052	15/03/2010
T96129	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.9785	119.2611	5/02/2009
T105851	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 96 km NW. of Newman	-23.01333	118.8753	14/08/2010

T104787	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site 14-P5	-23.38341	119.6479	12/03/2010
T96125	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98756	119.2698	6/02/2009
T96126	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96939	119.2601	7/02/2009
T104794	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site 10-P6	-23.3999	119.6521	12/03/2010
T96127	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98886	119.2365	8/02/2009
T96128	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96931	119.2601	7/02/2009
T104797	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site 12-P5	-23.39936	119.5844	12/03/2010
T104807	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site 9-P10	-23.38953	119.6433	12/03/2010
T104810	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site 6-P8	-23.40195	119.5744	12/03/2010
T103195	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 87 km NW. of Newman	-22.94083	119.0069	28/06/2010
T103903	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	West Angelas, 116 km SE. of Tom Price	-23.37417	118.6575	26/06/2010
T103259	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 84 km NW. of Newman	-23.01444	118.9883	25/06/2010
T103262	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 84 km NW. of Newman	-23.01444	118.9881	25/06/2010
T103263	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 84 km NW. of Newman	-23.01805	118.9983	25/06/2010
T103264	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 84 km NW. of Newman	-23.01889	118.9986	25/06/2010
T107968	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri, 103.8 km NW. of Newman	-22.58694	119.1553	22/08/2010
T103266	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 84.8 km NW. of Newman	-22.97139	119.0161	25/06/2010
T103267	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 84.8 km NW. of Newman	-22.97111	119.0164	25/06/2010
T107965	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri, 103.8 km NW. of Newman	-22.58694	119.1553	22/08/2010
T103268	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 83.6 km NW. of Newman	-22.99139	119.0136	26/06/2010
T103270	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 84 km NW. of Newman	-23.0125	118.9922	26/06/2010
T103271	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 84 km NW. of Newman	-23.01805	118.9983	25/06/2010
T96145	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.97414	119.3009	1/02/2009
T107977	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri, 117.2 km NW. of Newman	-22.51	119.0453	23/08/2010
T103899	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	West Angelas, 117 km SE. of Tom Price	-23.55028	118.4842	22/06/2010
T103253	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 84.1 km NW. of Newman	-22.95417	119.0417	26/06/2010
T103906	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	West Angelas, 114 km SE. of Tom Price	-23.32139	118.6739	26/06/2010
T103907	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	West Angelas, 115 km SE. of Tom Price	-23.37417	118.6444	27/06/2010
T103908	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	West Angelas, 115 km SE. of Tom Price	-23.37444	118.6444	27/06/2010
T107950	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri, 118.5 km NW. of Newman	-22.53722	118.9864	22/08/2010
T103913	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	West Angelas, 115 km SE. of Tom Price	-23.34167	118.6656	28/06/2010
T107947	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri, 120.1 km NW. of Newman	-22.51861	118.9919	21/08/2010
T96140	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-23.02472	119.2438	3/02/2009
T107945	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri, 120.2 km NW. of Newman	-22.49472	119.0217	23/08/2010
T107942	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri, 117.2 km NW. of Newman	-22.51	119.0453	23/08/2010
T107481	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, site 8-HC559	-23.41583	119.592	14/08/2010
T107482	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, site 9-HC560	-23.38974	119.6431	18/08/2010
T107483	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, site 9-HC561	-23.39005	119.6426	18/08/2010
T96144	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96939	119.2601	7/02/2009
T103230	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 84.6 km NW. of Newmam	-22.95389	119.03	27/06/2010
T103206	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 81.6 km NW. of Newman	-22.96667	119.0556	27/06/2010
T109506	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Cloudbreak, Chichester Range, c. 42 km WSW. of Warrie Homestead	-22.33035	119.2322	26/10/2010
T103209	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 81.6 km NW. of Newman	-22.96667	119.0561	26/06/2010
T103210	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 84.1 km NW. of Newman	-22.95444	119.0414	26/06/2010
T103216	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 84.1 km NW. of Newman	-22.95444	119.0417	26/06/2010
T103217	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 85.7 km NW. of Newman	-22.94833	119.025	27/06/2010
T103218	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 85.7 km NW. of Newman	-22.94889	119.0247	27/06/2010
T103219	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 81.6 km NW. of Newman	-22.96639	119.0561	26/06/2010
T103221	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 85.7 km NW. of Newman	-22.94861	119.0247	27/06/2010
T103223	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 85.7 km NW. of Newman	-22.94861	119.0247	27/06/2010
T103226	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 85.7 km NW. of Newman	-22.94861	119.0247	27/06/2010
T103227	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 84.6 km NW. of Newmam	-22.95361	119.03	27/06/2010
T103256	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 84 km NW. of Newman	-23.01417	118.9883	25/06/2010
T103229	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 85.7 km NW. of Newman	-22.94861	119.0247	27/06/2010
T103255	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 84 km NW. of Newman	-23.01417	118.9886	25/06/2010
T103233	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 86.4 km NW. of Newman	-22.94806	119.0156	27/06/2010
T103235	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 84.6 km NW. of Newmam	-22.95361	119.03	27/06/2010
T103239	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 85.7 km NW. of Newman	-22.94833	119.0247	27/06/2010

Western Australian Museum Database Search Interpreted Results

T103241	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 74.9 km NW. of Newman	-22.90611	119.1772	24/06/2010
T103242	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 81.6 km NW. of Newman	-22.96583	119.0478	26/06/2010
T103245	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 81.6 km NW. of Newman	-22.96611	119.0475	26/06/2010
T103246	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 74.9 km NW. of Newman	-22.91195	119.1836	23/06/2010
T103251	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 74.9 km NW. of Newman	-22.91195	119.1836	23/06/2010
T103252	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 83.9 km NW. of Newman	-22.89417	119.0778	23/06/2010
T105871	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 92.1 km NW. of Newman	-23.01056	118.9186	15/08/2010
T107976	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri, 118.5 km NW. of Newman	-22.53722	118.9864	22/08/2010
T105882	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 87.3 km NW. of Newman	-23.01111	118.9708	16/08/2010
T103202	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 84.1 km NW. of Newman	-22.95444	119.0403	26/06/2010
T103228	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 85.7 km NW. of Newman	-22.94861	119.0247	27/06/2010
T94869	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98578	119.2509	7/02/2009
T94875	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-23.02483	119.2436	4/02/2009
T105967	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 83.1 km NW. of Newman	-22.975	119.0378	1/05/2010
T94874	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.974	119.3002	6/02/2009
T94873	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-23.05244	119.2708	3/02/2009
T94872	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96931	119.2598	5/02/2009
T94865	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98925	119.2363	6/02/2009
T94870	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96825	119.285	3/02/2009
T101166	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 98.2 km NW. of Newman	-23.00778	118.8533	21/02/2010
T105974	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 84.7 km NW. of Newman	-22.90583	119.0289	1/05/2010
T105975	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 89 km NW. of Newman	-22.95639	118.9833	1/05/2010
T105976	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 89.6 km NW. of Newman	-22.90861	119.0072	1/05/2010
T94868	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98458	119.2673	6/02/2009
T94867	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98597	119.2598	7/02/2009
T101157	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 89.2 km NW. of Newman	-22.96556	118.9756	23/02/2010
T94871	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96778	119.2851	5/02/2009
T105957	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 74.1 km NW. of Newman	-22.91778	119.1892	1/05/2010
T101158	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 101 km NW. of Newman	-23.00556	118.8272	25/02/2010
T105950	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 84.7 km NW. of Newman	-22.90583	119.0289	1/05/2010
T101160	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 89.6 km NW. of Newman	-23.00083	118.9469	24/02/2001
T101161	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 82.6 km NW. of Newman	-22.98167	119.0136	20/02/2010
T101162	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 101 km NW. of Newman	-23.00556	118.8272	25/02/2010
T105954	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 82.7 km NW. of Newman	-22.89917	119.0994	1/05/2010
T94876	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-23.00647	119.2452	7/02/2009
T105956	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 83.1 km NW. of Newman	-22.975	119.0378	1/05/2010
T101167	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 75.7 km NW. of Newman	-22.90583	119.18	19/02/2010
T105958	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 78.9 km NW. of Newman	-22.90278	119.1439	1/05/2010
T105872	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 92.1 km NW. of Newman	-23.01083	118.9181	16/08/2010
T105960	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 82.7 km NW. of Newman	-23.005	119.0239	1/05/2010
T105880	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 87.3 km NW. of Newman	-23.01056	118.9708	16/08/2010
T101165	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 75.7 km NW. of Newman	-22.90583	119.18	19/02/2010
T94864	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96292	119.2268	7/02/2009
T101163	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 74.1 km NW. of Newman	-22.91806	119.1892	18/02/2010
T97009	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	14 km WSW. of Roy Hill Station, Pilbara Biological Survey site RHNE05	-22.67567	119.8406	9/08/2003
T94853	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98589	119.2512	7/02/2009
T94852	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-23.01367	119.2372	6/02/2009
T94851	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98975	119.2364	8/02/2009
T94850	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-23.05272	119.2705	5/02/2009
T97033	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 65 km NW. of Newman	-22.91028	119.2083	1/04/2009
T94866	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98458	119.2673	7/02/2009
T97013	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 65 km NW. of Newman	-22.85278	119.2761	31/03/2009
T94857	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96931	119.2601	5/02/2009
T88683	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	84.1 km E. of Tom Price	-22.8611	118.5814	20/03/2004
T102618	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Roy Hill	-22.4266	119.9424	11/03/2010
T103177	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 89.1 km NW. of Newman	-22.90083	119.0172	29/06/2010
T103173	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 87 km NW. of Newman	-22.94111	119.0064	28/06/2010
T96151	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-23.00664	119.2454	5/02/2009
T96150	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.99014	119.2367	8/02/2009
T103193	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 87 km NW. of Newman	-22.94083	119.0069	28/06/2010
T109348	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	9 km NE. of Cowra Line Camp, Pilbara Biological Survey site RHNW11	-22.29411	119.0614	27/08/2003
T94863	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.9695	119.2603	6/02/2009
T94862	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96931	119.2601	6/02/2009
T94861	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98572	119.2508	7/02/2009
T94860	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.97414	119.3009	6/02/2009

T94859	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.97858	119.2614	7/02/2009
T109373	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	25 km NE. of Moorimoordinia Native Well, Pilbara Biological Survey site RHNE09	-22.41545	119.984	
T94854	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98572	119.2508	7/02/2009
T109350	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	26 km WSW. of Mt Marsh, Pilbara Biological Survey site RHNW01	-22.53503	118.9774	12/08/2003
T94856	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.97414	119.3009	6/02/2009
T94858	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98725	119.2693	6/02/2009
T109335	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	24 km ENE. of Moorimoordinina Native Well, Pilbara Biological Survey site RHNE08	-22.45194	119.9761	9/08/2003
T109329	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	24 km WSW. of Mt Marsh, Pilbara Biological Survey site RHNW02	-22.53583	118.9975	12/08/2003
T109324	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	11.5 km SW. of Rhodes Ridge, Pilbara Biological Survey site RHNC07	-23.14603	119.2658	25/05/2004
T109321	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	2.5 km N. of Mile Camp, Pilbara Biological Survey site RHNE02	-22.76606	119.6314	10/08/2003
T105959	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 89.4 km NW. of Newman	-22.98028	118.9622	1/05/2010
T109353	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Mulga Downs Station, 16 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW07	-22.22172	119.0249	14/08/2003
T105887	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 103.6 km NW. of Newman	-22.98444	118.8078	17/08/2010
T94886	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.97417	119.3011	7/02/2009
T96113	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96756	119.2851	5/02/2009
T105910	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 82.7 km NW. of Newman	-22.96361	119.0472	1/05/2010
T105911	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 89 km NW. of Newman	-22.95639	118.9833	1/05/2010
T101164	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 82.7 km NW. of Newman	-22.96472	119.0481	20/02/2010
T96120	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98994	119.2365	6/02/2009
T96114	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98425	119.2676	5/02/2009
T96121	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96292	119.2268	7/02/2009
T96115	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-23.01105	119.2358	7/02/2009
T105886	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 103.6 km NW. of Newman	-22.985	118.8081	17/08/2010
T105912	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 89 km NW. of Newman	-22.95639	118.9833	1/05/2010
T105892	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 103.4 km NW. of Newman	-22.99139	118.8067	18/08/2010
T105884	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 103.6 km NW. of Newman	-22.98472	118.8083	17/08/2010
T105915	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 90.6 km NW. of Newman	-22.99778	119.0297	1/05/2010
T105881	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 87.3 km NW. of Newman	-23.01083	118.9706	16/08/2010
T101156	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 81.8 km NW. of Newman	-23.00556	119.0328	21/02/2010
T96117	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96806	119.2851	5/02/2009
T96119	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98747	119.2695	7/02/2009
T105891	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 103.4 km NW. of Newman	-22.99083	118.8064	18/08/2010
T105890	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 103.4 km NW. of Newman	-22.99083	118.8067	18/08/2010
T67072	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Port Hedland - Newman Railway, Chichester Range, Fortesque Metals Group, site FMG 7	-22.7847	119.3603	29/03/2004
T96118	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98589	119.2512	7/02/2009
T92123	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Hamersley Range, Weeli Wolli Creek area, BHP Billiton Area C, site 7-7A	-22.89989	119.013	12/06/2008
T105908	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 89.6 km NW. of Newman	-22.90861	119.0072	1/05/2010
T92125	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Hamersley Range, Weeli Wolli Creek area, BHP Billiton Area C, site 12-12E	-22.91681	118.9105	11/06/2008
T105914	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 81.4 km NW. of Newman	-22.95806	119.0692	1/05/2010
T96116	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.9628	119.2268	6/02/2009
T105901	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 93 km NW. of Newman	-23.01805	118.9069	14/08/2010
T105902	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 93 km NW. of Newman	-23.01722	118.9075	14/08/2010
T92127	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Hamersley Range, Weeli Wolli Creek area, BHP Billiton Area C, site 15-15A	-22.93161	119.0473	10/06/2008
T67071	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Port Hedland - Newman Railway, Chichester Range, Fortesque Metals Group, site FMG 7	-22.7847	119.3603	29/03/2004
T105905	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 93.4 km NW. of Newman	-23.00028	118.9128	15/08/2010
T92124	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Hamersley Range, Weeli Wolli Creek area, BHP Billiton Area C, site 10-10A	-22.91047	118.9664	9/06/2008
T94878	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-23.05244	119.2708	3/02/2009
T105919	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 88.4 km NW. of Newman	-22.89889	119.0306	1/05/2010
T105932	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 83.9 km NW. of Newman	-22.99306	119.0158	1/05/2010
T107179	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Fortescue Marsh	-22.2923	119.0694	2/06/2010
T105934	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 90.6 km NW. of Newman	-22.89889	119.0019	1/05/2010
T94882	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96931	119.2601	1/02/2009
T94881	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96353	119.2272	5/02/2009

Western Australian Museum Database Search Interpreted Results

T105930	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 61.8 km NW. of Newman	-22.99861	118.8686	1/05/2010
T94879	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98436	119.3011	2/02/2009
T105931	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 61.8 km NW. of Newman	-22.99861	118.8686	1/05/2010
T94877	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96317	119.227	3/02/2009
T101153	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 92.7 km NW. of Newman	-23.01778	118.9067	24/02/2010
T101154	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 85.2 km NW. of Newman	-23.00389	118.9947	22/02/2010
T105943	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 75.8 km NW. of Newman	-22.90583	119.18	1/05/2010
T105944	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 89.4 km NW. of Newman	-22.98028	118.9622	1/05/2010
T101155	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 87.2 km NW. of Newman	-22.98944	118.9828	22/02/2010
T94880	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-23.04056	119.2792	2/02/2009
T94883	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.99014	119.2367	5/02/2009
T94885	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96931	119.2598	3/02/2009
T105921	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 82.6 km NW. of Newman	-22.98195	119.0139	1/05/2010
T94884	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96931	119.2601	1/02/2009
T107184	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Fortescue Marsh	-22.31578	119.2407	2/06/2010
T107180	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Fortescue Marsh	-22.2923	119.0694	2/06/2010
T105925	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 89.4 km NW. of Newman	-22.98028	118.9622	1/05/2010
T107181	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Fortescue Marsh	-22.2923	119.0694	2/06/2010
T105928	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Area C, 86.2 km NW. of Newman	-23.00139	118.9817	1/05/2010
T107182	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Fortescue Marsh	-22.3073	119.2159	2/06/2010
T149433	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	88.2 km NW. of Newman	-23.06007	118.9316	9/03/2019
T149434	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Hope Downs Mining Village, 80.3 km NW. of Newman	-23.05301	119.0192	15/03/2019
T149435	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	18.4 km NW. of Newman	-23.05806	119.0052	10/03/2019
T149436	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	88.2 km NW. of Newman	-23.06007	118.9316	9/03/2019
T149437	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	80.3 km NW. of Newman	-23.06253	119.0149	10/03/2019
T122241	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 72.4 km NE. of Tom Price	-22.13567	118.1362	20/02/2012
T149445	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	80.3 km NW. of Newman	-23.06253	119.0149	10/03/2019
T149444	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	85.2 km NW. of Newman	-23.06971	118.9594	11/03/2019
T149446	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	80.3 km NW. of Newman	-23.06253	119.0149	10/03/2019
T122445	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	9 km NE. of Weeli Wolli Spring, Pilbara Biological Survey site RHNC12	-22.8525	119.265	31/08/2003
T122263	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 82.2 km NE. of Tom Price	-22.23258	118.415	20/02/2012
T122250	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 71.8 km NE. of Tom Price	-22.13608	118.136	20/02/2012
T149442	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	85.2 km NW. of Newman	-23.06971	118.9594	11/03/2019
T122242	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 71.8 km NE. of Tom Price	-22.13603	118.1367	20/02/2012
T149438	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	88.2 km NW. of Newman	-23.06007	118.9316	9/03/2019
T149441	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	85.2 km NW. of Newman	-23.06971	118.9594	11/03/2019
T122238	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 71.8 km NE. of Tom Price	-22.13625	118.1356	20/02/2012
T149440	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	85.2 km NW. of Newman	-23.06971	118.9594	11/03/2019
T149439	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	80.3 km NW. of Newman	-23.06253	119.0149	10/03/2019
T122237	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 69.8 km NE. of Tom Price	-22.15583	118.1342	20/02/2012
T122236	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 69.6 km NE. of Tom Price	-22.15608	118.1345	20/02/2012
T149443	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	85.2 km NW. of Newman	-23.06971	118.9594	11/03/2019
T132748	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Yandi, 76.1 km NNW. Newman	-22.77555	119.3322	17/03/2014
T126295	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	111.6 km NW. of Newman	-22.6925	118.9153	19/11/2011
T126296	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	115.1 km NW. of Newman	-22.6975	118.8592	19/11/2011
T126301	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	112.3 km NW. of Newman	-22.73361	118.8633	20/11/2011
T126320	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Mt Florance Station, 70 km NW. of Tom Price	-22.1575	118.1478	12/03/2012
T127198	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	81.5 km NW. of Newman	-23.02444	119.0206	3/11/2011
T113636	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	113.5 km NW. of Newman	-22.75588	118.8307	27/05/2011
T113629	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	113.5 km NW. of Newman	-22.75683	118.8313	27/05/2011
T130376	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	6 km SSW. of West Angelas Aerodrome	-23.18307	118.6747	18/03/2013
T113614	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Southern Flank, 71 km NW. of Newman	-22.99472	119.1656	17/04/2011
T113612	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Southern Flank, 71 km NW. of Newman	-22.99444	119.1653	17/04/2011
T113608	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Southern Flank, 71 km NW. of Newman	-22.99361	119.1667	17/04/2011
T113588	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	South Parmelia, 52 km NW. of Newman	-23.08528	119.3183	16/04/2011
T126259	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	118.2 km NW. of Newman	-22.60528	118.9192	17/11/2011
T132747	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Yandi, 72.7 km NNW. Newman	-22.84972	119.2786	16/03/2014
T126283	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	116.4 km NW. of Newman	-22.64556	118.9028	18/11/2011

Western Australian Museum Database Search Interpreted Results

T132750	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Yandi, 76.4 km NNW. Newman	-22.80056	119.2861	17/03/2014
T132751	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Yandi, 76.4 km NNW. Newman	-22.80056	119.2861	17/03/2014
T133998	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.75989	119.0686	2/04/2014
T113576	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	South Parmelia, 66 km NW. of Newman	-23.03444	119.1922	12/04/2011
T135514	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Karijini National Park, 3.5 km NE. of Mt Bruce	-22.58	118.1606	14/03/2015
T135519	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Karijini National Park, 3.5 km NE. of Mt Bruce	-22.58028	118.1606	14/03/2015
T113574	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	South Parmelia, 66 km NW. of Newman	-23.03555	119.1881	12/04/2011
T135566	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Karijini National Park, c. 35 km SW. of Dales Gorge	-22.75333	118.41	17/03/2015
T135567	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Karijini National Park, c. 35 km SW. of Dales Gorge	-22.75333	118.41	17/03/2015
T135571	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Karijini National Park, c. 25 km SSW. of Dales Gorge	-22.65806	118.4342	17/03/2015
T135574	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Karijini National Park, c. 25 km SSW. of Dales Gorge	-22.65778	118.4336	17/03/2015
T135610	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Karijini National Park, c. 11 km SW. of Hancock Gorge	-22.43139	118.3572	16/03/2015
T113566	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Jinidi, 66 km NW. of Newman	-22.95444	119.2481	17/04/2011
T113582	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	South Parmelia, 52 km NW. of Newman	-23.08639	119.3186	16/04/2011
T113648	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	113.5 km NW. of Newman	-22.75486	118.8342	28/05/2011
T149431	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	18.4 km NW. of Newman	-23.05806	119.0052	10/03/2019
T149430	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	18.4 km NW. of Newman	-23.05806	119.0052	10/03/2019
T149429	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	85.2 km NW. of Newman	-23.06971	118.9594	11/03/2019
T149428	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	83.2 km NW. of Newman	-23.08254	118.9746	10/03/2019
T149427	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	71.9 km NW. of Newman	-23.04277	119.1169	11/03/2019
T149426	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	18.4 km NW. of Newman	-23.05806	119.0052	10/03/2019
T130374	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	6 km SSW. of West Angelas Aerodrome	-23.18307	118.6747	18/03/2013
T149424	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	18.4 km NW. of Newman	-23.05806	119.0052	10/03/2019
T149422	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	80.3 km NW. of Newman	-23.06253	119.0149	10/03/2019
T149421	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	85.2 km NW. of Newman	-23.06971	118.9594	11/03/2019
T149420	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	71.9 km NW. of Newman	-23.04277	119.1169	11/03/2019
T122823	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	111.6 km NW. of Newman	-22.89194	118.7644	29/03/2012
T122824	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	111.6 km NW. of Newman	-22.89194	118.7644	29/03/2012
T113642	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	113.5 km NW. of Newman	-22.78208	118.8171	28/05/2011
T126267	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	118.3 km NW. of Newman	-22.61167	118.9081	18/11/2011
T149432	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	88.2 km NW. of Newman	-23.06126	118.9308	3/09/2019
T126280	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	118.2 km NW. of Newman	-22.63445	118.87	21/11/2011
T126279	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	118 km NW. of Newman	-22.6025	118.9239	17/11/2011
T126278	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	114 km NW. of Newman	-22.61444	118.955	21/11/2011
T126273	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	114 km NW. of Newman	-22.61444	118.955	21/11/2011
T122839	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	121.9 km NW. of Newman	-22.90528	118.6494	31/03/2012
T126268	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	118.3 km NW. of Newman	-22.61167	118.9081	18/11/2011
T122870	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	118.6 km NW. of Newman	-22.88056	118.6867	1/04/2012
T149425	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	88.2 km NW. of Newman	-23.06007	118.9316	9/03/2019
T126262	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	118.3 km NW. of Newman	-22.61111	118.9072	18/11/2011
T126250	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	118.2 km NW. of Newman	-22.60528	118.9192	17/11/2011
T125353	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Western Corridor, 204.9 km NW. of Newman	-22.1565	118.2256	2/04/2012
T125342	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Western Corridor, 211.9 km NW. of Newman	-22.13436	118.1538	1/04/2012
T126284	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	116.4 km NW. of Newman	-22.64556	118.9028	18/11/2011
T126271	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	114 km NW. of Newman	-22.61444	118.955	21/11/2011
T119976	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	84.8 km NW. of Newman	-22.66833	119.3747	27/07/2011
T116740	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Mudlark, 119 km W. of Newman	-23.08361	118.6039	30/06/2011
T116783	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Mudlark, 111 km W. of Newman	-23.05222	118.6781	1/07/2011
T149423	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	80.3 km NW. of Newman	-23.06253	119.0149	10/03/2019
T122199	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 115.8 km NE. of Tom Price	-22.41653	118.8796	20/02/2012
T122198	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 115.9 km NE. of Tom Price	-22.41653	118.8796	20/02/2012
T113654	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	119.1 km NW. of Newman	-22.63325	118.8697	30/05/2011
T116785	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Mudlark, 111 km W. of Newman	-23.05222	118.6778	1/07/2011
T116795	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Mudlark, 111 km W. of Newman	-23.08083	118.6844	2/07/2011
T113666	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	106.2 km NW. of Newman	-22.71272	118.964	31/05/2011
T119987	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	105.3 km NW. of Newman	-22.51111	119.2603	28/07/2011

Western Australian Museum Database Search Interpreted Results

T122225	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 71.6 km NE. of Tom Price	-22.13542	118.1363	20/02/2012
T119973	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	84.8 km NW. of Newman	-22.66833	119.3747	27/07/2011
T119968	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	84.8 km NW. of Newman	-22.66778	119.375	27/07/2011
T119721	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Juna Downs Station, 141 km NW. of Newman	-23.12444	119.3819	12/05/2011
T119715	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Juna Downs Station, 117 km NW. of Newman	-22.62806	118.9031	12/05/2011
T119710	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Juna Downs Station, 113 km NW. of Newman	-22.68639	118.8931	10/05/2011
T119702	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Juna Downs Station, 120 km NW. of Newman	-22.61083	118.8764	8/05/2011
T119700	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Juna Downs Station, 120 km NW. of Newman	-22.61083	118.8764	8/05/2011
T119249	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	3.2 km SW. of Giles Point, Pilbara Biological Survey site RHNC03	-23.2662	119.1339	29/08/2003
T116858	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Mudlark, 98 km W. of Newman	-23.04583	118.8317	4/07/2011
T122223	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 83.8 km NE. of Tom Price	-22.25417	118.4547	20/02/2012
T114613	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Wonmunna, ca. 72 km heading 290° from Newman	-23.12683	119.0673	19/05/2011
T122219	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 84.6 km NE. of Tom Price	-22.25253	118.4548	20/02/2012
T112087	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Wonmunna, ca. 76 km [NW. of] heading 290° from Newman	-23.1169	119.0396	20/05/2011
T122213	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 86.3 km NE. of Tom Price	-22.27997	118.5052	20/02/2012
T122220	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 84.6 km NE. of Tom Price	-22.25253	118.4548	20/02/2012
T122222	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 83.5 km NE. of Tom Price	-22.25414	118.455	20/02/2012
T122207	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 93 km NE. of Tom Price	-22.32936	118.6113	20/02/2012
T122218	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 88.9 km NE. of Tom Price	-22.26608	118.5199	20/02/2012
T122205	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 116.4 km NE. of Tom Price	-22.41639	118.8795	20/02/2012
T122215	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 87.9 km NE. of Tom Price	-22.26547	118.5207	20/02/2012
T122204	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 115.9 km NE. of Tom Price	-22.41647	118.8795	20/02/2012
T122203	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 115.5 km NE. of Tom Price	-22.41653	118.8796	20/02/2012
T122202	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 116.5 km NE. of Tom Price	-22.4165	118.8796	20/02/2012
T122201	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 115.1 km NE. of Tom Price	-22.41703	118.8796	20/02/2012
T122200	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname mellosa	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 115.4 km NE. of Tom Price	-22.41644	118.8796	20/02/2012
T97313	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG104'	epigean	Potential SRE: DD	W.A. Museum assessment	Hamersley Range, 20.5 km WNW. of Mt Marsh, Pilbara Biological Survey site RHNW03	-22.46653	119.0226	13/08/2003
T105948	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG104'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 82.7 km NW. of Newman	-22.96361	119.0472	1/05/2010
T97314	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG105'	epigean	Potential SRE: DD	W.A. Museum assessment	Hamersley Range, 20.5 km WNW. of Mt Marsh, Pilbara Biological Survey site RNHW03	-22.46653	119.0226	13/08/2003
T45832	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG331'	epigean	widespread	W.A. Museum assessment	Hope Downs proposed rail corridor, site HAC4	-22.5	119.0833	12/11/2001
T118806	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG331'	epigean	widespread	W.A. Museum assessment	Koodaideri, 115.8 km NW. of Newman	-22.51667	119.0594	14/10/2011
T118811	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG331'	epigean	widespread	W.A. Museum assessment	Koodaideri, 114.8 km NW. of Newman	-22.51111	119.0844	18/10/2011
T118812	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG331'	epigean	widespread	W.A. Museum assessment	Koodaideri, 112.7 km NW. of Newman	-22.51944	119.1078	18/10/2011
T118817	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG331'	epigean	widespread	W.A. Museum assessment	Koodaideri, 112.7 km NW. of Newman	-22.51944	119.1078	19/10/2011
T118818	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG331'	epigean	widespread	W.A. Museum assessment	Koodaideri, 112.7 km NW. of Newman	-22.51944	119.1078	16/10/2011
T118804	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG331'	epigean	widespread	W.A. Museum assessment	Koodaideri, 115.8 km NW. of Newman	-22.51667	119.0594	18/10/2011
T118824	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG331'	epigean	widespread	W.A. Museum assessment	Koodaideri, 118 km NW. of Newman	-22.5	119.0472	19/10/2011
T118803	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG331'	epigean	widespread	W.A. Museum assessment	Koodaideri, 116.9 km NW. of Newman	-22.50722	119.0547	19/10/2011
T118802	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG331'	epigean	widespread	W.A. Museum assessment	Koodaideri, 116.9 km NW. of Newman	-22.50722	119.0547	18/10/2011
T118805	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG331'	epigean	widespread	W.A. Museum assessment	Koodaideri, 115.8 km NW. of Newman	-22.51667	119.0594	19/10/2011
T118789	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG331'	epigean	widespread	W.A. Museum assessment	Koodaideri, 121.2 km NW. of Newman	-22.48694	119.015	15/10/2011
T136008	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG331'	epigean	widespread	W.A. Museum assessment	Roy Hill Station, Marillana Creek area	-22.54833	119.2128	6/09/2008
T137571	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG331'	epigean	widespread	W.A. Museum assessment	Roy Hill Station, Marillana Creek area	-22.60695	119.2386	6/09/2008
T118795	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG331'	epigean	widespread	W.A. Museum assessment	Koodaideri, 122.1 km NW. of Newman	-22.47528	119.0164	16/10/2011

Western Australian Museum Database Search Interpreted Results

T118788	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG331'	epigean	widespread	W.A. Museum assessment	Koodaideri, 124.2 km NW. of Newman	-22.47639	118.9814	19/10/2011
T118800	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG331'	epigean	widespread	W.A. Museum assessment	Koodaideri, 119.7 km NW. of Newman	-22.50028	119.0192	18/10/2011
T137572	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG331'	epigean	widespread	W.A. Museum assessment	Roy Hill Station, Marillana Creek area	-22.555	119.2214	6/09/2008
T118791	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG331'	epigean	widespread	W.A. Museum assessment	Koodaideri, 122.1 km NW. of Newman	-22.47528	119.0164	20/10/2011
T118793	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG331'	epigean	widespread	W.A. Museum assessment	Koodaideri, 122.1 km NW. of Newman	-22.47528	119.0164	19/10/2011
T118798	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG331'	epigean	widespread	W.A. Museum assessment	Koodaideri, 122.1 km NW. of Newman	-22.47528	119.0164	19/10/2011
T118799	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG331'	epigean	widespread	W.A. Museum assessment	Koodaideri, 122.1 km NW. of Newman	-22.47528	119.0164	14/10/2011
T118820	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG331'	epigean	widespread	W.A. Museum assessment	Koodaideri, 118 km NW. of Newman	-22.5	119.0472	20/10/2011
T103274	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG370'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 89.5 km NW. of Newman	-22.98028	118.9622	26/06/2010
T113563	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG377'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinidi, 66 km NW. of Newman	-22.95528	119.2489	17/04/2011
T74771	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG661'	epigean	Potential SRE: DD	W.A. Museum assessment	ca. 25 km N. of Prairie Downs Homestead, site RHNC2	-23.3208	119.1	21/10/2004
T128882	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG661'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna	-23.14478	118.9964	25/05/2011
T128884	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG661'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna	-23.14478	118.9964	25/05/2011
T128885	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG661'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna	-23.14478	118.9964	25/05/2011
T128886	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG661'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna	-23.14478	118.9964	23/05/2011
T128883	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname 'MYG661'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna	-23.14478	118.9964	25/05/2011
T97016	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinayri, ca. 65 km NW. of Newman	-22.91889	119.2039	1/04/2009
T102613	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill	-22.51743	119.9314	11/03/2010
T97302	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, ca. 120 km NNW. of Newman, site 12-12G	-22.91667	118.9103	11/06/2008
T97638	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Murray Hill, Mulga Downs Station, Ecologia project 1142	-22.12072	118.5082	21/04/2009
T45833	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hope Downs proposed rail corridor, site HAC2	-22.6166	119.25	12/11/2001
T96147	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-22.98575	119.2505	5/02/2007
T102619	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill	-22.54898	120.036	11/03/2010
T102616	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill	-22.48279	119.8811	11/03/2010
T102614	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill	-22.52711	120.0421	11/03/2010
T97300	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, ca. 120 km NNW. of Newman, site 05-5C	-22.93797	119.008	13/06/2008
T103240	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 85.5 km NW. of Newman	-22.8975	119.0639	24/06/2010
T103201	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 83.9 km NW. of Newman	-22.89444	119.0767	29/06/2010
T104785	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, Site 14-HC3	-23.3837	119.6478	14/03/2010
T97296	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, ca. 120 km NNW. of Newman, site 12-12L	-22.91667	118.9103	14/06/2008
T97297	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, ca. 120 km NNW. of Newman, site 11-11B	-22.92006	118.8942	11/06/2008
T97298	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, ca. 120 km NNW. of Newman, site 05-5D	-22.93797	119.008	13/06/2008
T97304	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, ca. 120 km NNW. of Newman, site 05-5E	-22.93797	119.008	13/06/2008
T104801	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, Site 19-P9	-23.40483	119.6209	14/03/2010
T103182	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 88.7 km NW. of Newman	-22.90944	119.0069	29/06/2010
T97301	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, ca. 120 km NNW. of Newman, site 01-1A	-22.90958	118.9707	12/06/2008
T97303	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, ca. 120 km NNW. of Newman, site 12-12F	-22.91667	118.9103	11/06/2008
T104811	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, Site 6-P7	-23.40177	119.5745	12/03/2010
T97294	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, ca. 120 km NNW. of Newman, site 12-12H	-22.92019	118.8943	11/06/2008
T97293	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, ca. 120 km NNW. of Newman, site 12-12H	-22.91667	118.9103	11/06/2008
T97292	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, ca. 120 km NNW. of Newman, site 01-1B	-22.90961	118.9707	12/06/2008
T97037	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, ca. 120 km NNW. of Newman, site 05-5F	-22.93797	119.008	13/06/2008
T97299	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, ca. 120 km NNW. of Newman, site 10-10B	-22.91022	118.9667	11/06/2008
T107980	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 120.2 km NW. of Newman	-22.495	119.0222	23/08/2010
T88684	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	83.4 km E. of Tom Price	-22.8613	118.5808	20/03/2004
T77549	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, 46.2 km ESE. of Juna Downs Homestead, site WES	-23.0688	118.89	9/09/2005
T88685	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	83.7 km E. of Tom Price	-22.8611	118.5803	20/03/2004

Western Australian Museum Database Search Interpreted Results

T77550	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, 31.6 km SE. of Juna Downs Homestead, site WES	-23.085	118.7047	7/09/2005
T107971	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 120.2 km NW. of Newman	-22.495	119.0217	23/08/2010
T107394	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hope Downs, 73.7 km NW. of Newman	-22.99028	119.1217	27/06/2010
T107946	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 114.7 km NW. of Newman	-22.53056	119.0606	21/08/2010
T105889	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 102.5 km NW. of Newman	-22.98639	118.8194	17/08/2010
T107975	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 114 km NW. of Newman	-22.52806	119.0731	21/08/2010
T107978	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 114 km NW. of Newman	-22.52806	119.0731	21/08/2010
T77548	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, 46.2 km ESE. of Juna Downs Homestead, site WES	-23.0688	118.89	8/09/2005
T105888	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 103.6 km NW. of Newman	-22.98472	118.8078	17/08/2010
T107974	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 120.2 km NW. of Newman	-22.495	119.0244	23/08/2010
T105883	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 87.3 km NW. of Newman	-23.01111	118.9708	16/08/2010
T107133	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Fortescue Marsh	-22.31579	119.2407	22/04/2010
T107943	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 116.9 km NW. of Newman	-22.53528	119.0028	22/08/2010
T107941	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 115.9 km NW. of Newman	-22.52861	119.045	20/08/2010
T105855	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 96 km NW. of Newman	-23.01306	118.8753	14/08/2010
T105856	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 96 km NW. of Newman	-23.01306	118.8753	14/08/2010
T105987	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 82.7 km NW. of Newman	-22.89917	119.0994	1/05/2010
T107396	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hope Downs, 72.5 km NW. of Newman	-22.99556	119.1644	27/06/2010
T105861	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 92.4 km NW. of Newman	-23.00722	118.9167	15/08/2010
T105962	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 91.3 km NW. of Newman	-22.90055	118.9933	1/05/2010
T107273	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.21436	119.0332	12/05/2010
T107979	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 115.9 km NW. of Newman	-22.52861	119.045	20/08/2010
T105973	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 85.8 km NW. of Newman	-22.89639	119.0619	1/05/2010
T107961	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 122 km NW. of Newman	-22.48472	119.0044	23/08/2010
T107963	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 117.3 km NW. of Newman	-22.53306	119.0153	20/08/2010
T107958	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 122 km NW. of Newman	-22.48472	119.0044	23/08/2010
T77551	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, 41 km ESE. of Juna Downs Homestead, site WES	-23.0997	118.8106	9/09/2005
T88682	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	84.1 km E. of Tom Price	-22.8611	118.5814	20/03/2004
T107956	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 120.2 km NW. of Newman	-22.49528	119.0242	23/08/2010
T109342	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	15.5 km ENE. of Mt Bruce, Pilbara Biological Survey site TCMBE02	-22.58333	118.2903	2/08/2005
T107955	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 114.7 km NW. of Newman	-22.53056	119.0606	21/08/2010
T105936	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 87.2 km NW. of Newman	-22.98917	118.9822	1/05/2010
T78148	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Port Hedland-Newman Railway, Chichester Rge, Fortescue Metals Group, site FMG09	-22.7372	119.4211	1/04/2004
T105904	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 93.4 km NW. of Newman	-22.99972	118.9125	15/08/2010
T107952	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 117.3 km of NW. of Newman	-22.53306	119.0153	20/08/2010
T107967	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 116.9 km NW. of Newman	-22.53528	119.0028	22/08/2010
T93553	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-22.96325	119.2276	29/08/2008
T107949	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 117.3 km of NW. of Newman	-22.53306	119.0153	20/08/2010
T105951	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 87.3 km NW. of Newman	-22.89528	119.045	1/05/2010
T107964	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 118.1 km NW. of Newman	-22.52972	119.0008	23/08/2010
T107966	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 122 km NW. of Newman	-22.48472	119.0044	23/08/2010
T107951	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 116.9 km NW. of Newman	-22.53528	119.0028	23/08/2010
T112005	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Wonmunna, ca. 72 km heading 290° from Newman	-23.12683	119.0673	19/05/2011
T107954	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 116.5 km NW. of Newman	-22.54778	119.0089	24/08/2010
T107969	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 115.2 km NW. of Newman	-22.52333	119.0606	20/08/2010
T112092	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Wonmunna, ca. 75 km heading 290° from Newman	-23.12662	119.047	20/05/2011
T114824	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 96.9 km NW. of Newman	-22.61972	119.2292	15/06/2007
T136493	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 124.3 km ENE. of Tom Price	-22.43424	118.9657	7/05/2012
T114826	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 85 km NW. of Newman	-22.6825	119.3364	16/06/2007
T116775	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 113 km W. of Newman	-23.03806	118.6828	1/07/2011
T116773	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 113 km W. of Newman	-23.03806	118.6825	1/07/2011
T114827	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 87.9 km NW. of Newman	-22.66639	119.3078	16/06/2007
T136494	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 124.3 km ENE. of Tom Price	-22.43424	118.9657	7/05/2012
T116768	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 113 km W. of Newman	-23.03806	118.6825	1/07/2011
T149448	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	83.2 km NW. of Newman	-23.08254	118.9746	10/03/2019
T116767	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 113 km W. of Newman	-23.03806	118.6825	1/07/2011
T116761	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 114 km W. of Newman	-23.07	118.6511	1/07/2011
T116760	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 114 km W. of Newman	-23.07	118.6511	1/07/2011
T131242	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	"Homestead", ca. 6 km N. of Newman	-23.31062	119.731	5/08/2013
T131250	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	"Homestead", ca. 6 km N. of Newman	-23.30548	119.7701	5/08/2013

Western Australian Museum Database Search Interpreted Results

T131251	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	"Homestead", ca. 6 km N. of Newman	-23.30886	119.7654	5/08/2013
T116759	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 94 km W. of Newman	-23.06333	118.625	1/07/2011
T116758	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 94 km W. of Newman	-23.06333	118.6247	1/07/2011
T116769	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 113 km W. of Newman	-23.03806	118.6825	1/07/2011
T136497	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 124.3 km ENE. of Tom Price	-22.43424	118.9657	7/05/2012
T127215	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	75.4 km NW. of Newman	-23.01972	119.0903	3/11/2011
T127217	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	75.4 km NW. of Newman	-23.01972	119.0903	4/11/2011
T127219	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	75.4 km NW. of Newman	-23.01972	119.0903	8/11/2011
T127225	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	80.4 km NW. of Newman	-23.015	119.0367	5/11/2011
T127226	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	80.4 km NW. of Newman	-23.015	119.0367	5/11/2011
T127228	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	80.4 km NW. of Newman	-23.015	119.0367	5/11/2011
T127229	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	80.4 km NW. of Newman	-23.015	119.0367	5/11/2011
T114822	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 93.6 km NW. of Newman	-22.62389	119.2536	15/06/2007
T113637	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	107.4 km NW. of Newman	-22.73711	118.9248	27/05/2011
T116743	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 107 km W. of Newman	-23.09389	118.7192	30/06/2011
T116816	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 102 km W. of Newman	-23.09805	118.7747	3/07/2011
T116814	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 102 km W. of Newman	-23.09833	118.775	3/07/2011
T116810	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 110 km W. of Newman	-23.08417	118.6975	3/07/2011
T120012	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	76 km NW. of Newman	-22.79306	119.3092	31/07/2011
T116794	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 111 km W. of Newman	-23.08083	118.6844	2/07/2011
T136495	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 124.3 km ENE. of Tom Price	-22.43424	118.9657	7/05/2012
T120021	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	111.4 km NW. of Newman	-22.52222	119.1453	1/08/2011
T149447	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	85.6 km NW. of Newman	-23.06266	118.958	17/03/2019
T127235	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	71.5 km NW. of Newman	-22.92611	119.2139	3/11/2011
T135032	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	15.5 km ENE. of Mt Bruce, Pilbara Biological Survey site TCMBE02	-22.58333	118.2881	2/08/2005
T116753	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 111 km WNW. of Newman	-23.08667	118.6864	30/06/2011
T116554	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 92.6 km NW. of Newman	-22.65083	119.2647	18/06/2007
T114829	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 87.9 km NW. of Newman	-22.66639	119.3078	16/06/2007
T116553	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 92.6 km NW. of Newman	-22.65083	119.2647	18/06/2007
T134161	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi Billiards, 78.5 km NW. Newman	-22.76667	119.3036	14/09/2014
T114831	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 86.4 km NW. of Newman	-22.69056	119.2844	17/06/2007
T112081	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Wonmunna, ca. 80 km heading 285° from Newman	-23.16326	118.977	17/05/2011
T116556	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 92.6 km NW. of Newman	-22.65083	119.2647	18/06/2007
T114832	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 86.4 km NW. of Newman	-22.69056	119.2844	17/06/2007
T136007	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area	-22.60833	119.2403	6/09/2008
T112084	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Wonmunna, ca. 72 km [NW. of] heading 290° from Newman	-23.12832	119.0736	19/05/2011
T135137	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	25 km NE. of Moorimoordinina Native Well, Pilbara Biological Survey site RHNE09	-22.41556	119.8672	8/08/2003
T135143	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	6 km N. of Cowra Line Camp, Mulga Downs Station, Pilbara Biological Survey site RHNW06	-22.30178	119.0134	21/11/2003
T113578	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	South Parmelia, 58 km NW. of Newman	-23.07333	119.2953	13/04/2011
T116551	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 92.6 km NW. of Newman	-22.65083	119.2647	18/06/2007
T113575	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	South Parmelia, 66 km NW. of Newman	-23.035	119.1881	12/04/2011
T116541	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 86.2 km NW. of Newman	-22.67889	119.3031	17/06/2007
T114834	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 86.2 km NW. of Newman	-22.67889	119.3031	17/06/2007
T112082	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Wonmunna, ca. 71 km heading 290° from Newman	-23.13146	119.0774	19/05/2011
T113652	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	113.3 km NW. of Newman	-22.79885	118.802	29/05/2011
T127207	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	78.2 km NW. of Newman	-23.02	119.06	4/11/2011
T116742	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 119 km W. of Newman	-23.08417	118.6036	30/06/2011
T116741	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 119 km W. of Newman	-23.08417	118.6036	30/06/2011
T114828	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 87.9 km NW. of Newman	-22.66639	119.3078	16/06/2007
T136489	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 117 km ENE. of Tom Price	-22.40159	118.8827	6/05/2012
T136488	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 117 km ENE. of Tom Price	-22.40159	118.8827	6/05/2012
T136487	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 109.2 km E. of Tom Price	-22.72786	118.8521	5/05/2012
T136006	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area	-22.62611	119.2803	30/06/2008
T136009	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area	-22.58222	119.3119	30/06/2008
T116750	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 94 km W. of Newman	-23.09139	118.67	30/06/2011
T131593	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 107 km NW. of Newman	-22.54292	119.1687	22/05/2013
T132659	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hope Downs, 78.3 km NW. of Newman	-23.02	119.0608	12/09/2013
T132662	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hope Downs, 73.3 km NW. of Newman	-23.02167	119.1147	14/09/2013
T132663	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hope Downs, 73.3 km NW. of Newman	-23.02083	119.1144	14/09/2013
T132666	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hope Downs, 73 km NW. of Newman	-23.01944	119.1189	14/09/2013

Western Australian Museum Database Search Interpreted Results

T132745	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi, 73.6 km NNW. Newman	-22.84417	119.2719	15/03/2014
T116560	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 85 km NW. of Newman	-22.6825	119.3364	16/06/2007
T116559	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 99.5 km NW. of Newman	-22.59917	119.1981	19/06/2007
T113570	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	South Parmelia, 52 km NW. of Newman	-23.08583	119.3183	16/04/2011
T114814	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 105 km NW. of Newman	-22.58194	119.1864	13/06/2007
T136498	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 115.1 km E. of Tom Price	-22.63375	118.9081	8/05/2012
T125347	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri Western Corridor, 149.2 km NW. of Newman	-22.34989	118.7657	2/04/2012
T125348	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri Western Corridor, 150.1 km NW. of Newman	-22.3497	118.7651	2/04/2012
T125349	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri Western Corridor, 104.6 km NW. of Newman	-22.15694	118.2257	2/04/2012
T125350	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri Western Corridor, 103.8 km NW. of Newman	-22.15661	118.2262	2/04/2012
T136548	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 78 km NE. of Tom Price	-22.17807	118.3023	27/10/2013
T113644	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	113.3 km NW. of Newman	-22.79914	118.8016	28/05/2011
T125340	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri Western Corridor, 212.7 km NW. of Newman	-22.1345	118.1548	1/04/2012
T119706	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Juna Downs Station, 112 km NW. of Newman	-22.64444	118.9525	9/05/2011
T136729	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi Oxbow, 86.9 km NW. of Newman	-22.78778	119.1461	1/05/2015
T119707	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Juna Downs Station, 112 km NW. of Newman	-22.64444	118.9525	9/05/2011
T114816	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 105 km NW. of Newman	-22.58194	119.1864	13/06/2007
T119708	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Juna Downs Station, 112 km NW. of Newman	-22.64444	118.9525	9/05/2011
T119716	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Juna Downs Station, 111 km NW. of Newman	-22.62917	118.9697	12/05/2011
T114818	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 93.6 km NW. of Newman	-22.62389	119.2536	14/06/2007
T119717	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Juna Downs Station, 111 km NW. of Newman	-22.62917	118.9697	12/05/2011
T119734	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Juna Downs Station, 117 km NW. of Newman	-22.60695	118.9356	7/05/2011
T136514	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 105.5 km ENE. of Tom Price	-22.34836	118.744	9/05/2012
T114813	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 100.3 km NW. of Newman	-22.59028	119.2008	13/06/2007
T118814	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 112.7 km NW. of Newman	-22.51944	119.1078	18/10/2011
T118823	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 118 km NW. of Newman	-22.5	119.0472	15/10/2011
T118819	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 118 km NW. of Newman	-22.5	119.0472	17/10/2011
T119235	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	2.5 km N. of Mile Camp, Pilbara Biological Survey site RHNE02	-22.75689	119.6314	10/08/2003
T122873	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	104 km NW. of Newman	-22.96583	118.8011	2/04/2012
T122244	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri Corridor West, 72.2 km NE. of Tom Price	-22.13583	118.1366	20/02/2012
T119243	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hamersley Range, 20.5 km WNW. of Mt Marsh, Pilbara Biological Survey site RHNW03	-22.46653	119.0226	13/08/2003
T113647	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	113.3 km NW. of Newman	-22.79923	118.8014	28/05/2011
T122339	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 105.4 km NW. of Newman	-22.54617	119.1867	6/02/2012
T118816	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 112.7 km NW. of Newman	-22.51944	119.1078	18/10/2011
T136513	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 98.8 km ENE. of Tom Price	-22.34483	118.672	9/05/2012
T118813	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 112.7 km NW. of Newman	-22.51944	119.1078	18/10/2011
T122334	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 105.9 km NW. of Newman	-22.546	119.1867	6/02/2012
T119244	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mulga Downs Station, 16 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW07	-22.22172	119.0249	14/08/2003
T118810	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 114.8 km NW. of Newman	-22.51111	119.0844	12/10/2011
T118809	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 114.8 km NW. of Newman	-22.51111	119.0844	15/10/2011
T125324	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri Western Corridor, 110.8 km NW. of Newman	-22.15622	118.1472	30/03/2012
T137570	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area	-22.62717	119.2796	10/10/2008
T118808	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 114.8 km NW. of Newman	-22.51111	119.0844	15/10/2011
T122251	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri Corridor West, 69.8 km NE. of Tom Price	-22.1552	118.1348	20/02/2012
T116827	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 102 km W. of Newman	-23.10556	118.7722	3/07/2011
T116850	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 87 km WNW. of Newman	-23.08556	118.9289	4/07/2011
T126294	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	114.2 km NW. of Newman	-22.68722	118.8925	22/11/2011
T116847	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 89 km WNW. of Newman	-23.1	118.9014	4/07/2011
T114820	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 94.8 km NW. of Newman	-22.63917	119.2122	14/06/2007
T126297	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	115.1 km NW. of Newman	-22.6975	118.8592	19/11/2011
T136501	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 114.8 km E. of Tom Price	-22.63315	118.9042	8/05/2012
T116837	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 102 km W. of Newman	-23.09028	118.8111	3/07/2011
T118797	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 122.1 km NW. of Newman	-22.47528	119.0164	11/10/2011
T136500	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 114.8 km E. of Tom Price	-22.63315	118.9042	8/05/2012

Western Australian Museum Database Search Interpreted Results

T136504	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 119.8 km E. of Tom Price	-22.6133	118.952	8/05/2012
T116820	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 102 km W. of Newman	-23.09805	118.7739	3/07/2011
T127199	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	81.5 km NW. of Newman	-23.02472	119.0206	4/11/2011
T127200	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	78.2 km NW. of Newman	-23.01972	119.06	4/11/2011
T127201	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	78.2 km NW. of Newman	-23.01972	119.06	4/11/2011
T136499	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 114.8 km E. of Tom Price	-22.63315	118.9042	8/05/2012
T127203	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	78.2 km NW. of Newman	-23.01972	119.0603	4/11/2011
T127205	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	78.2 km NW. of Newman	-23.01972	119.0603	4/11/2011
T131587	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 107 km NW. of Newman	-22.54372	119.1684	22/05/2013
T116835	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 102 km W. of Newman	-23.10667	118.775	3/07/2011
T118786	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 124.2 km NW. of Newman	-22.47639	118.9814	17/10/2011
T127208	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	78.2 km NW. of Newman	-23.02	119.0603	4/11/2011
T119937	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Juna Downs Station, 118 km NW. of Newman	-22.62389	118.8931	8/05/2011
T119970	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	84.8 km NW. of Newman	-22.66833	119.3753	27/07/2011
T118792	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 122.1 km NW. of Newman	-22.47528	119.0164	14/10/2011
T136511	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 112.1 km ENE. of Tom Price	-22.42215	118.839	9/05/2012
T136510	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 112.1 km ENE. of Tom Price	-22.42215	118.839	9/05/2012
T119972	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	84.8 km NW. of Newman	-22.66861	119.375	27/07/2011
T136509	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 112.1 km ENE. of Tom Price	-22.42215	118.839	9/05/2012
T113643	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	113.3 km NW. of Newman	-22.79906	118.8015	28/05/2011
T136508	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 119.8 km E. of Tom Price	-22.6133	118.952	8/05/2012
T136503	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 119.8 km E. of Tom Price	-22.6133	118.952	8/05/2012
T126281	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	116.4 km NW. of Newman	-22.64556	118.9028	18/11/2011
T126282	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	116.4 km NW. of Newman	-22.64556	118.9028	18/11/2011
T116872	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	83.2 km NW. of Newman	-22.70028	119.3619	26/07/2011
T136506	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 119.8 km E. of Tom Price	-22.6133	118.952	8/05/2012
T136505	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 119.8 km E. of Tom Price	-22.6133	118.952	8/05/2012
T116856	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 88 km WNW. of Newman	-23.07167	118.9008	4/07/2011
T116855	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 88 km WNW. of Newman	-23.07167	118.9008	4/07/2011
T118796	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 122.1 km NW. of Newman	-22.47528	119.0164	11/10/2011
T119977	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	94.4 km NW. of Newman	-22.60778	119.2925	27/07/2011
T104788	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname watsoni	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site 14-P7	-23.38324	119.6479	12/03/2010
T104789	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname watsoni	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site 14-P10	-23.383	119.6482	12/03/2010
T104790	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname watsoni	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site 14-P1	-23.3837	119.6478	12/03/2010
T104791	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname watsoni	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site 10-P4	-23.40005	119.6522	12/03/2010
T104786	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname watsoni	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site 14-P2	-23.38371	119.6478	12/03/2010
T104796	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname watsoni	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site 10-P3	-23.40016	119.6523	12/03/2010
T104795	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname watsoni	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site 10-P6	-23.3999	119.6521	12/03/2010
T103222	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 84.6 km NW. of Newmam	-22.95306	119.0308	27/06/2010
T103236	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 86.4 km NW. of Newman	-22.94806	119.0156	27/06/2010
T103224	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 85.7 km NW. of Newman	-22.94889	119.0247	27/06/2010
T103232	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 86.4 km NW. of Newman	-22.94778	119.0156	27/06/2010
T103231	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 85.7 km NW. of Newman	-22.94861	119.0247	27/06/2010
T107409	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Iron Valley, 5 km NE. of Yandicoogina mine; LT74	-22.75947	119.3025	5/05/2010
T107960	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Koodaideri, 120.2 km NW. of Newman	-22.49528	119.0242	23/08/2010
T103243	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 74.9 km NW. of Newman	-22.91694	119.1917	23/06/2010
T103244	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 81.6 km NW. of Newman	-22.96611	119.0475	26/06/2010
T103250	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 84.1 km NW. of Newman	-22.95444	119.0406	26/06/2010
T107953	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Koodaideri, 117.3 km of NW. of Newman	-22.53306	119.0153	20/08/2010
T103220	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 81.6 km NW. of Newman	-22.9675	119.0558	27/06/2010
T105898	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 97.6 km NW. of Newman	-23.01083	118.8606	18/08/2010
T107973	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Koodaideri, 103.8 km NW. of Newman	-22.58694	119.1553	20/08/2010
T103260	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 81.6 km NW. of Newman	-22.96611	119.0478	26/06/2010
T107970	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Koodaideri, 120.2 km NW. of Newman	-22.495	119.0222	23/04/2010
T103238	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 84.1 km NW. of Newman	-22.95444	119.0414	26/06/2010
T97034	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 65 km NW. of Newman	-22.73333	119.4067	28/03/2009
T103215	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 86.4 km NW. of Newman	-22.94806	119.0158	27/06/2010
T103225	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 86.4 km NW. of Newman	-22.94833	119.0158	27/06/2010
T103174	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 81.6 km NW. of Newman	-22.96639	119.0558	26/06/2010

Western Australian Museum Database Search Interpreted Results

T103175	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 98 km NW. of Newman	-23.00778	118.8533	30/06/2010
T107135	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Fortescue Marsh	-22.48899	119.0858	22/04/2010
T103179	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 98 km NW. of Newman	-23.00778	118.8531	30/06/2010
T103180	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 98 km NW. of Newman	-23.00778	118.8536	30/06/2010
T103183	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 86.4 km NW. of Newman	-22.94806	119.0158	27/06/2010
T103185	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 86.4 km NW. of Newman	-22.94806	119.0156	27/06/2010
T103190	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 86.4 km NW. of Newman	-22.94861	119.0158	27/06/2010
T103194	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 86.4 km NW. of Newman	-22.94778	119.0156	27/06/2010
T103208	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 81.6 km NW. of Newman	-22.9675	119.0553	27/06/2010
T103214	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 86.4 km NW. of Newman	-22.94833	119.0158	27/06/2010
T103204	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 86.4 km NW. of Newman	-22.94833	119.0158	27/06/2010
T103205	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 86.4 km NW. of Newman	-22.94833	119.0158	27/06/2010
T103212	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 84.6 km NW. of Newmam	-22.95389	119.03	27/06/2010
T103207	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Area C, 84.1 km NW. of Newman	-22.95444	119.0417	26/06/2010
T126277	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	114 km NW. of Newman	-22.61444	118.955	21/11/2011
T122820	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	111.6 km NW. of Newman	-22.89167	118.7639	29/03/2012
T120020	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	111.4 km NW. of Newman	-22.5225	119.1456	1/08/2011
T116819	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Mudlark, 102 km W. of Newman	-23.09805	118.7739	3/07/2011
T127211	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	78.2 km NW. of Newman	-23.02056	119.0603	4/11/2011
T127202	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	78.2 km NW. of Newman	-23.01972	119.06	4/11/2011
T116834	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Mudlark, 102 km W. of Newman	-23.10667	118.7731	3/07/2011
T116842	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Mudlark, 88 km WNW. of Newman	-23.03639	118.9472	4/07/2011
T116843	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Mudlark, 88 km WNW. of Newman	-23.03639	118.9472	4/07/2011
T126286	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	116.4 km NW. of Newman	-22.64556	118.9028	18/11/2011
T126285	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	116.4 km NW. of Newman	-22.64556	118.9028	18/11/2011
T122814	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	108.6 km NW. of Newman	-22.94278	118.7706	28/03/2012
T119998	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	74.6 km NW. of Newman	-22.77361	119.3511	29/07/2011
T126274	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	114 km NW. of Newman	-22.61444	118.955	21/11/2011
T113799	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Koodaideri, 79.4 km ESE. of Wittenoom	-22.52528	119.0472	13/08/2010
T126270	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	114 km NW. of Newman	-22.61444	118.955	21/11/2011
T126261	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	118.3 km NW. of Newman	-22.61111	118.9072	18/11/2011
T126258	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	118.2 km NW. of Newman	-22.60528	118.9192	17/11/2011
T126256	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	118.2 km NW. of Newman	-22.60528	118.9192	19/11/2011
T126248	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	118.2 km NW. of Newman	-22.60528	118.9181	17/11/2011
T149419	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	85.2 km NW. of Newman	-23.06971	118.9594	11/03/2019
T118807	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Koodaideri, 114.8 km NW. of Newman	-22.51111	119.0844	15/10/2011
T122832	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	127.3 km NW. of Newman	-22.86028	118.6044	29/03/2012
T113645	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	113.3 km NW. of Newman	-22.79922	118.8015	28/05/2011
T122875	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	104 km NW. of Newman	-22.96583	118.8011	2/04/2012
T116863	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Mudlark, 121 km W. of Newman	-23.08139	118.5842	6/07/2011
T113586	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	South Parmelia, 52 km NW. of Newman	-23.08583	119.3183	16/04/2011
T126266	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	118.3 km NW. of Newman	-22.61111	118.9072	18/11/2011
T131385	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Mesa Gap, ca. 33 km ENE. of Newman	-23.35507	120.0286	27/08/2013
T118822	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Koodaideri, 118 km NW. of Newman	-22.5	119.0472	15/10/2011
T113585	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	South Parmelia, 52 km NW. of Newman	-23.08583	119.3183	16/04/2011
T116555	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Marillana, 92.6 km NW. of Newman	-22.65083	119.2647	18/06/2007
T113587	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	South Parmelia, 52 km NW. of Newman	-23.08583	119.3183	16/04/2011
T116771	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Mudlark, 113 km W. of Newman	-23.03806	118.6825	1/07/2011
T116780	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	Mudlark, 111 km W. of Newman	-23.05222	118.6783	1/07/2011
T113584	Arachnida	Araneae (spiders)	Araneae	Anamidae	Aname whitei	epigean	widespread	W.A. Museum assessment	South Parmelia, 52 km NW. of Newman	-23.08583	119.3183	16/04/2011
T140524	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae 'N140'	epigean	potential SRE: DD	W.A. Museum assessment	Koodaideri, ca. 33.9 km E. of Auski Roadhouse	-22.46194	118.9975	8/03/2014
T140523	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae 'N140'	epigean	potential SRE: DD	W.A. Museum assessment	Koodaideri, ca. 29.7 km E. of Auski Roadhouse	-22.46861	118.9622	8/03/2014
T140522	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae 'N140'	epigean	potential SRE: DD	W.A. Museum assessment	Koodaideri, ca. 29.7 km E. of Auski Roadhouse	-22.46806	118.9625	8/03/2014
T140518	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae 'N43'	epigean	Potential SRE: DD	W.A. Museum assessment	Koodaideri, ca. 38.3 km E. of Auski Roadhouse	-22.48611	119.0486	7/03/2014
T140521	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae 'N43'	epigean	Potential SRE: DD	W.A. Museum assessment	Koodaideri, ca. 41.3 km E. of Auski Roadhouse	-22.49583	119.0708	9/03/2014
T140520	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae 'N43'	epigean	Potential SRE: DD	W.A. Museum assessment	Koodaideri, ca. 41.3 km E. of Auski Roadhouse	-22.49611	119.0708	9/03/2014
T140519	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae 'N43'	epigean	Potential SRE: DD	W.A. Museum assessment	Koodaideri, ca. 41.3 km E. of Auski Roadhouse	-22.49611	119.0708	9/03/2014
T140517	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae 'N43'	epigean	Potential SRE: DD	W.A. Museum assessment	Yalgorup National Park, 6 km S. of Dawesville	-22.48583	119.0486	7/03/2014
T77523	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	West Angelas, 31.6 km SE. of Juna Downs Homestead, site WES	-23.085	118.7047	7/09/2005

Western Australian Museum Database Search Interpreted Results

T89292	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	90.8 km NW. of Newman, BHP Billiton Area C	-22.9001	118.9934	10/04/2008
T89293	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	90.8 km NW. of Newman, BHP Billiton Area C	-22.9001	118.9934	10/04/2008
T44346	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Newman area	-23.35	119.7333	20/06/1984
T111601	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	ca. 15 km SE. of The Governor, West Angelas mine, site WES002	-23.2	118.82	5/05/2004
T136542	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 80.5 km NE. of Tom Price	-22.19547	118.3554	26/10/2013
T136539	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 80.2 km NE. of Tom Price	-22.18695	118.3429	26/10/2013
T136540	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 80.2 km NE. of Tom Price	-22.18733	118.3431	26/10/2013
T136551	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 79.5 km NE. of Tom Price	-22.18463	118.3309	27/10/2013
T136544	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 79.2 km NE. of Tom Price	-22.18399	118.3261	27/10/2013
T136538	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 80.2 km NE. of Tom Price	-22.18703	118.3429	26/10/2013
T136546	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 77.6 km NE. of Tom Price	-22.17094	118.2879	27/10/2013
T136547	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 77.6 km NE. of Tom Price	-22.17092	118.2881	27/10/2013
T135031	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Mulga Downs Stn. E. of Outcamp, Pilbara Biological Survey site RHNW13	-22.36139	119.0067	20/11/2003
T136550	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 79.5 km NE. of Tom Price	-22.18486	118.3309	27/10/2013
T136543	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 79.1 km NE. of Tom Price	-22.18468	118.3257	27/10/2013
T136552	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 79.6 km NE. of Tom Price	-22.18428	118.3309	27/10/2013
T136553	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 81 km NE. of Tom Price	-22.1991	118.3659	27/10/2013
T136554	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 81 km NE. of Tom Price	-22.19903	118.3656	27/10/2013
T136555	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 80.7 km NE. of Tom Price	-22.23189	118.3928	28/10/2013
T136557	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 80.6 km NE. of Tom Price	-22.20468	118.367	28/10/2013
T136727	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi Oxbow, 86.9 km NW. of Newman	-22.78806	119.1461	1/05/2015
T136537	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 81.2 km NE. of Tom Price	-22.17627	118.3452	26/10/2013
T135121	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Mulga Downs Station, 9.3 km NE. of Cowra Line Camp, Pilbara Biological Survey site RHNW11	-22.29411	119.0614	27/08/2003
T136530	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 81.3 km NE. of Tom Price	-22.20454	118.3755	26/10/2013
T137569	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Roy Hill Station, Marillana Creek area	-22.56639	119.2308	6/09/2008
T122803	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	129.2 km NW. of Newman	-22.83167	118.6025	30/03/2012
T113805	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Area C Surrounds, 84 km WNW. of Newman	-22.95444	119.0417	26/06/2010
T122802	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	129.2 km NW. of Newman	-22.83167	118.6025	30/03/2012
T114596	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	FMG Nyidinghu Project, near Marillana Station, site s11wt9	-22.37398	119.1948	10/05/2011
T136728	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi Oxbow, 86.9 km NW. of Newman	-22.78778	119.1456	1/05/2015
T136524	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 83 km NE. of Tom Price	-22.2365	118.4254	25/10/2013
T122809	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	119.4 km NW. of Newman	-22.93389	118.6639	31/03/2012
T113583	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	South Parmelia, 52 km NW. of Newman	-23.08611	119.3186	16/04/2011
T120002	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	75.1 km NW. of Newman	-22.805	119.3061	30/07/2011
T146553	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Greater Hope Downs, Hope Downs 1 mine, ca. 80.9 km NW. of Newman	-23.07796	119.0009	25/05/2018
T133999	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.70442	119.0509	2/04/2014
T122808	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	127.1 km NW. of Newman	-22.83694	118.6286	30/03/2012
T136520	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 83 km NE. of Tom Price	-22.23635	118.4253	24/10/2013
T136521	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 83 km NE. of Tom Price	-22.2365	118.4254	24/10/2013
T136532	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 81.7 km NE. of Tom Price	-22.20728	118.3827	25/10/2013
T134164	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi Billiards, 73.8 km NW. Newman	-22.82	119.3003	17/09/2014
T136536	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 81.2 km NE. of Tom Price	-22.17674	118.3452	26/10/2013
T136531	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 81.3 km NE. of Tom Price	-22.20443	118.3751	26/10/2013
T136535	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 81.2 km NE. of Tom Price	-22.17638	118.3457	26/10/2013
T136534	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 81.1 km NE. of Tom Price	-22.18698	118.3545	26/10/2013
T134166	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi Billiards, 73.8 km NW. Newman	-22.82	119.3003	17/09/2014
T136522	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 83 km NE. of Tom Price	-22.2365	118.4254	24/10/2013
T134165	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi Billiards, 73.8 km NW. Newman	-22.82	119.3003	17/09/2014
T136525	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 80.6 km NE. of Tom Price	-22.23203	118.3919	25/10/2013
T136529	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 78 km NE. of Tom Price	-22.26109	118.3855	25/10/2013
T136528	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 78 km NE. of Tom Price	-22.26109	118.3855	25/10/2013
T136527	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 80.6 km NE. of Tom Price	-22.24149	118.4002	25/10/2013
T136526	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 80.6 km NE. of Tom Price	-22.23203	118.3919	25/10/2013
T135638	Arachnida	Araneae (spiders)	Araneae	Anamidae	Anamidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Karijini National Park, c. 1.5 km NE. of Visitor Centre	-22.4725	118.4753	18/03/2015
T94838	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98747	119.2695	4/02/2009
T94839	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.9873	119.2694	7/02/2009
T94845	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98892	119.2363	7/02/2009

Western Australian Museum Database Search Interpreted Results

T97305	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Hamersley Range, 20.5 km WNW. of Mt Marsh, Pilbara Biological Survey site RHNW03	-22.46653	119.0226	13/08/2003
T96146	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-23.01103	119.2341	7/02/2009
T94846	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98572	119.2508	7/02/2009
T94849	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.97875	119.2613	1/02/2009
T94847	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98761	119.2701	7/02/2009
T94848	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.99317	119.3	7/02/2009
T94855	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96925	119.2596	6/02/2009
T94837	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.9695	119.2603	1/02/2009
T105972	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 81.4 km NW. of Newman	-22.95806	119.0692	1/05/2010
T96130	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.9695	119.2603	7/02/2009
T105909	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 82.7 km NW. of Newman	-22.96361	119.0472	1/05/2010
T96136	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98994	119.2365	7/02/2009
T107132	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Fortescue Marsh	-22.53063	119.1685	22/04/2010
T96134	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96939	119.2601	2/02/2009
T96135	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98458	119.2673	6/02/2009
T94834	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.97636	119.3004	28/02/2009
T104806	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site2-P1	-23.4036	119.611	13/03/2010
T96137	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96756	119.2851	4/02/2009
T96138	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96928	119.2597	6/02/2009
T104805	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site5-P3	-23.41051	119.5716	12/03/2010
T96149	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.97633	119.3006	6/02/2009
T96139	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96931	119.2601	7/02/2009
T114812	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, 100.3 km NW. of Newman	-22.59028	119.2008	13/06/2007
T125329	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG006'	epigean	Potential SRE: DD	W.A. Museum assessment	Koodaideri Western Corridor, 135.1 km NW. of Newman	-22.42881	118.8773	31/03/2012
T96143	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG033'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.974	119.3004	6/02/2009
T94835	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG033'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.9765	119.3	2/02/2009
T94843	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG033'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-23.05258	119.254	7/02/2009
T94842	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG033'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96836	119.2855	2/02/2009
T94841	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG033'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98558	119.2504	7/02/2009
T94840	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG033'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.98589	119.2512	2/02/2009
T94844	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG033'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-23.02792	119.2547	1/02/2009
T102620	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG033'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.58431	120.0172	11/03/2010
T54237	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG088'	epigean	Potential SRE: DD	W.A. Museum assessment	BHP Billiton Area C, ca. 95 km NW. of Newman	-22.9105	118.9667	27/03/2008
T54238	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG088'	epigean	Potential SRE: DD	W.A. Museum assessment	BHP Billiton Area C, ca. 95 km NW. of Newman	-22.9105	118.9708	27/03/2008
T89291	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG088'	epigean	Potential SRE: DD	W.A. Museum assessment	90.8 km NW. of Newman, BHP Billiton Area C	-22.9001	118.9934	10/04/2008
T104793	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG098'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site10-P1	-23.4003	119.6524	12/03/2010
T97015	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG098'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 65 km NW. of Newman	-22.96853	119.2855	2/02/2009
T104813	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG098'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site4-P1	-23.40216	119.5971	12/03/2010
T102615	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG101'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill Station, c. 13.6 km NE. of homestead, E. of Marble Bar Road	-22.52711	120.0421	11/03/2010
T102617	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG101'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.4266	119.9424	11/03/2010
T105963	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 89.6 km NW. of Newman	-23.00111	118.9478	1/05/2010
T105952	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 82.7 km NW. of Newman	-23.005	119.0239	1/05/2010
T105964	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 93.1 km NW. of Newman	-23	118.9131	1/05/2010
T105965	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 93.1 km NW. of Newman	-23	118.9131	1/05/2010
T105985	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 82.7 km NW. of Newman	-22.89917	119.0994	1/05/2010
T105966	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 89.3 km NW. of Newman	-22.90639	119.0125	1/05/2010
T105969	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 84.7 km NW. of Newman	-22.90583	119.0289	1/05/2010
T105970	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 88.4 km NW. of Newman	-22.89889	119.0306	1/05/2010
T105986	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 89.3 km NW. of Newman	-22.90639	119.0125	1/05/2010
T105977	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 84.7 km NW. of Newman	-22.90583	119.0289	1/05/2010
T105978	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 82.7 km NW. of Newman	-22.89917	119.0994	1/05/2010
T105979	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 82.7 km NW. of Newman	-22.89917	119.0994	1/05/2010
T105980	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 89.3 km NW. of Newman	-22.90639	119.0125	1/05/2010
T105984	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 89.3 km NW. of Newman	-22.90639	119.0125	1/05/2010
T105983	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 86.2 km NW. of Newman	-23.00139	118.9817	1/05/2010
T105982	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 86.2 km NW. of Newman	-23.00139	118.9817	1/05/2010
T105981	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 82.7 km NW. of Newman	-22.89917	119.0994	1/05/2010

Western Australian Museum Database Search Interpreted Results

T105971	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 88.4 km NW. of Newman	-22.89889	119.0306	1/05/2010
T105940	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 89.4 km NW. of Newman	-22.98028	118.9622	1/05/2010
T105961	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 81.6 km NW. of Newman	-22.90694	119.1242	1/05/2010
T105929	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 78.2 km NW. of Newman	-22.91778	119.1339	1/05/2010
T105933	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 83.9 km NW. of Newman	-22.99306	119.0158	1/05/2010
T105922	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 86.2 km NW. of Newman	-23.00139	118.9817	1/05/2010
T105920	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 82.7 km NW. of Newman	-22.89917	119.0994	1/05/2010
T105937	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 91.3 km NW. of Newman	-22.90055	118.9933	1/05/2010
T105924	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 89.4 km NW. of Newman	-22.98028	118.9622	1/05/2010
T105918	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 82.7 km NW. of Newman	-22.89917	119.0994	1/05/2010
T105927	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 93.1 km NW. of Newman	-23	118.9131	1/05/2010
T105941	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 88.4 km NW. of Newman	-22.89889	119.0306	1/05/2010
T105942	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 78.2 km NW. of Newman	-22.91778	119.1339	1/05/2010
T105945	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 78.2 km NW. of Newman	-22.91778	119.1339	1/05/2010
T105946	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 89.6 km NW. of Newman	-22.92278	119.1628	1/05/2010
T105947	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 83.9 km NW. of Newman	-22.99306	119.0158	1/05/2010
T105916	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 86.2 km NW. of Newman	-23.00139	118.9817	1/05/2010
T105949	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 87.3 km NW. of Newman	-22.89528	119.045	1/05/2010
T105913	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 90.6 km NW. of Newman	-22.99778	119.0297	1/05/2010
T105953	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 88.4 km NW. of Newman	-22.89889	119.0306	1/05/2010
T105938	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Area C, 82.7 km NW. of Newman	-22.89917	119.0994	1/05/2010
T119248	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	3 km SW. of Weeli Wolli Spring, Pilbara Biological Survey site RHNC10	-22.94778	119.1847	31/08/2003
T132749	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG195'	epigean	widespread	W.A. Museum assessment	Yandi, 78.9 km NNW. Newman	-22.76278	119.3042	17/03/2014
T105923	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG197'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 83.9 km NW. of Newman	-22.99306	119.0158	1/05/2010
T105955	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG197'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 81.4 km NW. of Newman	-22.95806	119.0692	1/05/2010
T130375	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG197'	epigean	Potential SRE: DD	W.A. Museum assessment	9 km WSW. of West Angelas Aerodrome	-23.17235	118.6239	18/03/2013
T149449	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG197'	epigean	Potential SRE: DD	W.A. Museum assessment	88.2 km NW. of Newman	-23.06007	118.9316	9/03/2019
T122332	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG321'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, 97.4 km NW. of Newman	-22.63433	119.2009	6/02/2012
T113621	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG323'	epigean	Potential SRE: DD	W.A. Museum assessment	111.3 km NW. of Newman, Area C West - Yandi	-22.62479	118.9875	26/05/2011
T113661	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG323'	epigean	Potential SRE: DD	W.A. Museum assessment	115.9 km NW. of Newman, Area C West - Yandi	-22.61071	118.9395	30/05/2011
T113662	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG323'	epigean	Potential SRE: DD	W.A. Museum assessment	115.9 km NW. of Newman, Area C West - Yandi	-22.61049	118.9395	30/05/2011
T126251	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG323'	epigean	Potential SRE: DD	W.A. Museum assessment	118.2 km NW. of Newman, Area C West - Yandi	-22.60528	118.9192	19/11/2011
T113633	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG323'	epigean	Potential SRE: DD	W.A. Museum assessment	113.5 km NW. of Newman, Area C West - Yandi	-22.75677	118.8329	27/05/2011
T113618	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG323'	epigean	Potential SRE: DD	W.A. Museum assessment	111.3 km NW. of Newman, Area C West - Yandi	-22.62455	118.9876	26/05/2011
T113620	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG323'	epigean	Potential SRE: DD	W.A. Museum assessment	111.3 km NW. of Newman, Area C West - Yandi	-22.62479	118.9875	26/05/2011
T113622	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG323'	epigean	Potential SRE: DD	W.A. Museum assessment	111.3 km NW. of Newman, Area C West - Yandi	-22.62478	118.9875	26/05/2011
T113623	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG323'	epigean	Potential SRE: DD	W.A. Museum assessment	111.3 km NW. of Newman, Area C West - Yandi	-22.62476	118.9875	26/05/2011
T113624	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG323'	epigean	Potential SRE: DD	W.A. Museum assessment	111.3 km NW. of Newman, Area C West - Yandi	-22.62481	118.9875	26/05/2011
T113619	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG323'	epigean	Potential SRE: DD	W.A. Museum assessment	111.3 km NW. of Newman, Area C West - Yandi	-22.6247	118.9875	26/05/2011
T135637	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG324'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini National Park, c. 1.5 km NE. of Visitor Centre	-22.4725	118.4753	18/03/2015
T113640	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG324'	epigean	Potential SRE: DD	W.A. Museum assessment	113.5 km NW. of Newman	-22.75693	118.8324	27/05/2011
T135636	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG324'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini National Park, c. 1.5 km NE. of Visitor Centre	-22.4725	118.4753	18/03/2015
T122817	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG324'	epigean	Potential SRE: DD	W.A. Museum assessment	111.6 km NW. of Newman	-22.89139	118.7644	29/03/2012
T113627	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG324'	epigean	Potential SRE: DD	W.A. Museum assessment	113.5 km NW. of Newman	-22.75698	118.8323	27/05/2011
T107957	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG325'	epigean	Potential SRE: DD	W.A. Museum assessment	Koodaideri, 119.5 km NW. of Newman	-22.49528	119.0339	23/08/2010
T107959	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG325'	epigean	Potential SRE: DD	W.A. Museum assessment	Koodaideri, 114 km of NW. of Newman	-22.52806	119.0731	21/08/2010
T114825	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG325'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, 96.9 km NW. of Newman	-22.61972	119.2292	15/06/2007
T114821	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG325'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, 93.6 km NW. of Newman	-22.62389	119.2536	15/06/2007
T116550	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG325'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, 91.6 km NW. of Newman	-22.665	119.2444	18/06/2007
T114817	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG325'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, 105 km NW. of Newman	-22.58194	119.1864	13/06/2007
T118826	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG325'	epigean	Potential SRE: DD	W.A. Museum assessment	Koodaideri, 120.2 km NW. of Newman	-22.4975	119.0153	16/10/2011
T116549	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG325'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, 91.6 km NW. of Newman	-22.665	119.2444	18/06/2007
T120022	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG325'	epigean	Potential SRE: DD	W.A. Museum assessment	111.4 km NW. of Newman	-22.52222	119.1453	1/08/2011

Western Australian Museum Database Search Interpreted Results

T118821	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG325'	epigean	Potential SRE: DD	W.A. Museum assessment	Koodaideri, 118 km NW. of Newman	-22.5	119.0472	15/10/2011
T118815	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG325'	epigean	Potential SRE: DD	W.A. Museum assessment	Koodaideri, 112.7 km NW. of Newman	-22.51944	119.1078	18/10/2011
T120023	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG325'	epigean	Potential SRE: DD	W.A. Museum assessment	111.4 km NW. of Newman	-22.52222	119.1453	1/08/2011
T114823	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG325'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, 93.6 km NW. of Newman	-22.62389	119.2536	15/06/2007
T113625	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG336'	epigean	Potential SRE: DD	W.A. Museum assessment	113.8 km NW. of Newman	-22.65616	118.9184	26/05/2011
T126254	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG336'	epigean	Potential SRE: DD	W.A. Museum assessment	118.2 km NW. of Newman	-22.60528	118.9192	19/11/2011
T126253	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG336'	epigean	Potential SRE: DD	W.A. Museum assessment	118.2 km NW. of Newman	-22.60528	118.9192	19/11/2011
T120000	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG337'	epigean	Potential SRE: DD	W.A. Museum assessment	75.1 km NW. of Newman	-22.805	119.3058	30/07/2011
T120001	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG337'	epigean	Potential SRE: DD	W.A. Museum assessment	75.1 km NW. of Newman	-22.80528	119.3061	30/07/2011
T120003	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG337'	epigean	Potential SRE: DD	W.A. Museum assessment	75.1 km NW. of Newman	-22.80528	119.3058	30/07/2011
T120004	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG337'	epigean	Potential SRE: DD	W.A. Museum assessment	75.1 km NW. of Newman	-22.80528	119.3058	30/07/2011
T120011	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG337'	epigean	Potential SRE: DD	W.A. Museum assessment	76 km NW. of Newman	-22.79361	119.3103	31/07/2011
T120014	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG337'	epigean	Potential SRE: DD	W.A. Museum assessment	72.7 km NW. of Newman	-22.85	119.2825	31/07/2011
T120015	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG337'	epigean	Potential SRE: DD	W.A. Museum assessment	72.7 km NW. of Newman	-22.85	119.2825	31/07/2011
T119996	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG337'	epigean	Potential SRE: DD	W.A. Museum assessment	76.3 km NW. of Newman	-22.74333	119.3933	29/07/2011
T116540	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG338'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, 86.2 km NW. of Newman	-22.67889	119.3031	17/06/2007
T116552	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG338'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, 92.6 km NW. of Newman	-22.65083	119.2647	18/06/2007
T119999	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG338'	epigean	Potential SRE: DD	W.A. Museum assessment	78.8 km NW. of Newman	-22.73222	119.3603	30/07/2011
T116544	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG338'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, 89.7 km NW. of Newman	-22.66222	119.29	17/06/2007
T105858	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG339'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 93.8 km NW. of Newman	-23	118.9056	15/08/2010
T105906	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG339'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 93.4 km NW. of Newman	-22.99972	118.9125	15/08/2010
T105903	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG339'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 93 km NW. of Newman	-23.01778	118.9072	14/08/2010
T105900	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG339'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 93 km NW. of Newman	-23.01778	118.9078	14/08/2010
T103191	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG339'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 86.4 km NW. of Newman	-22.94778	119.0156	27/06/2010
T105852	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG339'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 96 km NW. of Newman	-23.01306	118.875	14/08/2010
T105899	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG339'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 97.6 km NW. of Newman	-23.01056	118.8603	18/08/2010
T105860	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG339'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 93.8 km NW. of Newman	-22.99972	118.905	15/08/2010
T105854	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG339'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 96 km NW. of Newman	-23.01306	118.8753	14/08/2010
T105907	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG339'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 93.4 km NW. of Newman	-23.00028	118.9128	15/08/2010
T105893	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG339'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 103.4 km NW. of Newman	-22.99055	118.8072	18/08/2010
T105859	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG339'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 93.8 km NW. of Newman	-22.99972	118.905	15/08/2010
T105874	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG339'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 92.1 km NW. of Newman	-23.01083	118.9178	16/08/2010
T105873	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG339'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 92.1 km NW. of Newman	-23.01083	118.9175	16/08/2010
T105875	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG339'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 92.1 km NW. of Newman	-23.01056	118.9178	16/08/2010
T105862	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG339'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 92.4 km NW. of Newman	-23.00722	118.9167	15/08/2010
T105853	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG339'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 96 km NW. of Newman	-23.01306	118.875	14/08/2010
T116853	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG339'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 87 km WNW. of Newman	-23.08583	118.9294	4/07/2011
T116846	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG339'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 89 km WNW. of Newman	-23.1	118.9014	4/07/2011
T127231	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG340'	epigean	Potential SRE: DD	W.A. Museum assessment	80.4 km NW. of Newman	-23.01722	119.0367	7/11/2011
T127206	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG340'	epigean	Potential SRE: DD	W.A. Museum assessment	78.2 km NW. of Newman	-23.01972	119.0603	4/11/2011
T127224	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG341'	epigean	Potential SRE: DD	W.A. Museum assessment	80.4 km NW. of Newman	-23.01472	119.0372	7/11/2011
T127230	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG341'	epigean	Potential SRE: DD	W.A. Museum assessment	80.4 km NW. of Newman	-23.015	119.0367	7/11/2011
T113638	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG378'	epigean	Potential SRE: DD	W.A. Museum assessment	110.6 km NW. of Newman	-22.74206	118.8808	27/05/2011
T114830	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG379'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, 84.6 km NW. of Newman	-22.70583	119.2942	16/06/2007
T116542	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG379'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, 86.3 km NW. of Newman	-22.67417	119.3167	17/06/2007
T114833	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG379'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, 85.7 km NW. of Newman	-22.69222	119.2928	17/06/2007
T116558	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG379'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, 97.2 km NW. of Newman	-22.62694	119.2006	19/06/2007
T114811	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG379'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, 100.3 km NW. of Newman	-22.59028	119.2008	13/06/2007
T116557	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG379'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, 96.6 km NW. of Newman	-22.63083	119.2086	19/06/2007
T114810	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG379'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, 100.3 km NW. of Newman	-22.59028	119.2008	13/06/2007
T116744	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG380'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 107 km W. of Newman	-23.09389	118.7192	30/06/2011
T135572	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG433'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini National Park, c. 25 km SSW. of Dales Gorge	-22.65778	118.4336	17/03/2015
T135565	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG433'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini National Park, c. 35 km SW. of Dales Gorge	-22.75333	118.41	17/03/2015
T96131	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG484'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.97628	119.3007	3/02/2009
T96142	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG484'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96756	119.2851	3/02/2009
T96141	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG484'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.96789	119.2851	3/02/2009
T113562	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG484'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinidi, 66 km NW. of Newman	-22.95639	119.2489	17/04/2011
T113561	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG484'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinidi, 66 km NW. of Newman	-22.95583	119.2492	17/04/2011
T127221	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG484'	epigean	Potential SRE: DD	W.A. Museum assessment	69.1 km NW. of Newman	-22.96833	119.2008	9/11/2011
T127223	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG484'	epigean	Potential SRE: DD	W.A. Museum assessment	69.1 km NW. of Newman	-22.96861	119.1997	9/11/2011
T127227	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG524'	epigean	Potential SRE: DD	W.A. Museum assessment	80.4 km NW. of Newman	-23.015	119.0367	5/11/2011
T127232	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG648'	epigean	Potential SRE: DD	W.A. Museum assessment	78.1 km NW. of Newman	-23.01667	119.1022	8/11/2011
T127204	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG648'	epigean	Potential SRE: DD	W.A. Museum assessment	78.2 km NW. of Newman	-23.01972	119.0603	4/11/2011
T104802	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG651'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site16-P8	-23.40469	119.6118	14/03/2010

Western Australian Museum Database Search Interpreted Results

T104809	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG651'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site5-P5	-23.41028	119.5716	12/03/2010
T119988	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG651'	epigean	Potential SRE: DD	W.A. Museum assessment	105.3 km NW. of Newman	-22.51194	119.2589	28/07/2011
T113639	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG653'	epigean	Potential SRE: DD	W.A. Museum assessment	110.6 km NW. of Newman, Area C West - Yandi	-22.74222	118.8806	27/05/2011
T113650	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG653'	epigean	Potential SRE: DD	W.A. Museum assessment	113.5 km NW. of Newman, Area C West - Yandi	-22.77988	118.816	29/05/2011
T113646	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG653'	epigean	Potential SRE: DD	W.A. Museum assessment	113.3 km NW. of Newman, Area C West - Yandi	-22.79919	118.8015	28/05/2011
T113628	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG654'	epigean	Potential SRE: DD	W.A. Museum assessment	113.5 km NW. of Newman, Area C West - Yandi	-22.75695	118.8323	27/05/2011
T113630	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG654'	epigean	Potential SRE: DD	W.A. Museum assessment	113.5 km NW. of Newman, Area C West - Yandi	-22.75694	118.8324	27/05/2011
T113632	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG654'	epigean	Potential SRE: DD	W.A. Museum assessment	113.5 km NW. of Newman, Area C West - Yandi	-22.75693	118.8324	27/05/2011
T103176	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG683'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 83.9 km NW. of Newman	-22.89444	119.0767	29/06/2010
T113631	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG683'	epigean	Potential SRE: DD	W.A. Museum assessment	113.5 km NW. of Newman	-22.75695	118.8324	27/05/2011
T113635	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG683'	epigean	Potential SRE: DD	W.A. Museum assessment	113.5 km NW. of Newman	-22.75623	118.8313	27/05/2011
T113651	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan 'MYG683'	epigean	Potential SRE: DD	W.A. Museum assessment	113.5 km NW. of Newman	-22.77989	118.816	29/05/2011
T97036	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, ca. 120 km NNW. of Newman, site 11-11D	-22.92006	118.8941	14/06/2008
T103188	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 83.9 km NW. of Newman	-22.89444	119.0767	29/06/2010
T103211	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 83.9 km NW. of Newman	-22.89417	119.0767	29/06/2010
T97295	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, ca. 120 km NNW. of Newman, site 14-14A	-22.91558	118.9427	13/06/2008
T134979	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	25 km NE. of Moorimoordinina Native Well, Pilbara Biological Survey site RHNE09	-22.41556	119.9839	8/08/2003
T136014	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area	-22.62611	119.2803	6/09/2008
T131583	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 105 km NW. of Newman	-22.56214	119.1722	20/05/2013
T134985	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mulga Downs Stn, 6 km N. of Cowra Line Camp , Pilbara Biological Survey site RHNW06	-22.30178	119.0134	21/09/2003
T131599	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 121 km NW. of Newman	-22.51942	118.9693	23/05/2013
T131598	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 121 km NW. of Newman	-22.51942	118.9693	23/05/2013
T131592	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 107 km NW. of Newman	-22.54331	119.169	22/05/2013
T131581	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 105 km NW. of Newman	-22.5633	119.1718	20/05/2013
T134981	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hamersley Range, SE. of Mt Lockyer, Pilbara Biological Survey site RHNW02	-22.53583	118.9976	12/08/2003
T135136	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	14 km WSW. of Roy Hill Station, Pilbara Biological Survey site RHNE05	-22.67567	119.8406	19/11/2003
T126291	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	114.2 km NW. of Newman	-22.68722	118.8925	22/11/2011
T134984	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hamersley Range, 20.5 km WNW. of Mt Marsh, Pilbara Biological Survey site RHNW03	-22.46653	119.0226	13/08/2003
T131582	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 105 km NW. of Newman	-22.56211	119.1722	20/05/2013
T131590	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 107 km NW. of Newman	-22.54372	119.1684	22/05/2013
T134167	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi Billiards, 73.8 km NW. Newman	-22.83055	119.29	18/09/2014
T134163	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi Billiards, 78.5 km NW. Newman	-22.76667	119.3036	14/09/2014
T134160	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi Billiards, 78.5 km NW. Newman	-22.76667	119.3036	14/09/2014
T136486	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 115.7 km E. of Tom Price	-22.69298	118.9156	4/05/2012
T134159	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi Billiards, 73.2 km NW. Newman	-22.84778	119.275	13/09/2014
T134158	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi Billiards, 73.2 km NW. Newman	-22.84778	119.275	13/09/2014
T134157	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi Billiards, 73.2 km NW. Newman	-22.84778	119.275	13/09/2014
T140323	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	55.5 km S. of Auski Roadhouse	-22.89833	118.6728	17/05/2008
T131585	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 105 km NW. of Newman	-22.56197	119.1723	20/05/2013
T131595	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 107 km NW. of Newman	-22.54322	119.1687	22/05/2013
T131589	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 107 km NW. of Newman	-22.54369	119.1684	22/05/2013
T136556	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 80.6 km NE. of Tom Price	-22.24149	118.4002	28/10/2013
T127222	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	69.1 km NW. of Newman	-22.96861	119.1997	9/11/2011
T127234	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	74 km NW. of Newman	-23.02667	119.1058	8/11/2011
T131591	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 107 km NW. of Newman	-22.54331	119.169	22/05/2013
T135141	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hamersley Range, 20.5 km WNW. of Mt Marsh, Pilbara Biological Survey site RHNW03	-22.46653	119.0226	13/08/2003
T131594	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 107 km NW. of Newman	-22.54322	119.1687	22/05/2013
T131580	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 105 km NW. of Newman	-22.5633	119.1717	20/05/2013
T131596	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 107 km NW. of Newman	-22.54325	119.1688	22/05/2013

Western Australian Museum Database Search Interpreted Results

T131597	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 121 km NW. of Newman	-22.51942	118.9693	23/05/2013
T136549	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 78 km NE. of Tom Price	-22.17813	118.3022	27/10/2013
T126275	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	114 km NW. of Newman	-22.61444	118.955	21/11/2011
T131588	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 107 km NW. of Newman	-22.54367	119.1684	22/05/2013
T132746	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi, 73.6 km NNW. Newman	-22.84417	119.2725	15/03/2014
T137563	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area	-22.60695	119.2386	30/06/2008
T137564	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area	-22.62611	119.2803	6/09/2008
T132665	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hope Downs, 73.3 km NW. of Newman	-23.02111	119.1144	14/09/2013
T137565	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area	-22.62667	119.2789	6/09/2008
T119997	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	76.3 km NW. of Newman	-22.74278	119.3933	29/07/2011
T135635	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, c. 1.5 km NE. of Visitor Centre	-22.4725	118.4753	18/03/2015
T137562	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area	-22.62667	119.2789	6/09/2008
T132744	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi, 80.5 km NNW. Newman	-22.74333	119.3083	13/03/2014
T132667	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hope Downs, 74 km NW. of Newman	-23.01333	119.1122	15/09/2013
T131578	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 105 km NW. of Newman	-22.56328	119.1717	20/05/2013
T120017	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	72.7 km NW. of Newman	-22.85028	119.2825	31/07/2011
T120016	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	72.7 km NW. of Newman	-22.85	119.2825	31/07/2011
T120013	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	72.7 km NW. of Newman	-22.85	119.2825	31/07/2011
T120010	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	76 km NW. of Newman	-22.79361	119.3103	31/07/2011
T120006	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	72.2 km NW. of Newman	-22.86917	119.2503	30/07/2011
T113589	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	South Parmelia, 52 km NW. of Newman	-23.08528	119.3181	16/04/2011
T135546	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, c. 7 km SSW. of Hancock Gorge	-22.41444	118.2475	15/03/2015
T132658	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hope Downs, 78.3 km NW. of Newman	-23.01972	119.0614	12/09/2013
T135634	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, c. 1.5 km NE. of Visitor Centre	-22.4725	118.4753	18/03/2015
T132664	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hope Downs, 73.3 km NW. of Newman	-23.02111	119.1147	14/09/2013
T132660	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hope Downs, 74.3 km NW. of Newman	-23.02889	119.0983	13/09/2013
T114612	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Wonmunna, ca. 70 km heading 291° from Newman	-23.13186	119.0964	21/05/2011
T132661	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hope Downs, 74.3 km NW. of Newman	-23.02889	119.0978	13/09/2013
T135545	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, c. 7 km SSW. of Hancock Gorge	-22.41444	118.2475	15/03/2015
T135542	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, c. 7 km SSW. of Hancock Gorge	-22.41444	118.2475	15/03/2015
T131579	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 105 km NW. of Newman	-22.56333	119.1718	20/05/2013
T114597	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	FMG Nyidinghu Project, c. 37 km NW. of Marillana Station homestead, site s11wt9	-22.37398	119.1948	10/05/2011
T113609	Arachnida	Araneae (spiders)	Araneae	Anamidae	Kwonkan sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Southern Flank, 71 km NW. of Newman	-22.99389	119.1664	17/04/2011
T44297	Arachnida	Araneae (spiders)	Araneae	Anamidae	Swolnpes 'MYG234'	epigean	Potential SRE: DD	W.A. Museum assessment	263 km SSW. of Port Hedland, site HDC3	-22.6	119.24	9/05/2001
T136444	Arachnida	Araneae (spiders)	Araneae	Anamidae	Swolnpes 'MYG234'	epigean	Potential SRE: DD	W.A. Museum assessment	FMG Nyidinghu Project, near Marillana Station, site s3wt2	-22.33562	119.1281	10/05/2011
T114056	Arachnida	Araneae (spiders)	Araneae	Anamidae	Swolnpes 'MYG234'	epigean	Potential SRE: DD	W.A. Museum assessment	FMG Nyidinghu Project, near Marillana Station, site s3wt2	-22.33562	119.1281	10/05/2011
T91918	Arachnida	Araneae (spiders)	Araneae	Anamidae	Teyl heuretes	epigean	Potential SRE: DD	W.A. Museum assessment	Hamersley Range, Weeli Wolli Creek region, Area C, site 09-9E	-22.92525	119.0377	15/06/2008
T113601	Arachnida	Araneae (spiders)	Araneae	Anamidae	Teyl heuretes	epigean	Potential SRE: DD	W.A. Museum assessment	Southern Flank, 72 km NW. of Newman	-23.00278	119.1389	14/04/2011
T115978	Arachnida	Araneae (spiders)	Araneae	Anamidae	Teyl heuretes	epigean	Potential SRE: DD	W.A. Museum assessment	Angelo River	-23.32678	118.7308	20/06/2011
T112357	Arachnida	Araneae (spiders)	Araneae	Anamidae	Teyl heuretes	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna, ca. 73 km heading 291° from Newman	-23.12101	119.0632	20/05/2011
T112358	Arachnida	Araneae (spiders)	Araneae	Anamidae	Teyl sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Wonmunna, ca. 79 km heading 286° from Newman	-23.15466	118.9932	18/05/2011
T116756	Arachnida	Araneae (spiders)	Araneae	Anamidae	Teyl sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Mudlark, 111 km WNW. of Newman	-23.08694	118.6864	30/06/2011
T112356	Arachnida	Araneae (spiders)	Araneae	Anamidae	Teyl sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Wonmunna, ca. 72 km heading 290° from Newman	-23.12832	119.0736	19/05/2011
T116806	Arachnida	Araneae (spiders)	Araneae	Anamidae	Teyl sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Mudlark, 100 km W. of Newman	-23.06917	118.7911	2/07/2011
T112355	Arachnida	Araneae (spiders)	Araneae	Anamidae	Teyl sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Wonmunna, ca. 75 km heading 289° from Newman	-23.13551	119.0384	19/05/2011
T98476	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta 'chichester'	epigean	widespread	W.A. Museum assessment	Mulga Downs Station, ca. 33 km ENE. of Wittenoom, site BP08	-22.13973	118.6416	1/08/2009
T94609	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta 'chichester'	epigean	widespread	W.A. Museum assessment	Chichester Range, site 7A	-22.14797	119.0202	17/09/2007
T98479	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta 'chichester'	epigean	widespread	W.A. Museum assessment	Mulga Downs Station, ca. 33 km ENE. of Wittenoom, site Ref02	-22.17096	118.7605	1/08/2009
T98478	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta 'chichester'	epigean	widespread	W.A. Museum assessment	Mulga Downs Station, ca. 33 km ENE. of Wittenoom, site BP05	-22.16198	118.705	1/08/2009

Western Australian Museum Database Search Interpreted Results

T93293	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta 'chichester'	epigean	widespread	W.A. Museum assessment	Chichester Range, ca. 20 km NE. of Mardie Downs Outcamp, opposite site 6A	-22.15217	119.0115	27/08/2008
T89290	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta 'chichester'	epigean	widespread	W.A. Museum assessment	Collier Range, NE. of Mingah Springs, BHP Billiton Area C	-22.91589	118.942611	12/04/2008
T128114	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta 'chichester'	epigean	widespread	W.A. Museum assessment	ca. 15 km NE. of Roy Hill	-22.53003	120.0354	18/04/2013
T149411	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta 'HD1'	epigean	Potential SRE: DD	W.A. Museum assessment	70.8 km NW. of Newman, site 1901-SRE3-T2-LS	-23.04168	119.1292	11/03/2019
T94604	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta katersi	epigean	widespread	W.A. Museum assessment	Chichester Range, site 6A	-22.14781	119.0189	17/09/2007
T94607	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta katersi	epigean	widespread	W.A. Museum assessment	Chichester Range, site 7A	-22.14797	119.0202	17/09/2007
T118339	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta 'MYG057'	epigean	widespread	W.A. Museum assessment	Newman, ca. 120 km NW	-22.80639	118.8853	31/03/2012
T113641	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta 'MYG246'	epigean	Potential SRE: DD	W.A. Museum assessment	113.5 km NW. of Newman	-22.75364	118.8337	28/05/2011
T113668	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta 'MYG246'	epigean	Potential SRE: DD	W.A. Museum assessment	108.4 km NW. of Newman	-22.62583	119.0256	2/06/2011
T119730	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta 'MYG246'	epigean	Potential SRE: DD	W.A. Museum assessment	Juna Downs Station, 114 km NW. of Newman	-22.65444	118.9167	10/05/2011
T119722	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta 'MYG246'	epigean	Potential SRE: DD	W.A. Museum assessment	Juna Downs Station, 113 km NW. of Newman	-22.71889	118.8556	12/05/2011
T91896	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta 'MYG315'	epigean	Potential SRE: DD	W.A. Museum assessment	10 km NE. of Newman, Ore-body 24, site 07-7C	-23.30795	119.8147	29/06/2008
T105894	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta 'MYG315'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 97.6 km NW. of Newman	-23.01056	118.8603	18/08/2010
T93462	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta 'MYG315'	epigean	Potential SRE: DD	W.A. Museum assessment	Hope Downs 4, ca. 30 km NW. of Newman, HD4-16, 20	-23.09138	119.1713	19/09/2008
T103910	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta 'MYG315'	epigean	Potential SRE: DD	W.A. Museum assessment	West Angelas, 98 km SE. of Tom Price	-23.14194	118.615	27/06/2010
T91895	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta 'MYG315'	epigean	Potential SRE: DD	W.A. Museum assessment	10 km NE. of Newman, Ore-body 24, site 06-6B	-23.30383	119.8042	30/06/2008
T93465	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta 'MYG315'	epigean	Potential SRE: DD	W.A. Museum assessment	Hope Downs 4, ca. 30 km NW. of Newman, HD4-3, 10	-23.15328	119.529	15/09/2008
T149466	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta 'MYG315'	epigean	Potential SRE: DD	W.A. Museum assessment	82.5 km NW. of Newman	-23.04832	118.9978	14/03/2019
T116787	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta 'MYG315'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 108 km W. of Newman	-23.0425	118.7289	2/07/2011
T116800	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta 'MYG315'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 108 km W. of Newman	-23.03972	118.7658	2/07/2011
T107962	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta 'MYG316'	epigean	Potential SRE: DD	W.A. Museum assessment	Koodaideri, 105.7 km NW. of Newman	-22.57611	119.1397	21/08/2010
T122331	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta 'MYG316'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, 96.7 km NW. of Newman	-22.63456	119.2017	6/02/2012
T103248	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta 'MYG317'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 74.9 km NW. of Newman	-22.91694	119.1917	23/06/2010
T92126	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta sp.	epigean	Potential SRE: DD	Genus known to contain SREs and or potential SREs	Hamersley Range, Weeli Wolli Creek area, BHP Billiton Area C, site 12-12J	-22.91667	118.9103	11/06/2008
T119724	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta sp.	epigean	Potential SRE: DD	Genus known to contain SREs and or potential SREs	Juna Downs Station, 114 km NW. of Newman	-22.70333	118.8733	12/05/2011
T130378	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta sp.	epigean	Potential SRE: DD	Genus known to contain SREs and or potential SREs	3 km SSW. of West Angelas Aerodrome	-23.15635	118.6901	18/03/2013
T119713	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta sp.	epigean	Potential SRE: DD	Genus known to contain SREs and or potential SREs	Juna Downs Station, 112 km NW. of Newman	-22.70889	118.8817	10/05/2011
T122866	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta sp.	epigean	Potential SRE: DD	Genus known to contain SREs and or potential SREs	118.6 km NW. of Newman	-22.88056	118.6867	1/04/2012
T131249	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta sp.	epigean	Potential SRE: DD	Genus known to contain SREs and or potential SREs	Orebody 25, ca. 5 km N. of Newman	-23.32588	119.7683	5/08/2013
T133997	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta sp.	epigean	Potential SRE: DD	Genus known to contain SREs and or potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.73447	118.9839	8/09/2014
T122089	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta sp.	epigean	Potential SRE: DD	Genus known to contain SREs and or potential SREs	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.54592	120.0301	20/02/2012
T114819	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Aurecocrypta sp.	epigean	Potential SRE: DD	Genus known to contain SREs and or potential SREs	Marillana, 94.8 km NW. of Newman	-22.63917	119.2122	14/06/2007
T135515	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Barychelidae 'bark door bary'	epigean	potential SRE: DD	W.A. Museum assessment	Karijini National Park, 3.5 km NE. of Mt Bruce	-22.58028	118.1606	14/03/2015

Western Australian Museum Database Search Interpreted Results

T135518	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Barychelidae 'bark door bary'	epigean	potential SRE: DD	W.A. Museum assessment	Karijini National Park, 3.5 km NE. of Mt Bruce	-22.58028	118.1606	14/03/2015
T98160	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Barychelidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Roy Hill Station, Ecologia Project 1106	-22.45909	119.9023	23/05/2009
T135577	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Barychelidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Karijini National Park, Hancock Gorge	-22.35917	118.2844	16/03/2015
T135507	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Barychelidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Karijini National Park, near Rangers Station	-22.57139	118.3781	14/03/2015
T135516	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Barychelidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Karijini National Park, c. 15 km SW. of Dales Gorge	-22.56583	118.4528	14/03/2015
T135145	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Barychelidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Mulga Downs Station, 16 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW07	-22.22172	119.0249	9/08/2003
T140239	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Barychelidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	South Flank, ca. 95 km NW. of Newman	-22.99531	119.0405	16/03/2016
T126318	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Barychelidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Mt Florance Station, 70 km NW. of Tom Price	-22.1575	118.1478	12/03/2012
T140240	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Barychelidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	South Flank, ca. 95 km NW. of Newman	-22.95822	118.9546	16/03/2016
T114809	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Barychelidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Area C West to Yandi, 110.6 km NW. of Newman	-22.74222	118.8803	28/05/2007
T135557	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Barychelidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Karijini National Park, c. 8.6 km W. of Dales Gorge	-22.47583	118.4781	15/03/2015
T136723	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Barychelidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi Oxbow, 87.3 km NW. of Newman	-22.78361	119.1467	5/05/2015
T122333	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Barychelidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Marillana, 97.1 km NW. of Newman	-22.63417	119.2011	6/02/2012
T134986	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Barychelidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Mulga Downs Stn, 24.5 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW10	-22.13467	119.0242	27/08/2003
T113600	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Barychelidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Southern Flank, 72 km NW. of Newman	-23.00278	119.1389	14/04/2011
T136722	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Barychelidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi Oxbow, 87.3 km NW. of Newman	-22.78361	119.1467	5/05/2015
T136721	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Barychelidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi Oxbow, 86 km NW. of Newman	-22.78944	119.1542	2/05/2015
T134980	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Barychelidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Mulga Downs Stn, 6 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW06	-22.30178	119.0134	21/09/2003
T139668	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Barychelidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.80702	119.0779	31/03/2015
T97350	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Idiommata 'MYG111'	epigean	widespread	W.A. Museum assessment	Hamersley Range, 60 km WNW. of Newman, Hope Downs 4	-23.10308	119.2918	24/04/2009
T97351	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Idiommata 'MYG111'	epigean	widespread	W.A. Museum assessment	Hamersley Range, 60 km WNW. of Newman, Hope Downs 4	-23.09197	119.1877	23/04/2009
T118338	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Idiommata 'MYG111'	epigean	widespread	W.A. Museum assessment	Newman, ca. 120 km NW	-22.86472	118.8128	2/04/2012
T115949	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Idiommata 'MYG111'	epigean	widespread	W.A. Museum assessment	Wonmunna, ca. 72 km heading 290° from Newman	-23.12832	119.0736	19/05/2011
T98157	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Idiommata 'MYG128'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill Station, Ecologia Project 1106	-22.47936	119.9421	26/05/2009
T119723	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Idiommata 'MYG247'	epigean	Potential SRE: DD	W.A. Museum assessment	Juna Downs Station, 115 km NW. of Newman	-22.6975	118.8592	7/05/2011
T134131	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Idiommata 'MYG382'	epigean	Potential SRE: DD	W.A. Museum assessment	ca. 40 km E. of Mt McRae, Solomon mine lease	-22.14715	118.173	22/04/2014
T128635	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Idiommata 'MYG382'	epigean	Potential SRE: DD	W.A. Museum assessment	ca. 18 km N. of Wittenoom	-22.05	118.4041	20/05/2013
T134282	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Idiommata 'MYG382'	epigean	Potential SRE: DD	W.A. Museum assessment	ca. 40 km E. of Mount McRae, Solomon Mine	-22.14622	118.1726	22/04/2014
T134283	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Idiommata 'MYG382'	epigean	Potential SRE: DD	W.A. Museum assessment	ca. 40 km E. of Mount McRae, Solomon Mine	-22.14548	118.1725	22/04/2014
T105917	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Idiommata sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 89 km NW. of Newman	-22.95639	118.9833	1/05/2010
T92491	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele karara	epigean	widespread	W.A. Museum assessment	Chichester Range, site 25, 863_093e	-22.21917	118.9708	13/07/2008
T92490	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele karara	epigean	widespread	W.A. Museum assessment	Chichester Range, site 25, 863_197e	-22.31917	118.9708	13/07/2008
T92489	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele karara	epigean	widespread	W.A. Museum assessment	Chichester Range, site 23, 863_108e	-22.0566	118.9858	13/07/2008
T94610	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele karara	epigean	widespread	W.A. Museum assessment	Chichester Range, site 23	-22.05653	118.9859	10/06/2008
T113602	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG055'	epigean	potential SRE: DD	W.A. Museum assessment	Southern Flank, 72 km NW. of Newman	-23.00278	119.1389	14/04/2011
T113595	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG055'	epigean	potential SRE: DD	W.A. Museum assessment	Southern Flank, 72 km NW. of Newman	-23.00278	119.1394	14/04/2011
T107129	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Fortescue Marsh	-22.40839	119.0055	22/04/2010
T104803	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site17-P1	-23.4045	119.6247	12/03/2010
T105926	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Area C, 93.1 km NW. of Newman	-23	118.9131	1/05/2010
T104800	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site8-P7	-23.41525	119.5913	14/03/2010

Western Australian Museum Database Search Interpreted Results

T104804	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site1-P6	-23.39449	119.6317	13/03/2010
T107131	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Fortescue Marsh	-22.50113	119.1042	22/04/2010
T107136	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Fortescue Marsh	-22.50981	119.1274	22/04/2010
T104792	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site10-P1	-23.4003	119.6524	12/03/2010
T107130	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Fortescue Marsh	-22.40839	119.0055	22/04/2010
T111972	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Christmas Creek	-22.365682	119.603136	23/03/2011
T105968	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Area C, 83.1 km NW. of Newman	-22.975	119.0378	1/05/2010
T105939	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Area C, 88.4 km NW. of Newman	-22.89889	119.0306	1/05/2010
T98477	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Mulga Downs Station, ca. 33 km ENE. of Wittenoom, site Ref03	-22.12245	118.5689	1/08/2009
T98154	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Roy Hill Station, Ecologia Project 1106	-22.55656	119.9703	25/05/2009
T104812	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site6-P5	-23.40157	119.5747	12/03/2010
T111971	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Christmas Creek	-22.39665	119.7767	23/03/2011
T107137	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Fortescue Marsh	-22.47499	119.0555	22/04/2010
T98159	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Roy Hill Station, Ecologia Project 1106	-22.49618	120.0104	24/05/2009
T102611	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Roy Hill Station	-22.49673	120.0237	11/03/2010
T119732	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Juna Downs Station, 117 km NW. of Newman	-22.62889	118.9017	10/05/2011
T131222	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Roy Hill Mine 1, ca. 90 km N. of Newman	-22.47892	119.9421	18/04/2013
T131221	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Roy Hill Mine 1, ca. 90 km N. of Newman	-22.47892	119.9421	18/04/2013
T131220	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Roy Hill Mine 1, ca. 90 km N. of Newman	-22.54303	119.9164	16/04/2013
T115833	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Wonmunna, ca. 80 km heading 285° from Newman	-23.16326	118.977	17/05/2011
T131211	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Roy Hill Mine 1, ca. 90 km N. of Newman	-22.47892	119.9421	23/07/2013
T131219	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Roy Hill Mine 1, ca. 90 km N. of Newman	-22.43064	119.8857	15/04/2013
T122083	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.47892	119.9421	6/02/2011
T115766	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.71103	119.014	14/05/2013
T115955	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.77458	119.1234	14/05/2013
T115954	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.77458	119.1234	14/05/2013
T112090	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Wonmunna	-23.13393	119.0476	23/05/2011
T125330	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Koodaideri Western Corridor, 136.5 km NW. of Newman	-22.40428	118.8823	31/03/2012
T115830	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Wonmunna, ca. 81 km heading 286° from Newman	-23.15965	118.9703	18/05/2011
T122081	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.43064	119.8857	9/02/2011
T112085	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Wonmunna, ca. 75 km [NW. of] heading 290° from Newman	-23.12012	119.0484	20/05/2011
T125305	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Koodaideri Western Corridor, 154.2 km NW. of Newman	-22.33589	118.7158	28/03/2012
T112080	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Wonmunna, ca. 78 km heading 286° from Newman	-23.1615	119.002	18/05/2011

Western Australian Museum Database Search Interpreted Results

T115834	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Wonmunna, ca. 79 km heading 286° from Newman	-23.15466	118.9932	18/05/2011
T122084	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.57744	120.0255	8/02/2011
T122085	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.47892	119.9421	16/02/2012
T122086	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.52042	119.9121	18/02/2012
T122087	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.54592	120.0301	20/02/2012
T115831	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Wonmunna, ca. 78 km heading 288° from Newman	-23.14284	119.0099	18/05/2011
T115832	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Wonmunna, ca. 79 km heading 286° from Newman	-23.15929	118.9928	17/05/2011
T125319	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Koodaideri Western Corridor, 144.2 km NW. of Newman	-22.37994	118.82	30/03/2012
T130377	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	18 km E. of of West Angelas Aerodrome	-23.12279	118.8753	18/03/2013
T125306	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Koodaideri Western Corridor, 171.3 km NW. of Newman	-22.27861	118.5306	28/03/2012
T148924	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Roy Hill Station, c. 36 km NW. of homestead, "Christmas Creek" mine, site XC17	-22.36714	119.7399	11/04/2011
T148928	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Roy Hill Station, c. 28 km NNW. of homestead, "Christmas Creek" mine, site XC7	-22.38736	119.8569	9/04/2011
T122082	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG127'	epigean	widespread	W.A. Museum assessment	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.54306	119.9162	5/02/2011
T103203	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	Area C, 85.7 km NW. of Newman	-22.94833	119.0247	27/06/2010
T122821	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	111.6 km NW. of Newman	-22.89139	118.7644	29/03/2012
T116867	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	Mudlark, 94 km W. of Newman	-23.07944	118.8581	6/07/2011
T113657	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	119.1 km NW. of Newman	-22.63371	118.8699	30/05/2011
T122871	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	118.6 km NW. of Newman	-22.88056	118.6867	1/04/2012
T122846	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	115.4 km NW. of Newman	-22.90861	118.7175	31/03/2012
T122850	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	117.2 km NW. of Newman	-22.89083	118.7069	1/04/2012
T122856	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	117.2 km NW. of Newman	-22.89056	118.7061	1/04/2012
T122858	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	118.6 km NW. of Newman	-22.88083	118.6872	1/04/2012
T122859	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	118.6 km NW. of Newman	-22.88083	118.6872	1/04/2012
T122860	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	118.6 km NW. of Newman	-22.88083	118.6872	1/04/2012
T122862	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	118.6 km NW. of Newman	-22.88083	118.6875	1/04/2012
T122864	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	118.6 km NW. of Newman	-22.88083	118.6869	1/04/2012
T122867	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	118.6 km NW. of Newman	-22.88056	118.6867	1/04/2012
T126249	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	118.2 km NW. of Newman	-22.60528	118.9192	17/11/2011
T122840	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	115.4 km NW. of Newman	-22.90917	118.7178	31/03/2012
T126252	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	118.2 km NW. of Newman	-22.60528	118.9192	19/11/2011
T122831	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	127.3 km NW. of Newman	-22.86028	118.6044	29/03/2012
T113663	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	117.6 km NW. of Newman	-22.62786	118.8963	31/05/2011
T122826	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	127.3 km NW. of Newman	-22.86028	118.6042	29/03/2012

T122833	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	127.3 km NW. of Newman	-22.86028	118.6044	29/03/2012
T122834	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	127.3 km NW. of Newman	-22.86028	118.6044	29/03/2012
T122837	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	125.9 km NW. of Newman	-22.88694	118.6106	29/03/2012
T122838	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	114.9 km NW. of Newman	-22.82556	118.7692	30/03/2012
T149467	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	18.4 km NW. of Newman	-23.05806	119.0052	10/03/2019
T122825	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG309'	epigean	widespread	W.A. Museum assessment	111.6 km NW. of Newman	-22.89194	118.7644	29/03/2012
T107392	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG311'	epigean	widespread	W.A. Museum assessment	Hope Downs, 78.8 km NW. of Newman	-22.97639	119.1336	26/06/2010
T97035	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG311'	epigean	widespread	W.A. Museum assessment	Jinayri, ca. 65 km NW. of Newman	-22.85278	119.2739	30/03/2009
T116798	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG311'	epigean	widespread	W.A. Museum assessment	Mudlark, 111 km W. of Newman	-23.08083	118.6844	2/07/2011
T122347	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG311'	epigean	widespread	W.A. Museum assessment	Area C West, 122.8 km NW. of Newman	-22.87856	118.6559	6/02/2012
T122835	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG311'	epigean	widespread	W.A. Museum assessment	127.6 km NW. of Newman	-22.88111	118.5956	29/03/2012
T149412	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG311'	epigean	widespread	W.A. Museum assessment	18.4 km NW. of Newman	-23.05806	119.0052	10/03/2019
T125351	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG311'	epigean	widespread	W.A. Museum assessment	Koodaideri Western Corridor, 204.2 km NW. of Newman	-22.15533	118.2247	2/04/2012
T116860	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG311'	epigean	widespread	W.A. Museum assessment	Mudlark, 121 km W. of Newman	-23.0825	118.5844	6/07/2011
T125341	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'MYG334'	epigean	Potential SRE: DD	W.A. Museum assessment	Koodaideri Western Corridor, 148.8 km NW. of Newman	-22.34914	118.765	1/04/2012
T104808	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Orebody 35, ca. 8 km W. of Newman, Site20-P8	-23.3952	119.5921	12/03/2010
T37823	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Mt Whaleback, site W.8	-23.3903	119.6513	6/08/1997
T104799	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Orebody 35, ca. 8 km W. of Newman, Site18-P9	-23.41776	119.585	14/03/2010
T104798	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Orebody 35, ca. 8 km W. of Newman, Site12-P5	-23.39936	119.5844	12/03/2010
T103197	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Area C, 86.4 km NW. of Newman	-22.94806	119.0158	27/06/2010
T103912	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	West Angelas, 98 km SE. of Tom Price	-23.14194	118.615	27/06/2010
T105885	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Area C, 103.6 km NW. of Newman	-22.98472	118.8078	17/08/2010
T105935	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Area C, 74.1 km NW. of Newman	-22.91778	119.1892	1/05/2010
T91915	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Hamersley Range, Weeli Wolli Creek region, Area C, site 12-12A	-22.91681	118.9105	11/06/2008
T101169	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Area C, 61.8 km NW. of Newman	-22.99889	118.8692	25/02/2010
T116861	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Mudlark, 121 km W. of Newman	-23.08139	118.5842	6/07/2011
T135470	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Karijini National Park, near Rangers Station	-22.58278	118.4589	12/03/2015
T116859	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Mudlark, 98 km W. of Newman	-23.04583	118.8314	4/07/2011
T116857	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Mudlark, 98 km W. of Newman	-23.04556	118.8314	4/07/2011
T116852	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Mudlark, 87 km WNW. of Newman	-23.08583	118.9294	4/07/2011
T122811	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	108.6 km NW. of Newman	-22.94278	118.7711	28/03/2012
T149468	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	84.1 km NW. of Newman	-23.07811	118.9678	14/03/2019
T116849	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Mudlark, 87 km WNW. of Newman	-23.08556	118.9289	4/07/2011
T116864	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Mudlark, 121 km W. of Newman	-23.08139	118.5836	6/07/2011
T122815	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	111.5 km NW. of Newman	-22.985	118.7203	28/03/2012
T116793	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Mudlark, 108 km W. of Newman	-23.0425	118.7289	2/07/2011
T127233	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	74 km NW. of Newman	-23.02639	119.1053	8/11/2011
T120975	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Chichester Range, site 11	-22.14833	119.0253	3/07/2008
T116765	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Mudlark, 112 km W. of Newman	-23.0325	118.6892	1/07/2011
T119705	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Juna Downs Station, 116 km NW. of Newman	-22.66028	118.9011	9/05/2011
T119704	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Juna Downs Station, 116 km NW. of Newman	-22.66	118.9011	9/05/2011
T136240	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Hillside Station, ca. 150 km SE. of Wodgina Mine	-21.88445	119.4253	23/05/2014
T118330	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Mulga Downs Station, Cowra, site 994-13	-22.22709	119.0137	16/04/2012
T113564	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Jinidi, 66 km NW. of Newman	-22.95528	119.2483	17/04/2011
T116790	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Mudlark, 108 km W. of Newman	-23.04278	118.7294	2/07/2011
T94611	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'sp. nov. 3'	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Chichester Range, site 21 (22)	-22.15161	119.0163	5/05/2008

Western Australian Museum Database Search Interpreted Results

T115362	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'Weld Range'	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	June Downs Station @	-22.89778	118.6531	17/06/2008
T84008	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'xkarara'	epigean	widespread	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 29)	-22.3358	119.4242	26/09/2006
T84009	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'xkarara'	epigean	widespread	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 33)	-22.3352	119.4233	8/09/2006
T62548	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'xkarara'	epigean	widespread	W.A. Museum assessment	N. of Fortescue River, ca. 15 km NE. of Warrie Outcamp (40.2 km SW. of Roy Hill homestead), site FMC01	-22.3708	119.6819	4/07/2004
T97642	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'xkarara'	epigean	widespread	W.A. Museum assessment	Murray Hill, Mulga Downs Station, Ecologia project 1142	-22.11234	118.5209	19/04/2009
T84010	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'xkarara'	epigean	widespread	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 33)	-22.3352	119.4233	26/09/2006
T84011	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'xkarara'	epigean	widespread	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 34)	-22.3352	119.4197	26/09/2006
T84006	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'xkarara'	epigean	widespread	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 11)	-22.3275	119.3658	1/06/2006
T84007	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'xkarara'	epigean	widespread	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 25)	-22.335	119.4039	1/06/2006
T92465	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'xkarara'	epigean	widespread	W.A. Museum assessment	Jimblebar, 40 km ESE. of Newman	-23.3765	120.0295	26/08/2008
T97641	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'xkarara'	epigean	widespread	W.A. Museum assessment	Murray Hill, Mulga Downs Station, Ecologia project 1142	-22.12302	118.5128	20/04/2009
T149415	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'xkarara'	epigean	widespread	W.A. Museum assessment	18.4 km NW. of Newman	-23.05806	119.0052	10/03/2019
T146551	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'xkarara'	epigean	widespread	W.A. Museum assessment	Greater Hope Downs, Hope Downs 1 mine, ca. 80.8 km NW. of Newman	-23.08369	118.9159	19/05/2018
T115357	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'xkarara'	epigean	widespread	W.A. Museum assessment	Juna Downs Station @	-22.88583	118.6883	29/07/2008
T149413	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'xkarara'	epigean	widespread	W.A. Museum assessment	18.4 km NW. of Newman	-23.05806	119.0052	10/03/2019
T149414	Arachnida	Araneae (spiders)	Araneae	Barychelidae	Synothele 'xkarara'	epigean	widespread	W.A. Museum assessment	18.4 km NW. of Newman	-23.05806	119.0052	10/03/2019
T84012	Arachnida	Araneae (spiders)	Araneae	Euagridae	Cethegus 'Cloudbreak sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 07)	-22.3213	119.3756	1/06/2006
T91711	Arachnida	Araneae (spiders)	Araneae	Euagridae	Cethegus 'MYG299'	epigean	Potential SRE: DD	W.A. Museum assessment	Hope Downs 4, ca. 100 km NW. of Newman, HD4-4	-23.14744	119.5191	12/05/2008
T91710	Arachnida	Araneae (spiders)	Araneae	Euagridae	Cethegus 'MYG299'	epigean	Potential SRE: DD	W.A. Museum assessment	Hope Downs 4, ca. 100 km NW. of Newman, HD4-6	-23.15436	119.5817	9/05/2008
T131084	Arachnida	Araneae (spiders)	Araneae	Euagridae	Cethegus 'MYG299'	epigean	Potential SRE: DD	W.A. Museum assessment	"Homestead", ca. 6 km N. of Newman	-23.30134	119.757	29/04/2013
T44354	Arachnida	Araneae (spiders)	Araneae	Euagridae	Cethegus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mt Whaleback, site W.8	-23.4	119.65	6/08/1997
T131243	Arachnida	Araneae (spiders)	Araneae	Euagridae	Cethegus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.29097	119.8613	5/08/2013
T131246	Arachnida	Araneae (spiders)	Araneae	Euagridae	Cethegus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	"Homestead", ca. 6 km N. of Newman	-23.30134	119.757	5/08/2013
T131252	Arachnida	Araneae (spiders)	Araneae	Euagridae	Cethegus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	"Homestead", ca. 6 km N. of Newman	-23.29284	119.8577	5/08/2013
T131247	Arachnida	Araneae (spiders)	Araneae	Euagridae	Cethegus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	"Homestead", ca. 6 km N. of Newman	-23.30134	119.757	5/08/2013
T131245	Arachnida	Araneae (spiders)	Araneae	Euagridae	Cethegus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	"Homestead", ca. 6 km N. of Newman	-23.30134	119.757	5/08/2013
T151329	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG716'	epigean	potential SRE: DD	W.A. Museum assessment	Mulga Downs Station, ca. 31 km NW. of Munjina	-22.15941	118.6797	16/03/2020
T77529	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	West Angelas, 31.6 km SE. of Juna Downs Homestead, site WES	-23.085	118.7047	7/09/2005
T107397	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Hope Downs, 72.5 km NW. of Newman	-22.99556	119.1644	27/06/2010
T103917	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	West Angelas, 106 km SE. of Tom Price	-23.14722	118.7075	28/06/2010
T103900	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	West Angelas, 97 km SE. of Tom Price	-23.16444	118.5894	24/06/2010
T103901	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	West Angelas, 97 km SE. of Tom Price	-23.16444	118.5886	24/06/2010
T103911	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	West Angelas, 98 km SE. of Tom Price	-23.14194	118.615	27/06/2010
T103914	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	West Angelas, 106 km SE. of Tom Price	-23.14722	118.7075	28/06/2010
T103916	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	West Angelas, 106 km SE. of Tom Price	-23.14722	118.7075	28/06/2010
T94836	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.99003	119.2366	8/02/2009
T103930	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	West Angelas, 106 km SE. of Tom Price	-23.14722	118.7075	28/06/2010
T107395	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Hope Downs, 72.5 km NW. of Newman	-22.99556	119.1644	27/06/2010
T105867	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 92.1 km NW. of Newman	-23.01056	118.9178	16/08/2010

Western Australian Museum Database Search Interpreted Results

T103178	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 84 km NW. of Newman	-23.015	118.9883	28/06/2010
T103915	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	West Angelas, 106 km SE. of Tom Price	-23.14722	118.7075	28/06/2010
T116841	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 102 km W. of Newman	-23.09028	118.8106	3/07/2011
T116826	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 102 km W. of Newman	-23.10583	118.7717	3/07/2011
T116829	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 102 km W. of Newman	-23.10611	118.7725	3/07/2011
T116838	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 102 km W. of Newman	-23.09	118.8111	3/07/2011
T116844	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 88 km WNW. of Newman	-23.03639	118.9469	4/07/2011
T113594	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Southern Flank, 72 km NW. of Newman	-23.00278	119.1394	14/04/2011
T116836	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 102 km W. of Newman	-23.1	118.775	3/07/2011
T116812	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 102 km W. of Newman	-23.09805	118.775	3/07/2011
T137340	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 111 km W. of Newman	-23.05222	118.6783	1/07/2011
T127216	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	75.4 km NW. of Newman	-23.01972	119.0903	3/11/2011
T137341	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 102 km W. of Newman	-23.10583	118.7717	3/07/2011
T116818	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 102 km W. of Newman	-23.09778	118.7747	3/07/2011
T116786	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 108 km W. of Newman	-23.0425	118.7289	2/07/2011
T116763	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 112 km W. of Newman	-23.0325	118.6892	1/07/2011
T113603	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Southern Flank, 71 km NW. of Newman	-22.99417	119.1642	16/04/2011
T137450	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	West Angelas, 106 km SE. of Tom Price	-23.14722	118.7075	28/06/2010
T116762	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 112 km W. of Newman	-23.0325	118.6889	1/07/2011
T116779	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 111 km W. of Newman	-23.05222	118.6783	1/07/2011
T116781	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 111 km W. of Newman	-23.05222	118.6781	1/07/2011
T113569	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinidi, 65 km NW. of Newman	-22.98917	119.2311	15/04/2011
T127213	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	75.4 km NW. of Newman	-23.01972	119.0903	3/11/2011
T116792	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 108 km W. of Newman	-23.04306	118.7297	2/07/2011
T116802	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 108 km W. of Newman	-23.03944	118.7658	2/07/2011
T116803	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 108 km W. of Newman	-23.03944	118.7656	2/07/2011
T116778	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 111 km W. of Newman	-23.05222	118.6786	1/07/2011
T137337	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 111 km W. of Newman	-23.05222	118.6783	1/07/2011
T116823	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 102 km W. of Newman	-23.09972	118.7753	3/07/2011
T116822	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 102 km W. of Newman	-23.09917	118.7736	3/07/2011
T137096	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	West Angelas, 106 km SE. of Tom Price	-23.14722	118.7075	28/06/2010
T137338	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 102 km W. of Newman	-23.10583	118.7717	3/07/2011
T113565	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG002'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinidi, 66 km NW. of Newman	-22.955	119.2483	17/04/2011

Western Australian Museum Database Search Interpreted Results

T107403	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG279'	epigean	widespread	W.A. Museum assessment	Iron Valley, 5 km NE. of Yandicoogina mine; TDS6	-22.74389	119.3014	5/05/2010
T107187	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG279'	epigean	widespread	W.A. Museum assessment	Fortescue Marsh	-22.29344	119.0959	2/06/2010
T137097	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG279'	epigean	widespread	W.A. Museum assessment	Fortescue Marsh	-22.29344	119.0959	2/06/2010
T113615	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG279'	epigean	widespread	W.A. Museum assessment	107.8 km NW. of Newman	-22.6937	118.9608	26/05/2011
T122211	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG279'	epigean	widespread	W.A. Museum assessment	Koodaideri Corridor West, 94.7 NE. of Tom Price	-22.30031	118.6097	20/02/2012
T137442	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG279'	epigean	widespread	W.A. Museum assessment	Fortescue Marsh	-22.29344	119.0959	2/06/2010
T122366	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG281'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 92.6 km NW. of Newman	-23.04781	118.8849	6/02/2012
T122364	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG281'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 92.5 km NW. of Newman	-23.04781	118.885	6/02/2012
T122365	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG281'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 91.1 km NW. of Newman	-23.04781	118.8849	6/02/2012
T126269	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	118.3 km NW. of Newman	-22.61167	118.9081	18/11/2011
T113656	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	119.1 km NW. of Newman	-22.63372	118.8709	30/05/2011
T126290	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	114.2 km NW. of Newman	-22.68722	118.8925	22/11/2011
T126292	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	114.2 km NW. of Newman	-22.68722	118.8925	22/11/2011
T137334	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	Juna Downs Station, 113 km NW. of Newman	-22.68639	118.8931	10/05/2011
T126293	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	114.2 km NW. of Newman	-22.68722	118.8925	19/11/2011
T126299	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	113.8 km NW. of Newman	-22.70861	118.8806	22/11/2011
T137333	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	110.6 km NW. of Newman	-22.74147	118.8803	1/06/2011
T137332	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	119.1 km NW. of Newman	-22.63349	118.8708	30/05/2011
T113649	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	110.6 km NW. of Newman	-22.74144	118.8802	28/05/2011
T135643	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini National Park, c. 14 km SW. of Dales Gorge, beside Visitor Centre Road	-22.545	118.4556	18/03/2015
T126255	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	118.2 km NW. of Newman	-22.60528	118.9192	19/11/2011
T113655	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	119.1 km NW. of Newman	-22.63349	118.8708	30/05/2011
T113664	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	117.6 km NW. of Newman	-22.62797	118.8963	31/05/2011
T113667	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	110.6 km NW. of Newman	-22.74147	118.8803	1/06/2011
T113658	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	119.1 km NW. of Newman	-22.63362	118.8696	30/05/2011
T119699	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	Juna Downs Station, 120 km NW. of Newman	-22.61083	118.8764	8/05/2011
T119701	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	Juna Downs Station, 120 km NW. of Newman	-22.61083	118.8764	8/05/2011
T119709	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	Juna Downs Station, 113 km NW. of Newman	-22.68639	118.8931	10/05/2011
T137335	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	Juna Downs Station, 117 km NW. of Newman	-22.62806	118.9031	11/05/2011
T137336	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	Juna Downs Station, 114 km NW. of Newman	-22.72583	118.8497	12/05/2011
T137449	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	Juna Downs Station, 113 km NW. of Newman	-22.68639	118.8931	10/05/2011
T119714	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	Juna Downs Station, 117 km NW. of Newman	-22.62806	118.9031	11/05/2011
T119719	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	Juna Downs Station, 114 km NW. of Newman	-22.72583	118.8497	12/05/2011

Western Australian Museum Database Search Interpreted Results

T119720	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	Juna Downs Station, 114 km NW. of Newman	-22.72583	118.8497	12/05/2011
T137443	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	110.6 km NW. of Newman	-22.74147	118.8803	1/06/2011
T137444	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	Juna Downs Station, 114 km NW. of Newman	-22.72583	118.8497	12/05/2011
T137445	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	Juna Downs Station, 117 km NW. of Newman	-22.62806	118.9031	11/05/2011
T113659	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	119.1 km NW. of Newman	-22.63379	118.8695	30/05/2011
T137446	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	119.1 km NW. of Newman	-22.63349	118.8708	30/05/2011
T119712	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG282'	epigean	Potential SRE: DD	W.A. Museum assessment	Juna Downs Station, 112 km NW. of Newman	-22.70889	118.8817	10/05/2011
T103902	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG293'	epigean	Potential SRE: DD	W.A. Museum assessment	West Angelas, 90 km SE. of Tom Price	-23.22167	118.4689	25/06/2010
T118334	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG293'	epigean	Potential SRE: DD	W.A. Museum assessment	69 km E. of Paraburdoo, site 1000-tur10	-23.25557	118.2624	2/05/2012
T137344	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG293'	epigean	Potential SRE: DD	W.A. Museum assessment	69 km E. of Paraburdoo, site 1000-tur10	-23.25557	118.2624	20/05/2012
T119991	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG333'	epigean	Potential SRE: DD	W.A. Museum assessment	102.1 km NW. of Newman	-22.54361	119.2511	28/07/2011
T119990	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG333'	epigean	Potential SRE: DD	W.A. Museum assessment	102.1 km NW. of Newman	-22.54361	119.2517	28/07/2011
T131086	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG385'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 25, ca. 5 km N. of Newman	-23.3288	119.7819	29/04/2013
T99598	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG525'	epigean	Potential SRE: DD	W.A. Museum assessment	Bellbird Siding to Juna Downs, 80.7 km E. of Tom Price	-22.87583	118.5553	7/05/2008
T103234	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG525'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 85.7 km NW. of Newman	-22.94833	119.0247	27/06/2010
T122874	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG525'	epigean	Potential SRE: DD	W.A. Museum assessment	104 km NW. of Newman	-22.96583	118.8011	2/04/2012
T122356	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG525'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West, 116.4 km NW. of Newman	-22.89739	118.7061	6/02/2012
T122863	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG525'	epigean	Potential SRE: DD	W.A. Museum assessment	118.6 km NW. of Newman	-22.88083	118.6872	1/04/2012
T122354	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG525'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West, 114.6 km NW. of Newman	-22.89736	118.7059	6/02/2012
T122855	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG525'	epigean	Potential SRE: DD	W.A. Museum assessment	117.2 km NW. of Newman	-22.89056	118.7061	1/04/2012
T122854	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG525'	epigean	Potential SRE: DD	W.A. Museum assessment	117.2 km NW. of Newman	-22.89056	118.7061	1/04/2012
T122357	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG525'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West, 115.6 km NW. of Newman	-22.8975	118.706	6/02/2012
T122847	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG525'	epigean	Potential SRE: DD	W.A. Museum assessment	104 km NW. of Newman	-22.96583	118.8011	31/03/2012
T122869	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG525'	epigean	Potential SRE: DD	W.A. Museum assessment	118.6 km NW. of Newman	-22.88028	118.6878	1/04/2012
T122830	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG525'	epigean	Potential SRE: DD	W.A. Museum assessment	127.3 km NW. of Newman	-22.86028	118.6042	29/03/2012
T122348	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG525'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West, 120 km NW. of Newman	-22.8785	118.6486	6/02/2012
T122848	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG525'	epigean	Potential SRE: DD	W.A. Museum assessment	115.4 km NW. of Newman	-22.90861	118.7175	31/03/2012
T122853	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG525'	epigean	Potential SRE: DD	W.A. Museum assessment	117.2 km NW. of Newman	-22.89056	118.7061	1/04/2012
T122844	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG525'	epigean	Potential SRE: DD	W.A. Museum assessment	115.4 km NW. of Newman	-22.90861	118.7175	31/03/2012
T122352	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG525'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West, 115.3 km NW. of Newman	-22.89753	118.7061	6/02/2012
T122852	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG525'	epigean	Potential SRE: DD	W.A. Museum assessment	117.2 km NW. of Newman	-22.89083	118.7069	1/04/2012
T122812	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG525'	epigean	Potential SRE: DD	W.A. Museum assessment	108.6 km NW. of Newman	-22.94306	118.7708	28/03/2012
T135564	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG525'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini National Park, c. 4 km ENE. of Juna Downs homestead	-22.87194	118.5219	17/03/2015

Western Australian Museum Database Search Interpreted Results

T122849	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG525'	epigean	Potential SRE: DD	W.A. Museum assessment	115.4 km NW. of Newman	-22.90861	118.7175	31/03/2012
T135607	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG526'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini National Park, c. 11 km SW. of Hancock Gorge	-22.43056	118.3575	16/03/2015
T135605	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG526'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini National Park, c. 11 km SW. of Hancock Gorge	-22.43056	118.3575	16/03/2015
T135606	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG526'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini National Park, c. 11 km SW. of Hancock Gorge	-22.43056	118.3575	16/03/2015
T137448	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG527'	epigean	Potential SRE: DD	W.A. Museum assessment	South Parmelia, 52 km NW. of Newman	-23.08583	119.3183	16/04/2011
T137447	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG527'	epigean	Potential SRE: DD	W.A. Museum assessment	South Parmelia, 58 km NW. of Newman	-23.06194	119.2717	13/04/2011
T132610	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG527'	epigean	Potential SRE: DD	W.A. Museum assessment	South Parmelia, 58 km NW. of Newman	-23.06194	119.2717	13/04/2011
T113590	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG527'	epigean	Potential SRE: DD	W.A. Museum assessment	South Parmelia, 52 km NW. of Newman	-23.08583	119.3183	16/04/2011
T113580	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG527'	epigean	Potential SRE: DD	W.A. Museum assessment	South Parmelia, 58 km NW. of Newman	-23.06194	119.2717	13/04/2011
T137331	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG527'	epigean	Potential SRE: DD	W.A. Museum assessment	South Parmelia, 52 km NW. of Newman	-23.08583	119.3183	16/04/2011
T137100	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG527'	epigean	Potential SRE: DD	W.A. Museum assessment	South Parmelia, 58 km NW. of Newman	-23.06194	119.2717	13/04/2011
T107188	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG528'	epigean	Potential SRE: DD	W.A. Museum assessment	Fortescue Marsh	-22.40784	119.0054	2/06/2010
T137339	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG528'	epigean	Potential SRE: DD	W.A. Museum assessment	Fortescue Marsh	-22.40784	119.0054	2/06/2010
T125343	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG528'	epigean	Potential SRE: DD	W.A. Museum assessment	Koodaideri Western Corridor, 146.3 km NW. of Newman	-22.35797	118.8015	2/04/2012
T91916	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG533'	epigean	Potential SRE: DD	W.A. Museum assessment	Hamersley Range, Weeli Wolli Creek region, Area C, site 01-1C	-22.90972	118.9706	14/06/2008
T120005	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG534'	epigean	Potential SRE: DD	W.A. Museum assessment	72.2 km NW. of Newman	-22.86889	119.2508	30/07/2011
T119982	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG534'	epigean	Potential SRE: DD	W.A. Museum assessment	105.3 km NW. of Newman	-22.51194	119.2592	28/07/2011
T131214	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG537'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill Mine 1, ca. 90 km N. of Newman	-22.54303	119.9164	16/04/2013
T131212	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG537'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill Mine 1, ca. 90 km N. of Newman	-22.5051	119.9143	17/04/2013
T122090	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG537'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.47892	119.9421	16/02/2012
T122091	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG538'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.66133	119.9026	16/02/2012
T122092	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG538'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.58597	119.9423	17/02/2012
T131213	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG538'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill Mine 1, ca. 90 km N. of Newman	-22.58597	119.9423	16/04/2013
T126300	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG539'	epigean	Potential SRE: DD	W.A. Museum assessment	113.8 km NW. of Newman	-22.70861	118.8806	22/11/2011
T120025	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG539'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West to Yandi, 101 km NW. of Newman	-22.74861	118.9944	12/09/2011
T136807	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG558'	epigean	Potential SRE: DD	W.A. Museum assessment	Eastern Ridge, ~7 km N. of Newman	-23.2885	119.7382	13/05/2015
T136804	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG558'	epigean	Potential SRE: DD	W.A. Museum assessment	No Name Ridge ~10 km NW. of Newman	-23.28317	119.6582	13/05/2015
T136806	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG558'	epigean	Potential SRE: DD	W.A. Museum assessment	Mt Newman ~15 km NW. of Newman	-23.27197	119.5887	13/05/2015
T136805	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG575'	epigean	Potential SRE: DD	W.A. Museum assessment	Homestead ~5 km N. of Newman	-23.32019	119.7301	13/05/2015
T134983	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG608'	epigean	Potential SRE: DD	W.A. Museum assessment	Hamersley Range, SE. of Mt Lockyer, Pilbara Biological Survey site RHNW01	-22.53503	118.9774	11/08/2003
T135138	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG609'	epigean	Potential SRE: DD	W.A. Museum assessment	20 km WNW. of Bonney Downs Homestead, Pilbara Biological Survey site RHNE12	-22.08531	119.7035	8/08/2003
T135142	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele 'MYG610'	epigean	Potential SRE: DD	W.A. Museum assessment	1.8 km SSE. of Mulga Downs Outcamp, Pilbara Biological Survey site RHNW04	-22.33464	118.9887	13/08/2003
T107983	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Rhodes Ridge, 141.4 km of NNW. of Newman	-22.12444	119.3819	1/07/2010
T109483	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 100 km N. of Newman	-22.40808	119.0067	8/08/2011

Western Australian Museum Database Search Interpreted Results

T109508	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	cloudbreak, Chichester Range, c. 49 km WSW. of Warrie Homestead	-22.31462	119.302	26/10/2010
T107274	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.00211	119.0128	12/05/2010
T77530	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, 46.2 km ESE. of Juna Downs Homestead, site WES	-23.0688	118.89	9/09/2005
T109507	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Cloudbreak, Chichester Range, c. 42 km WSW. of Warrie Homestead	-22.33035	119.2322	26/10/2010
T124975	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	69 km E. of Paraburdoo, site 1000-tur10	-23.25557	118.2624	20/05/2012
T145369	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, Fortescue Falls, Dales Gorge	-22.48333	118.55	29/07/1987
T145371	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, Fortescue Falls, Dales Gorge	-22.48333	118.55	29/07/1987
T112339	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Wonmunna, ca. 75 km heading 289° from Newman	-23.13551	119.0384	19/05/2011
T112337	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Wonmunna, ca. 79 km heading 286° from Newman	-23.15929	118.9928	17/05/2011
T112338	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Wonmunna, ca. 77 km heading 289° from Newman	-23.13317	119.0154	23/05/2011
T135575	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, c. 11 km SW. of Hancock Gorge	-22.43056	118.3575	16/03/2015
T145372	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mt Barnett [sic. = Bennett] Station, Manning Creek	-22.96667	118.9	18/07/1987
T112231	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 100 km NW. of Newman, site 10	-22.5048	119.3733	17/05/2011
T127220	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	75.4 km NW. of Newman	-23.01972	119.0903	8/11/2011
T112232	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 100 km NW. of Newman, site 11	-22.6235	119.3247	18/05/2011
T131584	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 125 km NW. of Newman	-22.505	118.9387	20/05/2013
T120976	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Chichester Range, S. slopes @	-22.15234	119.0068	25/08/2008
T118329	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mulga Downs Station, Cowra, site 994-13	-22.22709	119.0137	16/04/2012
T145364	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Juna Downs	-22.88333	118.4833	29/07/1987
T122196	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri Corridor West, 122.8 km NE. of Tom Price	-22.44291	118.9551	20/02/2012
T122228	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri Corridor West, 69.6 km NE. of Tom Price	-22.15578	118.1349	20/02/2012
T112072	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	112 km NNE. of Newman	-22.38718	119.9664	26/03/2011
T112226	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 100 km NW. of Newman, site 10	-22.5048	119.3733	16/05/2011
T142417	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mulga Downs Station, 6 km N. of Cowra Line Camp, site RHNW6	-22.30178	119.0134	14/08/2003
T145370	Arachnida	Araneae (spiders)	Araneae	Halonoproctidae	Conothele sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, Fortescue Falls, Dales Gorge	-22.48333	118.55	29/07/1987
T134982	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Bungulla bertmaini	epigean	widespread	{Rix, 2017 #41813}	1 km SSE. of Cowra Line Camp, site RHNW13	-22.36144	119.0068	28/08/2003
T135003	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Bungulla bertmaini	epigean	widespread	{Rix, 2017 #41813}	1.8 km SSE. of Mulga Downs Outcamp, site RHNW04	-22.33464	118.9887	13/08/2003
T131215	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops 'B04'	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Roy Hill Mine 1, ca. 90 km N. of Newman	-22.43064	119.8857	15/04/2013
T107972	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops sp.	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Koodaideri, 113.7 km NW. of Newman	-22.53639	119.0719	21/08/2010
T107185	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops sp.	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Fortescue Marsh	-22.48898	119.0858	2/06/2010
T102942	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops sp.	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Hamersley Ranges, 85 km E. of Auski Roadhouse	-22.73944	119.3134	1/05/2010
T101170	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops sp.	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Area C, 92.7 km NW. of Newman	-23.01778	118.9067	24/02/2001
T99599	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops sp.	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Bellbird Siding to Juna Downs, 80.7 km E. of Tom Price	-22.87583	118.5553	7/05/2008
T116832	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops sp.	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Mudlark, 102 km W. of Newman	-23.10639	118.7728	3/07/2011
T116770	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops sp.	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Mudlark, 113 km W. of Newman	-23.03806	118.6825	1/07/2011
T116830	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops sp.	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Mudlark, 102 km W. of Newman	-23.10611	118.7725	3/07/2011
T116808	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops sp.	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Mudlark, 110 km W. of Newman	-23.08444	118.6969	3/07/2011
T116796	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops sp.	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Mudlark, 111 km W. of Newman	-23.08083	118.6842	2/07/2011
T116828	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops sp.	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Mudlark, 102 km W. of Newman	-23.10583	118.7722	3/07/2011

Western Australian Museum Database Search Interpreted Results

T116807	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops sp.	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Mudlark, 110 km W. of Newman	-23.08444	118.6969	3/07/2011
T116805	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops sp.	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Mudlark, 100 km W. of Newman	-23.06944	118.7911	2/07/2011
T116797	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops sp.	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Mudlark, 111 km W. of Newman	-23.08083	118.6842	2/07/2011
T116788	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops sp.	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Mudlark, 108 km W. of Newman	-23.0425	118.7289	2/07/2011
T116833	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops sp.	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Mudlark, 102 km W. of Newman	-23.10667	118.7733	3/07/2011
T116809	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops sp.	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Mudlark, 110 km W. of Newman	-23.08444	118.6972	3/07/2011
T116825	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops sp.	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Mudlark, 102 km W. of Newman	-23.10556	118.7722	3/07/2011
T116813	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops sp.	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Mudlark, 102 km W. of Newman	-23.09805	118.775	3/07/2011
T116848	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops sp.	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Mudlark, 89 km WNW. of Newman	-23.10056	118.9014	4/07/2011
T116757	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops sp.	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Mudlark, 94 km W. of Newman	-23.06333	118.625	1/07/2011
T116870	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops sp.	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Mudlark, 94 km W. of Newman	-23.07944	118.8581	6/07/2011
T116817	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops sp.	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Mudlark, 102 km W. of Newman	-23.09805	118.775	3/07/2011
T116831	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops sp.	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Mudlark, 102 km W. of Newman	-23.10611	118.7725	3/07/2011
T116747	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Eucyrtops sp.	epigean	widespread	= either Gaius or Bungulla in the Pilbara {Rix, 2017 #41813}	Mudlark, 107 km W. of Newman	-23.09389	118.7194	30/06/2011
T130120	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius 'MYG286'	epigean	widespread	{Rix, 2018 #41849} = G. tealei	SW Jimblebar, ca. 35 km E. of Newman	-23.41331	120.0447	15/02/2013
T112077	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius 'MYG286'	epigean	widespread	{Rix, 2018 #41849} = G. tealei	Wonmunna, ca. 81 km, heading 286° from Newman	-23.15965	118.9703	18/05/2011
T122350	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius 'MYG286'	epigean	widespread	{Rix, 2018 #41849} = G. tealei	Area C West, 116.2 km NW. of Newman	-22.89758	118.7061	6/02/2012
T112091	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius 'MYG286'	epigean	widespread	{Rix, 2018 #41849} = G. tealei	Wonmunna	-23.15023	119.009	23/05/2011
T115822	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius 'MYG286'	epigean	widespread	{Rix, 2018 #41849} = G. tealei	Wonmunna	-23.13495	119.0506	23/05/2011
T122351	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius 'MYG286'	epigean	widespread	{Rix, 2018 #41849} = G. tealei	Area C West, 116.6 km NW. of Newman	-22.89753	118.7061	6/02/2012
T112088	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius 'MYG286'	epigean	widespread	{Rix, 2018 #41849} = G. tealei	Wonmunna	-23.13495	119.0506	23/05/2011
T122355	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius 'MYG286'	epigean	widespread	{Rix, 2018 #41849} = G. tealei	Area C West, 115.3 km NW. of Newman	-22.89753	118.7061	6/02/2012
T77528	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius sp.	epigean	widespread	{Rix, 2018 #41849}	West Angelas, 31.6 km SE. of Juna Downs Homestead, Site WES	-23.085	118.7047	7/09/2005
T77527	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius sp.	epigean	widespread	{Rix, 2018 #41849}	West Angelas, 31.6 km SE. of Juna Downs Homestead, site WES	-23.085	118.7047	7/09/2005
T77525	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius sp.	epigean	widespread	{Rix, 2018 #41849}	West Angelas, 41 km SE. of Juna Downs Homestead, site WES	-23.1002	118.8092	15/09/2005
T146552	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius sp.	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Greater Hope Downs, Hope Downs 1 mine, ca. 81.4 km NW. of Newman	-23.07826	118.9955	25/05/2018
T115974	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius sp.	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Angelo River	-23.31587	118.7655	20/06/2011
T115972	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius sp.	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Angelo River	-23.30565	118.7881	20/06/2011
T103186	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Area C, 98 km NW. of Newman	-23.00833	118.8536	30/06/2010
T77532	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	West Angelas, 46.2 km ESE. of Juna Downs Homestead, site WES	-23.06889	118.89	9/09/2005
T91708	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Hope Downs 4, ca. 100 km NW. of Newman, HD4-8	-23.08656	119.3184	10/05/2008
T91709	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Hope Downs 4, ca. 100 km NW. of Newman, HD4-8	-23.08656	119.3184	12/05/2008
T77536	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	West Angelas, 41 km SE. of Juna Downs Homestead, site WES	-23.10028	118.8106	10/09/2005
T77543	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	West Angelas, 46.2 km ESE. of Juna Downs Homestead, site WES	-23.06889	118.89	9/09/2005
T105868	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Area C, 92.1 km NW. of Newman	-23.01028	118.9183	15/08/2010
T105870	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Area C, 92.1 km NW. of Newman	-23.01056	118.9186	16/08/2010
T105869	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Area C, 92.1 km NW. of Newman	-23.01028	118.9183	15/08/2010

T77535	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	West Angelas, 41 km SE. of Juna Downs Homestead, site WES	-23.10028	118.8106	10/09/2005
T77539	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	West Angelas, 31.6 km SE. of Juna Downs Homestead, site WES	-23.085	118.7047	7/09/2005
T93464	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Hope Downs 4, ca. 30 km NW. of Newman, HD4-11, 40	-23.10145	119.2918	24/09/2008
T77524	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	West Angelas, 31.6 km SE. of Juna Downs Homestead, site WES	-23.085	118.7047	7/09/2005
T77544	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	West Angelas, 46.2 km ESE. of Juna Downs Homestead, site WES	-23.06889	118.89	9/09/2005
T107183	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Fortescue Marsh	-22.30745	119.2407	2/06/2010
T103909	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	West Angelas, 113 km SE. of Tom Price	-23.31917	118.6669	27/06/2010
T93466	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Hope Downs 4, ca. 30 km NW. of Newman, HD4-11, 38-39	-23.10145	119.2918	24/09/2008
T77526	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	West Angelas, 31.6 km SE. of Juna Downs Homestead, site WES	-23.085	118.7047	7/09/2005
T97639	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Murray Hill, Mulga Downs Station, Ecologia project 1142	-22.12469	118.5181	21/04/2009
T97640	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Murray Hill, Mulga Downs Station, Ecologia project 1142	-22.12469	118.5181	21/04/2009
T27013	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Giles, ca. 55 km W. of Newman	-23.25	119.1667	23/12/1983
T122868	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	118.6 km NW. of Newman	-22.88028	118.6878	1/04/2012
T147930	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	ca. 77 km NW. of Newman	-23.06022	119.0458	30/06/2019
T149469	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	18.4 km NW. of Newman	-23.05806	119.0052	10/03/2019
T149470	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	18.4 km NW. of Newman	-23.05806	119.0052	10/03/2019
T122249	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Koodaideri Corridor West, 71.8 km NE. of Tom Price	-22.13608	118.136	20/02/2012
T125334	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Koodaideri Western Corridor, 185.3 km NW. of Newman	-22.23339	118.3965	31/03/2012
T122857	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	117.2 km NW. of Newman	-22.89056	118.7061	1/04/2012
T122240	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Koodaideri Corridor West, 72.4 km NE. of Tom Price	-22.13567	118.1362	20/02/2012
T122253	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Koodaideri Corridor West, 82.5 km NE. of Tom Price	-22.23244	118.4146	20/02/2012
T149471	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	18.4 km NW. of Newman	-23.05806	119.0052	10/03/2019
T122255	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Koodaideri Corridor West, 82.4 km NE. of Tom Price	-22.2325	118.4145	20/02/2012
T122819	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	111.6 km NW. of Newman	-22.89167	118.7639	29/03/2012
T149416	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	79.9 km NW. of Newman	-23.07775	119.0114	16/03/2019
T113592	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	South Parmelia, 52 km NW. of Newman	-23.08639	119.3186	16/04/2011
T122827	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	127.3 km NW. of Newman	-22.86028	118.6042	29/03/2012
T115829	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Wonmunna, ca. 73 km heading 291° from Newman	-23.11855	119.0649	20/05/2011
T122239	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Koodaideri Corridor West, 71.8 km NE. of Tom Price	-22.13564	118.1362	20/02/2012
T125345	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Koodaideri Western Corridor, 146.3 km NW. of Newman	-22.35797	118.8015	2/04/2012
T127197	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	81.5 km NW. of Newman	-23.02333	119.0208	6/11/2011
T116789	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Mudlark, 108 km W. of Newman	-23.0425	118.7292	2/07/2011
T125331	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Koodaideri Western Corridor, 185.6 km NW. of Newman	-22.23344	118.3958	31/03/2012

Western Australian Museum Database Search Interpreted Results

T112089	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Wonmunna	-23.13393	119.0476	23/05/2011
T116772	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Mudlark, 113 km W. of Newman	-23.03806	118.6825	1/07/2011
T125333	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Koodaideri Western Corridor, 184.5 km NW. of Newman	-22.23336	118.3965	31/03/2012
T116766	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Mudlark, 112 km W. of Newman	-23.03778	118.6822	1/07/2011
T113577	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	South Parmelia, 52 km NW. of Newman	-23.08667	119.3186	12/04/2011
T149418	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	83.2 km NW. of Newman	-23.08254	118.9746	10/03/2019
T149417	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	88.2 km NW. of Newman	-23.06007	118.9316	9/03/2019
T116840	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Gaius tealei	epigean	widespread	only G. tealei known from the Pilbara {Rix, 2018 #41849}	Mudlark, 102 km W. of Newman	-23.09028	118.8106	3/07/2011
T103249	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 81.6 km NW. of Newman	-22.96611	119.0475	26/06/2010
T103254	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 84 km NW. of Newman	-23.01417	118.9886	25/06/2010
T105879	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 87.3 km NW. of Newman	-23.01111	118.9708	16/08/2010
T103261	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 84 km NW. of Newman	-23.01417	118.9886	25/06/2010
T103247	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 84.1 km NW. of Newman	-22.95444	119.0417	26/06/2010
T105896	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 97.6 km NW. of Newman	-23.01083	118.8608	18/08/2010
T103192	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 84 km NW. of Newman	-23.015	118.9883	28/06/2010
T105897	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 97.6 km NW. of Newman	-23.01083	118.8608	18/08/2010
T103184	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 84 km NW. of Newman	-23.015	118.9883	28/06/2010
T103273	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 84 km NW. of Newman	-23.01417	118.9886	25/06/2010
T105878	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 87.3 km NW. of Newman	-23.01111	118.9706	16/08/2010
T105857	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 96 km NW. of Newman	-23.01333	118.8753	14/08/2010
T136541	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 80.5 km NE. of Tom Price	-22.19498	118.3556	26/10/2013
T116545	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Marillana, 89.7 km NW. of Newman	-22.66222	119.29	17/06/2007
T116546	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Marillana, 89.7 km NW. of Newman	-22.66222	119.29	17/06/2007
T116547	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Marillana, 89.7 km NW. of Newman	-22.66222	119.29	17/06/2007
T116548	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Marillana, 89.7 km NW. of Newman	-22.66222	119.29	17/06/2007
T115973	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Angelo River	-23.27864	118.7535	23/06/2011
T135140	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	34 km NNW. of Cowra Line Camp, Pilbara Biological Survey site RHNW09	-22.06881	118.9787	26/08/2003
T135144	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	6 km N. of Cowra Line Camp, Mulga Downs Station, Pilbara Biological Survey site RHNW06	-22.30178	119.0133	21/11/2003
T135134	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	1.5 km W. of Giles point, Pilbara Biological Survey site RHNC04	-23.25094	119.1447	30/08/2003
T116764	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Mudlark, 112 km W. of Newman	-23.0325	118.6892	1/07/2011
T136519	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Koodaideri, 83 km NE. of Tom Price	-22.23635	118.4253	24/10/2013
T113559	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Jinidi, 65 km NW. of Newman	-22.98917	119.5375	14/04/2011
T113560	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Jinidi, 68 km NW. of Newman	-22.94806	119.2333	15/04/2011
T113616	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	117.3 km NW. of Newman	-22.62846	118.9024	25/05/2011
T135135	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	14 km WSW. of Roy Hill Station, Pilbara Biological Survey site RHNE05	-22.67567	119.8406	19/11/2003
T134290	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'B02'	epigean	potential SRE: DD	Genus contains SREs and potential SREs	ca. 40 km E. of Mount McRae, Solomon Mine	-22.14622	118.1726	22/04/2014
T134289	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'B02'	epigean	potential SRE: DD	Genus contains SREs and potential SREs	ca. 40 km E. of Mount McRae, Solomon Mine	-22.08413	118.227	22/04/2014
T134288	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'B02'	epigean	potential SRE: DD	Genus contains SREs and potential SREs	ca. 40 km E. of Mount McRae, Solomon Mine	-22.08413	118.227	22/04/2014
T84013	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'Cloudbreak sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 18)	-22.3097	119.3447	26/09/2006
T96999	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG083'	epigean	widespread	W.A. Museum assessment	5.5 km NE. of Giles Point, Pilbara Biological Survey site RHNC05B	-23.21356	119.2024	30/08/2003
T91910	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG083'	epigean	widespread	W.A. Museum assessment	Hamersley Range, Weeli Wolli Creek region, Area C, site 09-9D	-22.92525	119.0377	15/06/2008
T91909	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG083'	epigean	widespread	W.A. Museum assessment	Hamersley Range, Weeli Wolli Creek region, Area C, site 09-9B	-22.92525	119.0377	12/06/2008
T114052	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG083'	epigean	widespread	W.A. Museum assessment	FMG Nyidinghu Project, near Marillana Station, site s1wt7	-22.31791	119.1156	10/05/2011
T114047	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG083'	epigean	widespread	W.A. Museum assessment	FMG Nyidinghu Project, near Marillana Station, site s3wt4	-22.33602	119.1277	10/05/2011
T114048	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG083'	epigean	widespread	W.A. Museum assessment	FMG Nyidinghu Project, near Marillana Station, site s3wt3	-22.3358	119.1279	10/05/2011
T115828	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG083'	epigean	widespread	W.A. Museum assessment	Wonmunna, ca. 77 km heading 288° from Newman	-23.13937	119.0182	19/05/2011

Western Australian Museum Database Search Interpreted Results

T115823	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG083'	epigean	widespread	W.A. Museum assessment	Wonmunna, ca. 77 km heading 288° from Newman	-23.13937	119.0182	19/05/2011
T115827	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG083'	epigean	widespread	W.A. Museum assessment	Wonmunna, ca. 79 km heading 286° from Newman	-23.15929	118.9928	17/05/2011
T114050	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG083'	epigean	widespread	W.A. Museum assessment	FMG Nyidinghu Project, near Marillana Station, site s3wt2	-22.33562	119.1281	10/05/2011
T114053	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG083'	epigean	widespread	W.A. Museum assessment	FMG Nyidinghu Project, near Marillana Station, site s1wt17	-22.3167	119.1135	10/05/2011
T112078	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG083'	epigean	widespread	W.A. Museum assessment	Wonmunna, ca. 79 km heading 286° from Newman	-23.159208	118.992805	17/05/2011
T114051	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG083'	epigean	widespread	W.A. Museum assessment	FMG Nyidinghu Project, near Marillana Station, site s1wt18	-22.3167	119.1135	10/05/2011
T114049	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG083'	epigean	widespread	W.A. Museum assessment	FMG Nyidinghu Project, near Marillana Station, site s2wt9	-22.31863	119.1155	10/05/2011
T112086	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG083'	epigean	widespread	W.A. Museum assessment	Wonmunna, ca. 79 km [NW. of] heading 286° from Newman	-23.15929	118.9928	17/05/2011
T112235	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG083'	epigean	widespread	W.A. Museum assessment	Marillana, 100 km NW. of Newman, site 10	-22.5048	119.3733	20/05/2011
T112460	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG083'	epigean	widespread	W.A. Museum assessment	Wonmunna, ca. 72 km heading 290° from Newman	-23.12832	119.0736	19/05/2011
T112234	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG083'	epigean	widespread	W.A. Museum assessment	Marillana, 100 km NW. of Newman, site 1	-22.53547	119.1966	19/05/2011
T115825	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG083'	epigean	widespread	W.A. Museum assessment	Wonmunna, ca. 72 km heading 290° from Newman	-23.13091	119.0689	19/05/2011
T112079	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG083'	epigean	widespread	W.A. Museum assessment	Wonmunna, ca. 79 km heading 286° from Newman	-23.15929	118.9928	17/05/2011
T115826	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG083'	epigean	widespread	W.A. Museum assessment	Wonmunna, ca. 80 km heading 285° from Newman	-23.16326	118.977	17/05/2011
T128636	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG083'	epigean	widespread	W.A. Museum assessment	ca. 18 km N. of Wittenoom	-22.08333	118.3713	20/05/2013
T115824	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG083'	epigean	widespread	W.A. Museum assessment	Wonmunna, ca. 77 km heading 290° from Newman	-23.11423	119.0229	23/05/2011
T112075	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG083'	epigean	widespread	W.A. Museum assessment	Wonmunna, ca. 80 km heading 285° from Newman	-23.16326	118.977	17/05/2011
T112083	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG083'	epigean	widespread	W.A. Museum assessment	Wonmunna, ca. 72 km heading 290° from Newman	-23.12832	119.0736	19/05/2011
T98158	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG085'	epigean	widespread	W.A. Museum assessment	Roy Hill Station, Ecologia Project 1106	-22.45477	119.8709	27/05/2009
T98153	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG085'	epigean	widespread	W.A. Museum assessment	Roy Hill Station, Ecologia Project 1106	-22.55656	119.9703	25/05/2009
T98156	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG085'	epigean	widespread	W.A. Museum assessment	Roy Hill Station, Ecologia Project 1106	-22.55916	119.9424	26/05/2009
T98151	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG085'	epigean	widespread	W.A. Museum assessment	Roy Hill Station, Ecologia Project 1106	-22.57691	119.9952	25/05/2009
T112228	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG085'	epigean	widespread	W.A. Museum assessment	Marillana, 100 km NW. of Newman, site 11	-22.53386	119.197	13/05/2011
T112236	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG085'	epigean	widespread	W.A. Museum assessment	Marillana, 100 km NW. of Newman, site 11	-22.62322	119.3212	15/05/2011
T112230	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG085'	epigean	widespread	W.A. Museum assessment	Marillana, 100 km NW. of Newman, site 10	-22.50453	119.3733	14/05/2011
T112227	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG085'	epigean	widespread	W.A. Museum assessment	Marillana, 100 km NW. of Newman, site 2	-22.53067	119.1909	12/05/2011
T112229	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG085'	epigean	widespread	W.A. Museum assessment	Marillana, 100 km NW. of Newman, site 11	-22.62458	119.3251	11/05/2011
T134284	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG085'	epigean	widespread	W.A. Museum assessment	ca. 40 km E. of Mount McRae, Solomon Mine	-22.14715	118.173	22/04/2014
T97001	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG086'	epigean	Potential SRE: DD	W.A. Museum assessment	6 km SW. of Roy Hill Station, Pilbara Biological Survey site RHNE06	-22.66105	119.9187	9/08/2003
T114601	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG086'	epigean	Potential SRE: DD	W.A. Museum assessment	IOH, Iron Valley Project, near Marillana Station, site rios2d11	-22.4346	119.1956	10/05/2011
T114603	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG086'	epigean	Potential SRE: DD	W.A. Museum assessment	IOH, Iron Valley Project, near Marillana Station, site iohs1d6	-22.44372	119.1838	10/05/2011
T114604	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG086'	epigean	Potential SRE: DD	W.A. Museum assessment	IOH, Iron Valley Project, near Marillana Station, site iohs1d12	-22.44398	119.1833	10/05/2011
T114605	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG086'	epigean	Potential SRE: DD	W.A. Museum assessment	IOH, Iron Valley Project, near Marillana Station, site iohs1d5	-22.44384	119.1839	10/05/2011
T114602	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG086'	epigean	Potential SRE: DD	W.A. Museum assessment	IOH, Iron Valley Project, near Marillana Station, site rios2	-22.43389	119.1958	10/05/2011
T131210	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG126'	epigean	widespread	W.A. Museum assessment	Roy Hill Mine 1, ca. 90 km N. of Newman	-22.51743	119.9314	29/05/2013
T131209	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG126'	epigean	widespread	W.A. Museum assessment	Roy Hill Mine 1, ca. 90 km N. of Newman	-22.52247	119.9186	17/04/2013
T122088	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG126'	epigean	widespread	W.A. Museum assessment	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.47156	119.8655	8/02/2011
T131208	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG126'	epigean	widespread	W.A. Museum assessment	Roy Hill Mine 1, ca. 90 km N. of Newman	-22.46875	119.8648	18/04/2013
T110590	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG233'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, 100 km NW. of Newman, site 1	-22.53553	119.1998	19/05/2011
T114055	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG233'	epigean	Potential SRE: DD	W.A. Museum assessment	FMG Nyidinghu Project, near Marillana Station, site s3wt2	-22.33562	119.1281	10/05/2011
T114054	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG233'	epigean	Potential SRE: DD	W.A. Museum assessment	FMG Nyidinghu Project, near Marillana Station, site s12d	-22.35057	119.1847	10/05/2011
T125346	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG300'	epigean	Potential SRE: DD	W.A. Museum assessment	Koodaideri Western Corridor, 148.9 km NW. of Newman	-22.35108	118.7659	2/04/2012

Western Australian Museum Database Search Interpreted Results

T125338	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG300'	epigean	Potential SRE: DD	W.A. Museum assessment	Koodaideri Western Corridor, 155.1 km NW. of Newman	-22.32036	118.7225	1/04/2012
T122214	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG300'	epigean	Potential SRE: DD	W.A. Museum assessment	Koodaideri Corridor West, 88.1 km NE. of Tom Price	-22.26547	118.5205	20/02/2012
T122206	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG300'	epigean	Potential SRE: DD	W.A. Museum assessment	Koodaideri Corridor West, 93.3 km NE. of Tom Price	-22.32839	118.6116	20/02/2012
T119983	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG300'	epigean	Potential SRE: DD	W.A. Museum assessment	105.3 km NW. of Newman	-22.51194	119.2592	28/07/2011
T125337	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG300'	epigean	Potential SRE: DD	W.A. Museum assessment	Koodaideri Western Corridor, 153.8 km NW. of Newman	-22.32067	118.7225	1/04/2012
T122349	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG303'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West, 121.1 km NW. of Newman	-22.87844	118.6484	6/02/2012
T122836	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG303'	epigean	Potential SRE: DD	W.A. Museum assessment	127.6 km NW. of Newman	-22.88111	118.5956	29/03/2012
T122851	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG303'	epigean	Potential SRE: DD	W.A. Museum assessment	117.2 km NW. of Newman	-22.89056	118.7061	1/04/2012
T122845	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG303'	epigean	Potential SRE: DD	W.A. Museum assessment	115.4 km NW. of Newman	-22.90861	118.7175	31/03/2012
T126265	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG305'	epigean	Potential SRE: DD	W.A. Museum assessment	118.3 km NW. of Newman	-22.61111	118.9072	18/11/2011
T119735	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG305'	epigean	Potential SRE: DD	W.A. Museum assessment	Juna Downs Station, 116 km NW. of Newman	-22.605	118.9256	7/05/2011
T103905	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG306'	epigean	Potential SRE: DD	W.A. Museum assessment	West Angelas, 114 km SE. of Tom Price	-23.32139	118.6744	26/06/2010
T116774	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG306'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 113 km W. of Newman	-23.03806	118.6828	1/07/2011
T122813	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG306'	epigean	Potential SRE: DD	W.A. Museum assessment	108.6 km NW. of Newman	-22.94278	118.7706	28/03/2012
T113610	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG384'	epigean	Potential SRE: DD	W.A. Museum assessment	Southern Flank, 71 km NW. of Newman	-22.99417	119.1664	17/04/2011
T113606	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG384'	epigean	Potential SRE: DD	W.A. Museum assessment	Southern Flank, 71 km NW. of Newman	-22.99417	119.1633	16/04/2011
T113604	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG384'	epigean	Potential SRE: DD	W.A. Museum assessment	Southern Flank, 71 km NW. of Newman	-22.99389	119.1642	16/04/2011
T113605	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG384'	epigean	Potential SRE: DD	W.A. Museum assessment	Southern Flank, 71 km NW. of Newman	-22.99417	119.1636	16/04/2011
T119971	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG384'	epigean	Potential SRE: DD	W.A. Museum assessment	84.8 km NW. of Newman	-22.66861	119.375	27/07/2011
T113572	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG384'	epigean	Potential SRE: DD	W.A. Museum assessment	South Parmelia, 66 km NW. of Newman	-23.03472	119.1819	12/04/2011
T119981	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG384'	epigean	Potential SRE: DD	W.A. Museum assessment	100.9 km NW. of Newman	-22.5425	119.2886	27/07/2011
T116865	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG384'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 94 km W. of Newman	-23.08111	118.8578	6/07/2011
T119994	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG384'	epigean	Potential SRE: DD	W.A. Museum assessment	81.2 km NW. of Newman	-22.70028	119.3778	29/07/2011
T119986	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG384'	epigean	Potential SRE: DD	W.A. Museum assessment	105.3 km NW. of Newman	-22.51167	119.2594	28/07/2011
T119985	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG384'	epigean	Potential SRE: DD	W.A. Museum assessment	105.3 km NW. of Newman	-22.51167	119.2592	28/07/2011
T120007	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma 'MYG384'	epigean	Potential SRE: DD	W.A. Museum assessment	76 km NW. of Newman	-22.79333	119.3094	31/07/2011
T77542	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, 46.2 km ESE. of Juna Downs Homestead, site WES	-23.0688	118.89	9/09/2005
T77541	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, 31.6 km SE. of Juna Downs Homestead, site WES	-23.085	118.7047	7/09/2005
T93554	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-22.98925	119.2363	29/08/2008
T62547	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Weeli Wolli Creek, ca. 17 km SW. of Marillana (65 km SW. of Roy Hill Homestead), site FMG08	-22.7716	119.3669	13/07/2004
T38490	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	10.5 km N. of West Angela Hill	-23.0277	118.6869	1/06/1998
T98155	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Ecologia Project 1106	-22.55656	119.9703	25/05/2009
T107404	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Iron Valley, 5 km NE. of Yandicoogina mine; TDS8	-22.74446	119.3097	5/05/2010
T78149	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Port Hedland-Newman Railway, Chichester Rge, Fortescue Metals Group, site FMG10	-22.7261	119.3953	31/03/2004
T77531	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, 46.2 km ESE. of Juna Downs Homestead, site WES	-23.0688	118.89	9/09/2005
T107402	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Iron Valley, 5 km NE. of Yandicoogina mine; TDS7	-22.74474	119.31	5/05/2010
T101168	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 98.2 km NW. of Newman	-23.00778	118.8533	21/02/2010
T107381	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Iron Valley, 5 km NE. of Yandicoogina mine; TDS10	-22.76391	119.3006	5/05/2010
T107380	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Iron Valley, 5 km NE. of Yandicoogina mine; TDS11	-22.76335	119.2989	5/05/2010
T107377	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Iron Valley, 5 km NE. of Yandicoogina mine; TDS4	-22.74472	119.3097	5/05/2010
T107405	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Iron Valley, 5 km NE. of Yandicoogina mine; TDS9	-22.76334	119.3	5/05/2010
T103265	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 84 km NW. of Newman	-23.01861	118.9989	25/06/2010
T105866	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 92.1 km NW. of Newman	-23.01083	118.9175	16/08/2010
T105865	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 92.1 km NW. of Newman	-23.01056	118.9183	15/08/2010
T105864	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 92.1 km NW. of Newman	-23.01056	118.9183	15/08/2010
T105863	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 92.1 km NW. of Newman	-23.01028	118.9183	15/08/2010
T103258	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 84 km NW. of Newman	-23.01805	118.9983	25/06/2010
T105895	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 97.6 km NW. of Newman	-23.01056	118.8603	18/08/2010
T77553	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, 46.2 km ESE. of Juna Downs Homestead, site WES	-23.0688	118.89	9/09/2005
T109480	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 100 km N. of Newman	-22.08855	119.2913	8/08/2011

Western Australian Museum Database Search Interpreted Results

T77546	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, 46.2 km ESE. of Juna Downs Homestead, site WES	-23.0688	118.89	9/09/2005
T93463	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hope Downs 4, ca. 30 km NW. of Newman, HD4-14B, 27	-23.09253	119.2059	21/09/2008
T105850	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 96 km NW. of Newman	-23.01306	118.8753	14/08/2010
T103189	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 84 km NW. of Newman	-23.015	118.9883	28/06/2010
T103187	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 98 km NW. of Newman	-23.00833	118.8536	30/06/2010
T103269	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 84 km NW. of Newman	-23.01417	118.9886	25/06/2010
T77545	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, 46.2 km ESE. of Juna Downs Homestead, site WES	-23.0688	118.89	9/09/2005
T103272	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 84 km NW. of Newman	-23.01861	118.9989	25/06/2010
T103181	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 98 km NW. of Newman	-23.00833	118.8536	30/06/2010
T105876	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 92.1 km NW. of Newman	-23.01056	118.9178	16/08/2010
T77547	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, 31.6 km SE. of Juna Downs Homestead, site WES	-23.085	118.7047	7/09/2005
T77534	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, 41 km SE. of Juna Downs Homestead, site WES	-23.1002	118.8106	10/09/2005
T103257	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 84 km NW. of Newman	-23.01805	118.9983	25/06/2010
T77537	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, 31.6 km SE. of Juna Downs Homestead, site WES	-23.085	118.7047	7/09/2005
T107186	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Fortescue Marsh	-22.30777	119.1282	2/06/2010
T97352	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hamersley Range, 60 km WNW. of Newman, Hope Downs 4	-23.09086	119.1998	25/04/2009
T77533	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, 41 km SE. of Juna Downs Homestead, site WES	-23.1002	118.8106	10/09/2005
T77538	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, 31.6 km SE. of Juna Downs Homestead, site WES	-23.085	118.7047	7/09/2005
T77540	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, 31.6 km SE. of Juna Downs Homestead, site WES	-23.085	118.7047	7/09/2005
T122842	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	115.4 km NW. of Newman	-22.90861	118.7175	31/03/2012
T122841	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	115.4 km NW. of Newman	-22.90861	118.7175	31/03/2012
T113607	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Southern Flank, 71 km NW. of Newman	-22.99417	119.1667	17/04/2011
T115963	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 100 km N. of Newman	-22.265	119.0252	8/08/2011
T136725	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi Oxbow, 86.9 km NW. of Newman	-22.78778	119.1456	1/05/2015
T127210	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	78.2 km NW. of Newman	-23.02056	119.0603	4/11/2011
T125352	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri Western Corridor, 204.1 km NW. of Newman	-22.1552	118.225	2/04/2012
T113613	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Southern Flank, 71 km NW. of Newman	-22.99444	119.1656	17/04/2011
T125354	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri Western Corridor, 103.5 km NW. of Newman	-22.15664	118.2265	2/04/2012
T136724	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi Oxbow, 86.9 km NW. of Newman	-22.78778	119.1461	1/05/2015
T113573	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	South Parmelia, 66 km NW. of Newman	-23.03472	119.1817	12/04/2011
T116851	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 87 km WNW. of Newman	-23.08556	118.9289	4/07/2011
T113611	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Southern Flank, 71 km NW. of Newman	-22.99389	119.1664	17/04/2011
T127209	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	78.2 km NW. of Newman	-23.02056	119.0603	4/11/2011
T127196	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	81.5 km NW. of Newman	-23.02333	119.0208	6/11/2011
T125320	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri Western Corridor, 208.2 km NW. of Newman	-22.148	118.1735	30/03/2012
T114594	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	FMG Nyidinghu Project, near Marillana Station, site s13d	-22.39125	119.224	10/05/2011
T122338	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 92.3 km NW. of Newman	-22.61714	119.3161	6/02/2012
T122337	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 92.4 km NW. of Newman	-22.61708	119.316	6/02/2012
T122336	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 95.2 km NW. of Newman	-22.60103	119.2841	6/02/2012
T122335	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 95.2 km NW. of Newman	-22.60086	119.284	6/02/2012
T114595	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	FMG Nyidinghu Project, near Marillana Station, site s12c	-22.34237	119.1718	10/05/2011
T128637	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	ca. 18 km N. of Wittenoom	-22.08333	118.4099	20/05/2013
T116845	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 88 km WNW. of Newman	-23.03583	118.9467	4/07/2011
T116821	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 102 km W. of Newman	-23.0975	118.7744	3/07/2011
T116824	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 102 km W. of Newman	-23.10556	118.7722	3/07/2011
T122828	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	127.3 km NW. of Newman	-22.86083	118.6039	29/03/2012
T122829	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	127.3 km NW. of Newman	-22.86083	118.6039	29/03/2012
T136726	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi Oxbow, 86 km NW. of Newman	-22.78944	119.1544	2/05/2015
T113567	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinidi, 65 km NW. of Newman	-22.98917	119.2311	15/04/2011
T113568	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinidi, 65 km NW. of Newman	-22.98917	119.2311	15/04/2011
T125344	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri Western Corridor, 146.3 km NW. of Newman	-22.35797	118.8015	2/04/2012

Western Australian Museum Database Search Interpreted Results

T122816	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	111.6 km NW. of Newman	-22.89139	118.7644	29/03/2012
T114606	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	IOH, Iron Valley Project, near Marillana Station, site rios2	-22.44389	119.1958	10/05/2011
T125332	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri Western Corridor, 185.6 km NW. of Newman	-22.23367	118.3964	31/03/2012
T118794	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 122.1 km NW. of Newman	-22.47528	119.0164	14/10/2011
T136496	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 124.3 km ENE. of Tom Price	-22.43424	118.9657	7/05/2012
T116854	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 87 km WNW. of Newman	-23.08583	118.9292	4/07/2011
T113571	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	South Parmelia, 66 km NW. of Newman	-23.03472	119.1819	12/04/2011
T116815	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 102 km W. of Newman	-23.09805	118.775	3/07/2011
T116754	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 111 km WNW. of Newman	-23.08694	118.6864	30/06/2011
T127214	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	75.4 km NW. of Newman	-23.01972	119.0903	3/11/2011
T116799	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 108 km W. of Newman	-23.03944	118.7658	2/07/2011
T116777	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 113 km W. of Newman	-23.03806	118.6828	1/07/2011
T116801	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 108 km W. of Newman	-23.03944	118.7658	2/07/2011
T119978	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	94.4 km NW. of Newman	-22.6075	119.2922	27/07/2011
T112074	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	112 km NNE. of Newman	-22.36219	119.9691	23/03/2011
T120009	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	76 km NW. of Newman	-22.79361	119.3094	31/07/2011
T120008	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	76 km NW. of Newman	-22.79333	119.3094	31/07/2011
T116782	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 111 km W. of Newman	-23.05194	118.6783	1/07/2011
T116791	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 108 km W. of Newman	-23.04278	118.7294	2/07/2011
T118331	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mulga Downs Station, Cowra, site 994-13	-22.22709	119.0137	16/04/2012
T116784	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 111 km W. of Newman	-23.05194	118.6783	1/07/2011
T119989	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	102.1 km NW. of Newman	-22.54361	119.2517	28/07/2011
T126319	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mt Florance Station, 70 km NW. of Tom Price	-22.1575	118.1478	12/03/2012
T126321	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mt Florance Station, 72 km NW. of Tom Price	-22.14806	118.1736	12/03/2012
T119967	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	84.8 km NW. of Newman	-22.66833	119.375	27/07/2011
T115965	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 100 km N. of Newman	-22.60131	119.2913	8/08/2011
T132742	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi, 80.5 km NNW. Newman	-22.74333	119.3086	13/03/2014
T116752	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 111 km WNW. of Newman	-23.08667	118.6864	30/06/2011
T132741	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi, 80.5 km NNW. Newman	-22.74333	119.3086	13/03/2014
T116804	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 108 km W. of Newman	-23.03944	118.7656	2/07/2011
T115977	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Angelo River	-23.30565	118.7881	20/06/2011
T127212	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	75.4 km NW. of Newman	-23.01972	119.0903	3/11/2011
T132743	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi, 80.5 km NNW. Newman	-22.74306	119.3086	13/03/2014
T119992	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	102.1 km NW. of Newman	-22.54361	119.2508	28/07/2011
T114057	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	FMG Nyidinghu Project, near Marillana Station, site s13c	-22.399	119.2144	10/05/2011
T115964	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 100 km N. of Newman	-22.62858	119.3485	8/08/2011
T116869	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 94 km W. of Newman	-23.07972	118.8583	6/07/2011
T116745	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 107 km W. of Newman	-23.09417	118.7194	30/06/2011
T131586	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 107 km NW. of Newman	-22.54339	119.1678	22/05/2013
T116748	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 94 km W. of Newman	-23.09139	118.67	30/06/2011
T116749	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 94 km W. of Newman	-23.09139	118.67	30/06/2011
T122818	Arachnida	Araneae (spiders)	Araneae	Idiopidae	Idiosoma sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	111.6 km NW. of Newman	-22.89167	118.7639	29/03/2012
T145733	Arachnida	Araneae (spiders)	Araneae	Oonopidae	Pelicinus sp.	epigean	Potential SRE: DD		Koodaideri, c. 107 km NW. of Newman	-22.57367	119.1232	3/02/2014
T131510	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA003'	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28 km ENE. of Newman	-23.32522	120.0243	27/08/2013
T131509	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA003'	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28 km ENE. of Newman	-23.31909	120.0262	27/08/2013
T131513	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA003'	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28 km ENE. of Newman	-23.32106	120.0426	27/08/2013
T131492	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA003'	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28 km ENE. of Newman	-23.32247	119.9894	27/08/2013
T131491	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA003'	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28 km ENE. of Newman	-23.32469	120.012	27/08/2013
T130971	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA003'	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28 km ENE. of Newman	-23.33314	120.018	24/05/2013
T131488	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA003'	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28 km ENE. of Newman	-23.32269	119.9822	27/08/2013
T131487	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA003'	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28 km ENE. of Newman	-23.32767	119.9861	27/08/2013
T131486	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA003'	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28 km ENE. of Newman	-23.33136	120.0187	27/08/2013
T131508	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA003'	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28 km ENE. of Newman	-23.31909	120.0262	27/08/2013
T131097	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 25, ca. 5 km N. of Newman	-23.32689	119.7685	29/04/2013
T131102	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.28349	119.7695	29/04/2013
T131101	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.28181	119.7724	29/04/2013
T131100	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.2967	119.8616	29/04/2013
T131099	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.27398	119.8542	29/04/2013
T131098	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.27398	119.8542	29/04/2013
T131103	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.28462	119.7733	29/04/2013
T131093	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.28446	119.7403	29/04/2013
T131094	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.28446	119.7403	29/04/2013
T131092	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.27416	119.7399	29/04/2013
T131091	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.28526	119.7435	29/04/2013

Western Australian Museum Database Search Interpreted Results

T131090	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.28658	119.7444	29/04/2013
T131089	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.28501	119.7418	5/04/2013
T131088	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.29045	119.7257	5/04/2013
T131087	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.29307	119.7571	5/04/2013
T131095	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.29102	119.7941	29/04/2013
T131234	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 25, ca. 5 km N. of Newman	-23.32689	119.7685	5/08/2013
T131104	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.28462	119.7733	29/04/2013
T131239	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.29004	119.7706	5/08/2013
T131238	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.28462	119.7733	5/08/2013
T131235	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 25, ca. 5 km N. of Newman	-23.32835	119.7723	5/08/2013
T131233	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 25, ca. 5 km N. of Newman	-23.32152	119.7733	5/08/2013
T131231	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.27416	119.7399	5/08/2013
T131224	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.28787	119.7468	5/08/2013
T131236	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 25, ca. 5 km N. of Newman	-23.32736	119.7717	5/08/2013
T131223	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.29307	119.7571	5/08/2013
T131230	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.28253	119.7497	5/08/2013
T131225	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 25, ca. 5 km N. of Newman	-23.32342	119.7903	5/08/2013
T131227	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.28526	119.7435	5/08/2013
T131228	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.28253	119.7497	5/08/2013
T131229	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'ARA005'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.28253	119.7497	5/08/2013
T101159	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Area C, 87.3 km NW. of Newman	-22.89528	119.045	17/02/2010
T130408	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	Potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.7736	119.1247	14/05/2013
T149406	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	Potential SRE: DD	W.A. Museum assessment	84.2 km NW. of Newman	-23.06062	118.9743	12/03/2019
T130416	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	Potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.71406	119.0203	14/05/2013
T130414	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	Potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.74041	119.0636	14/05/2013
T130413	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	Potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.73217	119.05	14/05/2013
T130412	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.73046	119.0472	14/05/2013
T130411	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	Potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.73046	119.0472	14/05/2013
T130410	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.77604	119.1213	14/05/2013
T130409	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	Potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.77458	119.1234	14/05/2013
T130415	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	Potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.74148	118.9929	14/05/2013
T130407	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	Potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.77441	119.1288	14/05/2013
T130406	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	Potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.77441	119.1288	14/05/2013
T130405	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.73984	119.0037	14/05/2013
T130403	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.70919	119.0043	14/05/2013
T130402	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.70919	119.0043	14/05/2013
T130401	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.71103	119.014	14/05/2013
T134071	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.74614	119.0084	2/04/2014
T128901	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Hamersley Range, ca. 30 km ESE. of Juna Downs	-22.59313	118.9881	1/04/2014
T149407	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	Potential SRE: DD	W.A. Museum assessment	71.9 km NW. of Newman	-23.04277	119.1169	11/03/2019
T130400	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.71103	119.014	14/05/2013
T134081	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.74844	119.0302	2/04/2014
T134094	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.70213	119.0037	2/04/2014
T134093	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.70213	119.0037	2/04/2014
T134092	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.69281	119.0132	2/04/2014

Western Australian Museum Database Search Interpreted Results

T134091	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.69331	119.0089	2/04/2014
T134090	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.69108	119.0057	2/04/2014
T134089	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.72869	119.0864	8/09/2014
T134088	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.75236	119.0422	8/09/2014
T134087	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.75236	119.0422	8/09/2014
T134086	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.75236	119.0422	8/09/2014
T134085	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.75236	119.0422	2/04/2014
T134084	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.75236	119.0422	2/04/2014
T134065	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.72283	118.9751	8/09/2014
T134082	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.74764	119.0441	2/04/2014
T134097	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.75022	119.0592	8/09/2014
T134080	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.74844	119.0302	2/04/2014
T134079	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.74844	119.0302	2/04/2014
T134078	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.74983	119.0297	8/09/2014
T134077	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7478	119.0256	8/09/2014
T134076	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7478	119.0256	8/09/2014
T134075	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7478	119.0256	2/04/2014
T134125	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.72286	118.9867	8/09/2014
T134074	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7478	119.0256	2/04/2014
T134070	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	Potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.76636	119.1059	8/09/2014
T134068	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.76636	119.1059	2/04/2014
T134067	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.75001	119.0755	8/09/2014
T134066	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	Potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.77267	119.0947	2/04/2014
T134083	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.74764	119.0441	8/09/2014
T134110	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7012	119.0942	8/09/2014
T134124	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.72286	118.9867	8/09/2014
T134123	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.75232	119.0871	8/09/2014
T134122	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.74936	119.0854	8/09/2014
T134121	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.75142	119.0894	8/09/2014
T134120	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.74283	118.9903	8/09/2014
T134119	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.744	118.984	8/09/2014
T134118	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.744	118.984	8/09/2014
T134117	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.71231	119.0857	8/09/2014

T134116	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.71231	119.0857	8/09/2014
T134115	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.71075	119.0896	8/09/2014
T134114	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7012	119.0942	8/09/2014
T134113	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7012	119.0942	8/09/2014
T134095	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.70867	119.0434	8/09/2014
T134111	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7012	119.0942	8/09/2014
T134096	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.75022	119.0592	8/09/2014
T134109	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7012	119.0942	8/09/2014
T134108	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.6995	119.0977	8/09/2014
T134107	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.70917	119.0691	8/09/2014
T134106	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.70917	119.0691	8/09/2014
T134105	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.70961	119.0715	2/04/2014
T134104	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.75104	119.1316	8/09/2014
T134103	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.72881	119.1215	8/09/2014
T134102	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.75076	119.1556	8/09/2014
T134101	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.75553	119.149	2/04/2014
T134099	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.74806	119.0716	2/04/2014
T134098	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.74806	119.0716	2/04/2014
T134073	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.74739	119.0172	8/09/2014
T134112	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7012	119.0942	8/09/2014
T135556	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Karijini National Park, Hancock Gorge	-22.35917	118.2844	15/03/2015
T149465	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	Potential SRE: DD	W.A. Museum assessment	71.9 km NW. of Newman	-23.04277	119.1169	11/03/2019
T135465	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Karijini National Park, Dales Gorge	-22.47806	118.5622	12/03/2015
T135466	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Karijini National Park, Dales Gorge	-22.47806	118.5622	12/03/2015
T134064	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.72283	118.9751	8/09/2014
T135555	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Karijini National Park, Hancock Gorge	-22.35917	118.2844	15/03/2015
T140241	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	South Flank, ca. 95 km NW. of Newman	-22.95283	118.9758	16/03/2016
T134069	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops banyjima	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.76636	119.1059	2/04/2014
T112016	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'BD1'	epigean	Potential SRE: DD	W.A. Museum assessment	114 km NNW. of Newman	-22.32572	119.7392	22/03/2011
T112018	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'BD1'	epigean	Potential SRE: DD	W.A. Museum assessment	113 km NNW. of Newman	-22.33519	119.6531	22/03/2011
T112015	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'BD1'	epigean	Potential SRE: DD	W.A. Museum assessment	114 km NNW. of Newman	-22.32572	119.7392	22/03/2011
T112017	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'BD1'	epigean	Potential SRE: DD	W.A. Museum assessment	115 km NNW. of Newman	-22.31787	119.7476	24/03/2011
T155573	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops 'cf. nyang/bany'	epigean	Potential SRE: DD	W.A. Museum assessment	c. 5 km NNW. of Mt Meharry, hillside at E. bend of Mt Meharry track	-22.93915	118.5673	14/05/2016
T111456	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops feedtime	epigean	SRE	W.A. Museum assessment	Bonney Downs, 115 km NNW. of Newman	-22.31667	119.7333	14/03/2011
T79407	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops forteyi	epigean	SRE	W.A. Museum assessment	27.5 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW08	-22.10683	119.0007	26/08/2003
T79408	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops forteyi	epigean	SRE	W.A. Museum assessment	24.5 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW10	-22.13467	119.0242	27/08/2003
T132485	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops forteyi	epigean	SRE	W.A. Museum assessment	24.5 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW08	-22.10683	119.0007	26/08/2003
T116571	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops nyangumarta	epigean	widespread	W.A. Museum assessment	Mudlark, 98 km WNW. of Newman	-23.07306	118.82	6/07/2011
T116570	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops nyangumarta	epigean	widespread	W.A. Museum assessment	Mudlark, 98 km WNW. of Newman	-23.07306	118.82	6/07/2011

Western Australian Museum Database Search Interpreted Results

T116575	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops nyangumarta	epigean	widespread	W.A. Museum assessment	Mudlark, 98 km WNW. of Newman	-23.07306	118.825	6/07/2011
T117879	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops nyangumarta	epigean	widespread	W.A. Museum assessment	98.5 km W. of Newman	-23.07055	118.8211	5/08/2011
T116569	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops nyangumarta	epigean	widespread	W.A. Museum assessment	Mudlark, 98 km WNW. of Newman	-23.07306	118.82	6/07/2011
T116568	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops nyangumarta	epigean	widespread	W.A. Museum assessment	Mudlark, 98 km WNW. of Newman	-23.07306	118.82	6/07/2011
T116567	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops nyangumarta	epigean	widespread	W.A. Museum assessment	Mudlark, 96 km WNW. of Newman	-23.04028	118.8517	5/07/2011
T130404	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops nyangumarta	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7259	118.984	14/05/2013
T117875	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops nyangumarta	epigean	widespread	W.A. Museum assessment	98.5 km W. of Newman	-23.07055	118.8211	5/08/2011
T117876	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops nyangumarta	epigean	widespread	W.A. Museum assessment	98.5 km W. of Newman	-23.07055	118.8211	5/08/2011
T134072	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops nyangumarta	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.74614	119.0084	2/04/2014
T117878	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops nyangumarta	epigean	widespread	W.A. Museum assessment	98.5 km W. of Newman	-23.07055	118.8211	5/08/2011
T134063	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops nyangumarta	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.72283	118.9751	8/09/2014
T149408	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops nyangumarta	epigean	widespread	W.A. Museum assessment	82.5 km NW. of Newman	-23.04504	118.9991	14/03/2019
T112019	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops nyiyaparli	epigean	widespread	W.A. Museum assessment	115 km N. of Newman	-22.31347	119.7886	25/03/2011
T111455	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops nyiyaparli	epigean	widespread	W.A. Museum assessment	Bonney Downs, 115 km NNW. of Newman	-22.33333	119.65	22/03/2011
T123594	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops nyiyaparli	epigean	widespread	W.A. Museum assessment	BHP Main Rail, 208 km SSE. of Port Hedland	-22.20485	119.0299	23/04/2012
T123596	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops nyiyaparli	epigean	widespread	W.A. Museum assessment	BHP Main Rail, 190 km SSE. of Port Hedland	-22.02648	119.0029	23/04/2012
T155589	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops nyiyiparli	epigean	widespread	W.A. Museum assessment	Bonney Downs Station, Roy Hill Railway line, c. 14 km SW. of Bonney Downs homestead	-22.29675	119.8754	16/05/2016
T155606	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops nyiyiparli	epigean	widespread	W.A. Museum assessment	beside BHP Rail Line, c. 59 km SSW. of Mt Webber	-22.13704	119.0245	17/05/2016
T76978	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	NW. of Newman, Ore Body 24, site 1 (waypoint 119)	-23.2911	119.7647	9/03/2006
T97630	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Phils Creek, Pilbara, Ecologia project 1038	-22.74191	119.2068	4/04/2009
T97629	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Phils Creek, Pilbara, Ecologia project 1038	-22.7316	119.1931	4/04/2009
T76982	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	NE. of Newman, Ore Body 25, site 5 (waypoint 133)	-23.3222	119.7703	11/03/2006
T76980	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	NE. of Newman, Ore Body 25, site 1 (waypoint 128)	-23.3219	119.7669	12/03/2006
T76981	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	NE. of Newman, Ore Body 25, site 1 (waypoint 128)	-23.3219	119.7669	12/03/2006
T76979	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	NW. of Newman, Ore Body 24, site 1 (waypoint 119)	-23.2911	119.7647	9/03/2006
T77791	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Yandi, 24 km SW. of Marillana, YEX75	-22.83	119.26	30/08/2004
T79406	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	0.5 km NW. of Weeli Wolli Spring, Pilbara Biological Survey site RHNC11	-22.91472	119.2089	1/09/2003
T97631	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Phils Creek, Pilbara, Ecologia project 1038	-22.7361	119.1834	4/04/2009
T97632	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Phils Creek, Pilbara, Ecologia project 1038	-22.73661	119.1811	4/04/2009
T155578	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	small outcrop beside road, c. 47 km NNW. of Newman, on Great Northern Highway	-23.15187	119.3295	15/05/2016
T155584	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	"Cathedral Gorge", outcrop beside road, c. 14 km NW. of Newman	-23.27517	119.6249	15/05/2016
T136193	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Hillside Station, ca. 60 km W. of Nullagine	-21.89619	119.3531	23/05/2014
T155583	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	"Cathedral Gorge", outcrop beside road, c. 14 km NW. of Newman	-23.27517	119.6249	15/05/2016
T155567	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, c. 27 km NW. of Mt Meharry on W. side of Juna Downs Road, "Wildflower Range"	-22.7939	118.4224	14/05/2016
T116574	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 98 km WNW. of Newman	-23.07306	118.825	6/07/2011
T116573	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 98 km WNW. of Newman	-23.07306	118.825	6/07/2011
T140244	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	genus contains SREs and potential SREs	South Flank, ca. 95 km NW. of Newman	-22.96958	118.9445	16/03/2016
T140243	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	genus contains SREs and potential SREs	South Flank, ca. 95 km NW. of Newman	-22.96097	118.9173	16/03/2016
T140242	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	genus contains SREs and potential SREs	South Flank, ca. 95 km NW. of Newman	-22.96206	118.9125	16/03/2016
T122810	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	119.4 km NW. of Newman	-22.93389	118.6639	31/03/2012
T116572	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 98 km WNW. of Newman	-23.07306	118.825	6/07/2011

T155582	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	"Cathedral Gorge", outcrop beside road, c. 14 km NW. of Newman	-23.27517	119.6249	15/05/2016
T155566	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, Dales Gorge	-22.47811	118.5621	14/05/2016
T136518	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 113.4 km E. of Tom Price	-22.68634	118.8932	7/05/2012
T155581	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	small outcrop beside road, c. 47 km NNW. of Newman, on Great Northern Highway	-23.15187	119.3295	15/05/2016
T155580	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	small outcrop beside road, c. 47 km NNW. of Newman, on Great Northern Highway	-23.15187	119.3295	15/05/2016
T115976	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Angelo River	-23.26478	118.7539	20/06/2011
T115975	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Angelo River	-23.29012	118.6822	20/06/2011
T130972	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32131	120.0082	19/03/2013
T155577	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	small outcrop beside road, c. 47 km NNW. of Newman, on Great Northern Highway	-23.15187	119.3295	15/05/2016
T155587	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	c. 3 km NNW. of Opthalmia Dam	-23.31467	119.869	15/05/2016
T155571	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	c. 5 km NNW. of Mt Meharry, hillside at E. bend of Mt Meharry track	-22.93915	118.5673	14/05/2016
T155570	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	c. 5 km NNW. of Mt Meharry, hillside at E. bend of Mt Meharry track	-22.93915	118.5673	14/05/2016
T155590	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Bonney Downs Station, Roy Hill Railway line, c. 14 km SW. of Bonney Downs homestead	-22.29675	119.8754	16/05/2016
T155569	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, c. 27 km NW. of Mt Meharry on Juna Downs Road, "Wildflower Range"	-22.7939	118.4224	14/05/2016
T155591	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Bonney Downs Station, Roy Hill Railway line, c. 14 km SW. of Bonney Downs homestead	-22.29675	119.8754	16/05/2016
T155592	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Bonney Downs Station, Roy Hill Railway line, c. 14 km SW. of Bonney Downs homestead	-22.29675	119.8754	16/05/2016
T155593	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Bonney Downs Station, Roy Hill Railway line, c. 14 km SW. of Bonney Downs homestead	-22.29675	119.8754	16/05/2016
T155594	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Bonney Downs Station, Roy Hill Railway line, c. 13 km SW. of Bonney Downs homestead	-22.28739	119.885	16/05/2016
T155595	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Bonney Downs Station, Roy Hill Railway line, c. 13 km SW. of Bonney Downs homestead	-22.28739	119.885	16/05/2016
T155596	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Bonney Downs Station, Roy Hill Railway line, c. 13 km SW. of Bonney Downs homestead	-22.28739	119.885	16/05/2016
T155576	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	small outcrop beside road, c. 47 km NNW. of Newman, on Great Northern Highway	-23.15187	119.3295	15/05/2016
T155604	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	beside BHP Rail Line, c. 59 km SSW. of Mt Webber	-22.13704	119.0245	17/05/2016
T117880	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	98.5 km W. of Newman	-23.07055	118.8211	5/08/2011
T155586	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	"Cathedral Gorge", outcrop beside road, c. 14 km NW. of Newman	-23.27517	119.6249	15/05/2016
T155585	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	"Cathedral Gorge", outcrop beside road, c. 14 km NW. of Newman	-23.27517	119.6249	15/05/2016
T117877	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	98.5 km W. of Newman	-23.07055	118.8211	5/08/2011
T155572	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	c. 5 km NNW. of Mt Meharry, hillside at E. bend of Mt Meharry track	-22.93915	118.5673	14/05/2016
T155574	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	small outcrop beside road, c. 47 km NNW. of Newman, on Great Northern Highway	-23.15187	119.3295	15/05/2016
T155605	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	beside BHP Rail Line, c. 59 km SSW. of Mt Webber	-22.13704	119.0245	17/05/2016
T155575	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	small outcrop beside road, c. 47 km NNW. of Newman, on Great Northern Highway	-23.15187	119.3295	15/05/2016
T131096	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Orebody 25, ca. 5 km N. of Newman	-23.33228	119.7798	29/04/2013
T155607	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	beside BHP Rail Line, c. 59 km SSW. of Mt Webber	-22.13704	119.0245	17/05/2016
T155588	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Bonney Downs Station, Roy Hill Railway line, c. 14 km SW. of Bonney Downs homestead	-22.29843	119.8724	16/05/2016
T155568	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, c. 27 km NW. of Mt Meharry on Juna Downs Road, "Wildflower Range"	-22.7939	118.4224	14/05/2016
T155597	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Bonney Downs Station, Roy Hill Railway line, c. 13 km SW. of Bonney Downs homestead	-22.28739	119.885	16/05/2016
T131507	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32157	120.0226	27/08/2013
T132728	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Ophthalmia Range, ca. 20 km N. of Newman	-23.17531	119.7338	25/03/2014
T155565	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, Dales Gorge	-22.47811	118.5621	14/05/2016
T122807	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	127.1 km NW. of Newman	-22.83694	118.6286	30/03/2012

Western Australian Museum Database Search Interpreted Results

T155579	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	small outcrop beside road, c. 47 km NNW. of Newman, on Great Northern Highway	-23.15187	119.3295	15/05/2016
T131511	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32045	120.0389	27/08/2013
T155559	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, Dales Gorge	-22.47811	118.5621	14/05/2016
T155560	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, Dales Gorge	-22.47811	118.5621	14/05/2016
T155561	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, Dales Gorge	-22.47811	118.5621	14/05/2016
T155562	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, Dales Gorge	-22.47811	118.5621	14/05/2016
T155564	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, Dales Gorge	-22.47811	118.5621	14/05/2016
T121790	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	87.5 km NW. of Newman, Area C, site SUR 19	-22.90556	119.0286	18/02/2010
T131493	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32064	119.9962	27/08/2013
T122806	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	127.1 km NW. of Newman	-22.83694	118.6286	30/03/2012
T155563	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, Dales Gorge	-22.47811	118.5621	14/05/2016
T134100	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.74478	119.0726	8/09/2014
T123595	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	BHP Main Rail, 190 km SSE. of Port Hedland	-22.05214	118.9871	23/04/2012
T124818	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	67.5 km ESE. of Paraburdoo, site 1000-tur03	-23.32424	118.3173	23/06/2012
T123838	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	100 km N. of Newman	-22.41707	119.8941	10/04/2011
T122804	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	129.2 km NW. of Newman	-22.83167	118.6025	30/03/2012
T124821	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	63 km E. of Paraburdoo, site 1000-tuX1	-23.20412	118.2882	1/04/2012
T122369	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 98.4 km NW. of Newman	-23.07136	118.8221	6/02/2012
T122368	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 98.5 km NW. of Newman	-23.07172	118.8221	6/02/2012
T122805	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Karaops sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	129.2 km NW. of Newman	-22.83167	118.6025	30/03/2012
T139719	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.82997	119.0735	2/04/2015
T139721	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.82997	119.0735	2/04/2015
T139722	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.81465	119.1166	2/09/2015
T139712	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.83268	119.1297	3/09/2015
T139723	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.81465	119.1166	2/09/2015
T139720	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.82997	119.0735	2/04/2015
T139718	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.82664	119.072	2/04/2015
T139717	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.82555	119.1488	2/09/2015
T139716	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.82555	119.1488	2/09/2015
T139724	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.84775	119.1102	1/09/2015
T139715	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.82825	119.144	2/09/2015
T139714	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.82825	119.144	2/09/2015
T139709	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.8156	119.082	31/08/2015
T139710	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.81782	119.0947	1/09/2015
T139711	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.84092	119.1019	1/09/2015
T139713	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.82825	119.144	2/09/2015
T139737	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.83915	119.1399	3/09/2015
T139736	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.84442	119.1288	3/09/2015
T139735	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.84158	119.1336	3/09/2015
T139732	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.82565	119.1402	2/09/2015
T139734	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.83694	119.1392	3/09/2015
T139725	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.81216	119.0723	31/08/2015
T139733	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.83694	119.1392	3/09/2015
T139731	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.84279	119.1159	1/09/2015
T139730	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.84279	119.1159	1/09/2015
T139729	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.83547	119.1204	2/09/2015
T139728	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.82743	119.1276	2/09/2015
T139727	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.81253	119.0985	31/08/2015
T139726	Arachnida	Araneae (spiders)	Araneae	Selenopidae	Selenopidae sp.	epigean	potential SRE: DD	Family contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.81253	119.0985	31/08/2015
T113579	Arachnida	Araneae (spiders)	Araneae	Theraphosidae	Selenotholus 'MYG381'	epigean	potential SRE: DD	W.A. Museum assessment	South Parmelia, 58 km NW. of Newman	-23.06194	119.2714	13/04/2011
T113581	Arachnida	Araneae (spiders)	Araneae	Theraphosidae	Selenotholus 'MYG381'	epigean	potential SRE: DD	W.A. Museum assessment	South Parmelia, 58 km NW. of Newman	-23.06167	119.2708	13/04/2011
T147689	Arachnida	Araneae (spiders)	Araneae	Theraphosidae	Theraphosidae sp.	epigean	potential SRE: DD	Family contains at least one otential SRE in the Pilbara	81 km WNW. of Newman	-23.05667	119.0042	15/03/2019
T17788	Arachnida	Harvestmen	Opiliones	Indet	Opiliones sp.	epigean	Potential SRE: DD	Order likely to contain SREs and potential SREs	West Angelas	-22.9833	118.25	1/12/1979
T135640	Arachnida	Harvestmen	Opiliones	`Assamiidae?`	Assamiidae sp.	epigean	Potential SRE: DD	Family likely to contain SREs and potential SREs	Karijini National Park, Dales Gorge, Circular Pool	-22.47583	118.5619	18/03/2015
T112014	Arachnida	Harvestmen	Opiliones	Indet	Opiliones sp.	epigean	Potential SRE: DD	Order likely to contain SREs and potential SREs	114 km NNW. of Newman	-22.32572	119.7392	22/03/2011
T138639	Arachnida	Harvestmen	Opiliones	`Phalangodidae`	Phalangodidae 'S2`	epigean	Potential SRE: DD	Family likely to contain SREs and potential SREs	North Shaw, Quarry 8, 200 km S. of Port Hedland	-22.10292	119.004	3/06/2008
T101037	Arachnida	Harvestmen	Opiliones	Assamiidae	Assamiidae sp.	epigean	Potential SRE: DD	Family likely to contain SREs and potential SREs	Chichester Range, Cloud Break mine area@	-22.26472	119.3003	4/07/2006

Western Australian Museum Database Search Interpreted Results

T101051	Arachnida	Harvestmen	Opiliones	Assamiidae	Assamiidae sp.	epigean	Potential SRE: DD	Family likely to contain SREs and potential SREs	Chichester Range, Cloud Break mine area@	-22.32333	119.4428	6/07/2006
T54029	Arachnida	Harvestmen	Opiliones	Assamiidae	Assamiidae sp.	epigean	Potential SRE: DD	Family likely to contain SREs and potential SREs	Chichester Range, ca. 40 km E. of Peak Hester, site HDD 2	-22.09	118.9925	1/05/2003
T132230	Arachnida	Harvestmen	Opiliones	Assamiidae	Assamiidae sp.	epigean	Potential SRE: DD	Family likely to contain SREs and potential SREs	Chichester Range, Cloudbreak mine lease, site 35	-22.33333	119.4194	8/09/2006
T135459	Arachnida	Harvestmen	Opiliones	Assamiidae	Assamiidae sp.	epigean	Potential SRE: DD	Family likely to contain SREs and potential SREs	Karijini National Park, Dales Gorge, Circular Pool	-22.47583	118.5619	12/03/2015
T145731	Arachnida	Harvestmen	Opiliones	Assamiidae	Assamiidae sp.	epigean	Potential SRE: DD	Family likely to contain SREs and potential SREs	Koodaideri, c. 120 km NW. of Newman	-22.53028	118.9694	20/03/2014
T135448	Arachnida	Harvestmen	Opiliones	Assamiidae	Assamiidae sp.	epigean	Potential SRE: DD	Family likely to contain SREs and potential SREs	Karijini National Park, Dales Gorge, Circular Pool	-22.47583	118.5619	12/03/2015
T135449	Arachnida	Harvestmen	Opiliones	Assamiidae	Assamiidae sp.	epigean	Potential SRE: DD	Family likely to contain SREs and potential SREs	Karijini National Park, Dales Gorge, Circular Pool	-22.47583	118.5619	12/03/2015
T135455	Arachnida	Harvestmen	Opiliones	Assamiidae	Assamiidae sp.	epigean	Potential SRE: DD	Family likely to contain SREs and potential SREs	Karijini National Park, Dales Gorge, Circular Pool	-22.47583	118.5619	12/03/2015
T151330	Arachnida	Harvestmen	Opiliones	Assamiidae	Dampetrus 'HBI-6519'	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Mulga Downs Station, ca. 31 km NW. of Munjina	-22.12727	118.6273	16/03/2020
T126753	Arachnida	Harvestmen	Opiliones	Assamiidae	Dampetrus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	4.5 km SW. of Redmont Airport, site 994-08	-22.00204	118.9813	15/04/2012
T123598	Arachnida	Harvestmen	Opiliones	Assamiidae	Dampetrus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	BHP Main Rail, 170 km SSE. of Port Hedland	-21.91512	118.9686	23/04/2012
T153980	Arachnida	Palpigrade	Palpigradi	Eukoeneniidae	Eukoenenia sp.	epigean	potential SRE: DD	W.A. Museum assessment	Karijini National Park, Mt Meharry, 150 m E. of summit	-22.97944	118.5889	31/05/2021
T82329	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Indet	Pseudoscorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Fortescue Metals Group, Chichester Ridge, Port Hedland - Newman Railway (FMG19)	-22.2594	119.0267	12/03/2004
T73317	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Indet	Pseudoscorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Hamersley Range, The Governor, cliff base face	-23.07972	118.81083	12/09/2005
T144088	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Indet	Pseudoscorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Cloudbreak, Northern Tenements, 15 km N. of Fortescue Marsh	-22.2409	119.2652	22/11/2016
T114941	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Indet	Pseudoscorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Yandi Mine, 86.6 km NW. of Newman (OXBF05)	-22.79889	119.1389	5/07/2008
T114942	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Indet	Pseudoscorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Yandi Mine, 86.6 km NW. of Newman (OXBF05)	-22.79889	119.1389	9/07/2008
T114940	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Indet	Pseudoscorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Yandi Mine, 86.6 km NW. of Newman (OXBF05)	-22.79889	119.1389	5/07/2008
T121755	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Indet	Pseudoscorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	87.5 km NW. of Newman, Area C, site SUR 19	-22.90556	119.0286	18/02/2010
T114938	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Indet	Pseudoscorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Yandi Mine, 86.6 km NW. of Newman (OXBF05)	-22.79889	119.1389	9/07/2008
T114943	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Indet	Pseudoscorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Yandi Mine, 86.6 km NW. of Newman (OXBF05)	-22.79889	119.1389	5/07/2008
T114944	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Indet	Pseudoscorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Yandi Mine, 86.6 km NW. of Newman (OXBF05)	-22.79889	119.1389	9/07/2008
T118905	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Indet	Pseudoscorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Marillana, ca. 100 km NW. of Newman	-22.36129	119.1735	10/05/2011
T143381	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Indet	Pseudoscorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	c. 44 km NNW. of Roy Hill Station homestead, 113 km NNW. of Newman	-22.33519	119.6531	22/03/2011
T143384	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Indet	Pseudoscorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	c. 40 km NNW. of Roy Hill Station homestead, 115 km NNW. of Newman	-22.31787	119.7476	24/03/2011
T132233	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Indet	Pseudoscorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Roy Hill Station, Marillana Creek area @	-22.555	119.2286	6/09/2008
T143385	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Indet	Pseudoscorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	c. 39 km NNW. of Roy Hill Station homestead, 118 km N. of Newman	-22.29548	119.8109	24/03/2011
T143386	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Indet	Pseudoscorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	c. 40 km NNW. of Roy Hill Station homestead, 115 km NNW. of Newman	-22.31347	119.7886	25/03/2011
T143382	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Indet	Pseudoscorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	c. 29 km NNE. of Roy Hill Station homestead, 112 km NNE. of Newman	-22.36219	119.9691	23/03/2011
T143380	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Indet	Pseudoscorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	c. 40 km NNW. of Roy Hill Station homestead, 114 km NNW. of Newman	-22.32572	119.7392	22/03/2011
T143379	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Indet	Pseudoscorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	c. 40 km NNW. of Roy Hill Station homestead, 114 km NNW. of Newman	-22.32633	119.7494	24/03/2011
T143376	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Indet	Pseudoscorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	c. 40 km NNW. of Roy Hill Station homestead, 115 km NNW. of Newman	-22.31787	119.7476	24/03/2011
T143368	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Indet	Pseudoscorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	c. 40 km NNW. of Roy Hill Station homestead, 114 km NNW. of Newman	-22.32572	119.7392	22/03/2011

Western Australian Museum Database Search Interpreted Results

T137628	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Indet	Pseudoscorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Yandi mine [lease], 86.6 km NW. of Newman	-22.79889	119.1389	5/07/2008
T114937	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Indet	Pseudoscorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Yandi Mine, 88 km NW. of Newman (OXBF04)	-22.78889	119.1369	9/07/2008
T143383	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Indet	Pseudoscorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	c. 40 km NNW. of Roy Hill Station homestead, 115 km NNW. of Newman	-22.31787	119.7476	24/03/2011
T128128	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Indet	Pseudoscorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	ca. 15 km NE. of Roy Hill	-22.51156	120.0362	18/04/2013
T149450	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Anatemnus sp.	epigean	Potential SRE: DD	Family contains SRE representatives	78.5 km NW. of Newman	-23.08382	119.0235	17/03/2019
T128278	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Atemnidae sp.	epigean	Potential SRE: DD	Family contains SRE representatives	ca. 18 km N. of Wittenoom	-22.05	118.309	20/05/2013
T128282	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Atemnidae sp.	epigean	Potential SRE: DD	Family contains SRE representatives	ca. 18 km N. of Wittenoom	-22.1	118.3878	20/05/2013
T128281	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Atemnidae sp.	epigean	Potential SRE: DD	Family contains SRE representatives	ca. 18 km N. of Wittenoom	-22.06667	118.3876	20/05/2013
T128246	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Atemnidae sp.	epigean	Potential SRE: DD	Family contains SRE representatives	ca. 18 km N. of Wittenoom	-22.1	118.3878	20/05/2013
T128245	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Atemnidae sp.	epigean	Potential SRE: DD	Family contains SRE representatives	ca. 18 km N. of Wittenoom	-22.06667	118.3876	20/05/2013
T128229	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Atemnidae sp.	epigean	Potential SRE: DD	Family contains SRE representatives	ca. 18 km N. of Wittenoom	-22.05	118.388	20/05/2013
T128279	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Atemnidae sp.	epigean	Potential SRE: DD	Family contains SRE representatives	ca. 18 km N. of Wittenoom	-22.06667	118.3876	20/05/2013
T123603	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus 'PSE060'	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	BHP Main Rail, 170 km SSE. of Port Hedland	-21.87316	118.938	23/04/2012
T123602	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus 'PSE061'	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	BHP Main Rail, 170 km SSE. of Port Hedland	-21.91512	118.9686	23/04/2012
T123601	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus 'PSE061'	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	BHP Main Rail, 170 km SSE. of Port Hedland	-21.91512	118.9686	23/04/2012
T112023	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	118 km N. of Newman	-22.29725	119.8633	24/03/2011
T109489	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Cloudbreak mine lease, c. 87 km SW. of Nullagine	-22.39737	119.4634	26/10/2010
T107242	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Fortescue Marsh, ca. 50 km NE. of Newman	-22.17161	119.1022	12/05/2010
T107232	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Chichester Range	-22.85863	119.6728	20/04/2010
T107265	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Fortescue Marsh, ca. 50 km NE. of Newman	-22.13221	119.1983	12/05/2010
T112024	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	118 km N. of Newman	-22.29725	119.8633	24/03/2011
T101053	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Chichester Range, Cloud Break mine area@	-22.32167	119.4419	6/07/2006
T93761	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Murray Hills, Mulga Downs Station, Ecologia project 1142	-22.12919	118.5051	19/04/2009
T101046	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Chichester Range, Cloud Break mine area@	-22.32111	119.4439	6/07/2006
T107239	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Chichester Range	-22.85863	119.6728	20/04/2010
T104886	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site13-P5	-23.39471	119.6384	12/03/2010

Western Australian Museum Database Search Interpreted Results

T93272	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Roy Hill Station, Ecologia Project 1106	-22.53832	119.9424	26/05/2009
T108019	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Chichester Range	-22.92727	119.7217	20/04/2010
T107142	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Fortescue Marsh	-22.48899	119.0858	22/04/2010
T111834	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Christmas Creek, 110 km N. of Newman	-22.43144	119.9154	8/04/2011
T96844	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	ca. 60 km ESE. of Auski Roadhouse, East Pilbara (Ecologia 974)	-22.65702	119.3083	10/10/2008
T109416	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site5-P8	-23.41007	119.5715	12/03/2010
T109415	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site8-P4	-23.41555	119.5917	14/03/2010
T109414	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site12-P5	-23.39936	119.5844	12/03/2010
T109413	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site5-P3	-23.41051	119.5716	12/03/2010
T109412	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site12-P2	-23.39946	119.5844	12/03/2010
T109411	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site12-P10	-23.39944	119.5843	12/03/2010
T109410	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site5-P2	-23.41063	119.5715	12/03/2010
T109409	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site13-P8	-23.39457	119.639	12/03/2010
T93566	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Jinary, ca. 60 km NW. of Newman	-22.97836	119.2609	31/08/2008
T100115	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Roy Hill, Ecologia project 1209	-22.74864	119.922	20/11/2009
T100124	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Roy Hill, Ecologia project 1209	-22.73957	119.9264	20/11/2009
T96796	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Maralina Station, 60 km ESE. of Auski Roadhouse, project 974	-22.55305	119.2228	6/09/2008
T96845	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	ca. 60 km ESE. of Auski Roadhouse, East Pilbara (Ecologia 974)	-22.62928	119.278	10/10/2008
T111837	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Christmas Creek, 110 km N. of Newman	-22.34728	119.6333	10/04/2011
T96840	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	ca. 60 km ESE. of Auski Roadhouse, East Pilbara (Ecologia 974)	-22.62603	119.2834	10/10/2008
T96839	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	ca. 60 km ESE. of Auski Roadhouse, East Pilbara (Ecologia 974)	-22.56664	119.2327	10/10/2008
T96799	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Maralina Station, 60 km ESE. of Auski Roadhouse, project 974	-22.56639	119.2308	30/06/2008

Western Australian Museum Database Search Interpreted Results

T107233	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Chichester Range	-22.85863	119.6728	20/04/2010
T96797	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Maralina Station, 60 km ESE. of Auski Roadhouse, project 974	-22.56889	119.2325	6/09/2008
T93985	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Chichester Range, Pilbara, site 17	-22.14652	119.0184	13/07/2008
T109023	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Cloudbreak mine lease, c. 87 km SW. of Nullagine	-22.39737	119.4634	26/10/2010
T93449	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Hope Downs 4, ca. 30 km NW. of Newman, HD4-3 Gully, 12	-23.15347	119.5329	17/09/2008
T107224	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Chichester Range	-23.32892	119.8398	20/04/2010
T93448	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Hope Downs 4, ca. 30 km NW. of Newman, HD4 Eagle Rock Falls	-23.10302	119.5821	18/09/2008
T107228	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Chichester Range	-23.32892	119.8398	20/04/2010
T109054	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Cloudbreak [Chichester Range]	-22.32517	119.4458	26/10/2010
T91901	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	10 km NE. of Newman, Ore-body 24, site 05-5C	-23.31192	119.7934	26/06/2008
T94698	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.58611	119.2506	6/09/2008
T109498	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Cloudbreak mine lease, c. 86 km SW. of Nullagine	-22.40119	119.4756	26/10/2010
T94711	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.58611	119.2506	6/09/2008
T94729	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	ca. 60 km ESE. of Auski Roadhouse, East Pilbara (Ecologia 974)	-22.57394	119.2562	3/09/2008
T110548	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Chichester Range, Cloud Break mine area, station FMG #13, NE. slope	-22.29803	119.3922	5/07/2006
T91900	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	10 km NE. of Newman, Ore-body 24, site 05-5B	-23.31192	119.7934	26/06/2008
T112025	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	118 km N. of Newman	-22.29725	119.8633	24/03/2011
T94727	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	ca. 60 km ESE. of Auski Roadhouse, East Pilbara (Ecologia 974)	-22.30592	119.3059	7/08/2008
T107263	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Fortescue Marsh, ca. 50 km NE. of Newman	-22.01871	119.0342	12/05/2010
T94721	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.56639	119.2308	30/06/2008
T94728	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	ca. 60 km ESE. of Auski Roadhouse, East Pilbara (Ecologia 974)	-22.58514	119.3142	7/08/2008

Western Australian Museum Database Search Interpreted Results

T107271	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Fortescue Marsh, ca. 50 km NE. of Newman	-22.13221	119.1983	12/05/2010
T107270	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Fortescue Marsh, ca. 50 km NE. of Newman	-22.10906	119.2235	12/05/2010
T94725	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.58694	119.2508	30/06/2008
T99244	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Roy Hill	-22.63723	119.9836	29/10/2009
T94699	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.56639	119.2308	6/09/2008
T94715	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.55389	119.2283	6/09/2008
T94710	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.62667	119.2789	6/09/2008
T94713	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.58528	119.2508	6/09/2008
T94706	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.58528	119.2508	30/06/2008
T94723	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.58694	119.2508	30/06/2008
T114688	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Angelo River, 100 km W. of Newman	-23.28798	118.754	20/06/2011
T114691	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Angelo River, 97 km W. of Newman	-23.31283	118.7808	20/06/2011
T122315	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Koodaideri Corridor West, 116.6 km NE. of Tom Price	-22.41653	118.8796	20/02/2012
T130112	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	SW Jimblebar, ca. 35 km E. of Newman	-23.41331	120.0447	15/02/2013
T130111	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	SW Jimblebar, ca. 35 km E. of Newman	-23.39914	120.0246	15/02/2013
T130110	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	SW Jimblebar, ca. 35 km E. of Newman	-23.399	120.0292	15/02/2013
T130094	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	SW Jimblebar, ca. 35 km E. of Newman	-23.41331	120.0447	15/02/2013
T130093	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	SW Jimblebar, ca. 35 km E. of Newman	-23.399	120.0292	15/02/2013
T130394	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.7259	118.984	14/05/2013
T126381	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Christmas Creek, 110 km N. Newman	-22.34728	119.6333	10/04/2011
T122322	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Koodaideri Corridor West, 116.6 km NE. of Tom Price	-22.41653	118.8796	20/02/2012
T126755	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	6 km SW. of Redmont Airport, site 994-10	-22.01957	118.9816	15/04/2012

Western Australian Museum Database Search Interpreted Results

T122187	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Area C West to Yandi, 110 km NW. of Newman	-22.7425	118.88	5/02/2012
T122185	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Area C West to Yandi, 110 km NW. of Newman	-22.7425	118.88	5/02/2012
T126488	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	67.5 km ESE. of Paraburdoo, site 1000-tur03	-23.32424	118.3173	23/06/2012
T126487	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	57 km E. of Paraburdoo, site 1000-tur09	-23.23015	118.2276	27/04/2012
T126486	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	57 km E. of Paraburdoo, site 1000-tur09	-23.23015	118.2276	21/06/2012
T126484	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	57 km E. of Paraburdoo, site 1000-tur09	-23.23015	118.2276	27/04/2012
T118345	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	ca. 120 km NW. of Newman	-22.88139	118.8044	5/04/2012
T122194	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Area C West to Yandi, 110 km NW. of Newman	-22.7425	118.88	5/02/2012
T126481	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	67.5 km ESE. of Paraburdoo, site 1000-tur03	-23.32424	118.3173	23/06/2012
T149475	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	79.9 km NW. of Newman	-23.07775	119.0114	16/03/2019
T122184	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Area C West to Yandi, 110 km NW. of Newman	-22.7425	118.88	5/02/2012
T122182	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Area C West to Yandi, 110 km NW. of Newman	-22.7425	118.8814	8/02/2012
T122181	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Area C West to Yandi, 110 km NW. of Newman	-22.7425	118.88	5/02/2012
T122179	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Area C West to Yandi, 110 km NW. of Newman	-22.7425	118.88	5/02/2012
T118901	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Marillana, ca. 100 km NW. of Newman	-22.31811	119.114	14/06/2011
T118900	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Marillana, ca. 100 km NW. of Newman	-22.34929	119.1511	19/05/2011
T118879	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Marillana, ca. 100 km NW. of Newman	-22.42599	119.2031	22/05/2011
T118877	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Marillana, ca. 100 km NW. of Newman	-22.42958	119.1923	23/05/2011
T126485	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	63.5 km ESE. of Paraburdoo, site 1000-tur01	-23.28848	118.2849	22/06/2012
T146554	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Greater Hope Downs, Hope Downs 1 mine, ca. 81.4 km NW. of Newman	-23.07826	118.9955	25/05/2018
T126482	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	57 km E. of Paraburdoo, site 1000-tur09	-23.23015	118.2276	27/04/2012
T122318	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Koodaideri Corridor West, 116.6 km NE. of Tom Price	-22.41653	118.8796	20/02/2012

Western Australian Museum Database Search Interpreted Results

T129092	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Christmas Creek, 110 km N. Newman	-22.34728	119.6333	10/04/2011
T115838	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Wonmunna, ca. 78 km heading 288° from Newman	-23.14284	119.0099	18/05/2011
T128740	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	ca. 56 km NE. of Auski Roadhouse	-21.92352	118.9326	13/04/2013
T115839	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Wonmunna, ca. 81 km, heading 286° from Newman	-23.15965	118.9703	18/05/2011
T115840	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Wonmunna, ca. 79 km heading 286° from Newman	-23.15466	118.9932	18/05/2011
T115841	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Wonmunna, ca. 79 km heading 286° from Newman	-23.15466	118.9932	18/05/2011
T115842	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Wonmunna, ca. 78 km heading 288° from Newman	-23.14284	119.0099	18/05/2011
T115843	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Wonmunna, ca. 79 km heading 286° from Newman	-23.15466	118.9932	18/05/2011
T115844	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Wonmunna, ca. 79 km heading 286° from Newman	-23.15466	118.9932	18/05/2011
T122192	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Area C West to Yandi, 110 km NW. of Newman	-22.7425	118.88	5/02/2012
T122323	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Koodaideri Corridor West, 116.6 km NE. of Tom Price	-22.41653	118.8796	20/02/2012
T115837	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Wonmunna, ca. 81 km, heading 286° from Newman	-23.15965	118.9703	18/05/2011
T122313	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Koodaideri Corridor West, 116.6 km NE. of Tom Price	-22.41653	118.8796	20/02/2012
T122312	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Koodaideri Corridor West, 116.6 km NE. of Tom Price	-22.41653	118.8796	20/02/2012
T122304	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Koodaideri Corridor West, 116.6 km NE. of Tom Price	-22.41653	118.8796	20/02/2012
T122303	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Koodaideri Corridor West, 116.6 km NE. of Tom Price	-22.41653	118.8796	20/02/2012
T122301	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Koodaideri Corridor West, 116.6 km NE. of Tom Price	-22.41653	118.8796	20/02/2012
T122299	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Koodaideri Corridor West, 116.6 km NE. of Tom Price	-22.41653	118.8796	20/02/2012
T122298	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Koodaideri Corridor West, 116.6 km NE. of Tom Price	-22.41653	118.8796	20/02/2012
T149472	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	80.3 km NW. of Newman	-23.04843	119.0211	9/03/2019
T149473	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	81.6 km NW. of Newman	-23.07701	118.9937	17/03/2019
T149474	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	79.9 km NW. of Newman	-23.07775	119.0114	16/03/2019

Western Australian Museum Database Search Interpreted Results

T115845	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Wonmunna, ca. 81 km, heading 286° from Newman	-23.15965	118.9703	18/05/2011
T136558	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Koodaideri, 80.6 km NE. of Tom Price	-22.23203	118.3919	25/10/2013
T131281	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.28646	119.8081	5/08/2013
T131007	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32914	119.7692	5/04/2013
T131008	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32746	119.7644	5/04/2013
T131409	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Orebody 19, ca. 28 km ENE. of Newman	-23.33222	120.0162	27/08/2013
T131279	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.27626	119.7414	5/08/2013
T131276	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	"Homestead", ca. 6 km N. of Newman	-23.30134	119.757	5/08/2013
T131270	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32914	119.7692	5/08/2013
T131258	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.29871	119.7516	5/08/2013
T131372	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	ca.15 km NE. of Roy Hill	-22.51667	120.0354	18/04/2013
T131835	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32201	119.7775	5/04/2013
T131277	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.28526	119.7435	5/08/2013
T140233	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	South Flank, ca. 95 km NW. of Newman	-23.00556	118.8275	16/03/2016
T140232	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	South Flank, ca. 95 km NW. of Newman	-23.00556	118.8275	16/03/2016
T140229	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	South Flank, ca. 95 km NW. of Newman	-23.03278	118.7928	16/03/2016
T140227	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	South Flank, ca. 95 km NW. of Newman	-23.01808	118.8176	16/03/2016
T132709	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Ophthalmia Range, ca. 20 km N. of Newman	-23.13989	119.6826	25/03/2014
T131032	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.28276	119.7396	29/04/2013
T132714	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Ophthalmia Range, ca. 20 km N. of Newman	-23.12322	119.6198	25/03/2014
T132716	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Ophthalmia Range, ca. 20 km N. of Newman	-23.12228	119.6241	25/03/2014
T140238	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	South Flank, ca. 95 km NW. of Newman	-22.95386	118.889	16/03/2016

Western Australian Museum Database Search Interpreted Results

T131319	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	"Homestead", ca. 6 km N. of Newman	-23.30706	119.7536	5/08/2013
T126483	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	57 km E. of Paraburdoo, site 1000-tur09	-23.23015	118.2276	27/04/2012
T131004	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.27956	119.799	5/04/2013
T131003	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.27934	119.7946	5/04/2013
T130995	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.28263	119.7389	5/04/2013
T131338	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	ca.15 km NE. of Roy Hill	-22.48333	120.0185	18/04/2013
T134172	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T130993	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	"Homestead", ca. 6 km N. of Newman	-23.31273	119.7462	5/04/2013
T134813	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.72	118.9618	8/09/2014
T130992	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	"Homestead", ca. 6 km N. of Newman	-23.30226	119.7252	5/04/2013
T131005	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.29096	119.8613	5/04/2013
T131321	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Oratemnus sp.	epigean	Potential SRE: DD	genus contains multiple undescribed species in W.A., some may be SREs (Alacran unpublished data)	"Homestead", ca. 6 km N. of Newman	-23.31893	119.7475	5/08/2013
T76972	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Paratemnoides sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Kalamina Gorge, Karijini National Park	-22.41711	118.40173	7/07/2006
T76970	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Atemnidae	Paratemnoides sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Kalamina Gorge, Karijini National Park	-22.41711	118.40173	7/07/2006
T112027	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Cheiridiidae	Cheiridiidae sp.	epigean	widespread	W.A. Museum assessment	Roy Hill, ca. 110 km N. of Newman	-22.38718	119.9664	29/04/2011
T118352	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Cheiridiidae	Cheiridiidae sp.	epigean	widespread	W.A. Museum assessment	ca. 120 km NW. of Newman	-22.80639	118.8853	6/04/2012
T122173	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Austrochernes 'PSE072'	epigean	Potential SRE: DD	W.A. Museum assessment	South Parmelia, 67.4 km NW. of Newman	-23.0325	119.1781	3/02/2012
T122172	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Austrochernes 'PSE072'	epigean	Potential SRE: DD	W.A. Museum assessment	South Parmelia, 52.1 km NW. of Newman	-23.03389	119.1761	3/02/2012
T122169	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Austrochernes 'PSE072'	epigean	Potential SRE: DD	W.A. Museum assessment	South Parmelia, 67.4 km NW. of Newman	-23.0325	119.1781	3/02/2012
T122167	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Austrochernes 'PSE072'	epigean	Potential SRE: DD	W.A. Museum assessment	South Parmelia, 67.4 km NW. of Newman	-23.0325	119.1781	3/02/2012
T122174	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Austrochernes 'PSE072'	epigean	Potential SRE: DD	W.A. Museum assessment	South Parmelia, 67.4 km NW. of Newman	-23.0325	119.1781	3/02/2012
T112028	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Austrochernes sp.	epigean	Potential SRE: DD	Presence of SRE or potential SRE species in this genus	Roy Hill, ca. 110 km N. of Newman	-22.31347	119.7886	24/03/2011
T134032	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Austrochernes sp.	epigean	Potential SRE: DD	Presence of SRE or potential SRE species in this genus	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T76966	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'PSE131'	epigean	Potential SRE: DD	W.A. Museum assessment	Kalamina Gorge, upstream, Karijini National Park	-22.42583	118.39583	9/07/2006
T65259	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'slender chela'	epigean	Potential SRE: DD	W.A. Museum assessment	Kalamina Gorge, upstream, Karijini National Park	-22.42583	118.39583	9/07/2006
T65258	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'slender chela'	epigean	Potential SRE: DD	W.A. Museum assessment	Kalamina Gorge, upstream, Karijini National Park	-22.42583	118.39583	9/07/2006

Western Australian Museum Database Search Interpreted Results

T76963	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF sp.	epigean	Potential SRE: DD	W.A. Museum assessment	Weano Gorge, upstream, Karijini National Park	-22.35262	118.28506	9/07/2006
T62924	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF sp.	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana Creek, Marillana Station, Yandi Extension site YEX80	-22.7819	119.2561	1/09/2004
T62919	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF sp.	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana Station, 23 km SW. of Marillana Homestead, Yandi Extension site YEX85	-22.7933	119.2583	3/09/2004
T62907	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'sp. 1'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana Station, 23 km SW. of Marillana Homestead, Yandi Extension site YEX81	-22.7877	119.2539	2/09/2004
T62920	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'sp. 1'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana Creek, Marillana Station, Yandi Extension site YEX80	-22.7819	119.2561	1/09/2004
T62925	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'sp. 1'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana Station, 23.1 km SW. of Marillana Homestead, Yandi Extension site YEX86	-22.7813	119.2436	3/09/2004
T73306	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'sp. 1'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana Station, 23.3 km SW. of Marillana Homestead (RTYE23, Yandi YEX84)	-22.78714	119.24685	2/09/2004
T62916	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'sp. 1'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana Station, 23 km SW. of Marillana Homestead, Yandi Extension site YEX81	-22.7877	119.2539	2/09/2004
T62912	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'sp. 1'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana Creek, Marillana Station, 22.5 km SW. of Marillana Homestead, Yandi Extension site YEX79	-22.7819	119.2561	1/09/2004
T62915	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'sp. 1'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana Station, 23 km SW. of Marillana Homestead, Yandi Extension site YEX85	-22.7933	119.2583	3/09/2004
T62913	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'sp. 1'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana Station, 23.3 km SW. of Marillana Homestead, Yandi Extension site YEX84	-22.7872	119.2469	2/09/2004
T62918	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'sp. 1'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana Station, 23.3 km SW. of Marillana Homestead, Yandi Extension site YEX84	-22.7872	119.2469	2/09/2004
T76969	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'sp. 1'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Dales Gorge, upstream from Fernpool, Karijini National Park	-22.47749	118.54584	8/07/2006
T76968	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'sp. 1'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Dales Gorge, Karijini National Park	-22.47833	118.56167	8/07/2006
T73305	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'sp. 1'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana Station, 27 km SW. of Marillana Homestead (RTYE30, Yandi YEX87)	-22.78389	119.23639	3/09/2004
T62922	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'sp. 1'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana Creek, Marillana Station, Yandi Extension site YEX80	-22.7819	119.2561	1/09/2004
T91719	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'sp. 1'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hope Downs 4, ca. 100 km NW. of Newman, HD4-1	-23.12856	119.5601	11/05/2008
T62917	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'sp. 1'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana Creek, Marillana Station, Yandi Extension site YEX79	-22.7819	119.2561	1/09/2004
T62909	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'sp. 1'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana Station, 27 km SW. of Marillana Homestead, Yandi Extension site YEX	-22.788	119.2411	2/09/2004
T62906	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'sp. 1'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana Creek, Marillana Station, Yandi Extension site YEX80	-22.7819	119.2561	1/09/2004
T62926	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'sp. 1'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana Station, 25 km SW. of Marillana Homestead, Yandi Extension site YEX	-22.7811	119.2472	2/09/2004
T76971	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'sp. 1'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Kalamina Gorge, Karijini National Park	-22.41711	118.40173	7/07/2006
T111896	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'sp. 1'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinidi, 68.7 km NW. of Newman	-22.94278	119.2325	14/04/2011
T62923	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'sp. 1'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana Creek, Marillana Station, Yandi Extension site YEX79	-22.7819	119.2561	1/09/2004
T73303	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'sp. 1'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana Station, SW. of Marillana Homestead (RTYE30, Yandi YEX87)	-22.78389	119.23639	3/09/2004
T135642	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae PSEAAF 'sp. 1'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, Kalamina Gorge	-22.41722	118.4025	18/03/2015
T103404	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Roy Hill	-22.4321	119.8909	11/03/2010
T153978	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Karijini National Park, Mt Meharry, 150 m E. of summit	-22.97944	118.5889	31/05/2021
T153977	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Karijini National Park, Mt Meharry, 150 m E. of summit	-22.97944	118.5889	31/05/2021
T153979	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Karijini National Park, Mt Meharry, 150 m E. of summit	-22.97944	118.5889	31/05/2021
T118904	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Marillana, ca. 100 km NW. of Newman	-22.4285	119.2043	20/05/2011
T136730	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi Oxbow, 86.3 km NW. of Newman	-22.79	119.1517	30/04/2015
T153976	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Chernetidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Karijini National Park, Mt Meharry, 150 m E. of summit	-22.97944	118.5889	31/05/2021

Western Australian Museum Database Search Interpreted Results

T107401	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Haplochernes sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Hope Downs, 75.1 km NW. of Newman	-22.97556	119.1483	26/06/2010
T134168	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Haplochernes sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Yandi Oxbow, 86.8 km NW. Newman	-22.78778	119.1467	14/09/2014
T134170	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Haplochernes sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Yandi Oxbow, 89.2 km NW. Newman	-22.78222	119.1217	15/09/2014
T135624	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Haplochernes sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Karijini National Park, Karijini Drive	-22.56	118.4492	14/03/2015
T135625	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Haplochernes sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Karijini National Park, Karijini Drive	-22.56	118.4492	14/03/2015
T113221	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Haplochernes sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Southern Flank to Jinidi, 68.1 km NW. of Newman	-22.96333	119.2161	15/04/2011
T133181	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Haplochernes sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Yandi Oxbow, 89.2 km NW. Newman	-22.78222	119.1217	15/09/2014
T100101	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Nesidiochernes sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Roy Hill, Ecologia project 1209	-22.64427	119.9653	20/11/2009
T100100	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Nesidiochernes sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Roy Hill, Ecologia project 1209	-22.64308	119.9646	20/11/2009
T130398	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Nesidiochernes sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.73969	118.9999	14/05/2013
T134000	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Sundochernes 'PSE090'	epigean	Potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.72283	118.9751	8/09/2014
T149476	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chernetidae	Sundochernes sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	79.9 km NW. of Newman	-23.07775	119.0114	16/03/2019
T111454	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius 'muchmorei?'	epigean	widespread	W.A. Museum assessment	Roy Hill Mine, 75 km N. of Newman	-22.47892	119.9421	5/02/2011
T97608	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius 'PSE135, pilbara'	epigean	widespread	W.A. Museum assessment	Phils Creek, ca. 25 km SW. of Marillana Homestead	-22.73408	119.1851	2/04/2009
T131525	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius 'PSE135, pilbara'	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28 km ENE. of Newman	-23.32311	120.0081	19/03/2013
T122156	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius 'PSE135, pilbara'	epigean	widespread	W.A. Museum assessment	Southern Flank to Jinidi, 71.5 km NW. of Newman	-23.00389	119.1389	1/02/2012
T122161	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius 'PSE135, pilbara'	epigean	widespread	W.A. Museum assessment	Southern Flank to Jinidi, 71.5 km NW. of Newman	-23.00389	119.1389	1/02/2012
T134043	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius 'PSE135, pilbara'	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T127188	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius 'PSE135, pilbara'	epigean	widespread	W.A. Museum assessment	South Parmelia, 67.4 km NW. of Newman	-23.0325	119.1781	3/02/2012
T118350	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius 'PSE135, pilbara'	epigean	widespread	W.A. Museum assessment	ca. 120 km NW. of Newman	-22.85833	118.8417	4/04/2012
T122146	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius 'PSE135, pilbara'	epigean	widespread	W.A. Museum assessment	Southern Flank to Jinidi, 71.5 km NW. of Newman	-23.00389	119.1389	1/02/2012
T122159	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius 'PSE135, pilbara'	epigean	widespread	W.A. Museum assessment	Southern Flank to Jinidi, 74.7 km NW. of Newman	-23.02944	119.0931	31/01/2012
T127190	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius 'PSE135, pilbara'	epigean	widespread	W.A. Museum assessment	South Parmelia, 60.9 km NW. of Newman	-23.04778	119.2392	2/02/2012
T122150	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius 'PSE135, pilbara'	epigean	widespread	W.A. Museum assessment	Southern Flank to Jinidi, 74.7 km NW. of Newman	-23.02944	119.0931	31/01/2012
T122139	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius 'PSE135, pilbara'	epigean	widespread	W.A. Museum assessment	Southern Flank to Jinidi, 74.7 km NW. of Newman	-23.02944	119.0931	31/01/2012
T122147	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius 'PSE135, pilbara'	epigean	widespread	W.A. Museum assessment	Southern Flank to Jinidi, 71.5 km NW. of Newman	-23.00389	119.1389	1/02/2012
T109425	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, Site 18-P4	-23.41813	119.5845	14/03/2010
T91926	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Hamersley Range, Weeli Wolli Creek region, Area C, site 02-2B	-22.93697	119.0391	13/06/2008
T109420	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, Site 3-P10	-23.40474	119.6055	14/03/2010
T109421	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, Site 17-P4	-23.40452	119.6247	12/03/2010
T109422	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, Site 4-P8	-23.40242	119.5968	12/03/2010
T109424	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, Site 3-P2	-23.40471	119.6054	14/03/2010
T109426	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, Site 12-P5	-23.39936	119.5844	12/03/2010

Western Australian Museum Database Search Interpreted Results

T111830	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Christmas Creek, 110 km N. of Newman	-22.38902	119.8553	9/04/2011
T109419	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, Site 19-P7	-23.40455	119.6211	14/03/2010
T109423	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, Site 3-P7	-23.40499	119.6052	14/03/2010
T139673	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.81159	119.0909	31/03/2015
T115836	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Wonmunna, ca. 72 km heading 291° from Newman	-23.12558	119.0797	23/06/2011
T130397	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.73869	118.9958	14/05/2013
T122882	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	119.4 km NW. of Newman	-22.93389	118.6639	31/03/2012
T128261	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	ca. 18 km N. of Wittenoom	-22.06667	118.3625	19/06/2013
T115835	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Austrochthonius sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Wonmunna, ca. 79 km heading 286° from Newman	-23.15929	118.9928	17/05/2011
T135451	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Chthoniidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Karijini National Park, Dales Gorge, Circular Pool	-22.47583	118.5619	12/03/2015
T114449	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Chthoniidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Karijini National Park, Dales Gorge, Circular Pool	-22.47583	118.5619	18/03/2015
T114445	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Chthoniidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Karijini National Park, Dales Gorge, Circular Pool	-22.47583	118.5619	18/03/2015
T135620	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Chthoniidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Karijini National Park, Hancock Gorge	-22.35917	118.2844	16/03/2015
T104875	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site19-P6	-23.40434	119.6212	14/03/2010
T109395	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site4-P8	-23.40242	119.5968	12/03/2010
T109394	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site2-P6	-23.40362	119.6106	13/03/2010
T109401	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site3-P7	-23.40499	119.6052	14/03/2010
T112033	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	112 km NNE. of Newman	-22.38718	119.9664	26/03/2011
T109393	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site18-P10	-23.41765	119.585	14/03/2010
T112032	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	113 km NNW. of Newman	-22.33519	119.6531	22/03/2011
T51523	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Weeli Wolli Creek, site HDA20	-22.9031	119.2411	27/04/2003
T112031	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	118 km N. of Newman	-22.29548	119.8109	24/03/2011
T109404	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site19-P3	-23.40425	119.6212	14/03/2010
T109397	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site1-P6	-23.39449	119.6317	13/03/2010
T91929	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Hamersley Range, Weeli Wolli Creek region, Area C, site 15-15F	-22.93136	119.047	13/06/2008
T109396	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site19-P10	-23.40483	119.621	14/03/2010
T109399	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site17-P7	-23.40458	119.6249	12/03/2010
T109403	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site11-P7	-23.42069	119.5677	12/03/2010
T109402	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site6-P4	-23.40153	119.5749	12/03/2010
T74842	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Weeli Wolli Creek, site HDA20	-22.9031	119.2411	27/04/2003
T109398	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site20-P7	-23.39511	119.592	12/03/2010
T91902	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	10 km NE. of Newman, Ore-body 24, site 06-6C	-23.30361	119.8042	26/06/2008
T109400	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site1-P2	-23.39436	119.6316	13/03/2010

Western Australian Museum Database Search Interpreted Results

T93981	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Chichester Range, Pilbara, site 17	-22.14652	119.0184	7/04/2008
T104957	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site3-P2	-23.40471	119.6054	14/03/2010
T109406	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site20-P1	-23.39474	119.5913	12/03/2010
T93933	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Chichester Range, Pilbara, site 22	-22.05167	118.9884	7/04/2008
T109407	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site20-P3	-23.39499	119.5915	12/03/2010
T93931	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Chichester Range, Pilbara, site 4	-22.15635	119.0109	9/06/2008
T93890	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Chichester Range, Ecologia site 13	-22.14972	119.0178	13/07/2008
T109408	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site7-P1	-23.40534	119.6221	14/03/2010
T97618	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Phils Creek, Pilbara, Ecologia project 1038	-22.73661	119.1811	4/04/2009
T93889	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Chichester Range, Ecologia site 12	-22.1475	119.0253	13/07/2008
T97616	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Phils Creek, Pilbara, Ecologia project 1038	-22.7316	119.1931	4/04/2009
T109405	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site12-P5	-23.39936	119.5844	12/03/2010
T74841	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Weeli Wolli Creek, site HDA20	-22.9031	119.2411	27/04/2003
T91925	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Hamersley Range, Weeli Wolli Creek region, Area C, site 02-2C	-22.93697	119.0391	13/06/2008
T93984	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Chichester Range, Pilbara, site 19	-22.13873	119.0137	6/05/2008
T104977	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site3-P8	-23.40478	119.6052	14/03/2010
T115854	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Wonmunna, ca. 71 km heading 290° from Newman	-23.13149	119.07739	19/05/2011
T134126	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T115853	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Wonmunna, ca. 78 km heading 288° from Newman	-23.1437	119.00642	18/05/2011
T115852	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Wonmunna, ca. 76 km heading 290° from Newman	-23.11689	119.03964	20/05/2011
T115851	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Wonmunna, ca. 73 km heading 291° from Newman	-23.12094	119.06325	20/05/2011
T115850	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Wonmunna, ca. 75 km heading 289° from Newman	-23.13545	119.03841	19/05/2011
T119473	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Deposit F, ca. 100 km NW. of Newman	-22.94444	118.8768	5/02/2008
T115849	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Wonmunna, ca. 77 km heading 289° from Newman	-23.13318	119.01538	23/05/2011
T115848	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Wonmunna, ca. 73 km heading 291° from Newman	-23.11849	119.06487	20/05/2011
T115847	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Wonmunna, ca. 73 km heading 291° from Newman	-23.12094	119.06325	20/05/2011
T119442	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Orebody 24, ca. 9 km NE. of Newman	-23.31061	119.8336	26/07/2008
T122145	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Southern Flank to Jinidi, 71.5 km NW. of Newman	-23.00389	119.1389	1/02/2012
T122164	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Southern Flank to Jinidi, 71.5 km NW. of Newman	-23.00389	119.1389	1/02/2012
T126804	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	63 km E. of Paraburdoo, site 1000-tuX1	-23.20412	118.2882	1/01/2012
T118898	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Marillana, ca. 100 km NW. of Newman	-22.43986	119.2298	21/05/2011
T122154	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Southern Flank to Jinidi, 71.5 km NW. of Newman	-23.00389	119.1389	1/02/2012
T122153	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Southern Flank to Jinidi, 71.5 km NW. of Newman	-23.00389	119.1389	1/02/2012

Western Australian Museum Database Search Interpreted Results

T122152	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Southern Flank to Jinidi, 74.7 km NW. of Newman	-23.02944	119.0931	31/01/2012
T122183	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Southern Flank to Jinidi, 74.7 km NW. of Newman	-23.02944	119.0931	31/01/2012
T126803	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	69 km E. of Paraburdoo, site 1000-tur10	-23.25557	118.2624	27/04/2012
T115846	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Wonmunna, ca. 73 km heading 291° from Newman	-23.11849	119.06487	20/05/2011
T122148	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Southern Flank to Jinidi, 74.7 km NW. of Newman	-23.02944	119.0931	31/01/2012
T115906	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Wonmunna, ca. 72 km heading 291° from Newman	-23.12558	119.0797	21/05/2011
T126801	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	69 km E. of Paraburdoo, site 1000-tur10	-23.25557	118.2624	27/04/2012
T122144	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Southern Flank to Jinidi, 71.5 km NW. of Newman	-23.00389	119.1389	1/02/2012
T122142	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Southern Flank to Jinidi, 74.7 km NW. of Newman	-23.02944	119.0931	31/01/2012
T130554	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Orebody 19, ca. 28 km ENE. of Newman	-23.32469	120.012	19/03/2013
T122160	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Southern Flank to Jinidi, 74.7 km NW. of Newman	-23.02944	119.0931	31/01/2012
T146555	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Greater Hope Downs, Hope Downs 1 mine, ca. 76.2 km NW. of Newman	-23.0391	119.0718	22/05/2018
T122157	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Southern Flank to Jinidi, 71.5 km NW. of Newman	-23.00389	119.1389	1/02/2012
T115907	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Wonmunna, ca. 70 km heading 291° from Newman	-23.13187	119.09642	21/05/2011
T122149	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius aridus	epigean	Potential SRE: DD	contains multiple species, some may be SREs (Alacran unpublished data)	Southern Flank to Jinidi, 74.7 km NW. of Newman	-23.02944	119.0931	31/01/2012
T149477	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius 'HD1'	epigean	Potential SRE: DD	W.A. Museum assessment	78.5 km NW. of Newman	-23.08382	119.0235	17/03/2019
T97281	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius sp.	epigean	Potential SRE: DD	Presence of SRE species in this genus {Edward, 2008 #31319}	Hamersley Range, `Packsaddle Range`, Packsaddle deposit 6, bore hole PSF0008R	-22.89917	119.0589	19/04/2008
T97280	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius sp.	epigean	Potential SRE: DD	Presence of SRE species in this genus {Edward, 2008 #31319}	Hamersley Range, `Packsaddle Range`, Packsaddle deposit 6, bore hole PSF0004R	-22.8975	119.0589	10/12/2008
T96816	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius sp.	epigean	Potential SRE: DD	Presence of SRE species in this genus {Edward, 2008 #31319}	Hope Downs, 35 km NW. of Newman	-23.13111	119.5336	16/02/2009
T139671	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius sp.	epigean	Potential SRE: DD	Presence of SRE species in this genus {Edward, 2008 #31319}	Ministers North, ca. 93 km NW. of Newman	-22.81159	119.0909	31/03/2015
T153968	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius sp.	epigean	Potential SRE: DD	Presence of SRE species in this genus {Edward, 2008 #31319}	Karijini National Park, Mt Meharry, 150 m E. of summit	-22.97944	118.5889	31/05/2021
T153969	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius sp.	epigean	Potential SRE: DD	Presence of SRE species in this genus {Edward, 2008 #31319}	Karijini National Park, Mt Meharry, 150 m E. of summit	-22.97944	118.5889	31/05/2021
T153970	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius sp.	epigean	Potential SRE: DD	Presence of SRE species in this genus {Edward, 2008 #31319}	Karijini National Park, Mt Meharry, 150 m E. of summit	-22.97944	118.5889	31/05/2021
T130721	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius sp.	epigean	Potential SRE: DD	Presence of SRE species in this genus {Edward, 2008 #31319}	SW Jimblebar, ca. 35 km E. of Newman	-23.40497	120.027	15/02/2013
T131834	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius sp.	epigean	Potential SRE: DD	Presence of SRE species in this genus {Edward, 2008 #31319}	Orebody 24, ca. 7 km N. of Newman	-23.28501	119.7418	5/04/2013
T131837	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius sp.	epigean	Potential SRE: DD	Presence of SRE species in this genus {Edward, 2008 #31319}	"Homestead", ca. 6 km N. of Newman	-23.30941	119.743	29/04/2013
T122380	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius sp.	epigean	Potential SRE: DD	Presence of SRE species in this genus {Edward, 2008 #31319}	Mudlark, 92.3 km NW. of Newman	-23.04739	118.8852	6/02/2012
T130113	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Chthoniidae	Tyrannochthonius sp.	epigean	Potential SRE: DD	Presence of SRE species in this genus {Edward, 2008 #31319}	SW Jimblebar, ca. 35 km E. of Newman	-23.40239	120.0205	15/02/2013
T131838	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Feaellidae	Feaella callani	epigean	SRE	{Harvey, 2016 #41815}	Orebody 24, ca. 7 km N. of Newman	-23.28253	119.7497	29/04/2013
T131028	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Feaellidae	Feaella callani	epigean	SRE	{Harvey, 2016 #41815}	Orebody 24, ca. 7 km N. of Newman	-23.28253	119.7497	29/04/2013
T131841	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Feaellidae	Feaella callani	epigean	SRE	{Harvey, 2016 #41815}	Orebody 24, ca. 7 km N. of Newman	-23.28253	119.7497	29/04/2013
T131840	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Feaellidae	Feaella callani	epigean	SRE	{Harvey, 2016 #41815}	Orebody 24, ca. 7 km N. of Newman	-23.28253	119.7497	29/04/2013
T131839	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Feaellidae	Feaella callani	epigean	SRE	{Harvey, 2016 #41815}	Orebody 24, ca. 7 km N. of Newman	-23.28253	119.7497	29/04/2013

Western Australian Museum Database Search Interpreted Results

T76965	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus '8/2 Pilbara'	epigean	widespread	W.A. Museum assessment	Dales Gorge, upstream from Fernpool, Karijini National Park	-22.47749	118.54584	8/07/2006
T76967	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus '8/2 Pilbara'	epigean	widespread	W.A. Museum assessment	Dales Gorge, Karijini National Park	-22.47833	118.56167	8/07/2006
T730	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus gracilis	epigean	SRE	W.A. Museum assessment	Marillana Station, Roy Hill	-22.6333	119.4	8/07/1924
T73315	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus gracilis	epigean	SRE	W.A. Museum assessment	Hamersley Range, The Governor, cliff base face	-23.07972	118.81083	12/09/2005
T122377	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus gracilis	epigean	SRE	W.A. Museum assessment	Mudlark, 92.4 km NW. of Newman	-23.04756	118.885	6/02/2012
T122376	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus gracilis	epigean	SRE	W.A. Museum assessment	Mudlark, 92.3 km NW. of Newman	-23.04739	118.8852	6/02/2012
T122374	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus gracilis	epigean	SRE	W.A. Museum assessment	Mudlark, 92.3 km NW. of Newman	-23.04739	118.8852	6/02/2012
T122373	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus gracilis	epigean	SRE	W.A. Museum assessment	Mudlark, 92.3 km NW. of Newman	-23.04739	118.8852	6/02/2012
T122372	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus gracilis	epigean	SRE	W.A. Museum assessment	Mudlark, 95.6 km NW. of Newman	-23.03883	118.8527	6/02/2012
T122371	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus gracilis	epigean	SRE	W.A. Museum assessment	Mudlark, 92.3 km NW. of Newman	-23.04739	118.8852	6/02/2012
T62911	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus heptatrichus	epigean	widespread	W.A. Museum assessment	Marillana Creek, Marillana Station, 22.5 km SW. of Marillana Homestead, Yandi Extension site YEX79	-22.7819	119.2561	1/09/2004
T111895	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus heptatrichus	epigean	widespread	W.A. Museum assessment	South Parmelia, 61.9 km NW. of Newman	-23.04472	119.2289	18/04/2011
T62921	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus heptatrichus	epigean	widespread	W.A. Museum assessment	Marillana Creek, Marillana Station, Yandi Extension site YEX80	-22.7819	119.2561	1/09/2004
T126263	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus heptatrichus	epigean	widespread	W.A. Museum assessment	118.3 km NW. of Newman	-22.61111	118.9072	21/11/2011
T133153	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus heptatrichus	epigean	widespread	W.A. Museum assessment	118.3 km NW. of Newman	-22.61111	118.9072	21/11/2011
T133151	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus heptatrichus	epigean	widespread	W.A. Museum assessment	South Parmelia, 61.9 km NW. of Newman	-23.04472	119.2289	18/04/2011
T133150	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus heptatrichus	epigean	widespread	W.A. Museum assessment	South Parmelia, 61.9 km NW. of Newman	-23.04472	119.2289	18/04/2011
T133152	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus heptatrichus	epigean	widespread	W.A. Museum assessment	118.3 km NW. of Newman	-22.61111	118.9072	21/11/2011
T133148	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus heptatrichus	epigean	widespread	W.A. Museum assessment	South Parmelia, 61.9 km NW. of Newman	-23.04472	119.2289	18/04/2011
T133149	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus heptatrichus	epigean	widespread	W.A. Museum assessment	South Parmelia, 61.9 km NW. of Newman	-23.04472	119.2289	18/04/2011
T111843	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE006'	epigean	Potential SRE: DD	W.A. Museum assessment	Christmas Creek, 110 km N. of Newman	-22.36917	119.7387	11/04/2011
T105083	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE014 long hand 2'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 87.3 km NW. of Newman	-22.89528	119.045	1/05/2010
T115889	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE014 long hand 2'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna, ca. 76 km heading 290° from Newman	-23.1169	119.0396	20/05/2011
T102753	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE085'	epigean	Potential SRE: DD	W.A. Museum assessment	West Angelas mine lease, 99.6 km NW. of Newman @	-23.07983	118.8109	9/09/2005
T102754	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE085'	epigean	Potential SRE: DD	W.A. Museum assessment	West Angelas mine lease, 99.6 km NW. of Newman @	-23.07983	118.8109	9/09/2005
T133197	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE085'	epigean	Potential SRE: DD	W.A. Museum assessment	West Angelas mine lease, 99.6 km NW. of Newman @	-23.07983	118.8109	9/09/2005
T134143	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE085'	epigean	Potential SRE: DD	W.A. Museum assessment	West Angelas mine lease, 99.6 km NW. of Newman	-23.07983	118.8109	9/09/2005
T134144	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE085'	epigean	Potential SRE: DD	W.A. Museum assessment	West Angelas mine lease, 99.6 km NW. of Newman	-23.07983	118.8109	9/09/2005
T134145	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE085'	epigean	Potential SRE: DD	W.A. Museum assessment	West Angelas mine lease, 99.6 km NW. of Newman	-23.07983	118.8109	9/09/2005
T134142	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE085'	epigean	Potential SRE: DD	W.A. Museum assessment	West Angelas mine lease, 99.6 km NW. of Newman	-23.07983	118.8109	9/09/2005
T132717	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE086'	epigean	Potential SRE: DD	W.A. Museum assessment	Ophthalmia Range, ca. 20 km N. of Newman	-23.14953	119.6599	25/03/2014
T134202	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE089, hillside'	epigean	Potential SRE: DD	W.A. Museum assessment	Hillside Station, ca. 150 km SE. of Wodgina Mine	-21.89531	119.2989	23/05/2014

Western Australian Museum Database Search Interpreted Results

T136296	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE089, hillside'	epigean	Potential SRE: DD	W.A. Museum assessment	Hillside Station, ca. 60 km W. of Nullagine	-21.89531	119.2989	31/05/2014
T101201	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C, 84.7 km NW. of Newman	-22.9025	119.0708	17/02/2010
T101180	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C, 93.7 km NW. of Newman	-22.99861	118.9067	24/02/2001
T101192	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C, 84.7 km NW. of Newman	-22.9025	119.0708	17/02/2010
T101195	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C, 90.6 km NW. of Newman	-22.99778	119.0297	22/02/2010
T101182	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C, 84.9 km NW. of Newman	-22.98167	119.0136	21/02/2010
T110435	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	64 km NW. of Newman	-22.90444	119.3408	12/03/2011
T101178	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C, 89.6 km NW. of Newman	-23.00083	118.9469	18/02/2010
T101183	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C, 89.5 km NW. of Newman	-22.98	118.9619	23/02/2010
T101177	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C, 89.3 km NW. of Newman	-22.90639	119.0122	19/02/2010
T101181	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C, 88.3 km NW. of Newman	-22.93583	119.0044	20/02/2010
T101198	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C, 93.7 km NW. of Newman	-22.99861	118.9067	18/02/2010
T101186	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C, 89 km NW. of Newman	-22.95611	118.9831	23/02/2010
T101208	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C, 61.8 km NW. of Newman	-22.99889	118.8692	25/02/2010
T101187	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C, 78.2 km NW. of Newman	-22.91778	119.1392	18/02/2010
T101202	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C, 82.7 km NW. of Newman	-23.005	119.0239	21/02/2010
T101203	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C, 89.4 km NW. of Newman	-22.98	118.9619	23/02/2010
T91718	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Hope Downs 4, ca. 100 km NW. of Newman, HD4-6	-23.15436	119.5817	14/05/2008
T111892	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Southern Flank to Jinidi, 68.1 km NW. of Newman	-22.96333	119.2161	15/04/2011
T101204	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C, 85.2 km NW. of Newman	-23.00389	118.9947	22/02/2010
T82340	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Marandoo Mine Expansion, 35 km ENE. of Tom Price (PSEUD3)	-22.6619	118.1803	12/04/2007
T101205	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C, 86.2 km NW. of Newman	-23.01194	118.9814	22/02/2010
T107400	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Hope Downs, 74 km NW. of Newman	-22.99055	119.0911	25/06/2010
T82336	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Marandoo Mine Expansion, 35 km ENE. of Tom Price (MAR10)	-22.12694	118.3331	12/04/2007
T82334	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Marandoo Mine Expansion, 35 km ENE. of Tom Price (MAR02)	-22.10556	118.3061	13/04/2007
T101184	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C, 90.6 km NW. of Newman	-22.99778	119.0297	22/02/2010
T91720	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Hope Downs 4, ca. 100 km NW. of Newman, HD4-3	-23.15297	119.529	12/05/2008
T91721	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Hope Downs 4, ca. 100 km NW. of Newman, HD4-6	-23.15436	119.5817	10/05/2008
T101174	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C, 83.6 km NW. of Newman	-22.99167	118.9589	23/02/2010
T127413	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Hope Downs, 74 km NW. of Newman	-22.99055	119.0911	25/06/2010
T117776	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Mudlark, 111 km W. of Newman	-23.08083	118.6842	2/07/2011
T133172	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C, 86.2 km NW. of Newman	-23.01194	118.9814	22/02/2010
T133433	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Hope Downs, 74 km NW. of Newman	-22.99055	119.0911	25/06/2010

Western Australian Museum Database Search Interpreted Results

T155131	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Marandoo Mine Expansion, 35 km ENE. of Tom Price (MAR02)	-22.1	118.3061	13/04/2007
T155130	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Marandoo Mine Expansion, 35 km ENE. of Tom Price (MAR02)	-22.10556	118.3061	13/04/2007
T133413	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C, 86.2 km NW. of Newman	-23.01194	118.9814	22/02/2010
T134245	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Hillside Station, ca. 150 km SE. of Wodgina Mine	-21.91392	119.2322	23/05/2014
T135549	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Karijini National Park, c. 20 km SW. of Hancock Gorge	-22.48389	118.1475	15/03/2015
T135584	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Karijini National Park, c. 20 km SW. of Hancock Gorge	-22.48389	118.1475	15/03/2015
T126241	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	114.4 km NW. of Newman	-22.58083	119.0017	20/11/2011
T131262	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.28787	119.7468	5/08/2013
T117771	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C West to Yandi, 108.6 km NW. of Newman	-22.61667	119.0217	10/09/2011
T133145	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	114.4 km NW. of Newman	-22.58083	119.0017	20/11/2011
T117772	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C West to Yandi, 108.6 km NW. of Newman	-22.61667	119.0217	10/09/2011
T133147	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	114.4 km NW. of Newman	-22.58083	119.0017	20/11/2011
T117773	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C West to Yandi, 108.6 km NW. of Newman	-22.61667	119.0217	10/09/2011
T117774	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C West to Yandi, 101.8 km NW. of Newman	-22.63333	119.1017	12/09/2011
T117775	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C West to Yandi, 101.8 km NW. of Newman	-22.63333	119.1017	12/09/2011
T133137	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	64 km NW. of Newman	-22.90444	119.3408	12/03/2011
T140230	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	South Flank, ca. 95 km NW. of Newman	-22.97083	118.7927	16/03/2016
T133146	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	114.4 km NW. of Newman	-22.58083	119.0017	20/11/2011
T117770	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Area C West to Yandi, 108.6 km NW. of Newman	-22.61667	119.0217	10/09/2011
T129071	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Marandoo Mine Expansion, 35 km ENE. of Tom Price (MAR02)	-22.1	118.3061	13/04/2007
T129070	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE093'	epigean	widespread	W.A. Museum assessment	Marandoo Mine Expansion, 35 km ENE. of Tom Price (MAR02)	-22.10556	118.3061	13/04/2007
T131012	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus 'PSE129'	epigean	Potential SRE: DD	W.A. Museum assessment	"Homestead", ca. 6 km N. of Newman	-23.30846	119.7459	29/04/2013
T107499	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Orebody 35, ca. 8 km W. of Newman, site 24-SS598	-23.41372	119.5826	16/08/2010
T104956	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Orebody 35, ca. 8 km W. of Newman, Site 1-P7	-23.39447	119.6319	13/03/2010
T108974	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Cloudbreak [Chichester Range]	-22.30827	119.2163	26/10/2010
T109418	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Orebody 35, ca. 8 km W. of Newman, Site 20-P3	-23.39499	119.5915	12/03/2010
T73304	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Marillana Creek, Marillana Station (RTYE9, Yandi YEX80)	-22.78194	119.25611	1/09/2004
T103480	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Area C, 74.1 km NW. of Newman	-22.91778	119.1892	1/05/2010
T109417	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Orebody 35, ca. 8 km W. of Newman, Site 12-P10	-23.39944	119.5843	12/03/2010
T122382	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Mudlark, 92.3 km NW. of Newman	-23.04739	118.8852	6/02/2012
T132713	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Ophthalmia Range, ca. 20 km N. of Newman	-23.11672	119.6318	25/03/2014
T122379	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypidae	Synsphyronus sp.	epigean	Potential SRE: DD	Genus contains SREs or potential SREs	Mudlark, 92.4 km NW. of Newman	-23.04756	118.885	6/02/2012
T140265	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypinidae	Amblyolpium sp.	epigean	Potential SRE: DD	Alacran, unpublished data	South Flank, ca. 95 km NW. of Newman	-23.03278	118.7928	16/03/2016

Western Australian Museum Database Search Interpreted Results

T108757	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypinidae	Solinus sp.	epigean	Potential SRE: DD	W.A. Museum assessment	Koodaideri, 119.2 km NW. of Newman	-22.495	119.0219	23/08/2010
T110438	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypinidae	Solinus sp.	epigean	Potential SRE: DD	W.A. Museum assessment	74.1 km NW. of Newman	-22.78139	119.3606	14/03/2011
T111813	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypinidae	Solinus sp.	epigean	Potential SRE: DD	W.A. Museum assessment	70.7 km NW. of Newman	-22.81194	119.3733	14/03/2011
T108753	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypinidae	Solinus sp.	epigean	Potential SRE: DD	W.A. Museum assessment	Koodaideri, 118.6 km NW. of Newman	-22.53528	119.0028	22/08/2010
T108756	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypinidae	Solinus sp.	epigean	Potential SRE: DD	W.A. Museum assessment	Koodaideri, 116.9 km NW. of Newman	-22.53306	119.0156	20/08/2010
T117833	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypinidae	Solinus sp.	epigean	Potential SRE: DD	W.A. Museum assessment	Jinidi to Mainline Rail, 74.6 km NW. of Newman	-22.76667	119.3514	29/07/2011
T119938	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypinidae	Solinus sp.	epigean	Potential SRE: DD	W.A. Museum assessment	Juna Downs Station, 112 km NW. of Newman	-22.64444	118.9525	9/05/2011
T135585	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypinidae	Solinus sp.	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini National Park, c. 15 km SW. of Hancock Gorge	-22.46083	118.1947	15/03/2015
T126385	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypinidae	Solinus sp.	epigean	Potential SRE: DD	W.A. Museum assessment	Juna Downs Station, 112 km NW. of Newman	-22.64444	118.9525	9/05/2011
T134171	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypinidae	Solinus sp.	epigean	Potential SRE: DD	W.A. Museum assessment	Yandi Oxbow, 89.2 km NW. Newman	-22.78222	119.1217	15/09/2014
T126356	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Garypinidae	Solinus sp.	epigean	Potential SRE: DD	W.A. Museum assessment	Koodaideri, 118.6 km NW. of Newman	-22.53528	119.0028	22/08/2010
T109849	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Gymnobisiidae	Gymnobisiidae PSEAAH 'Mt Meharry'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini National Park, Mount Meharry	-22.97976	118.5891	26/07/2010
T112022	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Hyidae	Indohya 'PSE002'	epigean	widespread	W.A. Museum assessment	114 km NNW. of Newman	-22.32572	119.7392	22/03/2011
T112021	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Hyidae	Indohya 'PSE002'	epigean	widespread	W.A. Museum assessment	115 km NNW. of Newman	-22.31787	119.7476	24/03/2011
T112020	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Hyidae	Indohya 'PSE002'	epigean	widespread	W.A. Museum assessment	115 km NNW. of Newman	-22.31787	119.7476	24/03/2011
T118292	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Hyidae	Indohya 'PSE002'	epigean	widespread	W.A. Museum assessment	ca. 104 km 53.8° NE. of Tom Price	-22.12303	118.5793	22/10/2011
T128113	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Hyidae	Indohya 'PSE002'	epigean	widespread	W.A. Museum assessment	ca. 19 km SW. of Nullagine	-22.00981	119.9807	7/05/2013
T123599	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Hyidae	Indohya 'PSE002'	epigean	widespread	W.A. Museum assessment	BHP Main Rail, 208 km SSE. of Port Hedland	-22.19432	118.9865	23/04/2012
T132652	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Hyidae	Indohya 'PSE002'	epigean	widespread	W.A. Museum assessment	Christmas Creek, ca. 67 km SSW. of Nullagine	-22.44089	119.8408	14/04/2012
T137073	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Hyidae	Indohya 'PSE002'	epigean	widespread	W.A. Museum assessment	Christmas Creek, ca. 67 km SSW. of Nullagine	-22.44089	119.8408	14/04/2012
T137074	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Hyidae	Indohya 'PSE002'	epigean	widespread	W.A. Museum assessment	Christmas Creek, ca. 67 km SSW. of Nullagine	-22.44089	119.8408	14/04/2012
T137075	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Hyidae	Indohya 'PSE002'	epigean	widespread	W.A. Museum assessment	Christmas Creek, ca. 67 km SSW. of Nullagine	-22.44089	119.8408	14/04/2012
T137076	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Hyidae	Indohya 'PSE002'	epigean	widespread	W.A. Museum assessment	Christmas Creek, ca. 67 km SSW. of Nullagine	-22.44089	119.8408	14/04/2012
T137077	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Hyidae	Indohya 'PSE002'	epigean	widespread	W.A. Museum assessment	Christmas Creek, ca. 67 km SSW. of Nullagine	-22.44089	119.8408	14/04/2012
T118294	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Hyidae	Indohya 'PSE002'	epigean	widespread	W.A. Museum assessment	ca. 104 km 53.8° NE. of Tom Price	-22.12303	118.5793	16/02/2012
T118293	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Hyidae	Indohya 'PSE002'	epigean	widespread	W.A. Museum assessment	ca. 104 km 53.8° NE. of Tom Price	-22.12303	118.5793	16/02/2012
T126756	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus 'chunky'	epigean	Potential SRE: DD	W.A. Museum assessment	4.5 km SW. of Redmont Airport, site 994-08	-22.00204	118.9813	15/04/2012
T128248	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus 'chunky'	epigean	Potential SRE: DD	W.A. Museum assessment	ca. 18 km N. of Wittenoom	-22.05	118.388	19/06/2013
T128907	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus 'M1'	epigean	Potential SRE: DD	W.A. Museum assessment	Hamersley Range, ca. 30 km ESE. of Juna Downs	-22.6828	119.0524	1/04/2014
T128908	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus 'M2'	epigean	Potential SRE: DD	W.A. Museum assessment	Hamersley Range, ca. 30 km ESE. of Juna Downs	-22.69533	119.0584	30/03/2014
T140270	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus 'PSE119'	epigean	Potential SRE: DD	W.A. Museum assessment	Ministers North ca. 93 km NW. of Newman	-22.81159	119.0909	31/03/2015
T139687	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus 'PSE119'	epigean	Potential SRE: DD	W.A. Museum assessment	Ministers North, ca. 93 km NW. of Newman	-22.81465	119.1166	2/09/2015
T139702	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus 'PSE119'	epigean	Potential SRE: DD	W.A. Museum assessment	Ministers North, ca. 93 km NW. of Newman	-22.83547	119.1204	2/09/2015

Western Australian Museum Database Search Interpreted Results

T139680	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus 'PSE119'	epigean	Potential SRE: DD	W.A. Museum assessment	Ministers North, ca. 93 km NW. of Newman	-22.83268	119.1297	3/09/2015
T139676	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus 'PSE119'	epigean	Potential SRE: DD	W.A. Museum assessment	Ministers North, ca. 93 km NW. of Newman	-22.81661	119.1126	31/03/2015
T139700	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus 'PSE119'	epigean	Potential SRE: DD	W.A. Museum assessment	Ministers North, ca. 93 km NW. of Newman	-22.82743	119.1276	2/09/2015
T139697	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus 'PSE119'	epigean	Potential SRE: DD	W.A. Museum assessment	Ministers North, ca. 93 km NW. of Newman	-22.81253	119.0985	31/08/2015
T139703	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus 'PSE119'	epigean	Potential SRE: DD	W.A. Museum assessment	Ministers North, ca. 93 km NW. of Newman	-22.84279	119.1159	1/09/2015
T139670	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus 'PSE119'	epigean	Potential SRE: DD	W.A. Museum assessment	Ministers North, ca. 93 km NW. of Newman	-22.8156	119.082	31/08/2015
T140271	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus 'PSE120'	epigean	Potential SRE: DD	W.A. Museum assessment	Ministers North ca. 93 km NW. of Newman	-22.80702	119.0779	31/03/2015
T139681	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus 'PSE121'	epigean	Potential SRE: DD	W.A. Museum assessment	Ministers North, ca. 93 km NW. of Newman	-22.82825	119.144	2/09/2015
T139706	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus 'PSE122'	epigean	Potential SRE: DD	W.A. Museum assessment	Ministers North, ca. 93 km NW. of Newman	-22.84158	119.1336	3/09/2015
T139707	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus 'PSE122'	epigean	Potential SRE: DD	W.A. Museum assessment	Ministers North, ca. 93 km NW. of Newman	-22.84442	119.1288	3/09/2015
T108025	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Fortescue Marsh	-22.50113	119.1042	22/04/2010
T107268	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.13221	119.1983	12/05/2010
T93263	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill Station, Ecologia Project 1106	-22.48111	119.8844	27/05/2009
T93257	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill Station, Ecologia Project 1106	-22.48111	119.8844	27/05/2009
T108027	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Fortescue Marsh	-22.48899	119.0858	22/04/2010
T109429	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 35, ca. 8 km W. of Newman, Site1-P10	-23.39453	119.6318	13/03/2010
T97610	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Phils Creek, Pilbara, Ecologia project 1038	-22.7316	119.1931	4/04/2009
T102572	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill	-22.51806	119.9128	11/03/2010
T108705	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Chichester Range, northern slopes @	-22.175	118.9535	22/08/2008
T97598	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Juna Downs Station, Area A, Ecologia project 997	-22.89269	118.6845	1/03/2009
T107256	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.12372	119.043	12/05/2010
T107255	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.17161	119.1022	12/05/2010
T109430	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 35, ca. 8 km W. of Newman, Site10-P2	-23.40002	119.6523	12/03/2010
T107264	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.01917	119.0336	12/05/2010
T109431	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 35, ca. 8 km W. of Newman, Site4-P5	-23.40233	119.5971	12/03/2010
T93254	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill Station, Ecologia Project 1106	-22.50397	120.021	24/05/2009
T102583	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill	-22.4321	119.8909	11/03/2010
T93983	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Chichester Range, Pilbara, site 22	-22.05167	118.9884	6/05/2008
T76976	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	NE. of Newman, Ore Body 25, site 2 (waypoint 130)	-23.3213	119.7678	10/03/2006
T98456	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill Station, Ecologia Project 1106	-22.50397	120.021	25/05/2009
T98454	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill Station, Ecologia Project 1106	-22.81269	119.9421	26/05/2009
T76977	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	NE. of Newman, Ore Body 25, site 5 (waypoint 133)	-23.3222	119.7703	11/03/2006
T97615	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Phils Creek, Pilbara, Ecologia project 1038	-22.73175	119.1798	2/04/2009

Western Australian Museum Database Search Interpreted Results

T93763	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Murray Hills, Mulga Downs Station, Ecologia project 1142	-22.11471	118.5221	20/04/2009
T97537	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Phils Creek, Pilbara, Ecologia project 1038	-22.7361	119.1834	4/04/2009
T103494	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Area C, 81.4 km NW. of Newman	-22.95806	119.0692	1/05/2010
T109494	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Cloudbreak mine lease, c. 86 km SW. of Nullagine	-22.39856	119.4748	26/10/2010
T97536	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Phils Creek, Pilbara, Ecologia project 1038	-22.7316	119.1931	4/04/2009
T109428	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 35, ca. 8 km W. of Newman, Site10-P1	-23.4003	119.6524	12/03/2010
T76975	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	NW. of Newman, Ore Body 24, site 4 (waypoint 124)	-23.308	119.8108	8/03/2006
T93271	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill Station, Ecologia Project 1106	-22.55656	119.9703	25/05/2009
T109433	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 35, ca. 8 km W. of Newman, Site8-P4	-23.41555	119.5917	14/03/2010
T97538	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Phils Creek, Pilbara, Ecologia project 1038	-22.73661	119.1811	4/04/2009
T100109	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill, Ecologia project 1209	-22.64308	119.9646	20/11/2009
T109490	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Cloudbreak mine lease, c. 95 km SW. of Nullagine	-22.25987	119.2786	26/10/2010
T109427	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 35, ca. 8 km W. of Newman, Site1-P6	-23.39449	119.6317	13/03/2010
T112030	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill, ca. 110 km N. of Newman	-22.31787	119.7476	24/03/2011
T103414	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill	-22.59335	120.0333	11/03/2010
T92481	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Jimblebar, 40 km ESE. of Newman, site 08-8G	-23.3765	120.0295	26/08/2008
T104826	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 35, ca. 8 km W. of Newman, Site12-P9	-23.39946	119.5849	12/03/2010
T103401	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill	-22.59335	120.0333	11/03/2010
T100190	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill	-22.63634	119.9641	20/11/2009
T107161	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Fortescue Marsh	-22.50113	119.1042	22/04/2010
T93259	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill Station, Ecologia Project 1106	-22.45477	119.8709	27/05/2009
T93270	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill Station, Ecologia Project 1106	-22.43963	119.9453	23/05/2009
T107217	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Chichester Range	-23.11648	119.8865	20/04/2010
T94824	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Jinayri, ca. 60 km NW. of Newman	-22.92989	119.2185	12/02/2009
T100106	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill, Ecologia project 1209	-22.68326	119.9512	20/11/2009
T97606	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Phils Creek, Pilbara, Ecologia project 1038	-22.7316	119.1931	4/04/2009
T96794	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Maralina Station, 60 km ESE. of Auski Roadhouse, project 974	-22.62639	119.2842	6/09/2008
T96818	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Hope Downs, 35 km NW. of Newman	-23.13305	119.5417	16/02/2009
T97601	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Phils Creek, Pilbara, Ecologia project 1038	-22.7361	119.1834	4/04/2009
T101179	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Area C, 75.8 km NW. of Newman	-22.90944	119.1758	19/02/2010
T102659	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill	-22.54898	120.036	11/03/2010
T100105	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill, Ecologia project 1209	-22.68326	119.9512	20/11/2009
T82328	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Fortescue Metals Group, Chichester Ridge, Port Hedland - Newman Railway (FMG18)	-22.2838	119.025	12/03/2004

Western Australian Museum Database Search Interpreted Results

T97620	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Phils Creek, Pilbara, Ecologia project 1038	-22.73661	119.1811	4/04/2009
T98170	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill Station, Ecologia Project 1106	-22.45477	119.8709	27/05/2009
T100104	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill, Ecologia project 1209	-22.68326	119.9512	20/11/2009
T76991	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	NE. of Newman, Ore Body 25, site 1 (waypoint 128)	-23.3219	119.7669	12/03/2006
T93268	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill Station, Ecologia Project 1106	-22.4943	119.9217	26/05/2006
T96795	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Maralina Station, 60 km ESE. of Auski Roadhouse, project 974	-22.58222	119.3119	6/09/2008
T93264	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill Station, Ecologia Project 1106	-22.55656	119.9703	25/05/2009
T109432	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 35, ca. 8 km W. of Newman, Site15-P10	-23.37179	119.6117	12/03/2010
T98161	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill Station, Ecologia Project 1106	-22.57717	120.0247	25/05/2009
T97605	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Phils Creek, Pilbara, Ecologia project 1038	-22.73519	119.1856	2/04/2009
T102590	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill	-22.50509	119.9143	11/03/2010
T93940	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Chichester Range, Pilbara, site 16	-22.14653	119.019	7/04/2008
T93250	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill Station, Ecologia Project 1106	-22.49618	120.0104	24/05/2009
T94779	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Chichester Range, site 27	-22.11	118.9033	13/07/2008
T105176	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Area C, 87.2 km NW. of Newman	-22.98917	118.9822	1/05/2010
T107156	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Fortescue Marsh	-22.48899	119.0858	22/04/2010
T109017	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Cloudbreak [mine lease], c. 90 km SW. of Nullagine	-22.3395	119.2775	26/10/2010
T109434	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 35, ca. 8 km W. of Newman, Site15-P2	-23.37127	119.6126	12/03/2010
T103407	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill	-22.59335	120.0333	11/03/2010
T101062	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Chichester Range, Cloud Break mine area@	-22.29972	119.3736	3/07/2006
T102600	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill	-22.50304	119.891	11/03/2010
T102603	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill	-22.54898	120.036	11/03/2010
T98162	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill Station, Ecologia Project 1106	-22.4943	119.9217	26/05/2009
T103406	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill	-22.50304	119.891	11/03/2010
T112029	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill, ca. 110 km N. of Newman	-22.33519	119.6531	24/03/2011
T98164	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill Station, Ecologia Project 1106	-22.50397	120.021	24/05/2009
T103408	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill	-22.58467	120.0265	11/03/2010
T131047	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 25, ca. 5 km N. of Newman	-23.32957	119.7813	29/04/2013
T121167	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Marillana, ca. 100 km NW. of Newman	-22.3775	119.0104	8/08/2011
T130561	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32075	120.0014	19/03/2013
T131218	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Roy Hill Mine 1, ca. 90 km N. of Newman	-22.50653	119.8976	18/04/2013
T118965	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Marillana, ca. 100 km NW. of Newman	-22.21295	119.0649	22/07/2011
T131256	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.29039	119.7755	5/08/2013

Western Australian Museum Database Search Interpreted Results

T126535	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	69 km E. of Paraburdoo, site 1000-tur10	-23.25557	118.2624	27/04/2012
T139684	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.82555	119.1488	2/09/2015
T130559	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32311	120.0081	19/03/2013
T130558	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32075	120.0014	19/03/2013
T130556	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32355	120.0112	19/03/2013
T131275	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	"Homestead", ca. 6 km N. of Newman	-23.30134	119.757	5/08/2013
T146556	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Greater Hope Downs, Hope Downs 1 mine, ca. 81.8 km NW. of Newman	-23.04347	119.1166	22/05/2018
T118977	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Marillana, ca. 100 km NW. of Newman	-22.3775	119.0104	8/08/2011
T118957	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Marillana, ca. 100 km NW. of Newman	-22.09895	119.2183	19/07/2011
T126534	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	45 km ESE. of Paraburdoo, site 1000-tur06	-23.2738	118.202	27/04/2012
T130547	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.33256	120.0013	19/03/2013
T126536	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	63 km E. of Paraburdoo, site 1000-tur08	-23.23551	118.2876	27/04/2012
T126541	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	63 km E. of Paraburdoo, site 1000-tur08	-23.23551	118.2876	27/04/2012
T126545	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	63 km E. of Paraburdoo, site 1000-tur08	-23.23551	118.2876	27/04/2012
T126546	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	57 km E. of Paraburdoo, site 1000-tur09	-23.23015	118.2276	27/04/2012
T126547	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	45 km ESE. of Paraburdoo, site 1000-tur06	-23.2738	118.202	27/04/2012
T126548	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	65 km E. of Paraburdoo, site 1000-tur02	-23.21099	118.3054	3/05/2012
T118978	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Marillana, ca. 100 km NW. of Newman	-22.36672	119.0048	8/08/2011
T130990	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.29307	119.7571	5/04/2013
T139679	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.83268	119.1297	3/09/2015
T115933	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Wonmunna, ca. 75 km heading 289° from Newman	-23.13545	119.03841	19/05/2011
T126532	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	69 km E. of Paraburdoo, site 1000-tur10	-23.25557	118.2624	22/06/2012
T122876	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	129.2 km NW. of Newman	-22.83167	118.6025	30/03/2012
T131694	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.33256	120.0126	27/08/2013
T130118	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	SW Jimblebar, ca. 35 km E. of Newman	-23.40497	120.027	15/02/2013
T118878	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Marillana, ca. 100 km NW. of Newman	-22.637	119.1271	19/05/2011
T128123	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	ca. 15 km NE. of Roy Hill	-22.51156	120.0362	18/04/2013
T131423	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32311	120.0081	27/08/2013
T131421	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32064	119.9962	27/08/2013
T131420	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32247	119.9981	27/08/2013
T118902	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Marillana, ca. 100 km NW. of Newman	-22.3476	119.1518	20/05/2011
T131033	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.29102	119.7941	29/04/2013
T118914	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Marillana, ca. 100 km NW. of Newman	-22.42882	119.1917	23/05/2011

Western Australian Museum Database Search Interpreted Results

T118920	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Marillana, ca. 100 km NW. of Newman	-22.399	119.2144	22/05/2011
T118921	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Marillana, ca. 100 km NW. of Newman	-22.42909	119.21	22/05/2011
T131309	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.28689	119.7542	5/08/2013
T118954	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Marillana, ca. 100 km NW. of Newman	-22.37397	119.1948	22/05/2011
T122186	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Area C West to Yandi, 110 km NW. of Newman	-22.7425	118.88	5/02/2012
T139698	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.82482	119.0982	1/09/2015
T131475	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32023	120.033	27/08/2013
T130543	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.33136	120.0187	19/03/2013
T131030	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.27626	119.7414	29/04/2013
T123618	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	BHP Main Rail 190 km SSE. of Port Hedland	-22.05214	118.9871	23/04/2012
T131307	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.28773	119.7719	5/08/2013
T123606	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	BHP Main Rail 250 km SSE. of Port Hedland	-22.5393	119.1681	23/04/2012
T118923	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Marillana, ca. 100 km NW. of Newman	-22.12692	119.2123	19/07/2011
T131295	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 25, ca. 5 km N. of Newman	-23.32152	119.7733	5/08/2013
T122885	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	119.4 km NW. of Newman	-22.93389	118.6639	31/03/2012
T122880	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	119.4 km NW. of Newman	-22.93389	118.6639	31/03/2012
T122878	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	129.2 km NW. of Newman	-22.83167	118.6025	30/03/2012
T122877	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	129.2 km NW. of Newman	-22.83167	118.6025	30/03/2012
T131314	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	"Homestead", ca. 6 km N. of Newman	-23.31494	119.7372	5/08/2013
T123612	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	BHP Main Rail 208 km SSE. of Port Hedland	-22.15153	119.0194	23/04/2012
T115904	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Wonmunna, ca. 72 km heading 290° from Newman	-23.12682	119.06727	19/05/2011
T115902	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Wonmunna, ca. 75 km heading 289° from Newman	-23.13487	119.03381	19/05/2011
T115901	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Wonmunna, ca. 70 km heading 291° from Newman	-23.129	119.09042	19/05/2011
T115900	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Wonmunna, ca. 72 km heading 290° from Newman	-23.13091	119.06888	19/05/2011
T123600	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	BHP Main Rail, 190 km SSE. of Port Hedland	-22.04271	119.0071	23/04/2012
T115899	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Wonmunna, ca. 80 km heading 285° from Newman	-23.16325	118.97698	17/05/2011
T115898	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Wonmunna, ca. 76 km heading 290° from Newman	-23.11689	119.03964	20/05/2011
T115897	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Wonmunna, ca. 72 km heading 291° from Newman	-23.12558	119.0797	21/05/2011
T115893	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Wonmunna, ca. 70 km heading 291° from Newman	-23.13187	119.09642	21/05/2011
T115896	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Wonmunna, ca. 72 km heading 291° from Newman	-23.12558	119.0797	21/05/2011
T115891	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Wonmunna, ca. 71 km heading 290° from Newman	-23.13149	119.07739	19/05/2011
T115892	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Wonmunna, ca. 78 km heading 286° from Newman	-23.1615	119.002	18/05/2011
T115903	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Wonmunna, ca. 72 km heading 290° from Newman	-23.12682	119.06727	19/05/2011

Western Australian Museum Database Search Interpreted Results

T131080	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.28689	119.7542	29/04/2013
T115895	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Wonmunna, ca. 71 km heading 290° from Newman	-23.13146	119.0774	19/05/2011
T115890	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Wonmunna, ca. 78 km heading 286° from Newman	-23.16154	119.00198	18/05/2011
T115894	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus sp.	epigean	Potential SRE: DD	Genus contains potential SREs	Wonmunna, ca. 72 km heading 291° from Newman	-23.12558	119.0797	21/05/2011
T93886	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Austrohorus 'sp. 1 (big)'	epigean	Potential SRE: DD	W.A. Museum assessment	Chichester Range, Ecologia site 38	-22.195	118.91	13/07/2008
T97358	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Austrohorus?' sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Hamersley Range, 60 km WNW. of Newman, Hope Downs 4	-23.09139	119.209	28/04/2009
T62933	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '1'	epigean	potential SRE: DD	W.A. Museum assessment	Marillana Station, 25 km SW. of Marillana Homestead, Yandi Extension site YEX	-22.7811	119.2472	2/09/2004
T62910	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '1'	epigean	potential SRE: DD	W.A. Museum assessment	Marillana Station, 25 km SW. of Marillana Homestead, Yandi Extension site YEX82	-22.7811	119.2472	2/09/2004
T118801	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '7/2'	epigean	potential SRE: DD	W.A. Museum assessment	Koodaideri, 119.7 km NW. of Newman	-22.50028	119.0192	16/10/2011
T131016	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/1'	epigean	potential SRE: DD	W.A. Museum assessment	"Homestead", ca. 6 km N. of Newman	-23.30114	119.7312	29/04/2013
T109450	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site14-P9	-23.38308	119.6481	12/03/2010
T109461	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site10-P1	-23.4003	119.6524	12/03/2010
T109448	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site17-P6	-23.40444	119.6247	12/03/2010
T109495	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Cloudbreak mine lease, c. 86 km SW. of Nullagine	-22.39856	119.4748	26/10/2010
T109454	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site14-P5	-23.38341	119.6479	12/03/2010
T109455	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site9-P2	-23.39013	119.6431	12/03/2010
T109456	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site6-P4	-23.40153	119.5749	12/03/2010
T109457	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site15-P1	-23.37125	119.6127	12/03/2010
T109458	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site14-P6	-23.38333	119.6479	12/03/2010
T109452	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site15-P10	-23.37179	119.6117	12/03/2010
T109460	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site1-P5	-23.39446	119.6318	13/03/2010
T109496	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Cloudbreak mine lease, c. 85 km SW. of Nullagine	-22.28271	119.4037	26/10/2010
T109462	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site20-P3	-23.39499	119.5915	12/03/2010
T109463	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site9-P5	-23.38991	119.6433	12/03/2010
T109464	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site16-P2	-23.40481	119.6111	14/03/2010
T109465	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site4-P3	-23.40223	119.5971	12/03/2010
T109491	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Cloudbreak mine lease, c. 95 km SW. of Nullagine	-22.25987	119.2786	26/10/2010
T109492	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Cloudbreak mine lease, c. 99 km SW. of Nullagine	-22.3395	119.2775	26/10/2010
T109493	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Cloudbreak mine lease, c. 86 km SW. of Nullagine	-22.39856	119.4748	26/10/2010
T109459	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site4-P7	-23.40233	119.5969	12/03/2010
T109445	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site7-P1	-23.40534	119.6221	14/03/2010
T109436	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site3-P7	-23.40499	119.6052	14/03/2010
T109437	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site5-P8	-23.41007	119.5715	12/03/2010

Western Australian Museum Database Search Interpreted Results

T109438	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site9-P3	-23.40166	119.575	12/03/2010
T109439	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site9-P4	-23.39	119.6432	12/03/2010
T109440	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site4-P8	-23.40242	119.5968	12/03/2010
T109441	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site18-P4	-23.41813	119.5845	14/03/2010
T109442	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site5-P2	-23.41063	119.5715	12/03/2010
T109453	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site14-P3	-23.38359	119.6478	12/03/2010
T109444	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site3-P3	-23.40488	119.6054	14/03/2010
T109435	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site9-P7	-23.38976	119.6433	12/03/2010
T109446	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site14-P5	-23.38341	119.6479	12/03/2010
T109447	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site5-P1	-23.4108	119.5714	12/03/2010
T109449	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site15-P8	-23.37168	119.612	12/03/2010
T109451	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site15-P5	-23.37151	119.6123	12/03/2010
T109501	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Cloudbreak mine lease, c. 84 km SW. of Nullagine	-22.39496	119.5019	26/10/2010
T109500	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Cloudbreak mine lease, c. 96 km SW. of Nullagine	-22.31462	119.302	26/10/2010
T109497	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Cloudbreak mine lease, c. 88 km SW. of Nullagine	-22.35274	119.4189	26/10/2010
T109443	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site9-P10	-23.38953	119.6433	12/03/2010
T103410	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Roy Hill	-22.51806	119.9128	11/03/2010
T93982	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Chichester Range, Pilbara, site 21	-22.1516	119.0163	6/05/2008
T103398	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Roy Hill	-22.49673	120.0237	11/03/2010
T94697	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Auski Road House, 55.5 km S. of (Ecologia 997)	-22.86972	118.6736	1/09/2008
T96798	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Maralina Station, 60 km ESE. of Auski Roadhouse, project 974	-22.56639	119.2308	30/06/2008
T103399	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Roy Hill	-22.51806	119.9128	11/03/2010
T103403	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Roy Hill, Marble Bar Road @	-22.59335	120.0333	11/03/2010
T103405	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Roy Hill	-22.4266	119.9424	11/03/2010
T96843	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	ca. 60 km ESE. of Auski Roadhouse, East Pilbara (Ecologia 974)	-22.55514	119.2286	6/09/2008
T94703	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.55305	119.2228	6/09/2008
T103412	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Roy Hill	-22.50509	119.9143	11/03/2010
T102663	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Roy Hill	-22.52711	120.0421	11/03/2010
T102591	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Roy Hill	-22.44107	119.9789	11/03/2010
T104948	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site5-P10	-23.4096	119.5716	12/03/2010
T104955	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site2-P5	-23.4036	119.611	13/03/2010
T104852	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site18-P3	-23.41788	119.5843	14/03/2010
T103409	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Roy Hill	-22.50509	119.9143	11/03/2010

Western Australian Museum Database Search Interpreted Results

T104854	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site18-P8	-23.41778	119.5847	14/03/2010
T103411	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Roy Hill	-22.50509	119.9143	11/03/2010
T94819	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Jinayri, ca. 60 km NW. of Newman	-23.04078	119.2798	9/02/2009
T103413	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Roy Hill	-22.59335	120.0333	11/03/2010
T102567	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Roy Hill	-22.51743	119.9314	11/03/2010
T109055	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Cloudbreak [Chichester Range]	-22.39496	119.5019	26/10/2010
T102580	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Roy Hill	-22.52711	120.0421	11/03/2010
T131478	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Mesa Gap, ca. 33 km ENE. of Newman	-23.35023	120.0296	27/08/2013
T131842	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.32392	119.79	29/04/2013
T131026	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	"Homestead", ca. 6 km N. of Newman	-23.30385	119.754	29/04/2013
T118346	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	ca. 120 km NW. of Newman	-22.80667	118.8806	5/04/2012
T134024	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T140228	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	South Flank, ca. 95 km NW. of Newman	-23.01808	118.8176	16/03/2016
T131843	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32341	119.77	29/04/2013
T131014	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	"Homestead", ca. 6 km N. of Newman	-23.30846	119.7459	29/04/2013
T118351	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	ca. 120 km NW. of Newman	-22.80667	118.8806	5/04/2012
T122297	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Koodaideri Corridor West, 83.4 km NW. of Tom Price	-22.25253	118.4548	20/02/2012
T122360	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Area C West, 122.2 km NW. of Newman	-22.87886	118.6573	6/02/2012
T131865	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.28533	119.7728	5/08/2013
T114697	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/2'	epigean	potential SRE: DD	Beierolpium '8/2' may represent a species complex (Alacran unpublished data)	Angelo River, 105 km W. of Newman	-23.32493	118.6994	20/06/2011
T112034	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	110 km NNE. of Newman	-22.38275	119.97274	23/03/2011
T98302	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Jinayri mine site, ca. 65 km NW. of Newman	-22.93333	119.2236	19/06/2009
T107498	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, site 18-SS597	-23.41822	119.5847	14/08/2010
T107493	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, site 18-HC586	-23.41822	119.5847	14/08/2010
T107492	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, site 9-P4	-23.39	119.6432	16/08/2010
T112035	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	115 km N. of Newman	-22.31347	119.78861	25/03/2011
T97696	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Phils Creek, Ecologia Project 1038	-22.73175	119.1798	2/04/2009
T107169	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Fortescue Marsh	-22.29384	119.0732	22/04/2010
T107157	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Fortescue Marsh	-22.40839	119.0055	22/04/2010
T107141	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Fortescue Marsh	-22.40839	119.0055	22/04/2010
T93760	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Murray Hills, Mulga Downs Station, Ecologia project 1142	-22.117	118.5032	21/04/2009
T107227	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Chichester Range	-23.36711	119.7874	20/04/2010
T97612	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Phils Creek, Pilbara, Ecologia project 1038	-22.73845	119.1916	3/04/2009

Western Australian Museum Database Search Interpreted Results

T109212	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Iron Valley, 5 km NE. of Yandicoogina mine; S3P3	-22.73973	119.3072	5/05/2010
T98301	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Jinayri mine site, ca. 65 km NW. of Newman	-22.91667	119.1956	19/06/2009
T97697	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Phils Creek, Ecologia Project 1038	-22.73199	119.194	4/04/2009
T107489	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, site 9-P9	-23.3896	119.6433	16/08/2010
T111815	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	74.3 km NW. of Newman	-22.77889	119.3614	14/03/2011
T106675	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	West Angelas, 116 km SE. of Tom Price	-23.37417	118.6575	26/06/2010
T112036	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	118 km N. of Newman	-22.29725	119.8633	24/03/2011
T98300	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Jinayri mine site, ca. 65 km NW. of Newman	-22.90583	119.2	21/06/2009
T107168	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Fortescue Marsh	-22.40839	119.0055	22/04/2010
T107414	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Iron Valley, 5 km NE. of Yandicoogina mine; site4 vacuum	-22.75391	119.3028	20/06/2010
T110436	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	68.5 km NW. of Newman	-22.83055	119.38	13/03/2011
T107454	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Iron Valley, 5 km NE. of Yandicoogina mine; LT44	-22.74113	119.3122	5/05/2010
T97621	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Phils Creek, Pilbara, Ecologia project 1038	-22.7316	119.1931	4/04/2009
T82338	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Marandoo Mine Expansion, 35 km ENE. of Tom Price (PSEUD2)	-22.6705	118.1953	12/04/2007
T98483	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Mulga Downs Station, ca. 33 km ENE. of Wittenoom, site BP08	-22.13973	118.6416	1/08/2009
T97599	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Phils Creek, Pilbara, Ecologia project 1038	-22.74126	119.1959	3/04/2009
T98481	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Mulga Downs Station, ca. 33 km ENE. of Wittenoom, site Ref01	-22.16267	118.7306	1/08/2009
T98480	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Mulga Downs Station, ca. 33 km ENE. of Wittenoom, site Ref03	-22.12245	118.5689	1/08/2009
T112041	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	113 km NNW. of Newman	-22.33513	119.65311	22/03/2011
T112039	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	118 km N. of Newman	-22.29725	119.8633	24/03/2011
T97613	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Phils Creek, Pilbara, Ecologia project 1038	-22.74631	119.2056	4/04/2009
T82339	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Marandoo Mine Expansion, 35 km ENE. of Tom Price (PSEUD2)	-22.6705	118.1953	12/04/2007
T98482	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Mulga Downs Station, ca. 33 km ENE. of Wittenoom, site BP05	-22.16198	118.705	1/08/2009
T82337	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Marandoo Mine Expansion, 35 km ENE. of Tom Price (PSEUD2)	-22.6705	118.1953	12/04/2007
T109208	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Iron Valley, 5 km NE. of Yandicoogina mine; S3P1	-22.74083	119.3078	5/05/2010
T109209	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Iron Valley, 5 km NE. of Yandicoogina mine; LT24	-22.72917	119.3195	5/05/2010
T109210	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Iron Valley, 5 km NE. of Yandicoogina mine; S4P12	-22.75363	119.3014	5/05/2010
T101199	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Area C, 89.6 km NW. of Newman	-22.90861	119.0069	19/02/2010
T109211	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Iron Valley, 5 km NE. of Yandicoogina mine; S5P6	-22.7578	119.2981	5/05/2010
T97018	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Jinayri, ca. 65 km NW. of Newman	-22.92639	119.2039	27/03/2009
T97603	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Phils Creek, Pilbara, Ecologia project 1038	-22.7361	119.1834	4/04/2009
T97602	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Phils Creek, Pilbara, Ecologia project 1038	-22.73845	119.1916	3/04/2009
T97609	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Phils Creek, Pilbara, Ecologia project 1038	-22.74631	119.2056	4/04/2009

Western Australian Museum Database Search Interpreted Results

T112037	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	110 km NNE. of Newman	-22.38275	119.97274	23/03/2011
T98308	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Jinayri mine site, ca. 65 km NW. of Newman	-22.93139	119.1469	18/06/2009
T118349	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	ca. 120 km NW. of Newman	-22.88139	118.8044	5/04/2012
T128124	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	ca. 15 km NE. of Roy Hill	-22.51156	120.0362	18/04/2013
T118893	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Marillana, ca. 100 km NW. of Newman	-22.3022	119.2238	21/05/2011
T140264	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	South Flank, ca. 95 km NW. of Newman	-23.01808	118.8176	16/03/2016
T128125	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	ca. 15 km NE. of Roy Hill	-22.51156	120.0362	18/04/2013
T118912	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Marillana, ca. 100 km NW. of Newman	-22.30119	119.2241	21/05/2011
T151328	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Mulga Downs Station, ca. 31 km NW. of Munjina	-22.16747	118.5191	16/03/2020
T118944	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Marillana, ca. 100 km NW. of Newman	-22.42909	119.21	20/05/2011
T128126	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	ca. 15 km NE. of Roy Hill	-22.53944	120.0287	18/04/2013
T125634	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	BHP Main Rail 208 km SSE. of Port Hedland	-22.15153	119.0194	23/04/2012
T130555	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Orebody 19, ca. 28 km ENE. of Newman	-23.32355	120.0112	19/03/2013
T121168	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Marillana, ca. 100 km NW. of Newman	-22.5625	119.2311	8/08/2011
T123620	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	BHP Main Rail 222 km SSE. of Port Hedland	-22.34506	119.0097	23/04/2012
T123615	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	BHP Main Rail 208 km SSE. of Port Hedland	-22.18854	119.0312	23/04/2012
T118948	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Marillana, ca. 100 km NW. of Newman	-22.36308	119.1731	19/05/2011
T122193	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/3'	epigean	potential SRE: DD	Beierolpium '8/3' may represent a species complex (Alacran unpublished data)	Area C West to Yandi, 110 km NW. of Newman	-22.7425	118.8814	8/02/2012
T105097	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Area C, 89.6 km NW. of Newman	-23.00111	118.9478	1/05/2010
T91898	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	10 km NE. of Newman, Ore-body 24, site 08-8A	-23.31281	119.833	26/06/2008
T91899	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	10 km NE. of Newman, Ore-body 24, site 08-8B	-23.31281	119.833	26/06/2008
T105185	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Area C, 93.1 km NW. of Newman	-23	118.9131	1/05/2010
T91903	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	10 km NE. of Newman, Ore-body 24, site 03-3C	-23.29464	119.7559	24/06/2008
T105172	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Area C, 61.8 km NW. of Newman	-22.99861	118.8686	1/05/2010
T105144	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Area C, 89.6 km NW. of Newman	-22.90861	119.0072	1/05/2010
T131060	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32341	119.77	29/04/2013
T131476	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 19, ca. 28 km ENE. of Newman	-23.32023	120.033	27/08/2013
T131407	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 19, ca. 28 km ENE. of Newman	-23.33136	120.0187	27/08/2013

Western Australian Museum Database Search Interpreted Results

T131410	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 19, ca. 28 km ENE. of Newman	-23.33222	120.0162	27/08/2013
T131473	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 19, ca. 28 km ENE. of Newman	-23.32129	120.0342	27/08/2013
T131411	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 19, ca. 28 km ENE. of Newman	-23.33039	120.0086	27/08/2013
T131412	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 19, ca. 28 km ENE. of Newman	-23.33256	120.0126	27/08/2013
T131418	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 19, ca. 28 km ENE. of Newman	-23.32355	120.0112	27/08/2013
T131041	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32392	119.79	29/04/2013
T131419	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 19, ca. 28 km ENE. of Newman	-23.32283	120.0099	27/08/2013
T131062	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32508	119.7685	29/04/2013
T131312	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.33078	119.7602	5/08/2013
T134128	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T131460	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 19, ca. 28 km ENE. of Newman	-23.32708	120.0159	27/08/2013
T131040	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.32392	119.79	29/04/2013
T131462	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 19, ca. 28 km ENE. of Newman	-23.32471	120.0165	27/08/2013
T131469	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 19, ca. 28 km ENE. of Newman	-23.33408	120.0239	27/08/2013
T131042	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	epigean species of Beierolpium are generally regarded as being widespread	Orebody 25, ca. 5 km N. of Newman	-23.32326	119.7903	29/04/2013
T131038	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.29223	119.8	29/04/2013
T125166	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	57 km E. of Paraburdoo, site 1000-tur09	-23.23015	118.2276	27/04/2012
T131318	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	"Homestead", ca. 6 km N. of Newman	-23.32077	119.7541	5/08/2013
T131287	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	epigean species of Beierolpium are generally regarded as being widespread	Orebody 25, ca. 5 km N. of Newman	-23.32957	119.7813	5/08/2013
T131286	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32474	119.7824	5/08/2013
T131285	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32474	119.7824	5/08/2013
T131284	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32335	119.7869	5/08/2013
T125152	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	63 km E. of Paraburdoo, site 1000-tur08	-23.23551	118.2876	27/04/2012

Western Australian Museum Database Search Interpreted Results

T125154	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	63.5 km ESE. of Paraburdoo, site 1000-tur01	-23.28848	118.2849	27/04/2012
T125159	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	67.5 km ESE. of Paraburdoo, site 1000-tur03	-23.32424	118.3173	3/05/2012
T131289	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	epigean species of Beierolpium are generally regarded as being widespread	Orebody 25, ca. 5 km N. of Newman	-23.33156	119.777	5/08/2013
T125164	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	65 km E. of Paraburdoo, site 1000-tur02	-23.21099	118.3054	3/05/2012
T131290	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.33228	119.7798	5/08/2013
T125169	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	64 km E. of Paraburdoo, site 1000-tur07	-23.21957	118.2932	28/04/2012
T125173	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	57 km E. of Paraburdoo, site 1000-tur09	-23.23015	118.2276	27/04/2012
T131283	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32392	119.79	5/08/2013
T131282	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.29223	119.8	5/08/2013
T131278	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.27626	119.7414	5/08/2013
T131274	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.28998	119.7363	5/08/2013
T131273	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.28804	119.7285	5/08/2013
T131272	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.28804	119.7285	5/08/2013
T125160	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	45 km ESE. of Paraburdoo, site 1000-tur06	-23.2738	118.202	27/04/2012
T131300	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32736	119.7717	5/08/2013
T131405	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 19, ca. 28 km ENE. of Newman	-23.3341	120.0176	27/08/2013
T134151	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T134152	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T131063	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32588	119.7683	29/04/2013
T131043	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32326	119.7903	29/04/2013
T131320	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	"Homestead", ca. 6 km N. of Newman	-23.30558	119.7484	5/08/2013
T131313	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.33078	119.7602	5/08/2013

Western Australian Museum Database Search Interpreted Results

T131311	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.33294	119.7644	5/08/2013
T131288	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.3288	119.7819	5/08/2013
T131305	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.28533	119.7728	5/08/2013
T131406	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 19, ca. 28 km ENE. of Newman	-23.33433	120.0209	27/08/2013
T131298	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32835	119.7723	5/08/2013
T131297	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	epigean species of Beierolpium are generally regarded as being widespread	Orebody 25, ca. 5 km N. of Newman	-23.32508	119.7685	5/08/2013
T131296	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	epigean species of Beierolpium are generally regarded as being widespread	Orebody 25, ca. 5 km N. of Newman	-23.32341	119.77	5/08/2013
T131267	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32201	119.7775	5/08/2013
T131294	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	epigean species of Beierolpium are generally regarded as being widespread	Orebody 25, ca. 5 km N. of Newman	-23.32152	119.7733	5/08/2013
T131293	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	epigean species of Beierolpium are generally regarded as being widespread	Orebody 25, ca. 5 km N. of Newman	-23.32241	119.7835	5/08/2013
T131292	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	epigean species of Beierolpium are generally regarded as being widespread	Orebody 25, ca. 5 km N. of Newman	-23.32241	119.7835	5/08/2013
T131291	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	epigean species of Beierolpium are generally regarded as being widespread	Orebody 25, ca. 5 km N. of Newman	-23.32057	119.7824	5/08/2013
T131306	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.28533	119.7728	5/08/2013
T131055	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32057	119.7824	29/04/2013
T131058	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32152	119.7733	29/04/2013
T134004	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.72214	118.9884	2/04/2014
T134003	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.72375	118.99	2/04/2014
T134053	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T131010	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	"Homestead", ca. 6 km N. of Newman	-23.30941	119.743	29/04/2013
T115855	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Wonmunna, ca. 73 km heading 291° from Newman	-23.12209	119.06105	20/05/2011
T115856	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Wonmunna, ca. 74 km heading 289° from Newman	-23.13556	119.04626	19/05/2011
T134052	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T131054	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.33228	119.7798	29/04/2013
T134010	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014

Western Australian Museum Database Search Interpreted Results

T130557	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 19, ca. 28 km ENE. of Newman	-23.32283	120.0099	19/03/2013
T130548	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 19, ca. 28 km ENE. of Newman	-23.33351	119.9824	19/03/2013
T131056	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32057	119.7824	29/04/2013
T131057	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32241	119.7835	29/04/2013
T115858	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Wonmunna, ca. 73 km heading 291° from Newman	-23.11849	119.06487	20/05/2011
T130545	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 19, ca. 28 km ENE. of Newman	-23.33039	120.0086	19/03/2013
T115859	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Wonmunna, ca. 79 km heading 286° from Newman	-23.15921	118.99281	17/05/2011
T115857	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Wonmunna, ca. 78 km heading 288° from Newman	-23.1437	119.00642	18/05/2011
T134018	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T130996	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.28342	119.7504	5/04/2013
T134031	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T134030	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T130998	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32755	119.7733	5/04/2013
T130999	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32186	119.7698	5/04/2013
T134022	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T134021	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T130991	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.2872	119.7242	5/04/2013
T131000	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32201	119.7775	5/04/2013
T131019	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.28804	119.7285	29/04/2013
T131001	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32173	119.7858	5/04/2013
T134047	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T134015	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014

Western Australian Museum Database Search Interpreted Results

T134048	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T134014	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T134013	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T134012	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T134020	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T131864	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.28526	119.7435	5/08/2013
T132718	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Ophthalmia Range, ca. 20 km N. of Newman	-23.14953	119.6599	25/03/2014
T130392	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.72535	119.0636	14/05/2013
T132715	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Ophthalmia Range, ca. 20 km N. of Newman	-23.10469	119.5849	25/03/2014
T115866	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Wonmunna, ca. 70 km heading 291° from Newman	-23.129	119.09042	19/05/2011
T132712	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Ophthalmia Range, ca. 20 km N. of Newman	-23.1587	119.6506	25/03/2014
T132711	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Ophthalmia Range, ca. 20 km N. of Newman	-23.13247	119.6504	25/03/2014
T132707	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Ophthalmia Range, ca. 20 km N. of Newman	-23.17531	119.7338	25/03/2014
T131017	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.28873	119.727	29/04/2013
T131271	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32746	119.7644	5/08/2013
T149480	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	80.3 km NW. of Newman	-23.04843	119.0211	9/03/2019
T131059	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32341	119.77	29/04/2013
T134059	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T131034	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.29102	119.7941	29/04/2013
T115868	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Wonmunna, ca. 77 km heading 289° from Newman	-23.13318	119.01538	23/05/2011
T131836	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32746	119.7644	5/04/2013
T131036	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.27582	119.8071	29/04/2013

Western Australian Museum Database Search Interpreted Results

T131522	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 19, ca. 28 km ENE. of Newman	-23.33256	120.0013	19/03/2013
T115867	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Wonmunna, ca. 77 km heading 289° from Newman	-23.13318	119.01538	23/05/2011
T115860	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Wonmunna, ca. 75 km heading 289° from Newman	-23.13545	119.03841	19/05/2011
T131521	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 19, ca. 28 km ENE. of Newman	-23.33136	120.0187	19/03/2013
T131020	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.28804	119.7285	29/04/2013
T131021	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.28756	119.7283	29/04/2013
T131022	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.28998	119.7363	29/04/2013
T131023	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.28998	119.7363	29/04/2013
T131024	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.28998	119.7363	29/04/2013
T122168	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	South Parmelia, 67.4 km NW. of Newman	-23.0325	119.1781	3/02/2012
T132719	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Ophthalmia Range, ca. 20 km N. of Newman	-23.14953	119.6599	25/03/2014
T122170	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	South Parmelia, 67.4 km NW. of Newman	-23.0325	119.1781	3/02/2012
T115865	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Wonmunna, ca. 70 km heading 291° from Newman	-23.129	119.09042	19/05/2011
T130399	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.74166	118.9943	14/05/2013
T122176	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	South Parmelia, 67.4 km NW. of Newman	-23.0325	119.1781	3/02/2012
T115861	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Wonmunna, ca. 74 km heading 290° from Newman	-23.12191	119.04984	20/05/2011
T132723	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Ophthalmia Range, ca. 20 km N. of Newman	-23.21742	119.752	25/03/2014
T115863	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Wonmunna, ca. 74 km heading 290° from Newman	-23.12191	119.04984	20/05/2011
T115864	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Wonmunna, ca. 75 km heading 289° from Newman	-23.13487	119.03381	19/05/2011
T149481	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	84.2 km NW. of Newman	-23.06062	118.9743	12/03/2019
T131018	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.28873	119.727	29/04/2013
T131029	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.27416	119.7399	29/04/2013

Western Australian Museum Database Search Interpreted Results

T136515	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	a species complex that may contain SREs (Alacran unpublished data)	Koodaideri, 116.7 km ENE. of Tom Price	-22.45016	118.8937	8/05/2012
T134006	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.77267	119.0947	2/04/2014
T131266	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32755	119.7733	5/08/2013
T131265	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32755	119.7733	5/08/2013
T131051	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.33156	119.777	29/04/2013
T131264	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.28342	119.7504	5/08/2013
T131046	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32957	119.7813	29/04/2013
T131257	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.29307	119.7571	5/08/2013
T131074	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.2967	119.8616	29/04/2013
T131050	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.3288	119.7819	29/04/2013
T131067	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32689	119.7685	29/04/2013
T127189	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	South Parmelia, 60.9 km NW. of Newman	-23.04778	119.2392	2/02/2012
T131049	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.3288	119.7819	29/04/2013
T131044	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32335	119.7869	29/04/2013
T131066	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32689	119.7685	29/04/2013
T131069	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.27704	119.861	29/04/2013
T131048	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32957	119.7813	29/04/2013
T131078	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.28533	119.7728	29/04/2013
T131068	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.27704	119.861	29/04/2013
T131077	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.2967	119.8616	29/04/2013
T131070	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.27398	119.8542	29/04/2013
T131053	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.33228	119.7798	29/04/2013

Western Australian Museum Database Search Interpreted Results

T131261	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.28787	119.7468	5/08/2013
T131269	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32914	119.7692	5/08/2013
T131045	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32943	119.7791	29/04/2013
T131268	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32173	119.7858	5/08/2013
T131263	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.28342	119.7504	5/08/2013
T131052	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.33156	119.777	29/04/2013
T131064	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 25, ca. 5 km N. of Newman	-23.32588	119.7683	29/04/2013
T131259	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 24, ca. 7 km N. of Newman	-23.2872	119.7242	5/08/2013
T97365	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 lge'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Hamersley Range, 60 km WNW. of Newman, Hope Downs 4	-23.09086	119.1998	27/04/2009
T97363	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 lge'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Hamersley Range, 60 km WNW. of Newman, Hope Downs 4	-23.09139	119.209	28/04/2009
T124654	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 lge'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Hamersley Range, 60 km WNW Newman, Hope Downs 4	-23.09086	119.1998	27/04/2009
T114700	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 lge'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Angelo River, 103 km W. of Newman	-23.33333	118.7253	20/06/2011
T122359	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 lge'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Area C West, 122.3 km NW. of Newman	-22.87886	118.6573	6/02/2012
T114690	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 lge'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Angelo River, 95 km W. of Newman	-23.3453	118.8021	20/06/2011
T118939	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 lge'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Marillana, ca. 100 km NW. of Newman	-22.44003	119.2281	22/05/2011
T117779	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 lge'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Mudlark, 121 km WNW. of Newman	-23.07806	118.585	6/07/2011
T118952	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 lge'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Marillana, ca. 100 km NW. of Newman	-22.43986	119.2298	21/05/2011
T94695	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 small'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Auski Road House, 55.5 km S. of (Ecologia 997)	-22.88583	118.6883	29/07/2008
T96848	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 small'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Auski Roadhouse, ca. 60 km ESE, East Pilbara, Ecologia project 974	-22.555	119.2214	6/09/2008
T98307	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 small'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Jinayri mine site, ca. 65 km NW. of Newman	-22.91694	119.2128	19/06/2009
T94712	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 small'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.60556	119.2367	30/06/2008
T94822	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 small'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Jinayri, ca. 60 km NW. of Newman	-23.0407	119.2794	2/02/2009

Western Australian Museum Database Search Interpreted Results

T96842	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 small'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	ca. 60 km ESE. of Auski Roadhouse, East Pilbara (Ecologia 974)	-22.62236	119.2583	10/10/2008
T98441	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 small'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Jinayri mine site, ca. 65 km NW. of Newman	-22.93139	119.1469	18/06/2009
T94718	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 small'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.55528	119.23	30/06/2008
T104937	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 small'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Orebody 35, ca. 8 km W. of Newman, Site5-P6	-23.41014	119.5716	12/03/2010
T94709	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 small'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.585	119.3122	30/06/2008
T94719	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 small'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.56889	119.2325	6/09/2008
T97361	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 small'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Hamersley Range, 60 km WNW. of Newman, Hope Downs 4	-23.09528	119.2024	25/04/2009
T97364	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 small'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Hamersley Range, 60 km WNW. of Newman, Hope Downs 4	-23.0913	119.1713	27/04/2009
T97362	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 small'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Hamersley Range, 60 km WNW. of Newman, Hope Downs 4	-23.08803	119.161	27/04/2009
T115347	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 small'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Angelo River, 97 km W. of Newman	-23.31283	118.7808	20/06/2011
T114696	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 small'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Angelo River, 97 km W. of Newman	-23.32351	118.7815	20/06/2011
T115349	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 small'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Angelo River, 103 km W. of Newman	-23.33333	118.7253	20/06/2011
T115348	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 small'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Angelo River, 102 km W. of Newman	-23.43315	118.7329	20/06/2011
T127401	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 small'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Angelo River, 95 km W. Newman	-23.33333	118.8016	20/06/2011
T114692	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 small'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Angelo River, 94 km W. of Newman	-23.35	118.8125	20/06/2011
T115346	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 small'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Angelo River, 95 km W. of Newman	-23.33464	118.8016	20/06/2011
T114695	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium '8/4 small'	epigean	potential SRE: DD	Beierolpium '8/4' represents a complex that includes SRE (Alacran unpublished data)	Angelo River, 97 km W. of Newman	-23.26311	118.7825	20/06/2011
T134318	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium 'B12'	epigean	potential SRE: DD	W.A. Museum assessment	ca. 40 km E. of Mount McRae, Solomon Mine	-22.08413	118.227	22/04/2014
T134320	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium 'B12'	epigean	potential SRE: DD	W.A. Museum assessment	ca. 40 km E. of Mount McRae, Solomon Mine	-22.08413	118.227	22/04/2014
T134319	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium 'B12'	epigean	potential SRE: DD	W.A. Museum assessment	ca. 40 km E. of Mount McRae, Solomon Mine	-22.08413	118.227	22/04/2014
T118031	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium 'DNA01'	epigean	potential SRE: DD	W.A. Museum assessment	ca. 77 km NW. of Newman	-23.16178	119.0005	23/11/2011
T149478	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium 'HD1'	epigean	potential SRE: DD	W.A. Museum assessment	78.5 km NW. of Newman	-23.08382	119.0235	17/03/2019
T149479	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium 'HD2'	epigean	potential SRE: DD	W.A. Museum assessment	88.2 km NW. of Newman	-23.06007	118.9316	9/03/2019
T128906	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium 'M1'	epigean	potential SRE: DD	W.A. Museum assessment	Hamersley Range, ca. 30 km ESE. of Juna Downs	-22.67994	119.0718	2/04/2014
T139688	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium 'PSE126'	epigean	potential SRE: DD	W.A. Museum assessment	Ministers North, ca. 93 km NW. of Newman	-22.84918	119.1111	3/04/2015

Western Australian Museum Database Search Interpreted Results

T98457	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station	-22.47936	119.9421	26/05/2009
T98172	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station	-22.49618	120.0104	22/06/2009
T93964	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Hope Downs 4, ca. 30 km NW. of Newman, HD4-3 Gully	-23.15347	119.5329	17/09/2008
T97617	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Phils Creek, Pilbara, Ecologia project 1038	-22.74264	119.1929	3/04/2009
T94705	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.55305	119.2228	6/09/2008
T94808	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	genus contains SRE and potential SREs	Jinayri, ca. 60 km NW. of Newman	-22.98428	119.2677	10/02/2009
T103487	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Area C, 82.6 km NW. of Newman	-22.98195	119.0139	1/05/2010
T103481	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Area C, 89.6 km NW. of Newman	-23.00111	118.9478	1/05/2010
T107240	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Chichester Range	-22.63357	119.3289	20/04/2010
T107249	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.10906	119.2235	12/05/2010
T103482	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Area C, 83.1 km NW. of Newman	-22.975	119.0378	1/05/2010
T103483	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Area C, 89.6 km NW. of Newman	-23.00111	118.9478	1/05/2010
T103484	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Area C, 82.6 km NW. of Newman	-22.98195	119.0139	1/05/2010
T103485	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Area C, 82.6 km NW. of Newman	-22.98195	119.0139	1/05/2010
T107234	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Chichester Range	-22.63357	119.3289	20/04/2010
T103486	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Area C, 85.2 km NW. of Newman	-23.00361	118.9942	1/05/2010
T103478	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Area C, 87.3 km NW. of Newman	-22.89528	119.045	1/05/2010
T103488	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Area C, 89.5 km NW. of Newman	-22.97806	118.9636	1/05/2010
T105181	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Area C, 85.2 km NW. of Newman	-23.00361	118.9942	1/05/2010
T103489	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Area C, 82.6 km NW. of Newman	-22.98195	119.0139	1/05/2010
T103491	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Area C, 89 km NW. of Newman	-22.95639	118.9833	1/05/2010
T110437	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	74.1 km NW. of Newman	-22.78139	119.3606	14/03/2011
T103493	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Area C, 82.6 km NW. of Newman	-22.98195	119.0139	1/05/2010
T105138	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Area C, 81.8 km NW. of Newman	-23.005	119.0331	1/05/2010
T107260	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.17161	119.1022	12/05/2010
T105154	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Area C, 85.2 km NW. of Newman	-23.00361	118.9942	1/05/2010
T93560	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-22.98428	119.2677	31/08/2008
T93567	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-22.98428	119.2677	31/08/2008
T105072	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Area C, 89.6 km NW. of Newman	-22.90861	119.0072	1/05/2010
T105073	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Area C, 90.6 km NW. of Newman	-22.99778	119.0297	1/05/2010
T105152	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Area C, 83.1 km NW. of Newman	-22.975	119.0378	1/05/2010
T91715	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Hope Downs 4, ca. 100 km NW. of Newman, HD4-8	-23.08656	119.3184	13/05/2008
T108028	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Fortescue Marsh	-22.50113	119.1042	22/04/2010

Western Australian Museum Database Search Interpreted Results

T105175	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Area C, 83.6 km NW. of Newman	-22.99167	118.9592	1/05/2010
T105089	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Area C, 84.7 km NW. of Newman	-22.90583	119.0289	1/05/2010
T93762	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Murray Hills, Mulga Downs Station, Ecologia project 1142	-22.117	118.5032	21/04/2009
T111836	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Christmas Creek, 110 km N. of Newman	-22.36622	119.6202	26/03/2011
T93558	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-22.98428	119.2677	31/08/2008
T153973	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, Mt Meharry, 150 m E. of summit	-22.97944	118.5889	31/05/2021
T139674	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.81159	119.0909	31/03/2015
T122363	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Area C West, 121.6 km NW. of Newman	-22.87886	118.6573	6/02/2012
T140231	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	South Flank, ca. 95 km NW. of Newman	-22.95203	118.7628	16/03/2016
T126556	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	45 km ESE. of Paraburdoo, site 1000-tur06	-23.2738	118.202	27/04/2012
T122362	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Area C West, 121.6 km NW. of Newman	-22.87886	118.6573	6/02/2012
T153975	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, Mt Meharry, 150 m E. of summit	-22.97944	118.5889	31/05/2021
T153972	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, Mt Meharry, 150 m E. of summit	-22.97944	118.5889	31/05/2021
T153974	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, Mt Meharry, 150 m E. of summit	-22.97944	118.5889	31/05/2021
T122884	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	119.4 km NW. of Newman	-22.93389	118.6639	31/03/2012
T123608	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	BHP Main Rail 208 km SSE. of Port Hedland	-22.1879	118.9892	23/04/2012
T122361	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Area C West, 121.6 km NW. of Newman	-22.87886	118.6573	6/02/2012
T122381	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 104.3 km NW. of Newman	-23.07792	118.7523	6/02/2012
T118347	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	ca. 120 km NW. of Newman	-22.85833	118.8417	4/04/2012
T118348	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	ca. 120 km NW. of Newman	-22.80639	118.8853	6/04/2012
T140266	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	South Flank, ca. 95 km NW. of Newman	-23.01808	118.8176	16/03/2016
T125302	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Christmas Creek, 110 km N. of Newman	-22.36622	119.6202	26/03/2011
T139689	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.84775	119.1102	1/09/2015
T127759	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, ca. 26 km SSE. of Mt Meharry	-23.18751	118.7099	25/09/2012
T122188	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Area C West to Yandi, 110 km NW. of Newman	-22.7425	118.8814	8/02/2012
T118025	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	ca. 71 km NW. of Newman	-23.12907	119.0889	23/09/2011
T118343	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	ca. 120 km NW. of Newman	-22.85833	118.8417	4/04/2012
T118344	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	ca. 120 km NW. of Newman	-22.80639	118.8853	6/04/2012
T139672	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.81159	119.0909	31/03/2015
T125636	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	BHP Main Rail 208 km SSE. of Port Hedland	-22.18398	119.0331	23/04/2012
T122151	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Southern Flank to Jinidi, 71.5 km NW. of Newman	-23.00389	119.1389	1/02/2012
T126600	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	45 km ESE. of Paraburdoo, site 1000-tur06	-23.2738	118.202	27/04/2012
T113158	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Christmas Creek, 110 km N. of Newman	-22.40898	119.8845	8/04/2011

Western Australian Museum Database Search Interpreted Results

T128256	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	ca. 18 km N. of Wittenoom	-22.06667	118.3625	20/05/2013
T140269	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Ministers North ca. 93 km NW. of Newman	-22.81253	119.0985	31/08/2015
T128910	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Hamersley Range, ca. 30 km ESE. of Juna Downs	-22.67886	119.0483	2/04/2014
T139692	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.84775	119.1102	1/09/2015
T132866	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Ophthalmia Range, ca. 20 km N. of Newman	-23.13989	119.6826	25/03/2014
T113157	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Christmas Creek, 110 km N. of Newman	-22.35473	119.7704	10/04/2011
T146557	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	Greater Hope Downs, Hope Downs 1 mine, ca. 80.9 km NW. of Newman	-23.07796	119.0009	25/05/2018
T125632	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Beierolpium sp.	epigean	potential SRE: DD	Genus contains SREs and potential SREs	BHP Main Rail 235 km SSE. of Port Hedland	-22.43681	119.0184	23/04/2012
T76986	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	NW. of Newman, Ore Body 24, site 1 (waypoint 119)	-23.2911	119.7647	7/03/2006
T107486	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Orebody 35, ca. 8 km W. of Newman, site 18-HC562	-23.41822	119.5847	14/08/2010
T103415	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Roy Hill	-22.58467	120.0265	11/03/2010
T76989	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	NE. of Newman, Ore Body 25, site 5 (waypoint 133)	-23.3222	119.7703	11/03/2006
T76990	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	NE. of Newman, Ore Body 25, site 3 (waypoint 133)	-23.3255	119.7669	10/03/2006
T76992	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	NE. of Newman, Ore Body 25, site 1 (waypoint 128)	-23.3219	119.7669	12/03/2006
T76993	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	NW. of Newman, Ore Body 24, site 4 (waypoint 124)	-23.308	119.8108	8/03/2006
T107490	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Orebody 35, ca. 8 km W. of Newman, site 25-HC576	-23.4021	119.5625	11/08/2010
T107494	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Orebody 35, ca. 8 km W. of Newman, site 8-HC590	-23.41583	119.592	14/08/2010
T107488	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Orebody 35, ca. 8 km W. of Newman, site 9-HC571	-23.39005	119.6426	12/08/2010
T107487	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Orebody 35, ca. 8 km W. of Newman, site 8-HC565	-23.4159	119.592	11/08/2010
T111894	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	South Parmelia, 61.9 km NW. of Newman	-23.04472	119.2289	18/04/2011

Western Australian Museum Database Search Interpreted Results

T107484	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Orebody 35, ca. 8 km W. of Newman, site 25-HC551	-23.4021	119.5625	11/08/2010
T97360	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Hamersley Range, 60 km WNW. of Newman, Hope Downs 4	-23.08803	119.161	26/04/2009
T97359	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Hamersley Range, 60 km WNW. of Newman, Hope Downs 4	-23.08803	119.161	26/04/2009
T74146	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Dales Gorge, upstream from Fernpool, Karijini National Park	-22.47749	118.54584	8/07/2006
T91924	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Hamersley Range, Weeli Wolli Creek region, Area C, site 12-12Q	-22.91681	118.9105	13/06/2008
T93816	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Spinifex Ridge, ca. 140 km ESE. of Port Hedland	-22.92694	119.8544	27/11/2008
T94805	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Jinayri, ca. 60 km NW. of Newman	-23.03244	119.2159	12/02/2009
T91927	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Hamersley Range, Weeli Wolli Creek region, Area C, site 04-4A	-22.93119	119.0098	13/06/2008
T115930	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna, ca. 75 km heading 289° from Newman	-23.13551	119.0384	19/05/2011
T115928	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna, ca. 75 km heading 289° from Newman	-23.13551	119.0384	19/05/2011
T115929	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna, ca. 81 km, heading 286° from Newman	-23.15965	118.9703	18/05/2011
T126578	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	67.5 km ESE. of Paraburdoo, site 1000-tur03	-23.32424	118.3173	3/05/2012
T114694	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Angelo River, 100 km W. of Newman	-23.26478	118.7539	20/06/2011
T118963	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Marillana, ca. 100 km NW. of Newman	-22.1734	119.0946	21/07/2011
T118959	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Marillana, ca. 100 km NW. of Newman	-22.12692	119.2123	20/07/2011
T136298	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna Mining Lease, ca 70 km WNW. of Newman	-23.12877	119.0904	19/05/2011

Western Australian Museum Database Search Interpreted Results

T115931	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna, ca. 70 km heading 291° from Newman	-23.12877	119.0904	19/05/2011
T136299	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna Mining Lease, ca 70 km WNW. of Newman	-23.12877	119.0904	19/05/2011
T140235	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	South Flank, ca. 95 km NW. of Newman	-22.95333	118.96	16/03/2016
T146558	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Greater Hope Downs, Hope Downs 1 mine, ca. 70.4 km NW. of Newman	-23.03724	119.1365	24/05/2018
T115914	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna, ca. 73 km heading 291° from Newman	-23.12101	119.0632	20/05/2011
T114689	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Angelo River, 95 km W. of Newman	-23.33464	118.8016	20/06/2011
T115920	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna, ca. 71 km heading 290° from Newman	-23.13146	119.0774	19/05/2011
T116683	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Area C West, ca. 90 km E. of Tom Price	-22.87639	118.6408	27/09/2011
T115919	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna, ca. 75 km heading 289° from Newman	-23.13551	119.0384	19/05/2011
T115918	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna, ca. 72 km heading 290° from Newman	-23.13091	119.0689	19/05/2011
T125633	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	BHP Main Rail 208 km SSE. of Port Hedland	-22.12992	119.0217	23/04/2012
T115917	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna, ca. 70 km heading 291° from Newman	-23.12877	119.0904	19/05/2011
T126985	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	114.4 km NW. of Newman	-22.58083	119.0017	20/11/2011
T115916	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna, ca. 77 km heading 289° from Newman	-23.13317	119.0154	23/05/2011
T125635	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	BHP Main Rail 208 km SSE. of Port Hedland	-22.15153	119.0194	23/04/2012
T115915	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna, ca. 71 km heading 290° from Newman	-23.13146	119.0774	19/05/2011

Western Australian Museum Database Search Interpreted Results

T123622	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	BHP Main Rail 190 km SSE. of Port Hedland	-22.01464	119.0058	23/04/2012
T115913	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna, ca. 73 km heading 291° from Newman	-23.11855	119.0649	20/05/2011
T115912	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna, ca. 78 km heading 286° from Newman	-23.1615	119.002	18/05/2011
T115911	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna, ca. 70 km heading 291° from Newman	-23.12877	119.0904	19/05/2011
T115910	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna, ca. 77 km heading 289° from Newman	-23.13317	119.0154	23/05/2011
T115909	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna, ca. 76 km heading 290° from Newman	-23.1169	119.0396	20/05/2011
T153971	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Karijini National Park, Mt Meharry, 150 m E. of summit	-22.97944	118.5889	31/05/2021
T115908	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna, ca. 73 km heading 291° from Newman	-23.12202	119.0611	20/05/2011
T130391	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.7415	119.0617	14/05/2013
T139691	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Ministers North, ca. 93 km NW. of Newman	-22.84775	119.1102	1/09/2015
T149482	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	69.8 km NW. of Newman	-23.04071	119.1411	13/03/2019
T123611	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	BHP Main Rail 222 km SSE. of Port Hedland	-22.35344	119	23/04/2012
T122190	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Area C West to Yandi, 110 km NW. of Newman	-22.7425	118.8814	8/02/2012
T122191	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Area C West to Yandi, 110 km NW. of Newman	-22.7425	118.8814	8/02/2012
T122195	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Area C West to Yandi, 110 km NW. of Newman	-22.7425	118.8814	8/02/2012
T115927	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna, ca. 72 km heading 290° from Newman	-23.13091	119.0689	19/05/2011

Western Australian Museum Database Search Interpreted Results

T127762	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	West Angelas, ca. 22 km SSE. of Mt Meharry	-23.14808	118.6912	25/09/2012
T118975	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Marillana, ca. 100 km NW. of Newman	-22.265	119.0252	8/08/2011
T118927	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Marillana, ca. 100 km NW. of Newman	-22.17348	119.0937	21/07/2011
T123607	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	BHP Main Rail 235 km SSE. of Port Hedland	-22.43681	119.0184	23/04/2012
T115921	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna, ca. 71 km heading 290° from Newman	-23.13146	119.0774	19/05/2011
T115925	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna, ca. 70 km heading 291° from Newman	-23.12877	119.0904	19/05/2011
T122189	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Area C West to Yandi, 110 km NW. of Newman	-22.7425	118.8814	8/02/2012
T115924	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna, ca. 74 km heading 290° from Newman	-23.12166	119.0498	20/05/2011
T123613	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	BHP Main Rail 208 km SSE. of Port Hedland	-22.16062	119.0162	23/04/2012
T126242	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	114.4 km NW. of Newman	-22.58083	119.0017	20/11/2011
T123616	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	BHP Main Rail 208 km SSE. of Port Hedland	-22.18854	119.0312	23/04/2012
T115923	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna, ca. 75 km heading 289° from Newman	-23.13551	119.0384	19/05/2011
T115922	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna, ca. 72 km heading 290° from Newman	-23.13091	119.0689	19/05/2011
T123621	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	BHP Main Rail 190 km SSE. of Port Hedland	-22.02648	119.0029	23/04/2012
T115926	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Euryolpium sp.	epigean	Potential SRE: DD	DNA Sequence data indicated the presence of multiple species in the pilbara however their SRE status is unknown (Alacran. Unpublished data)	Wonmunna, ca. 75 km heading 289° from Newman	-23.13551	119.0384	19/05/2011
T136516	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Euryolpium?' sp.	epigean	potential SRE: DD	genus contains SREs and potential SREs	Koodaideri, 116.7 km ENE. of Tom Price	-22.45016	118.8937	8/05/2012
T136517	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Euryolpium?' sp.	epigean	potential SRE: DD	genus contains SREs and potential SREs	Koodaideri, 105.5 km ENE. of Tom Price	-22.34836	118.744	9/05/2012
T134341	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'B17'	epigean	Potential SRE: DD	W.A. Museum assessment	ca. 40 km E. of Mount McRae, Solomon Mine	-22.0996	118.185	22/04/2014

Western Australian Museum Database Search Interpreted Results

T134344	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'B17'	epigean	Potential SRE: DD	W.A. Museum assessment	ca. 40 km E. of Mount McRae, Solomon Mine	-22.08413	118.227	22/04/2014
T134343	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'B17'	epigean	Potential SRE: DD	W.A. Museum assessment	ca. 40 km E. of Mount McRae, Solomon Mine	-22.08413	118.227	22/04/2014
T134333	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'B17'	epigean	Potential SRE: DD	W.A. Museum assessment	ca. 40 km E. of Mount McRae, Solomon Mine	-22.08413	118.227	22/04/2014
T134332	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'B17'	epigean	Potential SRE: DD	W.A. Museum assessment	ca. 40 km E. of Mount McRae, Solomon Mine	-22.08413	118.227	22/04/2014
T134331	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'B17'	epigean	Potential SRE: DD	W.A. Museum assessment	ca. 40 km E. of Mount McRae, Solomon Mine	-22.08413	118.227	22/04/2014
T124976	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'long chelal hand'	epigean	Potential SRE: DD	W.A. Museum assessment	64 km E. of Paraburdoo, site 1000-tur07	-23.21957	118.2932	28/04/2012
T139690	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'PSE118'	epigean	Potential SRE: DD	W.A. Museum assessment	Ministers North, ca. 93 km NW. of Newman	-22.84775	119.1102	1/09/2015
T139696	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'PSE123'	epigean	Potential SRE: DD	W.A. Museum assessment	Ministers North, ca. 93 km NW. of Newman	-22.81253	119.0985	31/08/2015
T139701	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'PSE123'	epigean	Potential SRE: DD	W.A. Museum assessment	Ministers North, ca. 93 km NW. of Newman	-22.82743	119.1276	2/09/2015
T139678	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'PSE123'	epigean	Potential SRE: DD	W.A. Museum assessment	Ministers North, ca. 93 km NW. of Newman	-22.84092	119.1019	1/09/2015
T139705	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'PSE123'	epigean	Potential SRE: DD	W.A. Museum assessment	Ministers North, ca. 93 km NW. of Newman	-22.84279	119.1159	1/09/2015
T139675	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'PSE123'	epigean	Potential SRE: DD	W.A. Museum assessment	Ministers North, ca. 93 km NW. of Newman	-22.81782	119.0947	1/09/2015
T139683	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'PSE123'	epigean	Potential SRE: DD	W.A. Museum assessment	Ministers North, ca. 93 km NW. of Newman	-22.82825	119.144	2/09/2015
T136334	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'PSE124'	epigean	Potential SRE: DD	W.A. Museum assessment	Hammersley Range, ca. 30 km ESE. of Juna Downs	-22.67516	119.0488	29/03/2014
T105066	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'PSE125'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 78.9 km NW. of Newman	-22.90278	119.1439	1/05/2010
T93929	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range, Pilbara, site 17	-22.14652	119.0184	7/04/2008
T93930	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range, Pilbara, site 11	-22.14832	119.0254	7/04/2008
T93934	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range, Pilbara, site 24	-22.05037	118.9934	6/05/2008
T93932	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range, Pilbara, site 13	-22.14972	119.0178	6/05/2008
T94693	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Auski Road House, 55.5 km S. of (Ecologia 997)	-22.88583	118.6883	1/09/2008
T93935	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range, Pilbara, site 21	-22.1516	119.0163	6/05/2008
T104837	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site10-P8	-23.39973	119.6519	12/03/2010
T93888	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range, Ecologia site 27	-22.11	118.9033	13/07/2008
T93887	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range, Ecologia site 25	-22.02833	119.0222	13/07/2008
T93563	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Jinary, ca. 60 km NW. of Newman	-22.97836	119.2609	31/08/2008
T97643	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Murray Hill, Mulga Downs Station, Ecologia project 1142	-22.12156	118.513	20/04/2009
T93936	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range, Pilbara, site 13	-22.14972	119.0178	6/05/2008
T93937	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range, Pilbara, site 14	-22.15081	119.0179	9/06/2008
T97614	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Phils Creek, Pilbara, Ecologia project 1038	-22.73199	119.194	4/04/2009
T93938	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range, Pilbara, site 22	-22.05167	118.9884	6/05/2008
T93941	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range, Pilbara, site 19	-22.13873	119.0137	6/05/2008
T94817	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Jinayri, ca. 60 km NW. of Newman	-22.98428	119.2677	3/02/2009
T93942	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range, Pilbara, site 24	-22.05037	118.9934	7/04/2008

Western Australian Museum Database Search Interpreted Results

T97619	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Phils Creek, Pilbara, Ecologia project 1038	-22.73661	119.1811	4/04/2009
T94692	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Auski Road House, 55.5 km S. of (Ecologia 997)	-22.88694	118.6408	1/09/2008
T94691	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Auski Road House, 55.5 km S. of (Ecologia 997)	-22.88083	118.6444	1/09/2008
T93943	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range, Pilbara, site 17	-22.14652	119.0184	13/07/2008
T93965	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Hope Downs 4, ca. 30 km NW. of Newman, HD4-3 Gully	-23.15347	119.5329	17/09/2008
T77740	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	NW. of Newman, Ore Body 24, site 1 (waypoint 119)	-23.2911	119.7647	7/03/2006
T93939	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range, Pilbara, site 15	-22.15019	119.0179	6/05/2008
T73318	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Hamersley Range, The Governor, cliff base face	-23.07972	118.81083	12/09/2005
T93258	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.46975	119.8778	23/05/2009
T93256	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.45909	119.9023	23/05/2009
T93255	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.47936	119.9421	26/05/2009
T93253	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.50397	120.021	24/05/2009
T93252	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.48111	119.8844	27/05/2009
T93251	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.51014	119.927	21/06/2009
T93249	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.47936	119.9421	26/05/2009
T93248	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.47936	119.9421	26/05/2009
T92117	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Hope Downs [Station], bore RC06TE366	-23.12611	119.4892	14/03/2008
T92108	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Hope Downs [Station], bore PC294	-23.15389	119.5728	3/10/2007
T91928	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Hamersley Range, Weeli Wolli Creek region, Area C, site 12-12B	-22.91681	118.9105	13/06/2008
T82325	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Metals Group, Chichester Ridge, Port Hedland - Newman Railway (FMG17)	-22.2994	119.0231	12/03/2004
T94815	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Jinayri, ca. 60 km NW. of Newman	-23.04078	119.2798	9/02/2009
T82326	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Metals Group, Chichester Ridge, Port Hedland - Newman Railway (FMG17)	-22.2994	119.0231	12/03/2004
T93262	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.55656	119.9703	25/05/2009
T82327	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Metals Group, Chichester Ridge, Port Hedland - Newman Railway (FMG17)	-22.2994	119.0231	12/03/2004
T76973	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	NW. of Newman, Ore Body 24, site 1 (waypoint 119)	-23.2911	119.7647	7/03/2006
T76974	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	NW. of Newman, Ore Body 24, site 2 (waypoint 122)	-23.3013	119.7839	8/03/2006
T76983	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	NW. of Newman, Ore Body 24, site 2 (waypoint 122)	-23.3013	119.7839	8/03/2006
T76984	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	NE. of Newman, Ore Body 25, site 5 (waypoint 133)	-23.3222	119.7703	12/03/2006
T76985	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	NW. of Newman, Ore Body 24, site 5 (waypoint 126)	-23.3091	119.8275	9/03/2006
T76987	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	NW. of Newman, Ore Body 24, site 1 (waypoint 119)	-23.2911	119.7647	9/03/2006
T76988	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	NE. of Newman, Ore Body 25, site 5 (waypoint 133)	-23.3222	119.7703	11/03/2006
T96530	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Jinayri, ca. 60 km NW. of Newman	-23.04078	119.2798	9/02/2009
T96793	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Maralina Station, 60 km ESE. of Auski Roadhouse, project 974	-22.60556	119.2367	30/06/2008

Western Australian Museum Database Search Interpreted Results

T96841	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca. 60 km ESE. of Auski Roadhouse, East Pilbara (Ecologia 974)	-22.60958	119.2446	10/10/2008
T96846	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca. 60 km ESE. of Auski Roadhouse, East Pilbara (Ecologia 974)	-22.54972	119.2139	6/09/2008
T96847	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca. 60 km ESE. of Auski Roadhouse, East Pilbara (Ecologia 974)	-22.555	119.2214	6/09/2008
T73316	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Hamersley Range, The Governor, cliff base face	-23.07972	118.81083	12/09/2005
T94724	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.56639	119.2308	6/09/2008
T97611	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Phils Creek, Pilbara, Ecologia project 1038	-22.73408	119.1851	2/04/2009
T94696	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Auski Road House, 55.5 km S. of (Ecologia 997)	-22.8725	118.6747	29/07/2008
T94700	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.60556	119.2367	6/09/2008
T94701	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.54833	119.2128	6/09/2008
T94702	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.62667	119.2789	30/06/2008
T97607	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Phils Creek, Pilbara, Ecologia project 1038	-22.74126	119.1959	3/04/2009
T94704	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.58694	119.2508	6/09/2008
T97604	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Phils Creek, Pilbara, Ecologia project 1038	-22.7361	119.1834	4/04/2009
T94707	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.54944	119.2114	6/09/2008
T94708	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.56639	119.2308	30/06/2008
T94714	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.58222	119.3119	30/06/2008
T94716	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.62639	119.2842	6/09/2008
T94717	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.58222	119.3119	6/09/2008
T93260	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.55692	119.97	26/05/2009
T94814	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Jinayri, ca. 60 km NW. of Newman	-22.98428	119.2677	10/02/2009
T94694	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Auski Road House, 55.5 km S. of (Ecologia 997)	-22.88694	118.6408	17/06/2008
T93265	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.4943	119.9217	26/05/2009
T93266	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.50397	120.021	22/06/2009
T93267	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.43963	119.9453	23/05/2009
T93269	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.47936	119.9421	26/05/2006
T94720	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.58222	119.3119	6/09/2008
T94816	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Jinayri, ca. 60 km NW. of Newman	-22.98428	119.2677	3/02/2009
T94722	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Maralina Station, 60 km ESE. of Auski Road House (Ecologia 974)	-22.55389	119.2283	6/09/2008
T94811	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Jinayri, ca. 60 km NW. of Newman	-23.04122	119.2907	12/02/2009
T94806	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Jinayri, ca. 60 km NW. of Newman	-23.03244	119.2159	12/02/2009
T94803	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Jinayri, ca. 60 km NW. of Newman	-23.04078	119.2798	9/02/2009
T94801	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Jinayri, ca. 60 km NW. of Newman	-23.04078	119.2797	3/02/2009
T94726	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca. 60 km ESE. of Auski Roadhouse, East Pilbara (Ecologia 974)	-22.62611	119.2803	6/09/2008

Western Australian Museum Database Search Interpreted Results

T93261	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.4943	119.9217	26/05/2009
T94825	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Jinayri, ca. 60 km NW. of Newman	-23.04119	119.2907	12/02/2009
T105186	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 85.8 km NW. of Newman	-22.89639	119.0619	1/05/2010
T105170	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 81.4 km NW. of Newman	-22.95806	119.0692	1/05/2010
T105171	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 82.7 km NW. of Newman	-22.96361	119.0472	1/05/2010
T105174	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 61.8 km NW. of Newman	-22.99861	118.8686	1/05/2010
T105177	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 92.7 km NW. of Newman	-22.99861	118.9067	1/05/2010
T105178	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 78.9 km NW. of Newman	-22.90278	119.1439	1/05/2010
T105179	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 81.8 km NW. of Newman	-23.005	119.0331	1/05/2010
T105180	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 89.4 km NW. of Newman	-22.98028	118.9622	1/05/2010
T107176	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.29301	119.0606	22/04/2010
T105183	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 83.9 km NW. of Newman	-22.99306	119.0156	1/05/2010
T105167	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 92.2 km NW. of Newman	-22.90583	118.9803	1/05/2010
T105187	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 82.7 km NW. of Newman	-22.96361	119.0472	1/05/2010
T105188	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 74.1 km NW. of Newman	-22.91778	119.1892	1/05/2010
T105189	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 89.2 km NW. of Newman	-22.965	118.9756	1/05/2010
T105190	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 92.7 km NW. of Newman	-22.99861	118.9067	1/05/2010
T105191	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 75.8 km NW. of Newman	-22.90944	119.1758	1/05/2010
T105192	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 89.2 km NW. of Newman	-22.965	118.9756	1/05/2010
T105193	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 91.3 km NW. of Newman	-22.90055	118.9933	1/05/2010
T105182	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 82.7 km NW. of Newman	-22.96361	119.0472	1/05/2010
T105159	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 78.9 km NW. of Newman	-22.90278	119.1439	1/05/2010
T105147	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 75.8 km NW. of Newman	-22.90583	119.18	1/05/2010
T105148	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 74.1 km NW. of Newman	-22.91778	119.1892	1/05/2010
T105149	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 89 km NW. of Newman	-22.95639	118.9833	1/05/2010
T105150	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 82.6 km NW. of Newman	-22.98195	119.0139	1/05/2010
T105151	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 84.7 km NW. of Newman	-22.9025	119.0708	1/05/2010
T105153	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 75.8 km NW. of Newman	-22.90944	119.1758	1/05/2010
T105156	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 85.2 km NW. of Newman	-23.00361	118.9942	1/05/2010
T105169	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 83.1 km NW. of Newman	-22.975	119.0378	1/05/2010
T105158	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 92.2 km NW. of Newman	-22.90583	118.9803	1/05/2010
T105168	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 86.2 km NW. of Newman	-23.01194	118.9814	1/05/2010
T105160	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 98.2 km NW. of Newman	-23.00778	118.8536	1/05/2010

Western Australian Museum Database Search Interpreted Results

T105161	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 81.4 km NW. of Newman	-22.95806	119.0692	1/05/2010
T105162	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 85.8 km NW. of Newman	-22.89639	119.0619	1/05/2010
T105163	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 89.6 km NW. of Newman	-22.92278	119.1628	1/05/2010
T105164	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 92.2 km NW. of Newman	-22.90583	118.9803	1/05/2010
T105165	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 81.4 km NW. of Newman	-22.95806	119.0692	1/05/2010
T105166	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 82.6 km NW. of Newman	-22.98195	119.0139	1/05/2010
T105196	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 83.1 km NW. of Newman	-22.975	119.0378	1/05/2010
T105157	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 89.4 km NW. of Newman	-22.98028	118.9622	1/05/2010
T107165	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.31579	119.2407	22/04/2010
T105194	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 89.6 km NW. of Newman	-23.00111	118.9478	1/05/2010
T107154	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.47499	119.0555	22/04/2010
T107155	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.4233	119.0101	22/04/2010
T107158	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.4233	119.0101	22/04/2010
T107159	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.2927	119.069	22/04/2010
T107160	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.53063	119.1685	22/04/2010
T107162	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.30899	119.1537	22/04/2010
T107152	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.29301	119.0606	22/04/2010
T107164	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.47499	119.0555	22/04/2010
T107151	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.53063	119.1685	22/04/2010
T107166	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.50981	119.1274	22/04/2010
T107167	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.50113	119.1042	22/04/2010
T107170	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.31579	119.2407	22/04/2010
T107171	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.48899	119.0858	22/04/2010
T107172	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.29301	119.0606	22/04/2010
T107173	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.47499	119.0555	22/04/2010
T107174	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.50113	119.1042	22/04/2010
T104987	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site6-P10	-23.40217	119.5749	12/03/2010
T107163	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.4233	119.0101	22/04/2010
T107140	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.50113	119.1042	22/04/2010
T105143	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 74.1 km NW. of Newman	-22.91778	119.1892	1/05/2010
T105198	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 81.8 km NW. of Newman	-23.005	119.0331	1/05/2010
T105200	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 78.9 km NW. of Newman	-22.90278	119.1439	1/05/2010
T105201	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 91.3 km NW. of Newman	-22.90055	118.9933	1/05/2010

Western Australian Museum Database Search Interpreted Results

T105202	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 82.6 km NW. of Newman	-22.98195	119.0139	1/05/2010
T105203	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 91.3 km NW. of Newman	-22.90055	118.9933	1/05/2010
T105204	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 84.7 km NW. of Newman	-22.9025	119.0708	1/05/2010
T107153	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.40839	119.0055	22/04/2010
T107139	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.47499	119.0555	22/04/2010
T105195	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 90.6 km NW. of Newman	-22.89889	119.0019	1/05/2010
T107143	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.4233	119.0101	22/04/2010
T107144	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.30899	119.1537	22/04/2010
T107145	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.29301	119.0606	22/04/2010
T107146	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.47499	119.0555	22/04/2010
T107147	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.30899	119.1537	22/04/2010
T107148	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.2927	119.069	22/04/2010
T107149	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.4233	119.0101	22/04/2010
T107150	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.31579	119.2407	22/04/2010
T105205	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 61.8 km NW. of Newman	-22.99861	118.8686	1/05/2010
T105080	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 61.8 km NW. of Newman	-22.99861	118.8686	1/05/2010
T105091	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 83.1 km NW. of Newman	-22.975	119.0378	1/05/2010
T105069	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 89.3 km NW. of Newman	-22.90639	119.0125	1/05/2010
T105071	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 83.6 km NW. of Newman	-22.99167	118.9592	1/05/2010
T105074	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 82.7 km NW. of Newman	-22.89917	119.0994	1/05/2010
T105075	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 93.1 km NW. of Newman	-23	118.9131	1/05/2010
T105076	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 89.6 km NW. of Newman	-22.92278	119.1628	1/05/2010
T105077	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 90.6 km NW. of Newman	-22.89889	119.0019	1/05/2010
T105067	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 93.1 km NW. of Newman	-23	118.9131	1/05/2010
T105079	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 74.1 km NW. of Newman	-22.91778	119.1892	1/05/2010
T105065	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 89.4 km NW. of Newman	-22.98028	118.9622	1/05/2010
T105081	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 87.2 km NW. of Newman	-22.98917	118.9822	1/05/2010
T105082	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 82.7 km NW. of Newman	-22.96361	119.0472	1/05/2010
T105084	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 83.1 km NW. of Newman	-22.975	119.0378	1/05/2010
T105085	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 84.7 km NW. of Newman	-22.90583	119.0289	1/05/2010
T105086	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 84.7 km NW. of Newman	-22.90583	119.0289	1/05/2010
T105087	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 74.1 km NW. of Newman	-22.91778	119.1892	1/05/2010
T105088	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 82.7 km NW. of Newman	-22.96361	119.0472	1/05/2010

Western Australian Museum Database Search Interpreted Results

T105146	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 82.6 km NW. of Newman	-22.98195	119.0139	1/05/2010
T105078	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 90.6 km NW. of Newman	-22.99778	119.0297	1/05/2010
T105052	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 89 km NW. of Newman	-22.95639	118.9833	1/05/2010
T104835	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site10-P2	-23.40002	119.6523	12/03/2010
T104989	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site6-P4	-23.40153	119.5749	12/03/2010
T104990	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site8-P6	-23.41537	119.5915	14/03/2010
T104991	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site6-P5	-23.40157	119.5747	12/03/2010
T104992	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site4-P1	-23.40216	119.5971	12/03/2010
T104993	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site1-P2	-23.39436	119.6316	13/03/2010
T104994	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site16-P5	-23.40462	119.6114	14/03/2010
T105068	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 90.6 km NW. of Newman	-22.99778	119.0297	1/05/2010
T105051	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 89.5 km NW. of Newman	-22.97806	118.9636	1/05/2010
T105092	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 82.7 km NW. of Newman	-22.96361	119.0472	1/05/2010
T105053	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 89.2 km NW. of Newman	-22.965	118.9756	1/05/2010
T105054	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 74.1 km NW. of Newman	-22.91778	119.1892	1/05/2010
T105055	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 89 km NW. of Newman	-22.95639	118.9833	1/05/2010
T105056	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 89.5 km NW. of Newman	-22.97806	118.9636	1/05/2010
T105058	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 74.1 km NW. of Newman	-22.91778	119.1892	1/05/2010
T105059	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 93.1 km NW. of Newman	-23	118.9131	1/05/2010
T105062	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 82.6 km NW. of Newman	-22.98195	119.0139	1/05/2010
T105064	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 82.7 km NW. of Newman	-22.89917	119.0994	1/05/2010
T105050	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 89.5 km NW. of Newman	-22.97806	118.9636	1/05/2010
T105132	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 85.8 km NW. of Newman	-23.01722	118.8889	1/05/2010
T105090	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 75.8 km NW. of Newman	-22.90944	119.1758	1/05/2010
T105121	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 92.7 km NW. of Newman	-22.99861	118.9067	1/05/2010
T105122	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 91.3 km NW. of Newman	-22.90055	118.9933	1/05/2010
T105123	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 81.8 km NW. of Newman	-23.005	119.0331	1/05/2010
T105124	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 93.1 km NW. of Newman	-23	118.9131	1/05/2010
T105125	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 93.7 km NW. of Newman	-22.99861	118.9075	1/05/2010
T105126	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 87.3 km NW. of Newman	-22.89528	119.045	1/05/2010
T105119	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 75.8 km NW. of Newman	-22.90944	119.1758	1/05/2010
T105129	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 89.6 km NW. of Newman	-22.90861	119.0072	1/05/2010
T105118	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 88.4 km NW. of Newman	-22.89889	119.0306	1/05/2010

Western Australian Museum Database Search Interpreted Results

T105133	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 75.8 km NW. of Newman	-22.90583	119.18	1/05/2010
T105135	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 83.1 km NW. of Newman	-22.975	119.0378	1/05/2010
T105136	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 85.2 km NW. of Newman	-23.00361	118.9942	1/05/2010
T105137	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 82.6 km NW. of Newman	-22.98195	119.0139	1/05/2010
T105139	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 83.9 km NW. of Newman	-22.99306	119.0156	1/05/2010
T105141	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 81.6 km NW. of Newman	-22.90694	119.1242	1/05/2010
T105142	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 74.1 km NW. of Newman	-22.91778	119.1892	1/05/2010
T107177	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.40839	119.0055	22/04/2010
T105127	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 75.8 km NW. of Newman	-22.90583	119.18	1/05/2010
T105105	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 81.4 km NW. of Newman	-22.95806	119.0692	1/05/2010
T105093	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 81.6 km NW. of Newman	-22.90694	119.1242	1/05/2010
T105094	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 82.7 km NW. of Newman	-22.96361	119.0472	1/05/2010
T105096	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 74.1 km NW. of Newman	-22.91778	119.1892	1/05/2010
T105098	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 88.4 km NW. of Newman	-22.89889	119.0306	1/05/2010
T105099	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 82.6 km NW. of Newman	-22.98195	119.0139	1/05/2010
T105100	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 85.8 km NW. of Newman	-23.01722	118.8889	1/05/2010
T105101	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 74.1 km NW. of Newman	-22.91778	119.1892	1/05/2010
T105120	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 78.2 km NW. of Newman	-22.91778	119.1339	1/05/2010
T105103	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 85.8 km NW. of Newman	-22.89639	119.0619	1/05/2010
T105145	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 74.1 km NW. of Newman	-22.91778	119.1892	1/05/2010
T105107	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 84.7 km NW. of Newman	-22.9025	119.0708	1/05/2010
T105108	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 84.7 km NW. of Newman	-22.90583	119.0289	1/05/2010
T105109	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 75.8 km NW. of Newman	-22.90944	119.1758	1/05/2010
T105113	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 87.2 km NW. of Newman	-22.98917	118.9822	1/05/2010
T105114	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 98.2 km NW. of Newman	-23.00778	118.8536	1/05/2010
T105115	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 92.2 km NW. of Newman	-22.90583	118.9803	1/05/2010
T105116	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 85.2 km NW. of Newman	-23.00361	118.9942	1/05/2010
T105117	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 75.8 km NW. of Newman	-22.90944	119.1758	1/05/2010
T105102	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 84.7 km NW. of Newman	-22.90583	119.0289	1/05/2010
T109053	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.29803	119.3936	26/10/2010
T109044	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.35274	119.4189	26/10/2010
T109045	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.40119	119.4756	26/10/2010
T109046	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.37134	119.5516	26/10/2010

Western Australian Museum Database Search Interpreted Results

T109047	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.40119	119.4756	26/10/2010
T109048	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.28271	119.4037	26/10/2010
T109049	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.25987	119.2786	26/10/2010
T109050	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.39496	119.5019	26/10/2010
T107175	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.50981	119.1274	22/04/2010
T109052	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.28814	119.236	26/10/2010
T109041	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.40119	119.4756	26/10/2010
T109056	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.33034	119.2322	26/10/2010
T109057	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.32517	119.4458	26/10/2010
T109058	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.32517	119.4458	26/10/2010
T109059	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.3652	119.3409	26/10/2010
T109060	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.25987	119.2786	26/10/2010
T109061	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.35274	119.4189	26/10/2010
T109062	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.39496	119.5019	26/10/2010
T109051	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.31496	119.154	26/10/2010
T109033	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.28058	119.4105	26/10/2010
T109024	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.39737	119.4634	26/10/2010
T109025	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.38944	119.438	26/10/2010
T109026	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.25987	119.2786	26/10/2010
T109027	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.3395	119.2775	26/10/2010
T109028	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.3395	119.2775	26/10/2010
T109029	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.28058	119.4105	26/10/2010
T109030	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.28271	119.4037	26/10/2010
T109043	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.28271	119.4037	26/10/2010
T109032	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.28058	119.4105	26/10/2010
T109042	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.39856	119.4748	26/10/2010
T109034	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.37134	119.5516	26/10/2010
T109035	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.39856	119.4748	26/10/2010
T109036	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.35274	119.4189	26/10/2010
T109037	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.32517	119.4458	26/10/2010
T109038	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.37134	119.5516	26/10/2010
T109039	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.29803	119.3936	26/10/2010
T109040	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.40119	119.4756	26/10/2010

Western Australian Museum Database Search Interpreted Results

T109065	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.28814	119.236	26/10/2010
T109031	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.29803	119.3936	26/10/2010
T112051	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	114 km NNW. of Newman	-22.32633	119.74935	24/03/2011
T109063	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.31462	119.302	26/10/2010
T112043	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	114 km NNW. of Newman	-22.32571	119.73924	22/03/2011
T112044	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	118 km N. of Newman	-22.29725	119.8633	24/03/2011
T112045	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	114 km NNW. of Newman	-22.32571	119.73924	22/03/2011
T112046	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	118 km N. of Newman	-22.29725	119.8633	24/03/2011
T112047	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	118 km N. of Newman	-22.29548	119.81087	24/03/2011
T112048	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	115 km NNW. of Newman	-22.31787	119.74757	24/03/2011
T111893	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	South Parmelia, 59.3 km NW. of Newman	-23.07694	119.2356	16/04/2011
T112050	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	118 km N. of Newman	-22.29725	119.8633	24/03/2011
T111842	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Christmas Creek, 110 km N. of Newman	-22.38198	119.8184	23/03/2011
T112052	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	115 km NNW. of Newman	-22.31787	119.74757	24/03/2011
T112053	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	115 km N. of Newman	-22.31347	119.78861	25/03/2011
T112054	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	115 km NNW. of Newman	-22.31787	119.74757	24/03/2011
T112055	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	115 km N. of Newman	-22.31347	119.78861	25/03/2011
T112056	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	114 km NNW. of Newman	-22.32571	119.73924	22/03/2011
T112057	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	104 km NNE. of Newman	-22.44815	119.986	26/03/2011
T112058	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	114 km NNW. of Newman	-22.32571	119.73924	22/03/2011
T112059	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	115 km NNW. of Newman	-22.31787	119.74757	24/03/2011
T112049	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	118 km N. of Newman	-22.29725	119.8633	24/03/2011
T111829	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Christmas Creek, 110 km N. of Newman	-22.40771	119.8662	8/04/2011
T109020	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [mine lease], c. 90 km SW. of Nullagine	-22.38944	119.438	26/10/2010
T109066	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.31462	119.302	26/10/2010
T109067	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.31462	119.302	26/10/2010
T109068	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.31496	119.154	26/10/2010
T109069	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.39496	119.5019	26/10/2010
T109070	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.28814	119.236	26/10/2010
T109071	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.33034	119.2322	26/10/2010
T112042	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	114 km NNW. of Newman	-22.32571	119.73924	22/03/2011
T110690	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	17 km NE. of Roy Hill Station homestaed, (1215)	-22.48279	119.8811	11/03/2010
T109064	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.31496	119.154	26/10/2010

Western Australian Museum Database Search Interpreted Results

T111831	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Christmas Creek, 110 km N. of Newman	-22.40149	119.7938	6/04/2011
T111832	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Christmas Creek, 110 km N. of Newman	-22.40149	119.7938	6/04/2011
T111833	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Christmas Creek, 110 km N. of Newman	-22.40898	119.8845	8/04/2011
T111835	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Christmas Creek, 110 km N. of Newman	-22.36568	119.6031	11/04/2011
T111838	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Christmas Creek, 110 km N. of Newman	-22.35473	119.7704	10/04/2011
T111839	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Christmas Creek, 110 km N. of Newman	-22.38198	119.8184	10/04/2011
T111840	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Christmas Creek, 110 km N. of Newman	-22.37891	119.8186	23/03/2011
T111841	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Christmas Creek, 110 km N. of Newman	-22.39853	119.793	23/03/2011
T109502	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.39856	119.4748	26/10/2010
T107251	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.26757	119.0282	12/05/2010
T107266	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.01871	119.0342	12/05/2010
T107241	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range	-23.11648	119.8865	20/04/2010
T107243	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.12816	119.0517	12/05/2010
T107244	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.22039	119.0431	12/05/2010
T107245	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.22762	119.0318	12/05/2010
T107246	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.13221	119.1983	12/05/2010
T107247	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.10906	119.2235	12/05/2010
T107237	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range	-22.92727	119.7217	20/04/2010
T107250	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.26757	119.0282	12/05/2010
T107236	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range	-22.63357	119.3289	20/04/2010
T107252	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.26757	119.0282	12/05/2010
T107253	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.28588	119.0282	12/05/2010
T107254	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.21847	119.0585	12/05/2010
T107257	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.21436	119.0332	12/05/2010
T107258	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.17161	119.1022	12/05/2010
T107259	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.12372	119.043	12/05/2010
T107261	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.21847	119.0585	12/05/2010
T109022	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [mine lease], c. 90 km SW. of Nullagine	-22.31934	119.1917	26/10/2010
T107248	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.21436	119.0332	12/05/2010
T107221	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range	-22.63357	119.3289	20/04/2010
T107178	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.2927	119.069	22/04/2010
T107212	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range	-22.63357	119.3289	20/04/2010
T107213	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range	-22.63357	119.3289	20/04/2010

Western Australian Museum Database Search Interpreted Results

T107214	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range	-22.63357	119.3289	20/04/2010
T107215	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range	-22.98419	119.7707	20/04/2010
T107216	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range	-22.98419	119.7707	20/04/2010
T107218	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range	-23.11648	119.8865	20/04/2010
T107238	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range	-23.36711	119.7874	20/04/2010
T107220	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range	-22.63357	119.3289	20/04/2010
T107267	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.13221	119.1983	12/05/2010
T107222	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range	-23.11648	119.8865	20/04/2010
T107223	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range	-22.92727	119.7217	20/04/2010
T107225	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range	-22.63357	119.3289	20/04/2010
T107226	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range	-22.66878	119.4189	20/04/2010
T107229	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range	-22.66878	119.4189	20/04/2010
T107230	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range	-22.63357	119.3289	20/04/2010
T107231	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range	-23.31455	119.8553	20/04/2010
T107235	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range	-22.92727	119.7217	20/04/2010
T107219	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range	-23.11648	119.8865	20/04/2010
T108972	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.29803	119.3936	26/10/2010
T107262	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.12816	119.0517	12/05/2010
T108717	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range, northern slopes @	-22.02017	119.0237	22/08/2008
T108965	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.28058	119.4105	26/10/2010
T108966	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.31462	119.302	26/10/2010
T108967	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.25987	119.2786	26/10/2010
T108968	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.37134	119.5516	26/10/2010
T108969	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.28058	119.4105	26/10/2010
T108026	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Fortescue Marsh	-22.48899	119.0858	22/04/2010
T108971	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.29803	119.3936	26/10/2010
T107500	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, site 22-SS601	-23.38197	119.6133	15/08/2010
T108973	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.37134	119.5516	26/10/2010
T109013	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [mine lease], c. 90 km SW. of Nullagine	-22.31496	119.154	26/10/2010
T109014	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [mine lease], c. 90 km SW. of Nullagine	-22.31496	119.154	26/10/2010
T109015	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [mine lease], c. 90 km SW. of Nullagine	-22.28814	119.236	26/10/2010
T109016	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [mine lease], c. 90 km SW. of Nullagine	-22.35274	119.4189	26/10/2010
T109018	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [mine lease], c. 90 km SW. of Nullagine	-22.3652	119.3409	26/10/2010

Western Australian Museum Database Search Interpreted Results

T109019	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [mine lease], c. 90 km SW. of Nullagine	-22.38944	119.438	26/10/2010
T104986	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site6-P9	-23.40203	119.5746	12/03/2010
T108970	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [Chichester Range]	-22.37134	119.5516	26/10/2010
T107421	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Iron Valley, 5 km NE. of Yandicoogina mine; LT74	-22.75947	119.3025	5/05/2010
T107399	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Hope Downs, 75.6 km NW. of Newman	-23.00083	119.1392	25/06/2010
T107411	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Iron Valley, 5 km NE. of Yandicoogina mine; S3P1	-22.74083	119.3078	5/05/2010
T107412	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Iron Valley, 5 km NE. of Yandicoogina mine; LT84	-22.76418	119.3003	5/05/2010
T107413	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Iron Valley, 5 km NE. of Yandicoogina mine; LT44	-22.74113	119.3122	5/05/2010
T107416	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Iron Valley, 5 km NE. of Yandicoogina mine; S4P12	-22.75363	119.3014	5/05/2010
T107417	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Iron Valley, 5 km NE. of Yandicoogina mine; LT86	-22.76501	119.2997	5/05/2010
T107418	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Iron Valley, 5 km NE. of Yandicoogina mine; LT24	-22.72917	119.3195	5/05/2010
T108708	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range, northern slopes @	-22.22344	118.9285	22/08/2008
T107420	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Iron Valley, 5 km NE. of Yandicoogina mine; S2P17	-22.72779	119.3122	5/05/2010
T109021	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Cloudbreak [mine lease], c. 90 km SW. of Nullagine	-22.31462	119.302	26/10/2010
T107422	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Iron Valley, 5 km NE. of Yandicoogina mine; S5P6	-22.7578	119.2981	5/05/2010
T107423	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Iron Valley, 5 km NE. of Yandicoogina mine; S3P12	-22.74056	119.3067	5/05/2010
T107424	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Iron Valley, 5 km NE. of Yandicoogina mine; LT44	-22.74113	119.3122	5/05/2010
T107425	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Iron Valley, 5 km NE. of Yandicoogina mine; S3P3	-22.73973	119.3072	5/05/2010
T107485	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, site 5-P5	-23.41028	119.5716	17/08/2010
T107495	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, site 1-SS594	-23.39433	119.6316	15/08/2010
T107496	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, site 4-SS595	-23.40216	119.5971	15/08/2010
T107497	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, site 19-SS596	-23.40451	119.6211	14/08/2010
T107419	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Iron Valley, 5 km NE. of Yandicoogina mine; S2P13	-22.7289	119.3125	5/05/2010
T103400	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.50509	119.9143	11/03/2010
T102657	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.58467	120.0265	11/03/2010
T102658	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.44107	119.9789	11/03/2010
T102660	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.50509	119.9143	11/03/2010
T102661	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.50304	119.891	11/03/2010
T102662	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.50509	119.9143	11/03/2010
T103920	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	West Angelas, 117 km SE. of Tom Price	-23.49611	118.5475	24/06/2010
T102755	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	West Angelas mine lease, 99.6 km NW. of Newman @	-23.07983	118.8109	9/09/2005
T102652	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.49673	120.0237	11/03/2010
T103416	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.51806	119.9128	11/03/2010

Western Australian Museum Database Search Interpreted Results

T103417	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.51743	119.9314	11/03/2010
T103479	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 82.6 km NW. of Newman	-22.98195	119.0139	1/05/2010
T103495	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 83.1 km NW. of Newman	-22.975	119.0378	1/05/2010
T103918	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	West Angelas, 118 km SE. of Tom Price	-23.55139	118.4839	22/06/2010
T104842	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site10-P10	-23.3996	119.6519	12/03/2010
T102664	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.52711	120.0421	11/03/2010
T102626	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.59898	120.036	11/03/2010
T102601	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.50304	119.891	11/03/2010
T102602	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.50304	119.891	11/03/2010
T102604	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.54898	120.036	11/03/2010
T102605	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.58431	120.0172	11/03/2010
T102606	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.58431	120.0172	11/03/2010
T102607	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.58431	120.0172	11/03/2010
T102656	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.58467	120.0265	11/03/2010
T102609	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.58431	120.0172	11/03/2010
T102653	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.49673	120.0237	11/03/2010
T102627	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.59898	120.036	11/03/2010
T102629	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.59335	120.0333	11/03/2010
T102631	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.54898	120.036	11/03/2010
T102632	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.54898	120.036	11/03/2010
T102651	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.54898	120.036	11/03/2010
T103921	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	West Angelas, 94 km SE. of Tom Price	-23.24833	118.4806	25/06/2010
T102608	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.58431	120.0172	11/03/2010
T104833	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site15-P1	-23.37125	119.6127	12/03/2010
T104825	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site12-P1	-23.39946	119.5843	12/03/2010
T104827	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site12-P2	-23.39946	119.5844	12/03/2010
T104828	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site12-P3	-23.39948	119.5844	12/03/2010
T104829	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site14-P1	-23.3837	119.6478	12/03/2010
T104830	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site15-P5	-23.37151	119.6123	12/03/2010
T103919	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	West Angelas, 100 km SE. of Tom Price	-23.14167	118.6403	23/06/2010
T104832	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site15-P2	-23.37127	119.6126	12/03/2010
T104822	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site14-P9	-23.38308	119.6481	12/03/2010
T104834	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site10-P4	-23.40005	119.6522	12/03/2010

T104836	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site10-P1	-23.4003	119.6524	12/03/2010
T104838	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site10-P6	-23.3999	119.6521	12/03/2010
T104839	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site10-P3	-23.40016	119.6523	12/03/2010
T104840	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site10-P5	-23.39999	119.6521	12/03/2010
T104841	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site10-P9	-23.39965	119.6519	12/03/2010
T104831	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site15-P8	-23.37168	119.612	12/03/2010
T104816	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site14-P2	-23.38371	119.6478	12/03/2010
T103922	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	West Angelas, 94 km SE. of Tom Price	-23.24833	118.4806	25/06/2010
T103923	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	West Angelas, 90 km SE. of Tom Price	-23.22167	118.4689	25/06/2010
T103924	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	West Angelas, 116 km SE. of Tom Price	-23.37417	118.6575	26/06/2010
T103925	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	West Angelas, 116 km SE. of Tom Price	-23.35556	118.6825	26/06/2010
T103926	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	West Angelas, 115 km SE. of Tom Price	-23.42139	118.6172	27/06/2010
T104988	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site6-P7	-23.40177	119.5745	12/03/2010
T104824	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site14-P6	-23.38333	119.6479	12/03/2010
T97644	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Murray Hill, Mulga Downs Station, Ecologia project 1142	-22.12156	118.513	20/04/2009
T104823	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site14-P10	-23.383	119.6482	12/03/2010
T104817	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site14-P2	-23.38371	119.6478	12/03/2010
T104818	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site14-P2	-23.38371	119.6478	12/03/2010
T104819	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site14-P3	-23.38359	119.6478	12/03/2010
T104820	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site14-P5	-23.38341	119.6479	12/03/2010
T104821	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site14-P7	-23.38324	119.6479	12/03/2010
T102597	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.4266	119.9424	11/03/2010
T104814	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site10-HC2	-23.4003	119.6524	14/03/2010
T98303	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Jinayri mine site, ca. 65 km NW. of Newman	-22.80556	119.3064	18/06/2009
T98168	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.57691	119.9952	25/05/2009
T98169	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.48987	119.8951	27/05/2009
T98171	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.43963	119.9453	23/05/2009
T98173	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.48111	119.8844	27/05/2009
T98174	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.43963	119.9453	23/05/2009
T102599	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.48279	119.8811	11/03/2010
T98299	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Jinayri mine site, ca. 65 km NW. of Newman	-22.80556	119.3064	18/06/2009
T98163	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.57717	120.0247	25/05/2009
T98304	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Jinayri mine site, ca. 65 km NW. of Newman	-22.87306	119.2464	19/06/2009

Western Australian Museum Database Search Interpreted Results

T98305	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Jinayri mine site, ca. 65 km NW. of Newman	-22.94278	119.2328	19/06/2009
T98309	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Jinayri mine site, ca. 65 km NW. of Newman	-22.9175	119.1936	21/06/2009
T98310	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Jinayri mine site, ca. 65 km NW. of Newman	-22.87861	119.2408	23/06/2009
T98455	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.81444	119.8844	27/05/2009
T98458	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.55656	119.9703	25/05/2009
T98175	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.49669	120.0096	24/05/2009
T97653	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Murray Hill, Mulga Downs Station, Ecologia project 1142	-22.11877	118.507	20/04/2009
T97645	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Murray Hill, Mulga Downs Station, Ecologia project 1142	-22.117	118.5032	21/04/2009
T97646	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Murray Hill, Mulga Downs Station, Ecologia project 1142	-22.12302	118.5128	20/04/2009
T97647	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Murray Hill, Mulga Downs Station, Ecologia project 1142	-22.12919	118.5051	19/04/2009
T97648	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Murray Hill, Mulga Downs Station, Ecologia project 1142	-22.12919	118.5051	19/04/2009
T97649	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Murray Hill, Mulga Downs Station, Ecologia project 1142	-22.12782	118.5153	19/04/2009
T97650	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Murray Hill, Mulga Downs Station, Ecologia project 1142	-22.12072	118.5082	21/04/2009
T98166	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.4943	119.9217	26/05/2009
T97652	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Murray Hill, Mulga Downs Station, Ecologia project 1142	-22.117	118.5032	21/04/2009
T98165	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill Station, Ecologia Project 1106	-22.48111	119.8844	27/05/2009
T97654	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Murray Hill, Mulga Downs Station, Ecologia project 1142	-22.117	118.5032	21/04/2009
T97655	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Murray Hill, Mulga Downs Station, Ecologia project 1142	-22.12174	118.5188	19/04/2009
T97656	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Murray Hill, Mulga Downs Station, Ecologia project 1142	-22.11234	118.5209	19/04/2009
T97657	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Murray Hill, Mulga Downs Station, Ecologia project 1142	-22.11471	118.5221	20/04/2009
T97695	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Phils Creek, Ecologia Project 1038	-22.73845	119.1916	3/04/2009
T102334	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 61.8 km NW. of Newman	-22.99889	118.8692	25/02/2010
T97651	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Murray Hill, Mulga Downs Station, Ecologia project 1142	-22.12469	118.5181	21/04/2009
T102589	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.50509	119.9143	11/03/2010
T112060	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	114 km NNW. of Newman	-22.32633	119.74935	24/03/2011
T102581	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.52711	120.0421	11/03/2010
T102582	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.4321	119.8909	11/03/2010
T102584	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.4321	119.8909	11/03/2010
T102585	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.4321	119.8909	11/03/2010
T102586	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.4321	119.8909	11/03/2010
T102576	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.58467	120.0265	11/03/2010
T102588	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.50509	119.9143	11/03/2010
T102575	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.58467	120.0265	11/03/2010

Western Australian Museum Database Search Interpreted Results

T102592	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.44107	119.9789	11/03/2010
T102593	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.44107	119.9789	11/03/2010
T102594	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.4266	119.9424	11/03/2010
T102595	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.50304	119.891	11/03/2010
T102596	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.48279	119.8811	11/03/2010
T104815	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site14-P2	-23.38371	119.6478	12/03/2010
T102587	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.50509	119.9143	11/03/2010
T102566	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.51743	119.9314	11/03/2010
T102598	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.48279	119.8811	11/03/2010
T102541	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	W.A. Museum assessment	West Angelas, 104.8 km W. of Newman	-23.19861	118.72	8/04/2010
T102543	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	West Angelas, 114.4 km W. of Newman	-23.11917	118.6453	7/04/2010
T102561	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.59335	120.0333	11/03/2010
T102562	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.59335	120.0333	11/03/2010
T102563	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.59335	120.0333	11/03/2010
T102577	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.58467	120.0265	11/03/2010
T102565	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.51743	119.9314	11/03/2010
T102333	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Area C, 90.6 km NW. of Newman	-22.99778	119.0297	22/02/2010
T102568	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.51743	119.9314	11/03/2010
T102569	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.51806	119.9128	11/03/2010
T102570	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.51806	119.9128	11/03/2010
T102571	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.51806	119.9128	11/03/2010
T102573	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.51806	119.9128	11/03/2010
T102574	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.58467	120.0265	11/03/2010
T102564	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Roy Hill	-22.59335	120.0333	11/03/2010
T104940	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site3-P4	-23.4048	119.6053	14/03/2010
T104932	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site17-P10	-23.40458	119.6249	12/03/2010
T104933	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site13-P10	-23.39451	119.6392	12/03/2010
T104934	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site5-P1	-23.4108	119.5714	12/03/2010
T104935	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site7-P2	-23.40526	119.6223	14/03/2010
T104936	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site17-P9	-23.40445	119.6251	12/03/2010
T104914	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site5-P8	-23.41007	119.5715	12/03/2010
T104843	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site12-P5	-23.39936	119.5844	12/03/2010
T104929	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site16-P1	-23.40477	119.611	14/03/2010

Western Australian Museum Database Search Interpreted Results

T103927	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	West Angelas, 115 km SE. of Tom Price	-23.37417	118.6444	27/06/2010
T104942	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site3-P1	-23.40472	119.6052	14/03/2010
T104943	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site16-P4	-23.40468	119.6111	14/03/2010
T104944	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site5-P3	-23.41051	119.5716	12/03/2010
T104945	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site5-P9	-23.40974	119.5714	12/03/2010
T104946	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site2-P2	-23.40361	119.611	13/03/2010
T104938	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site5-P4	-23.41033	119.5716	12/03/2010
T104923	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site9-P4	-23.39	119.6432	12/03/2010
T104915	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site9-P3	-23.40166	119.575	12/03/2010
T104916	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site9-P2	-23.39013	119.6431	12/03/2010
T104917	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site1-P5	-23.39446	119.6318	13/03/2010
T104918	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site3-P7	-23.40499	119.6052	14/03/2010
T104919	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site4-P9	-23.40256	119.5969	12/03/2010
T104920	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site9-P1	-23.39021	119.643	12/03/2010
T104931	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site17-P5	-23.40458	119.6249	12/03/2010
T104922	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site1-P6	-23.39449	119.6317	13/03/2010
T104930	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site16-P2	-23.40481	119.6111	14/03/2010
T104924	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site17-P3	-23.40458	119.6249	12/03/2010
T104925	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site4-P5	-23.40233	119.5971	12/03/2010
T104926	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site17-P8	-23.40458	119.6249	12/03/2010
T104927	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site4-P7	-23.40233	119.5969	12/03/2010
T104928	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site17-P2	-23.40458	119.6249	12/03/2010
T104950	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site3-P5	-23.4049	119.6053	14/03/2010
T104921	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site9-P9	-23.3896	119.6433	12/03/2010
T104979	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site16-P9	-23.40479	119.6117	14/03/2010
T104947	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site4-P4	-23.40226	119.5971	12/03/2010
T104971	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site3-P9	-23.40477	119.605	14/03/2010
T104972	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site16-P6	-23.40484	119.6116	14/03/2010
T104973	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site9-P7	-23.38976	119.6433	12/03/2010
T104974	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site1-P10	-23.39453	119.6318	13/03/2010
T104975	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site9-P5	-23.38991	119.6433	12/03/2010
T104969	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site5-P2	-23.41063	119.5715	12/03/2010
T104978	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site3-P6	-23.40496	119.6053	14/03/2010

Western Australian Museum Database Search Interpreted Results

T104968	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site7-P7	-23.40502	119.6229	14/03/2010
T104980	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site11-P4	-23.42057	119.5675	12/03/2010
T104981	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site6-P2	-23.40161	119.5752	12/03/2010
T104982	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site6-P8	-23.40195	119.5744	12/03/2010
T104983	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site6-P3	-23.40166	119.575	12/03/2010
T104984	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site6-P6	-23.40167	119.5747	12/03/2010
T104985	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site6-P1	-23.40162	119.5753	12/03/2010
T104976	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site3-P3	-23.40488	119.6054	14/03/2010
T104961	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site19-P8	-23.4047	119.6211	14/03/2010
T104939	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site1-P3	-23.39443	119.6316	13/03/2010
T104951	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site16-P3	-23.40471	119.611	14/03/2010
T104952	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site4-P10	-23.40244	119.5967	12/03/2010
T104953	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site9-P6	-23.40244	119.5967	12/03/2010
T104954	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site1-P8	-23.39459	119.6318	13/03/2010
T104958	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site17-P7	-23.40458	119.6249	12/03/2010
T104970	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site16-P7	-23.40472	119.6116	14/03/2010
T104960	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site20-P10	-23.39498	119.5927	12/03/2010
T104949	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site4-P3	-23.40223	119.5971	12/03/2010
T104962	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site4-P6	-23.40224	119.5969	12/03/2010
T104963	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site4-P8	-23.40242	119.5968	12/03/2010
T104964	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site11-P1	-23.42056	119.5673	12/03/2010
T104965	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site20-P8	-23.3952	119.5921	12/03/2010
T104966	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site9-P10	-23.38953	119.6433	12/03/2010
T104967	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site1-P4	-23.39436	119.6317	13/03/2010
T104959	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site2-P1	-23.4036	119.611	13/03/2010
T104853	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site18-P6	-23.41806	119.5847	14/03/2010
T104861	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site2-P6	-23.40362	119.6106	13/03/2010
T104860	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site15-P10	-23.37179	119.6117	12/03/2010
T104859	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site15-P3	-23.37139	119.6125	12/03/2010
T104858	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site15-P7	-23.37165	119.6121	12/03/2010
T104857	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site8-P5	-23.41547	119.5916	14/03/2010
T104878	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site19-P10	-23.40483	119.621	14/03/2010
T104855	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site8-P4	-23.41555	119.5917	14/03/2010

Western Australian Museum Database Search Interpreted Results

T104864	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site20-P2	-23.39474	119.5914	12/03/2010
T104851	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site18-P1	-23.41822	119.5847	14/03/2010
T104850	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site18-P10	-23.41765	119.585	14/03/2010
T104849	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site18-P4	-23.41813	119.5845	14/03/2010
T104847	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site18-P7	-23.41806	119.5847	14/03/2010
T104845	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site18-P2	-23.4182	119.5845	14/03/2010
T104844	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site12-P10	-23.39944	119.5843	12/03/2010
T104856	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site15-P6	-23.37157	119.6122	12/03/2010
T104869	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site20-P1	-23.39474	119.5913	12/03/2010
T104877	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site8-P9	-23.41515	119.5911	14/03/2010
T104876	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site19-P5	-23.40417	119.6212	14/03/2010
T104874	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site19-P1	-23.40451	119.6211	14/03/2010
T104873	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site19-P3	-23.40425	119.6212	14/03/2010
T104872	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site8-P3	-23.41562	119.5917	14/03/2010
T104871	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site2-P10	-23.40364	119.6103	13/03/2010
T104862	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site20-P6	-23.39519	119.5919	12/03/2010
T104941	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site3-P10	-23.40474	119.6055	14/03/2010
T104863	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site20-P4	-23.39509	119.5916	12/03/2010
T104913	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site16-P10	-23.40506	119.6114	14/03/2010
T104868	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site20-P7	-23.39511	119.592	12/03/2010
T104867	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site20-P9	-23.39514	119.5924	12/03/2010
T104866	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site20-P5	-23.39509	119.5917	12/03/2010
T104865	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site20-P3	-23.39499	119.5915	12/03/2010
T104846	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site18-P5	-23.41825	119.5844	14/03/2010
T104870	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site2-P8	-23.40368	119.6104	13/03/2010
T104905	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site11-P9	-23.42083	119.568	12/03/2010
T104897	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site13-P3	-23.39472	119.6388	12/03/2010
T104898	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site13-P2	-23.39461	119.6389	12/03/2010
T104879	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site8-P8	-23.41502	119.5912	14/03/2010
T104900	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site13-P4	-23.39473	119.6386	12/03/2010
T104848	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site18-P9	-23.41776	119.585	14/03/2010
T104902	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site17-P4	-23.40452	119.6247	12/03/2010
T104896	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site13-P7	-23.3949	119.6384	12/03/2010

Western Australian Museum Database Search Interpreted Results

T104904	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site11-P6	-23.42057	119.5676	12/03/2010
T104899	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site13-P8	-23.39457	119.639	12/03/2010
T104906	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site11-P10	-23.4209	119.5679	12/03/2010
T104907	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site11-P8	-23.42059	119.5679	12/03/2010
T104908	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site11-P7	-23.42069	119.5677	12/03/2010
T104909	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site16-P8	-23.40469	119.6118	14/03/2010
T104910	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site17-P1	-23.4045	119.6247	12/03/2010
T104911	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site9-P8	-23.38966	119.6433	12/03/2010
T104912	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site17-P6	-23.40444	119.6247	12/03/2010
T104903	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site11-P5	-23.40452	119.6247	12/03/2010
T104883	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site19-P7	-23.40455	119.6211	14/03/2010
T104880	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site8-P7	-23.41525	119.5913	14/03/2010
T104881	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site19-P4	-23.40422	119.6212	14/03/2010
T104901	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site13-P1	-23.39455	119.639	12/03/2010
T104882	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site2-P9	-23.40368	119.6102	13/03/2010
T104895	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site13-P9	-23.39445	119.6389	12/03/2010
T104884	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site19-P2	-23.4042	119.621	14/03/2010
T104885	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site19-P9	-23.40483	119.6209	14/03/2010
T104894	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site13-P6	-23.39483	119.6384	12/03/2010
T104888	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site7-P1	-23.40534	119.6221	14/03/2010
T104889	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site7-P8	-23.40529	119.6222	14/03/2010
T104890	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site7-P3	-23.40534	119.6224	14/03/2010
T104891	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site7-P9	-23.40547	119.6223	14/03/2010
T104892	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site7-P6	-23.40537	119.6229	14/03/2010
T104893	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site7-P10	-23.40552	119.6224	14/03/2010
T104887	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 35, ca. 8 km W. of Newman, Site7-P4	-23.40545	119.6226	14/03/2010
T131006	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 25, ca. 5 km N. of Newman	-23.32342	119.7903	5/04/2013
T130989	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.29307	119.7571	5/04/2013
T112063	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	114 km NNW. of Newman	-22.32633	119.74935	24/03/2011
T118915	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.43807	119.2115	20/05/2011
T118916	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.37397	119.1948	22/05/2011
T132720	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Ophthalmia Range, ca. 20 km N. of Newman	-23.21381	119.7543	25/03/2014
T118917	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.37397	119.1948	22/05/2011

Western Australian Museum Database Search Interpreted Results

T116673	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca. 8 km WSW. of Newman, OB35	-23.39083	119.6625	13/09/2011
T126502	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	69 km E. of Paraburdoo, site 1000-tur10	-23.25557	118.2624	22/06/2012
T118924	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.14491	119.1624	20/07/2011
T126508	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	69 km E. of Paraburdoo, site 1000-tur10	-23.25557	118.2624	22/06/2012
T118918	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.42717	119.2037	22/05/2011
T118919	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.37337	119.1948	22/05/2011
T126528	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	69 km E. of Paraburdoo, site 1000-tur10	-23.25557	118.2624	27/04/2012
T112064	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	114 km NNW. of Newman	-22.32633	119.74935	24/03/2011
T118922	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.09895	119.2183	19/07/2011
T115862	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Wonmunna, ca. 72 km heading 291° from Newman	-23.12558	119.0797	21/05/2011
T132721	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Ophthalmia Range, ca. 20 km N. of Newman	-23.21583	119.7549	25/03/2014
T126500	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	69 km E. of Paraburdoo, site 1000-tur10	-23.25557	118.2624	22/06/2012
T116667	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca. 8 km WSW. of Newman, OB35	-23.38861	119.6581	13/09/2011
T112067	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	118 km N. of Newman	-22.29548	119.81087	24/03/2011
T112062	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	110 km NNE. of Newman	-22.38275	119.97274	23/03/2011
T116669	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca. 8 km WSW. of Newman, OB35	-23.38833	119.6603	13/09/2011
T131082	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	"Homestead", ca. 6 km N. of Newman	-23.30886	119.7654	29/04/2013
T131072	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.2715	119.8416	29/04/2013
T126522	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	63 km E. of Paraburdoo, site 1000-tur08	-23.23551	118.2876	22/06/2012
T112066	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	112 km NNE. of Newman	-22.3622	119.96914	23/03/2011
T116672	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca. 8 km WSW. of Newman, OB35	-23.39083	119.6633	13/09/2011
T118970	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.37514	119.0069	8/08/2011
T112068	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	115 km NNW. of Newman	-22.31787	119.74757	24/03/2011
T112065	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	118 km N. of Newman	-22.29725	119.8633	24/03/2011
T116670	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca. 8 km WSW. of Newman, OB35	-23.39361	119.6533	13/09/2011
T116671	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca. 8 km WSW. of Newman, OB35	-23.39083	119.6642	13/09/2011
T118906	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.31863	119.1155	19/05/2011
T116668	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca. 8 km WSW. of Newman, OB35	-23.38806	119.6594	13/09/2011
T115905	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Wonmunna, ca. 75 km heading 290° from Newman	-23.12009	119.04844	20/05/2011
T132867	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Ophthalmia Range, ca. 20 km N. of Newman	-23.10469	119.5849	25/03/2014
T118972	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.5625	119.2311	8/08/2011
T114699	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Angelo River, 107 km W. of Newman	-23.29012	118.6822	20/06/2011
T122158	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Southern Flank to Jinidi, 68.8 km NW. of Newman	-22.96278	119.2036	4/02/2012

Western Australian Museum Database Search Interpreted Results

T140234	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	South Flank, ca. 95 km NW. of Newman	-22.94711	118.978	16/03/2016
T131079	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.28773	119.7719	29/04/2013
T122155	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Southern Flank to Jinidi, 74.7 km NW. of Newman	-23.02944	119.0931	31/01/2012
T128280	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca. 18 km N. of Wittenoom	-22.06667	118.3319	20/05/2013
T113222	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Jinidi, 68.7 km NW. of Newman	-22.94278	119.2325	14/04/2011
T118945	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.3476	119.1518	20/05/2011
T114698	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Angelo River, 102 km W. of Newman	-23.43315	118.7329	20/06/2011
T116674	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca. 8 km WSW. of Newman, OB35	-23.39583	119.65	13/09/2011
T132865	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Ophthalmia Range, ca. 20 km N. of Newman	-23.17531	119.7338	25/03/2014
T118961	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.14491	119.1624	20/07/2011
T118958	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.12692	119.2123	20/07/2011
T113156	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Christmas Creek, 110 km N. of Newman	-22.34728	119.6333	10/04/2011
T118949	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.35057	119.1847	22/05/2011
T122143	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Southern Flank to Jinidi, 74.7 km NW. of Newman	-23.02944	119.0931	31/01/2012
T113155	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Christmas Creek, 110 km N. of Newman	-22.39853	119.793	9/04/2011
T122141	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Southern Flank to Jinidi, 74.7 km NW. of Newman	-23.02944	119.0931	31/01/2012
T126759	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	4.5 km SW. of Redmont Airport, site 994-08	-22.00204	118.9813	15/04/2012
T121169	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.3775	119.0104	8/08/2011
T118974	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.40808	119.0067	8/08/2011
T118973	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.3775	119.0104	8/08/2011
T115932	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Wonmunna, ca. 75 km heading 290° from Newman	-23.12662	119.047	20/05/2011
T118971	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.37514	119.0069	8/08/2011
T122140	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Southern Flank to Jinidi, 74.7 km NW. of Newman	-23.02944	119.0931	31/01/2012
T118969	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.60131	119.2913	8/08/2011
T118968	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.63761	119.3744	8/08/2011
T120972	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range, northern slopes @	-22.09841	119.0274	22/08/2008
T122162	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Southern Flank to Jinidi, 74.7 km NW. of Newman	-23.02944	119.0931	31/01/2012
T118936	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.37526	119.1952	23/05/2011
T118980	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.40808	119.0067	8/08/2011
T118938	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.4285	119.2043	22/05/2011
T131013	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	"Homestead", ca. 6 km N. of Newman	-23.30846	119.7459	29/04/2013
T118941	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.32069	119.1157	19/05/2011
T118943	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.3022	119.2238	21/05/2011

Western Australian Museum Database Search Interpreted Results

T118962	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.1734	119.0946	21/07/2011
T122175	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	South Parmelia, 52.1 km NW. of Newman	-23.03361	119.1761	3/02/2012
T114701	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Angelo River, 93 km W. of Newman	-23.35	118.8193	20/06/2011
T116681	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca. 8 km WSW. of Newman, OB35	-23.40111	119.6828	13/09/2011
T120973	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Chichester Range, northern slopes @	-22.22492	118.9887	22/08/2008
T115876	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Wonmunna, ca. 75 km heading 290° from Newman	-23.12012	119.0484	20/05/2011
T115879	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Wonmunna, ca. 78 km heading 288° from Newman	-23.14368	119.0064	18/05/2011
T146563	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Greater Hope Downs, Hope Downs 1 mine, ca. 81.8 km NW. of Newman	-23.04347	119.1166	22/05/2018
T136333	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Hammersley Range, ca. 30 km ESE. of Juna Downs	-22.68401	119.06	30/03/2014
T136332	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Hammersley Range, ca. 30 km ESE. of Juna Downs	-22.67997	119.0626	30/03/2014
T115874	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Wonmunna, ca. 75 km heading 289° from Newman	-23.13489	119.0338	19/05/2011
T128909	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Hamersley Range, ca. 30 km ESE. of Juna Downs	-22.69533	119.0584	30/03/2014
T118790	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Koodaideri, 121.2 km NW. of Newman	-22.48694	119.015	16/10/2011
T131362	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca.15 km NE. of Roy Hill	-22.48333	120.0185	18/04/2013
T131310	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.29004	119.7706	5/08/2013
T115877	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Wonmunna, ca. 74 km heading 289° from Newman	-23.1356	119.0463	19/05/2011
T118747	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	OB35, ca. 8 km WSW. of Newman	-23.38333	119.6667	13/09/2011
T115878	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Wonmunna, ca. 79 km heading 286° from Newman	-23.15466	118.9932	18/05/2011
T141054	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Karijini National Park, Juna Downs Road, pass at Wildflower Range, right side of road heading south	-22.79389	118.4225	14/05/2016
T115870	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Wonmunna, ca. 72 km heading 290° from Newman	-23.12832	119.0736	19/05/2011
T115875	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Wonmunna, ca. 81 km, heading 286° from Newman	-23.15965	118.9703	18/05/2011
T146560	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Greater Hope Downs, Hope Downs 1 mine, ca. 81.8 km NW. of Newman	-23.04347	119.1166	22/05/2018
T128194	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.29004	119.7706	5/08/2013
T118883	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.42618	119.2032	23/05/2011
T131467	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32512	120.0227	27/08/2013
T129089	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Christmas Creek, 110 km N. Newman	-22.39853	119.793	23/03/2011
T146559	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Greater Hope Downs, Hope Downs 1 mine, ca. 76.2 km NW. of Newman	-23.0391	119.0718	22/05/2018
T112061	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	115 km NNW. of Newman	-22.31787	119.74757	24/03/2011
T128912	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Hamersley Range, ca. 30 km ESE. of Juna Downs	-22.69458	119.0521	28/03/2014
T115880	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Wonmunna, ca. 70 km heading 291° from Newman	-23.12877	119.0904	19/05/2011
T116675	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca. 8 km WSW. of Newman, OB35	-23.395	119.65	13/09/2011
T146562	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Greater Hope Downs, Hope Downs 1 mine, ca. 70.4 km NW. of Newman	-23.03724	119.1365	24/05/2018
T131373	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca.15 km NE. of Roy Hill	-22.48333	120.0185	18/04/2013

Western Australian Museum Database Search Interpreted Results

T128911	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Hamersley Range, ca. 30 km ESE. of Juna Downs	-22.67994	119.0718	2/04/2014
T131368	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca.15 km NE. of Roy Hill	-22.48333	120.0185	18/04/2013
T131367	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca.15 km NE. of Roy Hill	-22.51667	120.0378	18/04/2013
T128913	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Hamersley Range, ca. 30 km ESE. of Juna Downs	-22.6895	119.0512	30/03/2014
T115888	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Wonmunna, ca. 73 km heading 291° from Newman	-23.11855	119.0649	20/05/2011
T118746	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	OB35, ca. 8 km WSW. of Newman	-23.39083	119.6625	13/09/2011
T115887	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Wonmunna, ca. 77 km heading 290° from Newman	-23.11423	119.0229	23/05/2011
T124662	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Christmas Creek, 110 km N. of Newman	-22.35473	119.7704	10/04/2011
T127425	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Christmas Creek, 110 km N. Newman	-22.38198	119.8184	23/03/2011
T127424	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Christmas Creek, 110 km N. Newman	-22.40149	119.7938	6/04/2011
T115886	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Wonmunna, ca. 71 km heading 290° from Newman	-23.13146	119.0774	19/05/2011
T139686	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.84552	119.1226	1/04/2015
T123617	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	BHP Main Rail 190 km SSE. of Port Hedland	-22.05214	118.9871	23/04/2012
T117780	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Mudlark, 121 km WNW. of Newman	-23.07806	118.585	6/07/2011
T117778	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Mudlark, 121 km WNW. of Newman	-23.07806	118.585	6/07/2011
T117777	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Mudlark, 121 km WNW. of Newman	-23.07806	118.585	6/07/2011
T139695	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.81826	119.091	31/08/2015
T139694	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.81004	119.0844	31/08/2015
T114936	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Yandi Mine, 86.6 km NW. of Newman (OXBF05)	-22.79889	119.1389	5/07/2008
T139685	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.82555	119.1488	2/09/2015
T127761	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	West Angelas, ca. 21 km SSE. of Mt Meharry	-23.14808	118.6912	25/09/2012
T115881	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Wonmunna, ca. 77 km heading 289° from Newman	-23.13317	119.0154	23/05/2011
T115882	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Wonmunna, ca. 80 km heading 285° from Newman	-23.16326	118.977	17/05/2011
T122879	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	129.2 km NW. of Newman	-22.83167	118.6025	30/03/2012
T115883	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Wonmunna, ca. 77 km heading 290° from Newman	-23.11423	119.0229	23/05/2011
T122881	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	119.4 km NW. of Newman	-22.93389	118.6639	31/03/2012
T123619	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	BHP Main Rail 208 km SSE. of Port Hedland	-22.14153	119.0167	23/04/2012
T122883	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	119.4 km NW. of Newman	-22.93389	118.6639	31/03/2012
T146561	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Greater Hope Downs, Hope Downs 1 mine, ca. 80.3 km NW. of Newman	-23.04839	119.0213	25/05/2018
T115884	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Wonmunna, ca. 73 km heading 291° from Newman	-23.12101	119.0632	20/05/2011
T123604	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	BHP Main Rail, 190 km SSE. of Port Hedland	-22.05976	118.9739	23/04/2012
T123605	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	BHP Main Rail 198 km SSE. of Port Hedland	-22.09055	118.9938	23/04/2012
T123610	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	BHP Main Rail 208 km SSE. of Port Hedland	-22.15548	119.0216	23/04/2012

Western Australian Museum Database Search Interpreted Results

T115885	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Wonmunna, ca. 75 km heading 289° from Newman	-23.13551	119.0384	19/05/2011
T123614	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	BHP Main Rail 208 km SSE. of Port Hedland	-22.18398	119.0331	23/04/2012
T139699	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.82083	119.1141	1/09/2015
T116680	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca. 8 km WSW. of Newman, OB35	-23.4	119.6839	13/09/2011
T130102	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	SW Jimblebar, ca. 35 km E. of Newman	-23.40497	120.027	15/02/2013
T118885	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Marillana, ca. 100 km NW. of Newman	-22.36362	119.1738	20/05/2011
T140268	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Ministers North ca. 93 km NW. of Newman	-22.81661	119.1126	31/03/2015
T131037	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.29346	119.8036	29/04/2013
T131625	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca.15 km NE. of Roy Hill	-22.51667	120.0354	18/04/2013
T140267	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Ministers North ca. 93 km NW. of Newman	-22.81159	119.0909	31/03/2015
T131374	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca.15 km NE. of Roy Hill	-22.51667	120.0354	18/04/2013
T116682	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca. 8 km WSW. of Newman, OB35	-23.40055	119.6769	13/09/2011
T112070	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	113 km NNW. of Newman	-22.33513	119.65311	22/03/2011
T128244	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca. 18 km N. of Wittenoom	-22.08333	118.4139	20/05/2013
T112071	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	115 km NNW. of Newman	-22.31787	119.74757	24/03/2011
T112069	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	108 km N. of Newman	-22.31327	119.85995	24/03/2011
T128231	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca. 18 km N. of Wittenoom	-22.06667	118.3319	20/05/2013
T122324	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Koodaideri Corridor West, 116.6 km NE. of Tom Price	-22.41653	118.8796	20/02/2012
T116679	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca. 8 km WSW. of Newman, OB35	-23.39639	119.6561	13/09/2011
T122321	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Koodaideri Corridor West, 69.5 km NE. of Tom Price	-22.1552	118.1347	20/02/2012
T131844	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.27704	119.861	29/04/2013
T122316	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Koodaideri Corridor West, 116.6 km NE. of Tom Price	-22.41653	118.8796	20/02/2012
T131845	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.28533	119.7728	29/04/2013
T116677	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca. 8 km WSW. of Newman, OB35	-23.39333	119.6678	13/09/2011
T116676	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	ca. 8 km WSW. of Newman, OB35	-23.39333	119.6683	13/09/2011
T122311	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Koodaideri Corridor West, 69.5 km NE. of Tom Price	-22.1552	118.1347	20/02/2012
T122309	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Koodaideri Corridor West, 69.5 km NE. of Tom Price	-22.1552	118.1347	20/02/2012
T122308	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Koodaideri Corridor West, 116.6 km NE. of Tom Price	-22.41653	118.8796	20/02/2012
T115873	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Wonmunna, ca. 77 km heading 290° from Newman	-23.11423	119.0229	23/05/2011
T131039	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium sp.	epigean	Potential SRE: DD	Genus contains Potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.29128	119.7962	29/04/2013
T99238	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.63941	119.9642	29/10/2009
T99237	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.85545	119.8875	29/10/2009
T99236	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.64302	119.9599	29/10/2009

Western Australian Museum Database Search Interpreted Results

T99234	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.63941	119.9642	29/10/2009
T99233	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.67366	119.8488	29/10/2009
T99232	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.79291	119.8725	29/10/2009
T99259	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.69879	119.7405	29/10/2009
T99230	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.84432	119.8636	29/10/2009
T99239	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.69879	119.7405	29/10/2009
T99231	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.80532	119.9494	29/10/2009
T100112	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill, Ecologia project 1209	-22.74864	119.922	20/11/2009
T100097	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill, Ecologia project 1209	-22.68326	119.9512	20/11/2009
T100098	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill, Ecologia project 1209	-22.68326	119.9512	20/11/2009
T100099	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill, Ecologia project 1209	-22.62271	119.9632	20/11/2009
T100102	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill, Ecologia project 1209	-22.63634	119.9641	20/11/2009
T100103	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill, Ecologia project 1209	-22.62271	119.9632	20/11/2009
T100107	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill, Ecologia project 1209	-22.75857	119.9147	20/11/2009
T100108	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill, Ecologia project 1209	-22.7196	119.9397	20/11/2009
T99257	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.6039	119.9836	29/10/2009
T100111	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill, Ecologia project 1209	-22.64308	119.9646	20/11/2009
T99262	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.60778	119.9826	29/10/2009
T100113	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill, Ecologia project 1209	-22.74864	119.922	20/11/2009
T100114	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill, Ecologia project 1209	-22.74864	119.922	20/11/2009
T100116	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill, Ecologia project 1209	-22.74864	119.922	20/11/2009
T100117	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill, Ecologia project 1209	-22.63634	119.9641	20/11/2009
T100119	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill, Ecologia project 1209	-22.74864	119.922	20/11/2009
T100120	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill, Ecologia project 1209	-22.66405	119.9456	20/11/2009
T100122	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill, Ecologia project 1209	-22.73957	119.9264	20/11/2009
T100123	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill, Ecologia project 1209	-22.73957	119.9264	20/11/2009
T100110	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill, Ecologia project 1209	-22.64308	119.9646	20/11/2009
T99252	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.70318	119.7184	29/10/2009
T99241	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.80532	119.9494	29/10/2009
T99242	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.64302	119.9599	29/10/2009
T99243	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.79992	119.9174	29/10/2009
T99245	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.70318	119.7184	29/10/2009
T99246	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.79291	119.8725	29/10/2009

Western Australian Museum Database Search Interpreted Results

T99247	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.65815	119.9359	29/10/2009
T99248	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.81743	119.9473	29/10/2009
T99249	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.79274	119.8914	29/10/2009
T100095	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill, Ecologia project 1209	-22.64427	119.9653	20/11/2009
T99251	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.84148	119.8413	29/10/2009
T99263	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.65938	119.9198	29/10/2009
T99253	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.65938	119.9198	29/10/2009
T99254	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.60761	119.9826	29/10/2009
T99255	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.70318	119.7184	29/10/2009
T99256	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.67366	119.8488	29/10/2009
T99258	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.7608	119.9117	29/10/2009
T99260	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.70582	119.7082	29/10/2009
T99261	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.84356	119.8272	29/10/2009
T99240	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.84148	119.8413	29/10/2009
T99250	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.7608	119.9117	29/10/2009
T151331	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Mulga Downs Station, ca. 31 km NW. of Munjina	-22.12166	118.5944	16/03/2020
T100189	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 2'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.68326	119.9512	20/11/2009
T100096	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 2'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill, Ecologia project 1209	-22.66405	119.9456	20/11/2009
T151332	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Indolpium 'sp. 2'	epigean	Potential SRE: DD	W.A. Museum assessment	Mulga Downs Station, ca. 31 km NW. of Munjina	-22.16342	118.4126	16/03/2020
T109499	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Linnaeolpium sp.	epigean	Potential SRE: DD	W.A. Museum assessment	Cloudbreak mine lease, c. 84 km SW. of Nullagine	-22.39496	119.5019	26/10/2010
T112040	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Linnaeolpium sp.	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill, ca. 110 km N. of Newman	-22.31787	119.7476	24/03/2011
T112038	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Linnaeolpium sp.	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill, ca. 110 km N. of Newman	-22.31787	119.7476	29/04/2011
T118890	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Linnaeolpium sp.	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, ca. 100 km NW. of Newman	-22.44003	119.2281	22/05/2011
T118937	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Linnaeolpium sp.	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, ca. 100 km NW. of Newman	-22.42618	119.2032	23/05/2011
T118876	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Linnaeolpium sp.	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, ca. 100 km NW. of Newman	-22.42909	119.21	20/05/2011
T116678	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Linnaeolpium sp.	epigean	Potential SRE: DD	W.A. Museum assessment	ca. 8 km WSW. of Newman, OB35	-23.38333	119.6667	13/09/2011
T149483	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 'PSE118'	epigean	potential SRE: DD	W.A. Museum assessment	82.5 km NW. of Newman	-23.04504	118.9991	14/03/2019
T108751	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 'PSE176'	epigean	potential SRE: DD	W.A. Museum assessment	Koodaideri, 117 km NW. of Newman	-22.51056	119.0453	23/08/2010
T108754	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 'PSE176'	epigean	potential SRE: DD	W.A. Museum assessment	Koodaideri, 118.6 km NW. of Newman	-22.53722	118.9864	24/08/2010
T108750	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 'PSE176'	epigean	potential SRE: DD	W.A. Museum assessment	Koodaideri, 105.6 km NW. of Newman	-22.58528	119.1264	22/08/2010
T136459	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 'PSE176'	epigean	potential SRE: DD	W.A. Museum assessment	Koodaideri, 117 km NW. of Newman	-22.51056	119.0453	23/08/2010
T136457	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 'PSE176'	epigean	potential SRE: DD	W.A. Museum assessment	Koodaideri, 117 km NW. of Newman	-22.51056	119.0453	23/08/2010
T136455	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 'PSE176'	epigean	potential SRE: DD	W.A. Museum assessment	Koodaideri, 105.6 km NW. of Newman	-22.58528	119.1264	22/08/2010

Western Australian Museum Database Search Interpreted Results

T136461	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 'PSE176'	epigean	potential SRE: DD	W.A. Museum assessment	Koodaideri, 117 km NW. of Newman	-22.51056	119.0453	23/08/2010
T136456	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 'PSE176'	epigean	potential SRE: DD	W.A. Museum assessment	Koodaideri, 105.6 km NW. of Newman	-22.58528	119.1264	22/08/2010
T136460	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 'PSE176'	epigean	potential SRE: DD	W.A. Museum assessment	Koodaideri, 117 km NW. of Newman	-22.51056	119.0453	23/08/2010
T151333	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 'PSE176'	epigean	potential SRE: DD	W.A. Museum assessment	Mulga Downs Station, ca. 31 km NW. of Munjina	-22.12251	118.569	16/03/2020
T136458	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 'PSE176'	epigean	potential SRE: DD	W.A. Museum assessment	Koodaideri, 117 km NW. of Newman	-22.51056	119.0453	23/08/2010
T136420	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 'PSE176'	epigean	potential SRE: DD	W.A. Museum assessment	Koodaideri, 105.6 km NW. of Newman	-22.58528	119.1264	22/08/2010
T136462	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 'PSE176'	epigean	potential SRE: DD	W.A. Museum assessment	Koodaideri, 117 km NW. of Newman	-22.51056	119.0453	23/08/2010
T103492	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Area C, 82.6 km NW. of Newman	-22.98195	119.0139	1/05/2010
T105140	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Area C, 83.1 km NW. of Newman	-22.975	119.0378	1/05/2010
T105206	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Area C, 85.8 km NW. of Newman	-22.89639	119.0619	1/05/2010
T105199	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Area C, 83.1 km NW. of Newman	-22.975	119.0378	1/05/2010
T105184	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Area C, 83.1 km NW. of Newman	-22.975	119.0378	1/05/2010
T105173	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Area C, 91.3 km NW. of Newman	-22.90055	118.9933	1/05/2010
T111814	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	67.4 km NW. of Newman	-22.84667	119.3742	13/03/2011
T103490	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Area C, 82.6 km NW. of Newman	-22.98195	119.0139	1/05/2010
T105131	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Area C, 92.7 km NW. of Newman	-22.99861	118.9067	1/05/2010
T105130	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Area C, 89.6 km NW. of Newman	-23.00111	118.9478	1/05/2010
T105155	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Area C, 82.6 km NW. of Newman	-22.98195	119.0139	1/05/2010
T103496	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Area C, 90.6 km NW. of Newman	-22.99778	119.0297	1/05/2010
T108752	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Koodaideri, 120.4 km NW. of Newman	-22.52555	118.9742	23/08/2010
T105104	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Area C, 82.7 km NW. of Newman	-22.89917	119.0994	1/05/2010
T105128	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Area C, 92.2 km NW. of Newman	-22.90583	118.9803	1/05/2010
T105111	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Area C, 89.3 km NW. of Newman	-22.90639	119.0125	1/05/2010
T105110	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Area C, 83.6 km NW. of Newman	-22.99167	118.9592	1/05/2010
T105106	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Area C, 83.6 km NW. of Newman	-22.99167	118.9592	1/05/2010
T105057	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Area C, 101 km NW. of Newman	-23.00556	118.8275	1/05/2010
T108755	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Koodaideri, 105.4 km NW. of Newman	-22.57528	119.1414	24/08/2010
T105060	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Area C, 89.2 km NW. of Newman	-22.965	118.9756	1/05/2010
T105061	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Area C, 89.2 km NW. of Newman	-22.965	118.9756	1/05/2010
T105063	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Area C, 89.6 km NW. of Newman	-23.00111	118.9478	1/05/2010
T110439	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	67.4 km NW. of Newman	-22.84667	119.3742	13/03/2011
T105134	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Area C, 82.6 km NW. of Newman	-22.98195	119.0139	1/05/2010
T105095	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Area C, 89.6 km NW. of Newman	-23.00111	118.9478	1/05/2010

Western Australian Museum Database Search Interpreted Results

T105070	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Area C, 90.6 km NW. of Newman	-22.89889	119.0019	1/05/2010
T116563	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Marillana, 85 km NW. of Newman	-22.71417	119.2839	20/06/2007
T116565	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Marillana, 96.5 km NW. of Newman	-22.63667	119.1994	19/06/2007
T140237	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	South Flank, ca. 95 km NW. of Newman	-22.95861	118.917	16/03/2016
T140272	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Ministers North ca. 93 km NW. of Newman	-22.81159	119.0909	31/03/2015
T124668	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Koodaideri, 117 km NW. of Newman	-22.51056	119.0453	23/08/2010
T139677	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Ministers North, ca. 93 km NW. of Newman	-22.81661	119.1126	31/03/2015
T122375	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Mudlark, 92.2 km NW. of Newman	-23.04775	118.885	6/02/2012
T116561	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Marillana, 85 km NW. of Newman	-22.6825	119.3364	17/06/2007
T122378	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Mudlark, 97.4 km NW. of Newman	-23.07172	118.8227	6/02/2012
T139669	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Ministers North, ca. 93 km NW. of Newman	-22.80702	119.0779	31/03/2015
T139704	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae 7/4 sp.	epigean	potential SRE: DD	W.A. Museum assessment	Ministers North, ca. 93 km NW. of Newman	-22.84279	119.1159	1/09/2015
T149484	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA HD4'	epigean	Potential SRE: DD	W.A. Museum assessment	83.2 km NW. of Newman	-23.08254	118.9746	10/03/2019
T118897	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.34929	119.1511	19/05/2011
T118895	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.36129	119.1735	20/05/2011
T118881	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.37526	119.1952	23/05/2011
T114693	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Angelo River, 104 km W. of Newman	-23.28087	118.7165	20/06/2011
T118894	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.3358	119.1279	19/05/2011
T118946	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.3476	119.1518	20/05/2011
T123609	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	BHP Main Rail 208 km SSE. of Port Hedland	-22.12992	119.0217	23/04/2012
T118882	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.42934	119.1921	23/05/2011
T118892	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.31811	119.114	19/05/2011
T118913	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.43986	119.2298	21/05/2011
T118896	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.42909	119.21	20/05/2011
T118911	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.43081	119.212	20/05/2011
T118909	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.3369	119.1271	19/05/2011
T125357	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Koodaideri Western Corridor, 130.6 km NW. of Newman	-22.45042	118.9299	31/03/2012
T125356	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Koodaideri Western Corridor, 149.9 km NW. of Newman	-22.34908	118.765	28/03/2012
T118908	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.31956	119.1138	19/05/2011
T118907	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.36308	119.1731	19/05/2011
T118942	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.3022	119.2238	21/05/2011
T118884	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.36252	119.173	20/05/2011
T118955	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.37397	119.1948	22/05/2011

Western Australian Museum Database Search Interpreted Results

T136421	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.12692	119.2123	20/07/2011
T118935	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.42599	119.2031	22/05/2011
T118899	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.30368	119.224	21/05/2011
T118947	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.31863	119.1155	19/05/2011
T136470	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.12692	119.2123	20/07/2011
T118934	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.637	119.1271	19/05/2011
T118950	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.35057	119.1847	22/05/2011
T118951	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.30119	119.2241	20/05/2011
T118953	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.42882	119.1917	23/05/2011
T118964	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.17348	119.0937	21/07/2011
T118956	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.399	119.2144	22/05/2011
T118960	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.12692	119.2123	20/07/2011
T118928	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.21295	119.0649	22/07/2011
T118926	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.1734	119.0946	21/07/2011
T118891	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.32069	119.1157	19/05/2011
T118889	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.4285	119.2043	22/05/2011
T118888	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.37337	119.1948	23/05/2011
T118887	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.42704	119.1905	23/05/2011
T118940	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.44003	119.2281	22/05/2011
T118880	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.36182	119.173	20/05/2011
T118886	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.35037	119.1508	19/05/2011
T118925	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	'Olpiidae PSEAAA' sp.	epigean	Potential SRE: DD	Undescribed genus that is thought to contain SRE representatives	Marillana, ca. 100 km NW. of Newman	-22.17352	119.1195	21/07/2011
T107491	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, site 14-P9	-23.38308	119.6481	14/08/2010
T51522	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Weeli Wolli Creek, site HDRT3	-22.92444	119.205	26/04/2003
T101190	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Area C, 61.8 km NW. of Newman	-22.99889	118.8692	25/02/2010
T51524	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Chichester Range, site HDD1F	-22.09861	118.98861	1/05/2003
T51525	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Chichester Range, site HDD4F	-22.0525	118.98833	1/05/2003
T107415	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Iron Valley, 5 km NE. of Yandicoogina mine; S5P17	-22.75946	119.2975	5/05/2010
T91754	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Quarry 8	-22.09492	118.9919	4/04/2008
T54010	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River basin, ca. 23 km SE. of Mt Margaret, site HDD 1F	-22.0986	118.9886	1/05/2003
T51521	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Weeli Wolli Creek, site HDA5	-22.87861	119.24056	26/04/2003
T101176	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Area C, 88.4 km NW. of Newman	-22.89889	119.0303	17/02/2010
T100178	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	ca. 60 km ESE. Of Auski Roadhouse	-22.6116	119.2459	13/08/2008

T99235	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Roy Hill	-22.79291	119.8725	29/10/2009
T98167	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Roy Hill Station, Ecologia Project 1106	-22.45477	119.8709	27/05/2009
T97694	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Phils Creek, Ecologia Project 1038	-22.7361	119.1834	4/04/2009
T101044	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Chichester Range, Cloud Break mine area@	-22.2725	119.3125	4/07/2006
T97600	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Phils Creek, Pilbara, Ecologia project 1038	-22.73206	119.1836	2/04/2009
T94823	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-23.05044	119.2731	9/02/2009
T101171	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Area C, 84.9 km NW. of Newman	-22.98167	119.0136	21/02/2010
T101172	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Area C, 81.8 km NW. of Newman	-23.00556	119.0328	21/02/2010
T101193	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Area C, 78.9 km NW. of Newman	-22.90278	119.1436	19/02/2010
T101175	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Area C, 89.2 km NW. of Newman	-22.96556	118.9756	23/02/2010
T101207	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Area C, 89.2 km NW. of Newman	-22.96556	118.9756	23/02/2010
T101185	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Area C, 90.6 km NW. of Newman	-22.89889	119.0019	16/02/2010
T101188	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Area C, 92.2 km NW. of Newman	-22.90556	118.98	16/02/2010
T101189	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Area C, 89.4 km NW. of Newman	-22.98	118.9619	23/02/2010
T101191	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Area C, 89.2 km NW. of Newman	-22.96556	118.9756	23/02/2010
T101194	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Area C, 78.9 km NW. of Newman	-22.90278	119.1436	19/02/2010
T101196	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Area C, 83.6 km NW. of Newman	-22.99167	118.9589	23/02/2010
T101197	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Area C, 89.6 km NW. of Newman	-23.00083	118.9469	24/02/2001
T101200	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Area C, 78.2 km NW. of Newman	-22.91778	119.1392	23/02/2010
T101206	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Area C, 82.7 km NW. of Newman	-22.89917	119.0994	17/02/2010
T101173	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Area C, 89.3 km NW. of Newman	-22.90639	119.0122	19/02/2010
T136337	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Hammersley Range, ca. 30 km ESE. of Juna Downs	-22.68401	119.06	30/03/2014
T144051	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T1M30-40	-22.155	118.1361	30/09/2011
T115871	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 72 km heading 291° from Newman	-23.12558	119.0797	21/05/2011
T134036	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T142237	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Mulga Downs Station, 6 km N. of Cowra Line camp, site RHNW6	-22.30178	119.0134	14/08/2003
T139980	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Upper Marillana, Yandi, 120 km NW. of Newman	-22.6254	118.819	8/09/2010
T144052	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T1M60-70	-22.15472	118.1361	30/09/2011
T144053	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T1M70-80	-22.15472	118.1361	30/09/2011
T117781	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Mudlark, 121 km WNW. of Newman	-23.07806	118.585	6/07/2011
T137973	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	1.5 km W. of Giles point, Pilbara Biological Survey site RHNC04	-23.25094	119.1447	30/08/2003
T136335	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Hammersley Range, ca. 30 km ESE. of Juna Downs	-22.67997	119.0626	30/03/2014
T115756	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 77 km heading 289° from Newman	-23.13317	119.0154	23/05/2011

Western Australian Museum Database Search Interpreted Results

T144055	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T1M190-200	-22.15361	118.1361	30/09/2011
T139693	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.81004	119.0844	31/08/2015
T143544	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Mulga Downs Station, 9.3 km NE. of Cowra Line Camp, site RHNW11	-22.29133	119.0614	27/08/2003
T115755	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 76 km heading 290° from Newman	-23.1169	119.0396	20/05/2011
T134058	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T136336	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Hammersley Range, ca. 30 km ESE. of Juna Downs	-22.66806	119.0572	30/03/2014
T115872	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 79 km heading 286° from Newman	-23.15466	118.9932	18/05/2011
T144054	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T1M130-140	-22.15417	118.1361	30/09/2011
T134153	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T135589	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Karijini National Park, c. 15 km SW. of Hancock Gorge	-22.46083	118.1947	15/03/2015
T138644	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Munja, Yandi, 120 km NW. of Newman	-22.62016	118.8485	21/05/2010
T138699	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Marillana, Yandi, 95 Km NW. of Newman	-22.60259	119.1993	6/05/2010
T144058	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T1M410-420	-22.15167	118.1361	30/09/2011
T134057	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T134055	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T144059	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T2M40-50	-22.09056	118.3253	30/09/2011
T116564	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Marillana, 89.7 km NW. of Newman	-22.66222	119.29	18/06/2007
T144060	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T2M50-60	-22.09056	118.3253	30/09/2011
T136016	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi mine lease, 85.4 km NW. of Newman	-22.76939	119.1908	10/11/2010
T139979	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Upper Marillana, Yandi, 120 km NW. of Newman	-22.66743	118.9007	8/09/2010
T144056	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T1M360-370	-22.15222	118.1361	30/09/2011
T134051	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T115951	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 75 km heading 289° from Newman	-23.13551	119.0384	19/05/2011
T115869	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 77 km heading 288° from Newman	-23.13937	119.0182	19/05/2011
T140273	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Ministers North ca. 93 km NW. of Newman	-22.81159	119.0909	31/03/2015
T144057	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T1M390-400	-22.15167	118.1369	30/09/2011
T134130	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T135583	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Karijini National Park, c. 15 km SW. of Hancock Gorge	-22.46083	118.1947	15/03/2015
T139682	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.82825	119.144	2/09/2015
T135503	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Karijini National Park, Kalamina Gorge	-22.41722	118.4025	13/03/2015
T139708	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.83704	119.1296	3/09/2015
T144062	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T2M60-70	-22.09056	118.3253	30/09/2011
T144953	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	potential SRE: DD	Infraorder contains SREs and potential SREs	110 km NNE. of Newman	-22.38274	119.9727	23/03/2011

T130546	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.33256	120.0126	19/03/2013
T130616	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.33119	119.9896	19/03/2013
T131833	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	"Homestead", ca. 6 km N. of Newman	-23.30226	119.7252	5/04/2013
T144306	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T2R90-100	-22.08945	118.3256	30/09/2011
T144307	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T3M40-50	-22.07944	118.3406	29/09/2011
T131524	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32355	120.0112	19/03/2013
T144308	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T3M50-60	-22.07972	118.3406	29/09/2011
T130620	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32917	119.9956	19/03/2013
T132724	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Ophthalmia Range, ca. 20 km N. of Newman	-23.22611	119.7471	25/03/2014
T144951	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Cloudbreak, Northern Tenements, ca. 15 km N. of Fortescue Marsh	-22.246	119.2931	22/11/2016
T131025	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	"Homestead", ca. 6 km N. of Newman	-23.30134	119.757	29/04/2013
T144327	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T4M310-320	-22.07944	118.3439	29/09/2011
T131009	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	"Homestead", ca. 6 km N. of Newman	-23.30941	119.743	29/04/2013
T144333	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T4R30-40	-22.07639	118.3439	29/09/2011
T131466	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.31909	120.0262	27/08/2013
T144326	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T4M210-220	-22.07861	118.3439	29/09/2011
T131458	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.3315	119.9824	27/08/2013
T144324	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T4M130-140	-22.07806	118.3439	29/09/2011
T144323	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T4M70-80	-22.0775	118.3439	29/09/2011
T131457	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.33119	119.9896	27/08/2013
T131011	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	"Homestead", ca. 6 km N. of Newman	-23.30846	119.7459	29/04/2013
T132708	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Ophthalmia Range, ca. 20 km N. of Newman	-23.17975	119.7577	25/03/2014
T131159	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	15 km SE. of West Angelas Aerodrome	-23.1904	118.8279	18/03/2013
T131160	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	9 km SW. of West Angelas Aerodrome	-23.19171	118.6406	18/03/2013
T144336	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T4R150-160	-22.07528	118.3436	29/09/2011
T144335	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T4R140-150	-22.07556	118.3436	29/09/2011
T144334	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T4R120-130	-22.07556	118.3436	29/09/2011
T126361	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Area C, 89.2 km NW. of Newman	-22.96556	118.9756	23/02/2010
T132722	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Ophthalmia Range, ca. 20 km N. of Newman	-23.21742	119.752	25/03/2014
T130390	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.73217	119.05	14/05/2013
T130393	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.77458	119.1234	14/05/2013
T130544	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.33222	120.0162	19/03/2013
T132710	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Ophthalmia Range, ca. 20 km N. of Newman	-23.145	119.6744	25/03/2014

Western Australian Museum Database Search Interpreted Results

T131015	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	"Homestead", ca. 6 km N. of Newman	-23.30846	119.7459	29/04/2013
T132706	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Ophthalmia Range, ca. 20 km N. of Newman	-23.17945	119.7383	25/03/2014
T130396	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.70949	118.9937	14/05/2013
T124738	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	ca. 104 km NE. of Tom Price	-22.15672	118.6818	14/02/2012
T131027	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.28526	119.7435	29/04/2013
T144304	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T2R70-80	-22.08917	118.3256	30/09/2011
T144305	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T2R80-90	-22.08917	118.3256	30/09/2011
T131863	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	"Homestead", ca. 6 km N. of Newman	-23.30134	119.757	5/08/2013
T131862	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.2872	119.7242	5/08/2013
T144309	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T3M100-110	-22.08	118.3406	29/09/2011
T131031	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.28276	119.7396	29/04/2013
T144330	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T4M390-400	-22.08028	118.3439	29/09/2011
T131422	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32347	120.0054	27/08/2013
T131304	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.2715	119.8416	5/08/2013
T131260	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	"Homestead", ca. 6 km N. of Newman	-23.30628	119.7236	5/08/2013
T131303	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 25, ca. 5 km N. of Newman	-23.27398	119.8542	5/08/2013
T131302	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.27398	119.8542	5/08/2013
T131301	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 25, ca. 5 km N. of Newman	-23.32736	119.7717	5/08/2013
T149362	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	West Angelas, ca. 105 km WNW. of Newman	-23.20648	118.7834	12/03/2019
T144332	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T4M470-480	-22.08111	118.3439	29/09/2011
T131299	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 25, ca. 5 km N. of Newman	-23.32835	119.7723	5/08/2013
T146565	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Greater Hope Downs, Hope Downs 1 mine, ca. 81.8 km NW. of Newman	-23.04347	119.1166	22/05/2018
T144331	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T4M430-440	-22.08055	118.3439	29/09/2011
T131315	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.3103	119.7256	5/08/2013
T130997	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.28442	119.7444	5/04/2013
T130994	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.28501	119.7418	5/04/2013
T124657	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	widespread	W.A. Museum assessment	Area C, 61.8 km NW. of Newman	-22.99889	118.8692	25/02/2010
T124665	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Area C, 82.7 km NW. of Newman	-22.89917	119.0994	17/02/2010
T124737	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Murrays Hill, ca. 104 km NE. of Tom Price	-22.13781	118.6391	14/02/2012
T130988	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.29307	119.7571	5/04/2013
T131280	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.29102	119.7941	5/08/2013
T124740	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	ca. 104 km NE. of from Tom Price	-22.13938	118.6143	21/10/2011
T124739	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	ca. 98 km NE. of Tom Price	-22.11658	118.5084	21/10/2011

T131002	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 25, ca. 5 km N. of Newman	-23.32173	119.7858	5/04/2013
T144313	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T3M350-360	-22.0825	118.3406	29/09/2011
T130395	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.70949	118.9937	14/05/2013
T131369	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	ca.15 km NE. of Roy Hill	-22.53333	120.0287	18/04/2013
T131365	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	ca.15 km NE. of Roy Hill	-22.53333	120.0363	18/04/2013
T131364	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	ca.15 km NE. of Roy Hill	-22.53333	120.0363	18/04/2013
T144322	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T4M120-130	-22.07778	118.3439	29/09/2011
T131363	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	ca.15 km NE. of Roy Hill	-22.53333	120.0363	18/04/2013
T131359	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	ca.15 km NE. of Roy Hill	-22.51667	120.0354	18/04/2013
T131355	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	ca.15 km NE. of Roy Hill	-22.51667	120.0354	18/04/2013
T144310	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T3M120-130	-22.08028	118.3406	29/09/2011
T131308	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.28689	119.7542	5/08/2013
T144312	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T3M260-270	-22.08167	118.3406	29/09/2011
T131408	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.33222	120.0162	27/08/2013
T144314	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T3M480-490	-22.08333	118.3406	29/09/2011
T144317	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T3R110-120	-22.07806	118.3406	29/09/2011
T144318	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T4M30-40	-22.07694	118.3439	29/09/2011
T144319	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T4M40-50	-22.07722	118.3439	29/09/2011
T144320	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T4M50-60	-22.07722	118.3439	29/09/2011
T144321	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T4M110-120	-22.07778	118.3439	29/09/2011
T146564	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Greater Hope Downs, Hope Downs 1 mine, ca. 70 km NW. of Newman	-23.03835	119.1407	24/05/2018
T131317	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.30052	119.8492	5/08/2013
T131316	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.29005	119.8158	5/08/2013
T144311	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T3M140-150	-22.08055	118.3406	29/09/2011
T131075	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.28181	119.7724	29/04/2013
T132725	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Ophthalmia Range, ca. 20 km N. of Newman	-23.22633	119.7475	25/03/2014
T144063	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T2M100-110	-22.09111	118.3253	30/09/2011
T144064	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T2M110-120	-22.09139	118.3253	30/09/2011
T127412	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Mudlark, 121 km WNW. of Newman	-23.07806	118.585	6/07/2011
T131065	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 25, ca. 5 km N. of Newman	-23.32588	119.7683	29/04/2013
T144344	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T5R60-70	-22.07139	118.3503	28/09/2011
T131073	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.2715	119.8416	29/04/2013
T134005	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.71908	118.9795	2/04/2014

Western Australian Museum Database Search Interpreted Results

T131076	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.28349	119.7695	29/04/2013
T131081	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.29004	119.7706	29/04/2013
T131083	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	"Homestead", ca. 6 km N. of Newman	-23.31157	119.766	29/04/2013
T144329	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T4M340-350	-22.07972	118.3439	29/09/2011
T144065	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T2M160-170	-22.09167	118.325	30/09/2011
T144345	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T5R100-110	-22.07278	118.3503	28/09/2011
T131071	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.27242	119.8431	29/04/2013
T134026	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T128247	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	ca. 18 km N. of Wittenoom	-22.06667	118.3319	19/06/2013
T128243	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	ca. 18 km N. of Wittenoom	-22.05	118.388	19/06/2013
T128242	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	ca. 18 km N. of Wittenoom	-22.1	118.3878	19/06/2013
T131061	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 25, ca. 5 km N. of Newman	-23.32508	119.7685	29/04/2013
T127769	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	West Angelas, ca. 32 km ESE. of Mt Meharry	-23.12293	118.8618	25/09/2012
T134033	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T134002	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.73335	118.9906	2/04/2014
T134028	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T144087	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Cloudbreak, Northern Tenements, 15 km N. of Fortescue Marsh	-22.2632	119.3294	22/11/2016
T134017	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T134016	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T134011	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T134009	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.76636	119.1059	8/09/2014
T134008	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.76636	119.1059	2/04/2014
T134001	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.73447	118.9839	2/04/2014
T134029	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T144340	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T5M360-370	-22.07528	118.35	28/09/2011
T144067	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T2M280-290	-22.0925	118.3247	30/09/2011
T144068	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T2R20-30	-22.09	118.3256	30/09/2011
T144066	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T2M180-190	-22.09139	118.325	30/09/2011
T130099	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	SW Jimblebar, ca. 35 km E. of Newman	-23.40497	120.027	15/02/2013
T144338	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T5M180-190	-22.07361	118.35	28/09/2011
T144069	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T2R30-40	-22.08972	118.3256	30/09/2011
T144328	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T4M320-330	-22.07944	118.3439	29/09/2011
T144339	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T5M270-280	-22.07444	118.35	28/09/2011

Western Australian Museum Database Search Interpreted Results

T144341	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T5M470-480	-22.07611	118.3497	28/09/2011
T144342	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T5R0-10	-22.07195	118.3503	28/09/2011
T132726	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Ophthalmia Range, ca. 20 km N. of Newman	-23.22633	119.7475	25/03/2014
T132727	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Ophthalmia Range, ca. 20 km N. of Newman	-23.226	119.7462	25/03/2014
T131035	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.28928	119.7947	29/04/2013
T144070	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T2R60-70	-22.08972	118.3256	30/09/2011
T144343	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Olpiidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Fortescue River valley, sites T5R30-40	-22.07167	118.3503	28/09/2011
T122341	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium 'PSE033'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, 173.8 km NW. of Newman	-22.63125	118.2217	6/02/2012
T122342	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium 'PSE033'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, 173.9 km NW. of Newman	-22.63328	118.222	6/02/2012
T122343	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium 'PSE033'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, 174 km NW. of Newman	-22.63328	118.222	6/02/2012
T134054	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium 'PSE033'	epigean	Potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T122340	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium 'PSE033'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, 173.6 km NW. of Newman	-22.63125	118.2217	6/02/2012
T136419	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium 'PSE120'	epigean	Potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T134019	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium 'PSE120'	epigean	Potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T93571	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-22.974	119.3002	31/08/2008
T94802	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-22.97836	119.2609	10/02/2009
T98306	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinayri mine site, ca. 65 km NW. of Newman	-22.93333	119.2236	19/06/2009
T94828	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-22.97633	119.3009	10/02/2009
T94827	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-22.97836	119.2609	10/02/2009
T94826	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-22.974	119.3002	10/02/2009
T94821	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-22.98428	119.2677	10/02/2009
T94820	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-22.96853	119.2855	10/02/2009
T94818	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-22.98428	119.2677	10/02/2009
T94813	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-23.04128	119.2772	9/02/2009
T94812	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-22.98428	119.2677	3/02/2009
T94810	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-22.98428	119.2677	10/02/2009
T94809	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-22.96325	119.2276	3/02/2009
T93569	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-22.974	119.3002	31/08/2008
T94804	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-22.98428	119.2677	10/02/2009
T93555	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-23.02508	119.2434	30/08/2008
T94800	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-22.974	119.3002	10/02/2009
T93573	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-22.974	119.3004	27/08/2008
T93572	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-22.974	119.3002	31/08/2008

Western Australian Museum Database Search Interpreted Results

T93556	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-22.974	119.3002	31/08/2008
T93570	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-22.974	119.3002	31/08/2008
T93568	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-22.974	119.3002	31/08/2008
T93565	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-22.98428	119.2677	31/08/2008
T93564	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-23.05039	119.2732	25/08/2008
T93562	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-22.98428	119.2677	31/08/2008
T93561	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-22.974	119.3002	31/08/2008
T93559	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-22.96925	119.2428	31/08/2008
T93557	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-23.05019	119.2735	25/08/2008
T94807	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-23.04964	119.2739	2/02/2009
T134025	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T134023	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T134045	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T134027	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T127765	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, ca. 31 km ESE. of Mt Meharry	-23.13419	118.8371	25/09/2012
T127767	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, ca. 22 km SE. of Mt Meharry	-23.15571	118.6914	25/09/2012
T134046	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T134044	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T122180	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C West to Yandi, 111 km NW. of Newman	-22.77917	118.8347	8/02/2012
T134042	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T134041	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T134040	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T127764	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, ca. 32 km ESE. of Mt Meharry	-23.12293	118.8618	25/09/2012
T134038	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T127766	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, ca. 32 km ESE. of Mt Meharry	-23.12293	118.8618	25/09/2012
T127768	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, ca. 33 km ESE. of Mt Meharry	-23.123	118.8739	25/09/2012
T127770	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, ca. 32 km ESE. of Mt Meharry	-23.12293	118.8618	25/09/2012
T134037	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T126243	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	114.4 km NW. of Newman	-22.58083	119.0017	20/11/2011
T134034	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T134007	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.76821	119.0944	2/04/2014
T134035	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T134039	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014

Western Australian Museum Database Search Interpreted Results

T127760	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, ca. 22 km SSE. of Mt Meharry	-23.15571	118.6914	25/09/2012
T134056	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T127758	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, ca. 35 km SE. of Mt Meharry	-23.20215	118.8304	25/09/2012
T134049	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T134062	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T134129	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T134061	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T131360	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	ca.15 km NE. of Roy Hill	-22.53333	120.0287	18/04/2013
T134060	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T127757	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, ca. 22 km SSE. of Mt Meharry	-23.15571	118.6914	25/09/2012
T134050	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	2/04/2014
T134127	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi (Marillana Creek), ca. 98 km NW. of Newman	-22.7443	119.0117	8/09/2014
T131354	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	ca.15 km NE. of Roy Hill	-22.51667	120.0354	18/04/2013
T131352	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	ca.15 km NE. of Roy Hill	-22.53333	120.0287	18/04/2013
T127763	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, ca. 22 km SSE. of Mt Meharry	-23.17234	118.6241	25/09/2012
T122171	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	South Parmelia, 60.9 km NW. of Newman	-23.04778	119.2392	2/02/2012
T62937	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana Station, 23 km SW. of Marillana Homestead, Yandi Extension site YEX81	-22.7877	119.2539	2/09/2004
T62936	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana Station, 23 km SW. of Marillana Homestead, Yandi Extension site YEX85	-22.7933	119.2583	3/09/2004
T62934	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana Station, 23 km SW. of Marillana Homestead, Yandi Extension site YEX85	-22.7933	119.2583	3/09/2004
T132687	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium 'sp. 1'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana Station, 23 km SW. of Marillana Homestead, Yandi Extension site YEX81	-22.7877	119.2539	2/09/2004
T62908	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Olpiidae	Xenolpium 'sp. 2'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana Station, 26.5 km SW. of Marillana Homestead, Yandi Extension site YEX75	-22.8344	119.2608	31/08/2004
T62914	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus '1'	epigean	potential SRE: DD	W.A. Museum assessment	Marillana Station, 23.1 km SW. of Marillana Homestead, Yandi Extension site YEX86	-22.7813	119.2436	3/09/2004
T62938	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus '1'	epigean	potential SRE: DD	W.A. Museum assessment	Marillana Creek, Marillana Station, Yandi Extension site YEX80	-22.7819	119.2561	1/09/2004
T62935	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus '1'	epigean	potential SRE: DD	W.A. Museum assessment	Marillana Station, 23.3 km SW. of Marillana Homestead, Yandi Extension site YEX84	-22.7872	119.2469	2/09/2004
T62932	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus '1'	epigean	potential SRE: DD	W.A. Museum assessment	Marillana Station, 25 km SW. of Marillana Homestead, Yandi Extension site YEX	-22.7811	119.2472	2/09/2004
T107269	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus sp.	epigean	potential SRE: DD	Genus contains potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.01917	119.0336	12/05/2010
T112026	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus sp.	epigean	potential SRE: DD	Genus contains potential SREs	Roy Hill, ca. 110 km N. of Newman	-22.44815	119.986	24/03/2011
T88486	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus sp.	epigean	potential SRE: DD	Genus contains potential SREs	Kalamina Gorge, upstream, Karijini National Park	-22.42583	118.39583	9/07/2006
T51520	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus sp.	epigean	potential SRE: DD	Genus contains potential SREs	Weeli Wolli Creek, site HDA3	-22.93694	119.20778	25/04/2003
T91716	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus sp.	epigean	potential SRE: DD	Genus contains potential SREs	Hope Downs 4, ca. 100 km NW. of Newman, HD4-1	-23.12856	119.5601	14/05/2008
T107398	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus sp.	epigean	potential SRE: DD	Genus contains potential SREs	Hope Downs, 79.3 km NW. of Newman	-22.97667	119.0756	24/06/2010
T102822	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus sp.	epigean	potential SRE: DD	Genus contains potential SREs	87.3 km NW. of Newman, Yandi Lease	-22.78806	119.1464	5/03/2010
T118903	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus sp.	epigean	potential SRE: DD	Genus contains potential SREs	Marillana, ca. 100 km NW. of Newman	-22.31823	119.1175	20/05/2011

Western Australian Museum Database Search Interpreted Results

T116562	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus sp.	epigean	potential SRE: DD	Genus contains potential SREs	Marillana, 87.9 km NW. of Newman	-22.66639	119.3078	17/06/2007
T126347	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus sp.	epigean	potential SRE: DD	Genus contains potential SREs	Juna Downs Station, 112 km NW. of Newman	-22.70889	118.8817	10/05/2011
T119939	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus sp.	epigean	potential SRE: DD	Genus contains potential SREs	Juna Downs Station, 112 km NW. of Newman	-22.70889	118.8817	10/05/2011
T115761	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus sp.	epigean	potential SRE: DD	Genus contains potential SREs	ca. 74 km WNW. of Newman, Wonmunna Lease	-23.1356	119.0463	19/05/2011
T117769	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus sp.	epigean	potential SRE: DD	Genus contains potential SREs	Marillana, 96.6 km NW. of Newman	-22.63083	119.2086	20/06/2007
T119940	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus sp.	epigean	potential SRE: DD	Genus contains potential SREs	Juna Downs Station, 116 km NW. of Newman	-22.60944	118.9397	11/05/2011
T126986	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus sp.	epigean	potential SRE: DD	Genus contains potential SREs	114.4 km NW. of Newman	-22.58083	119.0017	20/11/2011
T126348	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus sp.	epigean	potential SRE: DD	Genus contains potential SREs	Marillana, 96.6 km NW. of Newman	-22.63083	119.2086	20/06/2007
T134169	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus sp.	epigean	potential SRE: DD	Genus contains potential SREs	Yandi Oxbow, 86.8 km NW. Newman	-22.78778	119.1467	14/09/2014
T118979	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus sp.	epigean	potential SRE: DD	Genus contains potential SREs	Marillana, ca. 100 km NW. of Newman	-22.62858	119.3485	8/08/2011
T118910	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus sp.	epigean	potential SRE: DD	Genus contains potential SREs	Marillana, ca. 100 km NW. of Newman	-22.35057	119.1847	22/05/2011
T140236	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus sp.	epigean	potential SRE: DD	Genus contains potential SREs	South Flank, ca. 95 km NW. of Newman	-22.96097	118.9173	16/03/2016
T118976	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus sp.	epigean	potential SRE: DD	Genus contains potential SREs	Marillana, ca. 100 km NW. of Newman	-22.5625	119.2311	8/08/2011
T116566	Arachnida	Pseudoscorpiones (pseudoscorpions)	Pseudoscorpior	Sternophoridae	Afrosternophorus sp.	epigean	potential SRE: DD	Genus contains potential SREs	Marillana, 96.6 km NW. of Newman	-22.63083	119.2086	20/06/2007
T135454	Arachnida	Schizomids	Schizomida	Hubbardiidae	Draculoides 'SCH053 epigean'	epigean	SRE	W.A. Museum assessment	Karijini National Park, Dales Gorge, Circular Pool	-22.47583	118.5619	12/03/2015
T135453	Arachnida	Schizomids	Schizomida	Hubbardiidae	Draculoides 'SCH053 epigean'	epigean	SRE	W.A. Museum assessment	Karijini National Park, Dales Gorge, Circular Pool	-22.47583	118.5619	12/03/2015
T135452	Arachnida	Schizomids	Schizomida	Hubbardiidae	Draculoides 'SCH053 epigean'	epigean	SRE	W.A. Museum assessment	Karijini National Park, Dales Gorge, Circular Pool	-22.47583	118.5619	12/03/2015
T135447	Arachnida	Schizomids	Schizomida	Hubbardiidae	Draculoides 'SCH053 epigean'	epigean	SRE	W.A. Museum assessment	Karijini National Park, Dales Gorge, Circular Pool	-22.47583	118.5619	12/03/2015
T135626	Arachnida	Schizomids	Schizomida	Hubbardiidae	Draculoides 'SCH053 epigean'	epigean	SRE	W.A. Museum assessment	Karijini National Park, Dales Gorge, Circular Pool	-22.47583	118.5619	18/03/2015
T102945	Arachnida	Scorpiones (scorpions)	Scorpiones		Scorpiones sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Hamersley Ranges, 85 km E. of Auski Roadhouse	-22.72511	119.3167	1/05/2010
T9803	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Buthidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Dales Gorge Creek	-22.5	118.6	12/07/1952
T54023	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Buthidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Chichester Range, ca. 40 km E. of Peak Hester, site HDD 2	-22.09	118.9925	1/05/2003
T54012	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Buthidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Chichester Range, ca. 20 km SE. of Pouyouwuncubbana, site HDD 7	-22.9441	118.9631	4/05/2003
T54049	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Buthidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Weeli Wolli Creek, ca. 47 km SW. of Marillana, site HDRT 1	-22.9588	119.1631	23/04/2003
T54038	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Buthidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Chichester Range, ca. 28 km SE. of Pouyouwuncubbana, site HDD 3	-22.0708	118.9786	3/05/2003
T54067	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Buthidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Weeli Wolli Creek, ca. 38 km SW. of Marillana, site HDRT 3	-22.9244	119.205	26/04/2003
T140625	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Buthidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	South Flank ca. 95 km NW. of Newman	-22.95283	118.9758	16/03/2016
T136731	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Buthidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi Oxbow, 87.3 km NW. of Newman	-22.78361	119.1467	5/05/2015
T140626	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Buthidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	South Flank ca. 95 km NW. of Newman	-22.96333	118.9378	16/03/2016
T135631	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Buthidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Karijini National Park, Dales Gorge, Circular Pool	-22.47694	118.5633	18/03/2015
T140627	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Buthidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	South Flank ca. 95 km NW. of Newman	-22.96175	118.909	16/03/2016
T114181	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Buthidae sp.	epigean	potential SRE: DD	family contains SREs and potential SREs	c. 22 km NW. of Marillana Station homestead, FMG Nyidinghu Project	-22.56189	119.212	19/05/2011
T105576	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides 'goldfields 1'	epigean	widespread	This is probably Isometroides 'pilbara 1'	Marillana, site 11, 100 km NW. of Newman	-22.62228	119.3247	9/04/2011
T91894	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides 'SCO025, pilbara 1'	epigean	widespread	Alacran unpublished data	10 km NE. of Newman, Ore-body 24, site 05-5A	-23.31161	119.7936	26/06/2008
T93455	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides 'SCO025, pilbara 1'	epigean	widespread	Alacran unpublished data	Hope Downs 4, ca. 30 km NW. of Newman, HD4-11, 37	-23.10145	119.2918	22/09/2008
T103928	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides 'SCO025, pilbara 1'	epigean	widespread	Alacran unpublished data	ca. 97 km SE. of Tom Price	-23.16444	118.5886	24/06/2010

Western Australian Museum Database Search Interpreted Results

T135467	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides 'SCO025, pilbara 1'	epigean	widespread	Alacran unpublished data	Karijini National Park, near Rangers Station	-22.58278	118.4589	12/03/2015
T125358	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides 'SCO025, pilbara 1'	epigean	widespread	Alacran unpublished data	Koodaideri Western Corridor, 180.9 km NW. of Newman	-22.24992	118.4451	28/03/2012
T125360	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides 'SCO025, pilbara 1'	epigean	widespread	Alacran unpublished data	Koodaideri Western Corridor, 136.8 km NW. of Newman	-22.40428	118.8823	29/03/2012
T131176	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides 'SCO025, pilbara 1'	epigean	widespread	Alacran unpublished data	3 km SSW. of West Angelas Aerodrome	-23.15918	118.6935	18/03/2013
T125361	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides 'SCO025, pilbara 1'	epigean	widespread	Alacran unpublished data	Koodaideri Western Corridor, 149.2 km NW. of Newman	-22.34989	118.7657	1/04/2012
T135558	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides 'SCO025, pilbara 1'	epigean	widespread	Alacran unpublished data	Karijini National Park, near Rangers Station	-22.58278	118.4589	16/03/2015
T135579	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides 'SCO025, pilbara 1'	epigean	widespread	Alacran unpublished data	Karijini National Park, c. 21 km SW. of Dales Gorge, site MAM 1	-22.57131	118.37703	16/03/2015
T125362	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides 'SCO025, pilbara 1'	epigean	widespread	Alacran unpublished data	Koodaideri Western Corridor, 145.1 km NW. of Newman	-22.37994	118.82	1/04/2012
T128342	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides 'SCO025, pilbara 1'	epigean	widespread	Alacran unpublished data	Orebody 19, ca. 28 km ENE. of Newman	-23.33939	120.0208	24/05/2013
T135528	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides 'SCO025, pilbara 1'	epigean	widespread	Alacran unpublished data	Karijini National Park, Karijini Drive	-22.56	118.4492	14/03/2015
T135529	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides 'SCO025, pilbara 1'	epigean	widespread	Alacran unpublished data	Karijini National Park, c. 15 km SW. of Dales Gorge	-22.56528	118.4525	14/03/2015
T149486	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides 'SCO025, pilbara 1'	epigean	widespread	Alacran unpublished data	88.2 km NW. of Newman	-23.06007	118.9316	9/03/2019
T149451	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides 'SCO025, pilbara 1'	epigean	widespread	Alacran unpublished data	80.3 km NW. of Newman	-23.06253	119.0149	10/03/2019
T149452	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides 'SCO025, pilbara 1'	epigean	widespread	Alacran unpublished data	88.2 km NW. of Newman	-23.06007	118.9316	9/03/2019
T149453	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides 'SCO025, pilbara 1'	epigean	widespread	Alacran unpublished data	85.2 km NW. of Newman	-23.06971	118.9594	11/03/2019
T149454	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides 'SCO025, pilbara 1'	epigean	widespread	Alacran unpublished data	18.4 km NW. of Newman	-23.05806	119.0052	10/03/2019
T149485	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides 'SCO025, pilbara 1'	epigean	widespread	Alacran unpublished data	18.4 km NW. of Newman	-23.05806	119.0052	10/03/2019
T149487	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides 'SCO025, pilbara 1'	epigean	widespread	Alacran unpublished data	18.4 km NW. of Newman	-23.05806	119.0052	10/03/2019
T122061	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides 'SCO025, pilbara 1'	epigean	widespread	Alacran unpublished data	82.2 km NW. of Tom Price, Koodaideri Corridor West	-22.23244	118.4149	20/02/2012
T60526	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Weeli Wolli Creek, ca. 40 km SW. of Marillana, site HDA2	-22.958	119.1792	27/04/2003
T19686	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mt Bruce	-22.6	118.1333	15/05/1980
T19688	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill	-22.6166	119.95	18/05/1982
T19689	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill	-22.6166	119.95	18/05/1982
T105570	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 9 km WNW. of Marillana Station homestead, site 11	-22.62303	119.3217	9/04/2011
T105572	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 9 km WNW. of Marillana Station homestead, site 11	-22.62178	119.3237	9/04/2011
T57399	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hope Downs @	-23.03	119.0211	20/10/1998
T105392	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill [Station], Marble Bar Road	-22.51814	119.9128	11/03/2010
T81655	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 18)	-22.3097	119.3447	1/06/2006
T19694	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill	-22.6166	119.95	18/05/1982
T105605	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	ca. 8 km WNW. of Marillana Station homestead, ca. 100 km NW. of Newman	-22.62433	119.3167	10/05/2012
T100388	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mulga Downs Station, Murrays Hill area, 4 km NE. of homestead	-22.117	118.5032	21/04/2009
T19692	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill	-22.6166	119.95	18/05/1982
T105623	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 8 W. of Marillana Station homestead, ca. 100 km NW. of Newman	-22.62772	119.3299	23/05/2011
T19693	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill	-22.6166	119.95	18/05/1982
T19691	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill	-22.6166	119.95	18/05/1982
T44750	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Newman	-23.3666	119.7333	15/05/2000
T105638	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 11 km NW. of Marillana Station homestead, site 12	-22.58492	119.3	10/05/2012
T105635	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 8 km W. of Marillana Station homestead, site 11	-22.62433	119.3299	22/05/2011

T77988	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Port Hedland-Newman Railway, Chichester Rge, Fortescue Metals Group, site FMG17	-22.2994	119.0231	12/03/2004
T19690	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill	-22.6166	119.95	18/05/1982
T114207	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 100 Km N. of Newman (site 6)	-22.6013	119.2913	8/08/2011
T133364	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas lease, 46.2 km ESE. of Juna Downs Homestead	-23.06889	118.89	9/09/2005
T118155	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Wonmunna, ca. 79 km heading 286° from Newman	-23.159208	118.992805	17/05/2011
T114190	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 8 km WNW. of Marillana Station homestead, FMG Nyidinghu Project	-22.625444	119.325305	10/05/2011
T127218	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 34 km NE. of West Mt Hilditch	-23.01972	119.0903	4/11/2011
T114236	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 3.5 km WSW. of Marillana Station homestead, site 8	-22.6376	119.3744	13/06/2011
T114205	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 100 Km N. of Newman (site 1)	-22.265	119.0252	8/08/2011
T114164	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 15 km NNW. of Marillana Station homestead, FMG Nyidinghu Project	-22.50525	119.373388	10/05/2011
T114233	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, 100 Km N. of Newman (site 5)	-22.5625	119.2311	8/08/2011
T114165	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 15 km NNW. of Marillana Station homestead, FMG Nyidinghu Project	-22.5055	119.373388	10/05/2011
T131216	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Mine 1, ca. 90 km N. of Newman	-22.52247	119.9186	17/04/2013
T79702	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Isometroides 'sp. 1'	epigean	widespread	Pilbara 1??	6 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW06	-22.30178	119.0078	21/11/2003
T60529	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'adonis'	epigean	widespread	W.A. Museum assessment	Hope Downs proposed rail corridor, site HAC8	-22.3666	118.9833	12/11/2001
T60528	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'adonis'	epigean	widespread	W.A. Museum assessment	Hope Downs proposed rail corridor, site HAC3	-22.6	119.2333	12/11/2001
T105471	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'adonis'	epigean	widespread	W.A. Museum assessment	Iron Valley, 5 km NE. of Yandicoogina Mine	-22.75117	119.3074	5/05/2010
T105423	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'adonis'	epigean	widespread	W.A. Museum assessment	Iron Valley, 5 km NE. of Yandicoogina Mine	-22.75014	119.308	5/05/2010
T51595	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'adonis'	epigean	widespread	W.A. Museum assessment	Weeli Wolli Creek, ca. 44 km SW. of Marillana, site HDA1	-22.9688	119.1622	24/04/2003
T105472	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'adonis'	epigean	widespread	W.A. Museum assessment	Iron Valley, 5 km NE. of Yandicoogina Mine	-22.722	119.3249	5/05/2010
T80186	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'adonis'	epigean	widespread	W.A. Museum assessment	4 km SSW. of Mile Camp, Pilbara Biological Survey site RHNE01	-22.82	119.6127	10/08/2003
T53993	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'adonis'	epigean	widespread	W.A. Museum assessment	Weeli Wolli Creek, ca. 25 km SW. of Marillana, site HDA8	-22.8213	119.2878	23/04/2003
T106012	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'adonis'	epigean	widespread	W.A. Museum assessment	Area C, 81.4 km NW. of Newman	-22.95806	119.0692	1/05/2010
T105428	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'adonis'	epigean	widespread	W.A. Museum assessment	Iron Valley, 5 km NE. of Yandicoogina Mine	-22.73128	119.3183	5/05/2010
T79776	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'adonis'	epigean	widespread	W.A. Museum assessment	Hamersley Range, 20.5 km WNW. of Mt Marsh, Pilbara Biological Survey site RHNW03	-22.46653	119.0226	13/08/2003
T57397	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'adonis'	epigean	widespread	W.A. Museum assessment	Hope Downs @	-23.03	119.0211	20/10/1998
T100121	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'adonis'	epigean	widespread	W.A. Museum assessment	Roy Hill, Ecologia project 1209	-22.64308	119.9646	20/11/2009
T51617	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'adonis'	epigean	widespread	W.A. Museum assessment	Weeli Wolli Creek, ca. 28 km SW. of Marillana, site HDA7	-22.8344	119.2736	25/04/2003
T105602	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'adonis'	epigean	widespread	W.A. Museum assessment	Marillana Station, ca. 100 km NW. of Newman	-22.71111	119.3136	22/05/2011
T128768	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'adonis'	epigean	widespread	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.2792	119.7998	29/04/2013
T128761	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'adonis'	epigean	widespread	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.2792	119.7998	29/04/2013
T105571	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'annulatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	c. 8 km NW. of Marillana Station homestead, site 11	-22.62228	119.3244	9/04/2011
T32981	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'annulatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Marandoo Minesite	-22.6166	118.1333	24/04/1976
T105584	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'annulatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	c. 16 km NW. of Marillana Station homestead, site 1	-22.53425	119.2967	9/04/2011
T105437	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'annulatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Iron Valley, 5 km NE. of Yandicoogina Mine	-22.71783	119.3265	5/05/2010
T79890	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'annulatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	4 km SSW. of Mile Camp, Pilbara Biological Survey site RHNE01	-22.82	119.6127	10/08/2003
T79898	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'annulatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hamersley Range, 20.5 km WNW. of Mt Marsh, Pilbara Biological Survey site RHNW03	-22.46653	119.0226	13/08/2003

T97023	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'annulatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Jinayri, ca. 65 km NW. of Newman	-22.805	119.3069	30/03/2009
T105475	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'annulatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Iron Valley, c. 11 km NE. of Yandicoogina Mine	-22.71844	119.3265	5/05/2010
T60497	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'annulatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hope Downs proposed rail corridor, site HAC3	-22.6	119.2333	12/11/2001
T80205	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'annulatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	1 km SSE. of Cowra Line Camp, Pilbara Biological Survey site RHNW13	-22.3614	119.0068	20/11/2003
T97028	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'annulatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Jinayri, ca. 65 km NW. of Newman	-22.91139	119.2056	28/03/2009
T81660	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'annulatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 18)	-22.3097	119.3447	1/06/2006
T60416	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'annulatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hope Downs @	-23.03	119.0208	20/10/1998
T60440	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'annulatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hope Downs Station @	-22.6166	119.3333	1/12/1999
T60451	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'annulatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hope Downs Station @	-22.6166	119.3333	1/12/1999
T79907	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'annulatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	4 km SSW. of Mile Camp, Pilbara Biological Survey site RHNE01	-22.8201	119.6127	10/08/2003
T105583	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'annulatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	c. 22 km WNW. of Marillana Station homestead, site 3	-22.56211	119.2119	9/04/2011
T98298	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'annulatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Jinayri mine site, ca. 65 km NW. of Newman	-22.91139	119.2006	23/06/2009
T57396	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'austroccidentalis?'	epigean	widespread	eronious idnetification?? L. 'austroccidentalis' is a SW species	Hope Downs @	-23.03	119.0211	20/10/1998
T93582	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Jinary, ca. 60 km NW. of Newman	-22.98986	119.2365	27/08/2008
T101150	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Area C, 85.8 km NW. of Newman	-23.01694	118.8889	25/02/2010
T105456	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Iron Valley, c. 5 km NE. of Yandicoogina Mine	-22.75683	119.3038	5/05/2010
T93579	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Jinary, ca. 60 km NW. of Newman	-23.02525	119.2432	24/08/2008
T93583	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Jinary, ca. 60 km NW. of Newman	-22.9873	119.2694	31/08/2008
T105480	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Iron Valley, c. 7 km NE. of Yandicoogina Mine	-22.75858	119.3031	5/05/2010
T79580	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	18 km E. of Mt Bruce, Pilbara Biological Survey site TCMBE04	-22.6213	118.3147	2/08/2005
T79689	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	1.5 km W. of Giles Point, Pilbara Biological Survey site RHNC04	-23.2509	119.1447	20/11/2003
T79602	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	13 km SSW. of Giles point, Pilbara Biological Survey site RHNC01	-23.3611	119.1125	20/11/2003

T97026	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Jinayri, ca. 65 km NW. of Newman	-22.92194	119.2036	28/03/2009
T79552	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	1.8 km SSE. of Mulga Downs Outcamp, Pilbara Biological Survey site RHNW04	-22.3346	118.9887	21/11/2003
T79562	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	3 km SW. of Weeli Wollie Spring, Pilbara Biological Survey site RHNC10	-22.9311	119.1847	31/08/2003
T79578	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	16 km E. of Mt Bruce, Pilbara Biological Survey site TCMBE05	-22.6094	118.2992	2/08/2005
T79693	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	27.5 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW08	-22.1068	119.0007	21/11/2003
T79540	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	13 km SSW. of Giles Point, Pilbara Biological Survey site RHNC01	-23.3611	119.1125	20/11/2003
T79688	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	18.5 km SE. of Mt Bruce, Pilbara Biological Survey site TCMBE08	-22.7225	118.2683	1/09/2005
T79685	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Mulga Downs Station, 16 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW07	-22.2217	119.0249	14/08/2003
T79637	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	11.5 km SW. of Rhodes Ridge, Pilbara Biological Survey site RHNC07	-23.146	119.2658	2/09/2003
T79635	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	0.5 km NW. of Weelie Wollie Spring, Pilbara Biological Survey site RHNC11	-22.9146	119.209	19/11/2003
T94829	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Jinayri, ca. 60 km NW. of Newman	-23.04078	119.2798	9/02/2009
T79616	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	0.5 km NW. of Weeli Wollie Spring, Pilbara Biological Survey site RHNC11	-22.9146	119.209	1/09/2003
T97030	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Jinayri, ca. 65 km NW. of Newman	-22.92194	119.2036	28/03/2009
T79612	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	27.5 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW08	-22.1068	119.0007	26/08/2003
T97022	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Jinayri, ca. 65 km NW. of Newman	-22.87333	119.2467	28/03/2009
T79618	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	26 km WNW. of Bonney Downs Homestead, Pilbara Biological Survey site RHNE12	-22.0853	119.7035	18/11/2003
T79604	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	26 km WNW. of Bonney Downs Homestead, Pilbara Biological Survey site RHNE12	-22.0853	119.7035	8/08/2003
T114158	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	near Marillana Station homestead, FMG Nyidinghu Project	-22.7111	119.3391	10/05/2011
T136339	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hammersley Range, ca. 30 km ESE. of Juna Downs	-22.68401	119.06	30/03/2014
T146566	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Greater Hope Downs, Hope Downs 1 mine, ca. 79.5 km NW. of Newman	-23.08289	119.0135	19/05/2018
T134384	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	ca. 40 km E. of Mount McRae, Solomon Mine	-22.0996	118.185	22/04/2014
T140558	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hillside Station, ca. 150 km SE. of Wodgina Mine	-21.88844	119.2458	23/05/2014

T134386	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	ca. 40 km E. of Mount McRae, Solomon Mine	-22.09984	118.1851	22/04/2014
T134387	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	ca. 40 km E. of Mount McRae, Solomon Mine	-22.05946	118.1449	22/04/2014
T134389	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	ca. 40 km E. of Mount McRae, Solomon Mine	-22.09949	118.1847	22/04/2014
T114153	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	c. 11 km SW. of Marillana Station homestead, FMG Nyidinghu Project	-22.711361	119.339305	10/05/2011
T131162	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	9 km WSW. of West Angelas Aerodrome	-23.17234	118.6239	18/03/2013
T134383	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	ca. 40 km E. of Mount McRae, Solomon Mine	-22.14715	118.173	22/04/2014
T140565	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hillside Station, ca. 150 km SE. of Wodgina Mine	-21.90319	119.2807	23/05/2014
T140542	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hillside Station, ca. 150 km SE. of Wodgina Mine	-21.88445	119.4253	23/05/2014
T140560	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hillside Station, ca. 150 km SE. of Wodgina Mine	-21.90061	119.236	23/05/2014
T140552	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hillside Station, ca. 150 km SE. of Wodgina Mine	-21.88758	119.2383	23/05/2014
T128372	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 24, ca. 7 km N. of Newman	-23.28928	119.7947	29/04/2013
T149488	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	88.2 km NW. of Newman	-23.06007	118.9316	9/03/2019
T149490	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	80.3 km NW. of Newman	-23.06253	119.0149	10/03/2019
T149491	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	88.2 km NW. of Newman	-23.06126	118.9308	3/09/2019
T149492	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	80.3 km NW. of Newman	-23.06253	119.0149	10/03/2019
T114188	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	near Marillana Station homestead, FMG Nyidinghu Project	-22.7311	119.383	10/05/2011
T126754	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	6 km SW. of Redmont Airport, site 994-10	-22.01957	118.9816	15/04/2012
T126760	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Mulga Downs Station, Cowra, site 994-12	-22.28256	119.0226	16/04/2012
T126815	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	63.5 km ESE. of Paraburdoo, site 1000-tur01	-23.28848	118.2849	2/05/2012
T126818	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	65 km E. of Paraburdoo, site 1000-tur02	-23.21099	118.3054	3/03/2012
T140562	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hillside Station, ca. 150 km SE. of Wodgina Mine	-21.88758	119.2383	23/05/2014
T118103	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Wonmunna, ca. 70 km heading 291° from Newman	-23.128996	119.090416	19/05/2011

Western Australian Museum Database Search Interpreted Results

T149489	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	85.2 km NW. of Newman	-23.06971	118.9594	11/03/2019
T118070	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Wonmunna, ca. 73 km heading 291° from Newman	-23.120939	119.063248	20/05/2011
T151334	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex, SCO024'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Mulga Downs Station, ca. 31 km NW. of Munjina	-22.12727	118.6273	16/03/2020
T97369	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex, SCO042'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hamersley Range, 60 km WNW. of Newman, Hope Downs 4	-23.09256	119.2059	22/04/2009
T97372	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex, SCO042'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hamersley Range, 60 km WNW. of Newman, Hope Downs 4	-23.09256	119.2059	22/04/2009
T93458	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex, SCO042'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hope Downs 4, ca. 30 km NW. of Newman, HD4-12, 34	-23.1063	119.2919	22/09/2008
T91706	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex, SCO042'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hope Downs 4, ca. 100 km NW. of Newman, HD4-10	-23.03792	119.2124	13/05/2008
T91705	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex, SCO042'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hope Downs 4, ca. 100 km NW. of Newman, HD4-10	-23.03792	119.2124	13/05/2008
T93457	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex, SCO042'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hope Downs 4, ca. 30 km NW. of Newman, HD4-13, 31	-23.10378	119.2799	22/09/2008
T91703	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex, SCO042'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hope Downs 4, ca. 100 km NW. of Newman, HD4-10	-23.03792	119.2124	13/05/2008
T93456	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex, SCO042'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hope Downs 4, ca. 30 km NW. of Newman, HD4-2, 7	-23.14593	119.5263	12/09/2008
T135483	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex, SCO042'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Karijini National Park, near Rangers Station	-22.58278	118.4589	13/03/2015
T135531	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex, SCO042'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Karijini National Park, c. 15 km SW. of Dales Gorge	-22.56528	118.4525	14/03/2015
T128299	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex, SCO042'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 24, ca. 7 km N. of Newman	-23.28391	119.7468	5/08/2013
T128296	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'bituberculatus complex, SCO042'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 24, ca. 7 km N. of Newman	-23.29149	119.8158	5/08/2013
T79714	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'gracilimanus'	epigean	Potential SRE: DD	rare species with very disjunct distribution pattern, may contain crypric species	18.5 km NE. of Mile Camp, Pilbara Biological Survey site RHNE04	-22.6906	119.7747	10/08/2003
T79715	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'gracilimanus'	epigean	Potential SRE: DD	rare species with very disjunct distribution pattern, may contain crypric species	26 km WNW. of Bonney Downs Homestead, Pilbara Biological Survey site RHNE12	-22.0853	119.7035	8/08/2003
T140573	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'gracilimanus'	epigean	Potential SRE: DD	rare species with very disjunct distribution pattern, may contain crypric species	Hillside Station, ca. 150 km SE. of Wodgina Mine	-21.88445	119.4253	23/05/2014
T136784	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'gracilimanus'	epigean	Potential SRE: DD	rare species with very disjunct distribution pattern, may contain crypric species	Hillside Station, ca. 150 km SE. Wodgina Mine	-21.88445	119.4253	23/05/2014
T89264	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Chichester Range, Ecologia site 7A	-22.14797	119.0202	17/09/2007
T79816	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	1 km N. of Mulga Downs Outcamp, Pilbara Biological Survey site RHNW05	-22.3175	118.9743	24/05/2004
T105017	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 35, ca. 8 km W. of Newman, Site5-P8	-23.41007	119.5715	12/03/2010
T97027	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Jinayri, ca. 65 km NW. of Newman	-22.87556	119.2444	28/03/2009

Western Australian Museum Database Search Interpreted Results

T89266	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Chichester Range, Ecologia site 1B	-22.22664	118.9778	17/09/2007
T105620	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	near Marillana Station, ca. 100 km NW. of Newman	-22.7181	119.3423	10/05/2012
T106055	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Area C, 92.7 km NW. of Newman	-22.99861	118.9067	1/05/2010
T79810	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	11.5 km SW. of Rhodes Ridge, Pilbara Biological Survey site RHNC07	-23.146	119.2658	25/05/2004
T105586	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	near Marillana Station homestead, ca. 100 km NW. of Newman	-22.6054	119.2917	10/05/2012
T79807	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	34 km NNW. of Cowra Line Camp, Pilbara Biological Survey site ???	-22.0688	118.9787	12/11/2003
T106020	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Area C, 81.6 km NW. of Newman	-22.90694	119.1242	1/05/2010
T79813	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	20 km WNW. of Rhodes Ridge, Pilbara Biological Survey site RHNC09	-23.0538	119.1769	19/11/2003
T106024	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Area C, 84.7 km NW. of Newman	-22.90583	119.0289	1/05/2010
T106023	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Area C, 89.3 km NW. of Newman	-22.90639	119.0125	1/05/2010
T105587	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	near Marillana Station homestead, ca. 100 km NW. of Newman	-22.7203	119.3538	10/05/2012
T93584	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Jinary, ca. 60 km NW. of Newman	-22.97836	119.2609	31/08/2008
T81653	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 15)	-22.3213	119.3533	1/06/2006
T106015	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Area C, 83.6 km NW. of Newman	-22.99167	118.9592	1/05/2010
T105018	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 35, ca. 8 km W. of Newman, Site9-P2	-23.39013	119.6431	12/03/2010
T105627	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	near Marillana Station, ca. 100 km NW. of Newman	-22.7222	119.3447	10/05/2012
T101151	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Area C, 75.8 km NW. of Newman	-22.90944	119.1758	19/02/2010
T79786	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Mulga Downs Station, 16 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW07	-22.2217	119.0249	21/11/2003
T105518	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	c. 86 km SW. of Nullagine, Cloudbreak [mine lease], Chichester Range	-22.29803	119.3936	26/10/2010
T105011	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 35, ca. 8 km W. of Newman, Site7-P3	-23.40534	119.6224	14/03/2010
T106053	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Area C, 93.7 km NW. of Newman	-22.99861	118.9075	1/05/2010
T93577	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Jinary, ca. 60 km NW. of Newman	-23.02767	119.255	30/08/2008

T105039	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 35, ca. 8 km W. of Newman, Site1-P10	-23.39453	119.6318	13/03/2010
T106037	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Area C, 93.1 km NW. of Newman	-23	118.9131	1/05/2010
T105014	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 35, ca. 8 km W. of Newman, Site11-P6	-23.42057	119.5676	12/03/2010
T94833	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Jinayri, ca. 60 km NW. of Newman	-23.01292	119.2371	8/02/2009
T93578	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Jinary, ca. 60 km NW. of Newman	-22.97836	119.2609	31/08/2008
T106050	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Area C, 83.9 km NW. of Newman	-22.99306	119.0158	1/05/2010
T106048	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Area C, 82.7 km NW. of Newman	-22.96361	119.0472	1/05/2010
T33270	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hancock Gorge area, Hamersley Range	-22.3666	118.75	3/06/1987
T105519	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	c. 95 km SW. of Nullagine, Cloudbreak [mine lease], Chichester Range	-22.25987	119.2786	26/10/2010
T106044	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Area C, 82.7 km NW. of Newman	-22.96361	119.0472	1/05/2010
T33271	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hancock Gorge area, Hamersley Range	-22.3666	118.75	3/06/1987
T33258	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Weano Gorge, Hamersley Range	-22.35	118.2833	4/09/1981
T97020	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Jinayri, ca. 65 km NW. of Newman	-22.87306	119.2464	31/03/2009
T80198	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	24.5 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW10	-22.1346	119.0242	21/11/2003
T106056	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Area C, 61.8 km NW. of Newman	-22.99861	118.8686	1/05/2010
T105034	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 35, ca. 8 km W. of Newman, Site4-P10	-23.40244	119.5967	12/03/2010
T106016	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Area C, 75.8 km NW. of Newman	-22.90944	119.1758	1/05/2010
T105030	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 35, ca. 8 km W. of Newman, Site5-P4	-23.41033	119.5716	12/03/2010
T106028	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Area C, 91.3 km NW. of Newman	-22.90055	118.9933	1/05/2010
T94830	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Jinayri, ca. 60 km NW. of Newman	-23.01292	119.2371	8/02/2009
T93581	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Jinary, ca. 60 km NW. of Newman	-23.02767	119.255	30/08/2008
T105010	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 35, ca. 8 km W. of Newman, Site19-P10	-23.40483	119.621	14/03/2010

T106033	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Area C, 83.9 km NW. of Newman	-22.99306	119.0158	1/05/2010
T104999	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 35, ca. 8 km W. of Newman, Site12-P4	-23.39938	119.5844	12/03/2010
T105391	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Roy Hill	-22.5181	119.9128	11/03/2010
T93580	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Jinary, ca. 60 km NW. of Newman	-23.04078	119.2798	29/08/2008
T105000	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 35, ca. 8 km W. of Newman, Site12-P3	-23.39948	119.5844	12/03/2010
T105639	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	near Marillana Station, ca. 100 km NW. of Newman	-22.6773	119.2526	10/05/2012
T112172	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	118 km N. of Newman	-22.29725	119.8633	24/03/2011
T114212	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	near Marillana Station homestead, FMG Nyidinghu Project	-22.535555	119.194916	10/05/2011
T112180	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	115 km NNW. of Newman	-22.31787	119.7476	24/03/2011
T126757	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	6 km SW. of Redmont Airport, site 994-10	-22.01957	118.9816	15/04/2012
T126812	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	63 km E. of Paraburdoo, site 1000-tuX1	-23.20412	118.2882	1/04/2012
T114179	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	near Marillana Station homestead, FMG Nyidinghu Project	-22.714166	119.340527	10/05/2011
T112181	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	113 km NNW. of Newman	-22.33519	119.6531	22/03/2011
T114169	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	near Marillana Station homestead, FMG Nyidinghu Project	-22.711055	119.338666	10/05/2011
T117873	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	96.5 km W. of Newman	-23.04111	118.8508	4/08/2011
T118153	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Wonmunna	-23.124027	119.058006	23/05/2011
T114151	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	near Marillana Station homestead, FMG Nyidinghu Project	-22.733194	119.38025	10/05/2011
T112174	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	115 km N. of Newman	-22.31347	119.7886	25/03/2011
T114203	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	near Marillana Station homestead, FMG Nyidinghu Project	-22.717222	119.340111	10/05/2011
T112173	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	114 km NNW. of Newman	-22.32572	119.7392	22/03/2011
T139739	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Ministers North, ca. 93 km NW. of Newman	-22.81216	119.0723	31/08/2015
T114194	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	near Marillana Station homestead, FMG Nyidinghu Project	-22.711666	119.339583	10/05/2011

T131164	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	18 km E. of of West Angelas Aerodrome	-23.12279	118.8753	18/03/2013
T151335	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Mulga Downs Station, ca. 31 km NW. of Munjina	-22.13128	118.4664	16/03/2020
T114192	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	near Marillana Station homestead, FMG Nyidinghu Project	-22.718916	119.3525	10/05/2011
T114189	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	near Marillana Station homestead, FMG Nyidinghu Project	-22.582138	119.251888	10/05/2011
T118154	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Wonmunna, ca. 70 km heading 291° from Newman	-23.128996	119.090416	19/05/2011
T114210	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	c. 11 km SW. of Marillana Station homestead, FMG Nyidinghu Project	-22.712222	119.339583	10/05/2011
T139738	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Ministers North, ca. 93 km NW. of Newman	-22.82825	119.144	2/09/2015
T114183	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	near Marillana Station homestead, FMG Nyidinghu Project	-22.710583	119.316361	10/05/2011
T114166	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	near Marillana Station homestead, FMG Nyidinghu Project	-22.504516	119.373138	10/05/2011
T114148	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Angelo River	-23.290119	118.682227	28/06/2011
T114168	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	c. 11 km SW. of Marillana Station homestead, FMG Nyidinghu Project	-22.715027	119.340388	10/05/2011
T114134	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	FMG Nyidinghu Project, near Marillana Station homestead, 100 km NW. of Newman	-22.625861	119.325527	10/05/2011
T114155	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	near Marillana Station homestead, FMG Nyidinghu Project	-22.711361	119.339305	10/05/2011
T114156	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	near Marillana Station homestead, FMG Nyidinghu Project	-22.584361	119.251122	10/05/2011
T114159	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	near Marillana Station homestead, FMG Nyidinghu Project	-22.715027	119.340388	10/05/2011
T114160	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	near Marillana Station homestead, FMG Nyidinghu Project	-22.715027	119.340388	10/05/2011
T149493	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	85.2 km NW. of Newman	-23.06971	118.9594	11/03/2019
T112182	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	112 km NNE. of Newman	-22.38718	119.9664	26/03/2011
T114196	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	near Marillana Station homestead, FMG Nyidinghu Project	-22.712472	119.372972	10/05/2011
T114213	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	near Marillana Station homestead, FMG Nyidinghu Project	-22.710055	119.338527	10/05/2011
T91891	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	10 km NE. of Newman, Ore-body 24, site 07-7B	-23.30795	119.8147	29/06/2008
T94831	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Jinayri, ca. 60 km NW. of Newman	-23.01292	119.2371	8/02/2009

T91893	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	10 km NE. of Newman, Ore-body 24, site 04-4A	-23.29917	119.786	24/06/2008
T91920	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hamersley Range, Weeli Wolli Creek region, Area C, site 05-5G	-22.93847	119.008	14/06/2008
T91919	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hamersley Range, Weeli Wolli Creek region, Area C, site 10-10C	-22.91047	118.9664	16/06/2008
T116877	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Mudlark, 96 km WNW. of Newman, ca. 28 km ESE. of Mt Meharry	-23.04028	118.8517	6/07/2011
T128763	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 25, ca. 5 km N. of Newman	-23.32615	119.7816	5/08/2013
T116876	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Mudlark, 96 km WNW. of Newman, ca. 28 km ESE. of Mt Meharry	-23.04028	118.8517	6/07/2011
T128764	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 25, ca. 5 km N. of Newman	-23.32392	119.79	29/04/2013
T128765	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Homestead, ca. 6 km N. of Newman	-23.30941	119.743	29/04/2013
T128762	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	widespread	W.A. Museum assessment	Homestead, ca. 6 km N. of Newman	-23.30941	119.743	29/04/2013
T128295	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Homestead, ca. 6 km N. of Newman	-23.30226	119.7252	5/08/2013
T128773	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 24, ca. 7 km N. of Newman	-23.29189	119.7775	5/08/2013
T128283	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 19, ca. 28 km ENE. of Newman	-23.33119	119.9896	19/03/2013
T128284	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 19, ca. 28 km ENE. of Newman	-23.32906	119.9997	19/03/2013
T128285	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32131	120.0082	19/03/2013
T128290	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 19, ca. 28 km ENE. of Newman	-23.32106	120.0426	27/08/2013
T128772	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 25, ca. 5 km N. of Newman	-23.32914	119.7692	5/08/2013
T128297	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 24, ca. 7 km N. of Newman	-23.28725	119.7634	5/08/2013
T128292	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 19, ca. 28 km ENE. of Newman	-23.32106	120.0438	27/08/2013
T128766	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 24, ca. 7 km N. of Newman	-23.28342	119.7504	5/08/2013
T128771	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 24, ca. 7 km N. of Newman	-23.29473	119.7554	5/08/2013
T128760	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 24, ca. 7 km N. of Newman	-23.27704	119.861	29/04/2013
T128770	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Homestead, ca. 6 km N. of Newman	-23.30941	119.743	29/04/2013
T128298	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 25, ca. 5 km N. of Newman	-23.32152	119.7733	5/08/2013

Western Australian Museum Database Search Interpreted Results

T128769	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 24, ca. 7 km N. of Newman	-23.28276	119.7396	29/04/2013
T128767	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 24, ca. 7 km N. of Newman	-23.28349	119.7695	29/04/2013
T116878	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mudlark, 98 km WNW. of Newman, ca. 26 km SE. of Mt Meharry	-23.07306	118.82	6/07/2011
T128291	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 19, ca. 28 km ENE. of Newman	-23.32106	120.0438	27/08/2013
T128312	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 24, ca. 7 km N. of Newman	-23.28253	119.7497	5/08/2013
T128310	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 24, ca. 7 km N. of Newman	-23.28725	119.7634	5/08/2013
T128348	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 19, ca. 28 km ENE. of Newman	-23.32283	120.0099	19/03/2013
T128345	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 19, ca. 28 km ENE. of Newman	-23.3341	120.0251	19/03/2013
T128301	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 24, ca. 7 km N. of Newman	-23.29004	119.7706	5/08/2013
T128344	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 19, ca. 28 km ENE. of Newman	-23.33222	120.0162	19/03/2013
T128343	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 19, ca. 28 km ENE. of Newman	-23.32269	119.9822	19/03/2013
T128315	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 24, ca. 7 km N. of Newman	-23.33078	119.7602	5/08/2013
T135560	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, Hancock Gorge	-22.35917	118.2844	15/03/2015
T128349	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 19, ca. 28 km ENE. of Newman	-23.32917	119.9956	19/03/2013
T128302	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 24, ca. 7 km N. of Newman	-23.2715	119.8416	5/08/2013
T128316	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Homestead, ca. 6 km N. of Newman	-23.30385	119.754	5/08/2013
T128215	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 19, ca. 28 km ENE. of Newman	-23.33039	120.0086	27/08/2013
T128303	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 24, ca. 7 km N. of Newman	-23.27416	119.7399	5/08/2013
T128304	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 24, ca. 7 km N. of Newman	-23.2872	119.7242	5/08/2013
T128305	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 24, ca. 7 km N. of Newman	-23.2872	119.7242	5/08/2013
T135506	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, near Rangers Station	-22.58278	118.4589	14/03/2015
T128306	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 25, ca. 5 km N. of Newman	-23.32152	119.7733	5/08/2013
T128307	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 24, ca. 7 km N. of Newman	-23.27416	119.7399	5/08/2013

Western Australian Museum Database Search Interpreted Results

T128309	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 24, ca. 7 km N. of Newman	-23.28787	119.7468	5/08/2013
T128313	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 24, ca. 7 km N. of Newman	-23.29473	119.7554	5/08/2013
T128350	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 19, ca. 28 km ENE. of Newman	-23.33136	120.0187	19/03/2013
T128314	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'hairy tail complex, SCO052'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Orebody 24, ca. 7 km N. of Newman	-23.28787	119.7468	5/08/2013
T34405	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Roy Hill	-22.6	119.95	18/05/1982
T105640	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	near Marillana Station, ca. 100 km NW. of Newman	-22.6302	119.3308	10/05/2012
T105626	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	c. 8 km W. of Marillana Station homestead, FMG Nyidinghu Project, site 11	-22.62433	119.3167	10/05/2012
T34406	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Roy Hill	-22.6	119.95	18/05/1982
T34407	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Roy Hill	-22.6	119.95	18/05/1982
T34408	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Roy Hill	-22.6	119.95	18/05/1982
T105621	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	c. 11 km SW. of Marillana Station homestead	-22.71892	119.35	10/05/2012
T106034	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Area C, 82.7 km NW. of Newman	-22.96361	119.0472	1/05/2010
T80080	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	9 km N. of Mt Bruce, Pilbara Biological Survey site TCMBE06	-22.6361	118.2256	1/09/2005
T80084	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	18.5 km NE. of Mile Camp, Pilbara Biological Survey site RHNE04	-22.6906	119.7747	19/11/2003
T80093	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	34 km NNW. of Cowra Line Camp, Pilbara Biological Survey site RHNW09	-22.0688	118.9787	21/11/2003
T80094	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	10.5 km NW. of Bonney Downs Homestead, Pilbara Biological Survey site RHNE10	-22.1178	119.8772	7/08/2003
T80113	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	3.2 km SW. of Giles Point, Pilbara Biological Survey site RHNC03	-23.2662	119.1339	20/11/2003
T80119	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	25 km NE. of Moorimoordinia Native Well, Pilbara Biological Survey site ???	-22.4154	119.984	8/08/2003
T106027	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Area C, 98.2 km NW. of Newman	-23.00778	118.8536	1/05/2010
T34409	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Roy Hill	-22.6	119.95	18/05/1982
T80049	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	18.5 km NE. of Mile Camp, Pilbara Biological Survey site RHNE04	-22.6906	119.7747	10/08/2003
T106047	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	Area C, 82.7 km NW. of Newman	-22.96361	119.0472	1/05/2010
T106042	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	Area C, 101 km NW. of Newman	-23.00556	118.8275	1/05/2010
T105565	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Marillana [lease], 100 km NW. of Newman, site 11	-22.62255	119.3224	9/04/2011
T80146	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	34 km NNW. of Cowra Line Camp, Pilbara Biological Survey site RHW09	-22.0688	118.9787	26/08/2003
T80185	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	9 km SW. of Giles Point, Pilbara Biological Survey site RHNC02	-23.3195	119.1016	29/08/2003
T80189	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	9 km SW. of Giles Point, Pilbara Biological Survey site RHNC02	-23.3195	119.1016	
T80122	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	3 km SW. of Weeli Wolli Spring, Pilbara Biological Survey site RHNC10	-22.9477	119.1847	31/08/2003
T79949	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	26 km WNW. of Bonney Downs Homestead, Pilbara Biological Survey site RHNE12	-22.0853	119.7035	8/08/2003
T105022	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Orebody 35, ca. 8 km W. of Newman, Site9-P4	-23.39	119.6432	12/03/2010
T106026	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Area C, 87.2 km NW. of Newman	-22.98917	118.9822	1/05/2010

Western Australian Museum Database Search Interpreted Results

T106030	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Area C, 92.2 km NW. of Newman	-22.90583	118.9803	1/05/2010
T97031	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Jinayri, ca. 65 km NW. of Newman	-22.64833	119.3919	31/03/2009
T106058	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	Area C, 98.2 km NW. of Newman	-23.00778	118.8536	1/05/2010
T79941	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	10.5 km NW. of Bonney Downs Homestead, Pilbara Biological Survey site RHNE10	-22.1178	119.8772	7/08/2003
T80069	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	34 km NNW. of Cowra Line Camp, Pilbara Biological Survey site RHNW09	-22.0688	118.9787	26/08/2003
T79944	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	6 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW06	-22.30178	119.0134	21/11/2003
T80052	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	16 km SW. of Rhodes Ridge, Pilbara Biological Survey site RHNC06	-23.1852	119.2379	30/08/2003
T79950	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	3.2 km SW. of Giles Point, Pilbara Biological Survey site RHNC03	-23.2662	119.1339	29/08/2003
T79951	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	17.5 km SE. of Mt Bruce, Pilbara Biological Survey site WYE05	-22.7161	118.2633	1/09/2005
T79976	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	9 km NE. of Cowra Line Camp, Pilbara Biological Survey site RHNW11	-22.2941	119.0614	21/11/2003
T97021	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Jinayri, ca. 65 km NW. of Newman	-22.64889	119.3922	29/03/2009
T79982	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	26 km WNW. of Bonney Downs Homestead, Pilbara Biological Survey site RHNE12	-22.0853	119.7033	18/11/2003
T80048	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	14 km WSW. of Roy Hill Station, Pilbara Biological Survey site RHNE05	-22.6756	119.8406	19/11/2003
T80308	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Marandoo Mine Extension (MAR02), 35 km ENE. of Tom Price	-22.10556	118.3061	15/04/2007
T106057	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	Area C, 92.7 km NW. of Newman	-22.99861	118.9067	1/05/2010
T34418	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Roy Hill	-22.6	119.95	18/05/1982
T34410	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Roy Hill	-22.6	119.95	18/05/1982
T93460	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Hope Downs 4, ca. 30 km NW. of Newman, HD4-5, 15	-23.12838	119.5089	15/09/2008
T93454	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Hope Downs 4, ca. 30 km NW. of Newman, HD4-11, 35	-23.10145	119.2918	20/09/2008
T105384	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Roy Hill	-22.4321	119.8909	11/03/2010
T81656	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 08)	-22.3269	119.3758	1/06/2006
T105386	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Roy Hill	-22.4828	119.8811	11/03/2010
T104995	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Orebody 35, ca. 8 km W. of Newman, Site14-P6	-23.38333	119.6479	12/03/2010
T79892	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	4 km SSW. of Mile Camp, Pilbara Biological Survey site RHNE01	-22.82	119.6127	10/08/2003
T105388	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Roy Hill	-22.549	120.036	11/03/2010
T83596	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Marandoo mine extension (MAR02-02)	-22.9841	118.1822	9/11/2007
T34419	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Roy Hill	-22.6	119.95	18/05/1982
T105046	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Orebody 35, ca. 8 km W. of Newman, Site6-P8	-23.40195	119.5744	12/03/2010
T105383	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Roy Hill	-22.4321	119.8909	11/03/2010
T34417	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Roy Hill	-22.6	119.95	18/05/1982
T34416	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Roy Hill	-22.6	119.95	18/05/1982
T34415	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Roy Hill	-22.6	119.95	18/05/1982
T34414	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Roy Hill	-22.6	119.95	18/05/1982

Western Australian Museum Database Search Interpreted Results

T34413	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Roy Hill	-22.6	119.95	18/05/1982
T34412	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Roy Hill	-22.6	119.95	18/05/1982
T34411	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Roy Hill	-22.6	119.95	18/05/1982
T34420	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Roy Hill	-22.6	119.95	18/05/1982
T114177	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	near Marillana Station homestead, FMG Nyidinghu Project	-22.5029	119.3733	10/05/2011
T114161	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	near Marillana Station homestead, FMG Nyidinghu Project	-22.5307	119.1912	10/05/2011
T114209	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	Marillana, 100 Km N. of Newman (site 7)	-22.6286	119.3485	8/08/2011
T114235	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	Marillana, 100 Km N. of Newman (site 6)	-22.6013	119.2913	8/08/2011
T126961	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	ca. 14.58 km SE. of West Angelas Aerodome	-23.20215	118.8304	25/09/2012
T114231	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	Marillana, 100 Km N. of Newman (site 4)	-22.5123	119.1289	8/08/2011
T114182	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	near Marillana Station homestead, FMG Nyidinghu Project	-22.5055	119.3734	10/05/2011
T114199	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	near Marillana Station homestead, FMG Nyidinghu Project	-22.6223	119.3246	10/05/2011
T114198	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	near Marillana Station homestead, FMG Nyidinghu Project	-22.5016	119.3737	10/05/2011
T114186	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	near Marillana Station homestead, FMG Nyidinghu Project	-22.5024	119.3733	10/05/2011
T114187	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	c. 8 km WNW. of Marillana Station homestead, FMG Nyidinghu Project	-22.625444	119.325305	10/05/2011
T126966	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	ca. 14.58 km SE. of West Angelas Aerodome	-23.20215	118.8304	25/09/2012
T114317	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	c. 36 km NE. of Mt Meharry	-22.806725	118.880503	3/04/2012
T114237	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	Marillana, 100 Km N. of Newman (site 4)	-22.5123	119.1289	8/08/2011
T114316	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	c. 33 km NE. of Mt Meharry	-22.803618	118.853085	31/03/2012
T114191	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	near Marillana Station homestead, FMG Nyidinghu Project	-22.5041	119.3729	10/05/2011
T128109	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	ca. 16.68 km SE. of West Angelas Aerodome	-23.19067	118.859	25/09/2012
T114315	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	c. 33 km NE. of Mt Meharry	-22.803618	118.853085	31/03/2012
T149495	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	18.4 km NW. of Newman	-23.05806	119.0052	10/03/2019
T114314	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	c. 33 km NE. of Mt Meharry	-22.803618	118.853085	31/03/2012
T114247	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	Marillana, 100 Km N. of Newman (site 3)	-22.4081	119.0067	8/08/2011
T149494	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	88.2 km NW. of Newman	-23.06007	118.9316	9/03/2019
T114132	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	Angelo River	-23.3346	118.8016	20/06/2011
T114152	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	c. 15 km NNW. of Marillana Station homestead, FMG Nyidinghu Project	-22.503305	119.372972	10/05/2011
T114130	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	Angelo River	-23.3262	118.7666	20/06/2011
T114175	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	Marillana, 100 Km N. of Newman (site 5)	-22.5625	119.2311	8/08/2011
T112175	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	115 km N. of Newman	-22.31347	119.7886	25/03/2011
T126975	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	ca. 2.53 km SE. of West Angelas Aerodome	-23.15571	118.6914	25/09/2012
T112176	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	115 km N. of Newman	-22.31347	119.7886	25/03/2011

Western Australian Museum Database Search Interpreted Results

T114232	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	Potential SRE: DD	species complex containing potential SREs	Marillana, 100 Km N. of Newman (site 8)	-22.6376	119.3744	8/08/2011
T114310	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	c. 34 km NE. of Mt Meharry	-22.81184	118.86658	1/04/2012
T114311	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	c. 34 km NE. of Mt Meharry	-22.803032	118.862233	31/03/2012
T126973	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	ca. 16.89 km SE. of West Angelas Aerodome	-23.19067	118.859	25/09/2012
T114163	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	near Marillana Station homestead, FMG Nyidinghu Project	-22.5037	119.373	10/05/2011
T112177	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	108 km N. of Newman	-22.31327	119.8599	24/03/2011
T114195	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	near Marillana Station homestead, FMG Nyidinghu Project	-22.5302	119.1899	10/05/2011
T128275	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	ca. 18 km N. of Wittenoom	-22.08333	118.3104	20/05/2013
T112178	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	115 km N. of Newman	-22.31347	119.7886	25/03/2011
T128271	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	ca. 18 km N. of Wittenoom	-22.06667	118.3353	20/05/2013
T114211	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	near Marillana Station homestead, FMG Nyidinghu Project	-22.5011	119.3736	10/05/2011
T126971	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	ca. 5.59 km SE. of West Angelas Aerodome	-23.18751	118.7099	25/09/2012
T114214	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	c. 11 km SW. of Marillana Station homestead, FMG Nyidinghu Project	-22.732283	119.383027	10/05/2011
T126968	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	ca. 15.89 km SE. of West Angelas Aerodome	-23.1464	118.6384	25/09/2012
T126967	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	ca. 06.70 km SE. of West Angelas Aerodome	-23.18288	118.6756	25/09/2012
T112179	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	108 km N. of Newman	-22.31327	119.8599	24/03/2011
T128267	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	ca. 18 km N. of Wittenoom	-22.06667	118.3353	20/05/2013
T114170	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi complex'	epigean	potential SRE: DD	species complex containing potential SREs	near Marillana Station homestead, FMG Nyidinghu Project	-22.5062	119.3736	10/05/2011
T83599	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi, SCO036'	epigean	potential SRE: DD	W.A. Museum assessment	c. 41 km E. of Tom Price, Marandoo mine extension, site MAR10-01	-22.6697	118.1958	9/11/2007
T83600	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi, SCO036'	epigean	potential SRE: DD	W.A. Museum assessment	Marandoo mine extension (MAR10-02)	-22.6697	118.1958	10/11/2007
T80303	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi, SCO036'	epigean	potential SRE: DD	W.A. Museum assessment	Marandoo Mine Expansion, 35 km ENE. of Tom Price (MAR05)	-22.08805	118.2769	15/04/2007
T135533	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi, SCO036'	epigean	potential SRE: DD	W.A. Museum assessment	Karijini National Park, c. 15 km SW. of Dales Gorge	-22.56528	118.4525	14/03/2015
T135580	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi, SCO036'	epigean	potential SRE: DD	W.A. Museum assessment	Karijini National Park, c. 21 km SW. of Dales Gorge, site MAM 1	-22.57131	118.37703	16/03/2015
T135537	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi, SCO036'	epigean	potential SRE: DD	W.A. Museum assessment	Karijini National Park, c. 15 km SW. of Dales Gorge	-22.56528	118.4525	14/03/2015
T135443	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi, SCO036'	epigean	potential SRE: DD	W.A. Museum assessment	Karijini National Park, near Rangers Station	-22.58278	118.4589	11/03/2015
T135536	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi, SCO036'	epigean	potential SRE: DD	W.A. Museum assessment	Karijini National Park, c. 15 km SW. of Dales Gorge	-22.56528	118.4525	14/03/2015
T135534	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi, SCO036'	epigean	potential SRE: DD	W.A. Museum assessment	Karijini National Park, c. 15 km SW. of Dales Gorge	-22.56528	118.4525	14/03/2015
T135538	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi, SCO036'	epigean	potential SRE: DD	W.A. Museum assessment	Karijini National Park, c. 15 km SW. of Dales Gorge	-22.56528	118.4525	14/03/2015
T135532	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi, SCO036'	epigean	potential SRE: DD	W.A. Museum assessment	Karijini National Park, c. 15 km SW. of Dales Gorge	-22.56528	118.4525	14/03/2015
T135527	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi, SCO036'	epigean	potential SRE: DD	W.A. Museum assessment	Karijini National Park, near Rangers Station	-22.58278	118.4589	14/03/2015
T135530	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi, SCO036'	epigean	potential SRE: DD	W.A. Museum assessment	Karijini National Park, c. 15 km SW. of Dales Gorge	-22.56528	118.4525	14/03/2015
T93453	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi, SCO038'	epigean	potential SRE: DD	W.A. Museum assessment	Hope Downs 4, ca. 30 km NW. of Newman, HD4-11, 36	-23.10145	119.2918	22/09/2008
T91921	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi, SCO038'	epigean	potential SRE: DD	W.A. Museum assessment	Hamersley Range, Weeli Wolli Creek region, Area C, site 15-15C	-22.93133	119.0471	17/06/2008

Western Australian Museum Database Search Interpreted Results

T93451	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi, SCO038'	epigean	potential SRE: DD	W.A. Museum assessment	Hope Downs 4, ca. 30 km NW. of Newman, HD4-11, 43	-23.10145	119.2918	24/09/2008
T93461	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'harveyi, SCO038'	epigean	potential SRE: DD	W.A. Museum assessment	Hope Downs 4, ca. 30 km NW. of Newman, HD4-5, 16	-23.12838	119.5089	16/09/2008
T146567	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'Hope Downs'	epigean	Potential SRE: DD	W.A. Museum assessment	Greater Hope Downs, Hope Downs 1 mine, ca. 80.8 km NW. of Newman	-23.08369	118.9159	19/05/2018
T105644	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'iron valley'	epigean	Potential SRE: DD	W.A. Museum assessment	c. 22 km WNW. of Marillana Station homestead, site 3	-22.56139	119.2117	21/05/2011
T105642	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'iron valley'	epigean	Potential SRE: DD	W.A. Museum assessment	c. 17 km ESE. of Marillana Station homestead, site 11	-22.62433	119.3299	22/05/2011
T105636	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'iron valley'	epigean	Potential SRE: DD	W.A. Museum assessment	c. 2 km N. of Marillana Station homestead, site 2	-22.53106	119.1923	19/05/2011
T105633	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'iron valley'	epigean	Potential SRE: DD	W.A. Museum assessment	c. 2 km N. of Marillana Station homestead, ca. 100 km NW. of Newman	-22.53106	119.1923	9/04/2011
T105646	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'iron valley'	epigean	Potential SRE: DD	W.A. Museum assessment	c. 8 km WNW. of Marillana Station homestead, site 11	-22.61667	119.3167	10/05/2012
T136789	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'Iron Valley'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana Station, 8 km WNW. of Marillana homestead, ca. 100 km NW. of Newman	-22.62433	119.3299	10/05/2012
T36965	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas jonesae	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Angelas Study [West Angelas sites]	-23.1833	118.7833	1/12/1979
T60478	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas jonesae	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hope Downs proposed rail corridor, site HAD4	-22.15	119.0167	24/06/2001
T60479	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas jonesae	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hope Downs proposed rail corridor, site HAD5	-22.15	119.0167	24/06/2001
T134395	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas jonesae	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	ca. 40 km E. of Mount McRae, Solomon Mine	-22.05946	118.1449	22/04/2014
T83598	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'marandoo 1, SCO037'	epigean	Potential SRE: DD	W.A. Museum assessment	Marandoo mine extension (MAR02-01)	-22.6579	118.1823	9/11/2007
T80307	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'marandoo 1, SCO037'	epigean	Potential SRE: DD	W.A. Museum assessment	Marandoo Mine expansion, 35 km ENE. of Tom Price	-22.6522	118.17	7/03/2007
T80306	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'marandoo 1, SCO037'	epigean	Potential SRE: DD	W.A. Museum assessment	Marandoo Mine expansion, 35 km ENE. of Tom Price	-22.10556	118.3061	15/04/2007
T94832	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'mjobergi?'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinayri, ca. 60 km NW. of Newman	-22.9895	119.2363	8/02/2009
T79753	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	14 km WSW. of Roy Hill Station, Pilbara Biological Survey site RHNE05	-22.6756	119.8406	9/08/2003
T79735	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	14 km WSW. of Roy Hill Station, Pilbara Biological Survey site RHNE05	-22.6756	119.8406	19/11/2003
T79754	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hamersley Range, 20.5 km WNW. of Mt Marsh, Pilbara Biological Survey site RHNW03	-22.46653	119.0226	10/11/2003
T79755	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	15.5 km ENE. of Mt Bruce, Pilbara Biological Survey site TCMBE02	-22.5833	118.2903	2/08/2005
T79756	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	34 km NNW. of Cowra Line Camp, Pilbara Biological Survey site RHNW09	-22.0688	118.9787	26/08/2003
T79759	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	17 km SE. of Mt Bruce, Pilbara Biological Survey site TCMBE07	-22.7161	118.2633	1/09/2005
T79764	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	11 km NE. of Weeli Wollie Spring, Pilbara Biological Survey site RHNC13	-22.9205	119.2712	30/08/2003
T79770	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	13 km SSW. of Giles Point, Pilbara Biological Survey site RHNC01	-23.3611	119.1125	28/08/2003
T80204	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	1 km SSE. of Cowra Line Camp, Pilbara Biological Survey site RHNW13	-22.3614	119.0068	1/05/2004
T33251	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Coppin Pool area, 30 km S. of Mt Bruce	-22.8833	118.1333	10/05/1980

T105655	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	c. 27 km NW. of Marillana Station homestead, site 1	-22.53333	119.1944	10/05/2012
T79727	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	1 km SSE. of Cowra line Camp, Pilbara Biological Survey site RHNW13	-22.3614	119.0068	28/08/2003
T79771	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	0.5 km NW. of Weeli Wollie Spring, Pilbara Biological Survey site RHNC11	-22.9146	119.209	19/11/2003
T79728	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	3 km SW. of Weeli Wollie Spring, Pilbara Biological Survey site RHNC10	-22.9311	119.1847	31/08/2003
T79729	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	3 km SW. of Weeli Wollie Spring, Pilbara Biological Survey site RHNC10	-22.9311	119.1847	31/08/2003
T79766	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	6 km SW. of Roy Hill Station, Pilbara Biological Survey site RHNE06	-22.661	119.9187	9/08/2003
T79752	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	9 km SW. of Giles Point, Pilbara Biological Survey site RHNC02	-23.3195	119.1016	29/08/2003
T79733	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	13 km SSE. of Wodgina, Pilbara Biological Survey site MBW10	-23.2797	118.6989	23/09/2005
T79742	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	1.8 km SSE. of Mulga Downs Outcamp, Pilbara Biological Survey site RHW04	-22.3353	118.9887	13/08/2003
T79751	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	1.8 km SSW. of Mulga Downs Outcamp, Pilbara Biological Survey site RHNW04	-22.3346	118.9887	21/11/2003
T79730	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	1 km SSE. of Cowra Line camp, Pilbara Biological Survey site RHNW13	-22.3614	119.0067	20/11/2003
T79741	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	6 km SW. of Roy Hill Station, Pilbara Biological Survey site RHNE06	-22.6608	119.9187	9/08/2003
T79740	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	11 km NE. of Weeli Wollie Spring, Pilbara Biological Survey site RHNC13	-22.8372	119.2712	30/08/2003
T9805	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Dales Gorge	-22.5	118.6	24/08/1965
T114180	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	near Marillana Station homestead, FMG Nyidinghu Project	-22.3476	119.1518	10/05/2011
T149496	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	88.2 km NW. of Newman	-23.06007	118.9316	9/03/2019
T114204	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Marillana, 100 Km N. of Newman (site 2 trap 2)	-22.3667	119.0048	8/08/2011
T136791	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hillside Station, ca. 150 km SE. Wodgina Mine	-21.88445	119.4253	23/05/2014
T149497	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	88.2 km NW. of Newman	-23.06007	118.9316	9/03/2019
T149456	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	88.2 km NW. of Newman	-23.06126	118.9308	3/09/2019
T149457	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	88.2 km NW. of Newman	-23.06007	118.9316	9/03/2019
T146568	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Greater Hope Downs, Hope Downs 1 mine, ca. 78.6 km NW. of Newman	-23.08699	119.0207	23/05/2018

T128274	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	ca. 18 km N. of Wittenoom	-22.08333	118.4099	20/05/2013
T118069	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Wonmunna	-23.1637	119.003128	23/05/2011
T149455	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	85.2 km NW. of Newman	-23.06971	118.9594	11/03/2019
T140606	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hillside Station, ca. 150 km SE. of Wodgina Mine	-21.88889	119.2387	23/05/2014
T136792	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hillside Station, ca. 150 km SE. Wodgina Mine	-21.89758	119.4849	23/05/2014
T114240	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Marillana, 100 Km N. of Newman (site 3)	-22.4081	119.0067	8/08/2011
T83602	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus, SCO046'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Marandoo mine extension (MAR08-01)	-22.5157	118.1709	9/11/2007
T91704	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus, SCO046'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hope Downs 4, ca. 100 km NW. of Newman, HD4-Camp	-23.13089	119.2752	11/05/2008
T83601	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus, SCO046'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Marandoo mine extension (MAR10-03)	-22.6697	118.1968	10/11/2007
T97366	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus, SCO046'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hamersley Range, 60 km WNW. of Newman, Hope Downs 4	-23.09197	119.1877	24/04/2009
T97367	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus, SCO046'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hamersley Range, 60 km WNW. of Newman, Hope Downs 4	-23.09197	119.1877	24/04/2009
T97370	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus, SCO046'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Hamersley Range, 60 km WNW. of Newman, Hope Downs 4	-23.10556	119.2919	23/04/2009
T135469	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus, SCO046'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Karijini National Park, near Rangers Station	-22.58278	118.4589	12/03/2015
T135471	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus, SCO046'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Karijini National Park, near Rangers Station	-22.58278	118.4589	13/03/2015
T151336	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'multipunctatus, SCO046'	epigean	Potential SRE: DD	molecular evidence indicates several cryptic species involved, some of which appear to be SRE	Mulga Downs Station, ca. 31 km NW. of Munjina	-22.12166	118.5944	16/03/2020
T126685	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'paraburdoo'	epigean	Potential SRE: DD	restricted distribution	69 km E. of Paraburdoo, site 1000-tur10	-23.25557	118.2624	22/06/2012
T126689	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'paraburdoo'	epigean	Potential SRE: DD	restricted distribution	63.5 km ESE. of Paraburdoo, site 1000-tur01	-23.28848	118.2849	22/06/2012
T126690	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'paraburdoo'	epigean	Potential SRE: DD	restricted distribution	63 km E. of Paraburdoo, site 1000-tuX1	-23.20412	118.2882	1/04/2012
T97019	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	Jinayri, ca. 65 km NW. of Newman	-22.93278	119.2247	1/04/2009
T80197	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	24.5 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW10	-22.1346	119.0242	21/11/2003
T106010	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	Area C, 83.6 km NW. of Newman	-22.99167	118.9592	1/05/2010
T80199	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	24.5 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW10	-22.1346	119.0242	27/08/2003
T106014	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	Area C, 74.1 km NW. of Newman	-22.91778	119.1892	1/05/2010
T106022	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	Area C, 90.6 km NW. of Newman	-22.89889	119.0019	1/05/2010
T97371	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	Hamersley Range, 60 km WNW. of Newman, Hope Downs 4	-23.09197	119.1877	24/04/2009
T106032	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	Area C, 85.8 km NW. of Newman	-22.89639	119.0619	1/05/2010

T97029	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	Jinayri, ca. 65 km NW. of Newman	-22.94833	119.1869	31/03/2009
T97024	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	Jinayri, ca. 65 km NW. of Newman	-22.94306	119.2322	27/03/2009
T97025	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	Jinayri, ca. 65 km NW. of Newman	-22.93778	119.2042	28/03/2009
T106029	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	Area C, 85.8 km NW. of Newman	-22.89639	119.0619	1/05/2010
T97032	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	Jinayri, ca. 65 km NW. of Newman	-22.93194	119.1864	2/04/2009
T97368	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	Hamersley Range, 60 km WNW. of Newman, Hope Downs 4	-23.09197	119.1877	23/04/2009
T79849	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	17.5 km ENE. of Mt Bruce, Pilbara Biological Survey site TCMBE01	-22.5705	118.3069	1/08/2005
T79851	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	3 km SW. of Heeli Wolli Spring, Pilbara Biological Survey site RHNC10	-22.9477	119.1847	30/09/2003
T106043	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	Area C, 89.5 km NW. of Newman	-22.97806	118.9636	1/05/2010
T79869	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	33 km W. of Rhodes Ridge, Pilbara Biological Survey site RHNC08	-23.1032	119.0389	20/11/2003
T91892	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	10 km NE. of Newman, Ore-body 24, site 03-3B	-23.29464	119.7559	26/06/2008
T79856	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	Mulga Downs Station, 16 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW07	-22.2217	119.0249	14/08/2003
T79845	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	24 km ENE. of Moorimoordinina Native Well, Pilbara Biological Survey site RHNE08	-22.4518	119.976	18/11/2003
T79844	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	20 km WNW. of Rhodes Ridge, Pilbara Biological Survey site RHNC09	-23.0538	119.1769	1/09/2003
T79880	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	21 km WNW. of Bonney Downs Homestead, Pilbara Biological Survey site RHNE11	-22.0947	119.7535	18/11/2003
T93452	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	Hope Downs 4, ca. 30 km NW. of Newman, HD4-15, 25	-23.09185	119.188	24/09/2008
T79848	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	Hamersley Range, 20.5 km WNW. of Mt Marsh, Pilbara Biological Survey site RHNW03	-22.46653	119.0226	13/08/2003
T93459	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	Hope Downs 4, ca. 30 km NW. of Newman, HD4-2, 8	-23.14593	119.5263	19/09/2008
T79877	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	Mulga Downs Station, 16 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW07	-22.2217	119.0249	14/11/2003
T125058	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	Wonmunna	-23.14478	118.9964	10/12/2011
T126978	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	ca. 16.13 km SE. of West Angelas Aerodome	-23.12293	118.8618	25/09/2012
T126959	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	ca. 15.86 km SE. of West Angelas Aerodome	-23.12293	118.8618	25/09/2012
T126960	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	ca. 13.39 km SE. of West Angelas Aerodome	-23.13419	118.8371	25/09/2012
T126969	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	ca. 13.39 km SE. of West Angelas Aerodome	-23.13419	118.8371	25/09/2012
T126977	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	ca. 16 km SE. of West Angelas Aerodome	-23.12293	118.8618	25/09/2012
T126976	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	ca. 15.86 km SE. of West Angelas Aerodome	-23.123	118.8739	25/09/2012
T126974	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	ca. 17.24 km SE. of West Angelas Aerodome	-23.123	118.8739	25/09/2012
T126962	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	ca. 13.39 km SE. of West Angelas Aerodome	-23.13419	118.8371	25/09/2012
T126972	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	ca. 5.59 km SE. of West Angelas Aerodome	-23.18751	118.7099	25/09/2012
T126970	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	ca. 16.68 km SE. of West Angelas Aerodome	-23.19067	118.859	25/09/2012
T146569	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	Greater Hope Downs, Hope Downs 1 mine, ca. 79.5 km NW. of Newman	-23.08289	119.0135	19/05/2018
T131165	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	14 km E. of West Angelas Aerodrome	-23.13389	118.836	18/03/2013

Western Australian Museum Database Search Interpreted Results

T135468	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	Karijini National Park, near Rangers Station	-22.58278	118.4589	12/03/2015
T114312	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	ca. 120 km NW. of Newman	-22.80613	118.885301	31/03/2012
T135484	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	Karijini National Park, near Rangers Station	-22.58278	118.4589	13/03/2015
T114306	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	c. 25 km NE. of Mt Meharry	-22.870611	118.805404	2/04/2012
T114313	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	ca. 120 km NW. of Newman	-22.803032	118.862233	31/03/2012
T125059	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	Wonmunna	-23.14478	118.9964	10/12/2011
T131177	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	14 km E. of West Angelas Aerodrome	-23.13389	118.836	18/03/2013
T131166	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	18 km SE. of West Angelas Aerodrome	-23.19136	118.8582	18/03/2013
T131168	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	18 km E. of of West Angelas Aerodrome	-23.12302	118.8742	18/03/2013
T131171	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	14 km E. of West Angelas Aerodrome	-23.13416	118.8369	18/03/2013
T114157	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'pilbara 1, SCO041'	epigean	widespread	Alacran unpublished data	near Marillana Station homestead, FMG Nyidinghu Project	-22.733305	119.381861	10/05/2011
T57398	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'racing stripe'	epigean	Potential SRE: DD	restricted distribution	Hope Downs @	-23.03	119.0211	20/10/1998
T51609	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'racing stripe'	epigean	Potential SRE: DD	restricted distribution	Weeli Wolli Creek, ca. 40 km SW. of Marillana, site HDA2	-22.958	119.1792	27/04/2003
T33269	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'racing stripe'	epigean	Potential SRE: DD	restricted distribution	Hancock Gorge area, Hamersley Range	-22.3666	118.75	3/06/1987
T80311	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'racing stripe, SCO043'	epigean	Potential SRE: DD	restricted distribution	c. 5.5 km S. of Mt Bruce, Marandoo Mine Extension (MAR04)	-22.6525	118.1614	7/03/2007
T80304	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'racing stripe, SCO043'	epigean	Potential SRE: DD	restricted distribution	Marandoo Mine Expansion, 35 km ENE. of Tom Price (MAR08)	-22.6488	118.1708	12/04/2007
T80314	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'racingstripe?'	epigean	Potential SRE: DD	restricted distribution	Dales Gorge, upstream from Fern Pool, Karijini National Park	-22.4775	118.5458	8/07/2006
T80319	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'racingstripe?'	epigean	Potential SRE: DD	restricted distribution	Kalamina Gorge, Karijini National Park	-22.4172	118.4017	7/07/2006
T80310	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'racingstripe?'	epigean	Potential SRE: DD	restricted distribution	c. 5.5 km S. of Mt Bruce, Marandoo Mine Extension (MAR04)	-22.6525	118.1614	7/03/2007
T91890	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'SCO023'	epigean	widespread	W.A. Museum assessment	Bonney Downs Station, Outcamp West	-22.16667	119.9167	28/06/2008
T135647	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'SCO025'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, Dales Gorge, Circular Pool	-22.47583	118.5619	18/03/2015
T77935	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Port Hedland-Newman Railway, Chichester Rge, Fortescue Metals Group, site FMG22	-21.9883	119.0219	12/03/2004
T106017	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 89.6 km NW. of Newman	-23.00111	118.9478	1/05/2010
T77938	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Port Hedland-Newman Railway, Chichester Rge, Fortescue Metals Group, site FMG15	-22.3466	119.01	12/03/2004
T106019	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 98.2 km NW. of Newman	-23.00778	118.8536	1/05/2010
T77936	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Port Hedland-Newman Railway, Chichester Rge, Fortescue Metals Group, site FMG16	-22.3488	119.0108	12/03/2004
T80305	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marandoo Mine expansion, 35 km ENE. of Tom Price	-22.64	118.2881	7/03/2007
T105585	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana [lease], 100 km NW. of Newman, site 11	-22.62228	119.3244	9/04/2011
T100800	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mulga Downs Station, Murrays Hill area, 4 km NE. of homestead	-22.117	118.5032	21/04/2009
T77939	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Port Hedland-Newman Railway, Chichester Rge, Fortescue Metals Group, site FMG21	-22.0677	118.9956	12/03/2004
T77987	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Port Hedland-Newman Railway, Chichester Rge, Fortescue Metals Group, site FMG22	-21.9883	119.0219	12/03/2004
T77941	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Port Hedland-Newman Railway, Chichester Rge, Fortescue Metals Group, site FMG20f	-22.1044	119.0072	12/03/2004
T105609	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 8 km WNW. of Marillana Station homestead, site 11	-22.62772	119.3299	23/05/2011
T105634	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 14 km NNW. of Marillana Station homestead, site 10	-22.508	119.3777	21/05/2011
T105003	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, Site18-P9	-23.41776	119.585	14/03/2010

Western Australian Museum Database Search Interpreted Results

T105431	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Iron Valley, 5 km NE. of Yandicoogina Mine	-22.7597	119.3026	5/05/2010
T105625	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 8 km W. of Marillana Station homestead, site 11	-22.63019	119.3308	20/05/2011
T105624	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 25 km WNW. of Marillana Station homestead, site 2	-22.53255	119.1929	19/05/2011
T105622	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 11 km SW. of Marillana Station homestead	-22.71892	119.3556	10/05/2012
T80316	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Dales Gorge, Karijini National Park	-22.4783	118.5617	8/07/2006
T105592	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 11 km S. of Marillana Station homestead, site 9, FMG Nyidinghu Project, s9wt26	-22.71667	119.3667	10/05/2012
T105610	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 11 km SW. of Marillana Station homestead, site 7	-22.71088	119.3423	23/05/2011
T77989	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Port Hedland-Newman Railway, Chichester Rge, Fortescue Metals Group, site FMG17	-22.2994	119.0231	12/03/2004
T105608	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 25 km NW. of Marillana Station homestead, FMG Nyidinghu Project, s1wt13	-22.51667	119.1833	10/05/2012
T105047	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, Site16-P5	-23.40462	119.6114	14/03/2010
T100799	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Mulga Downs Station, Murrays Hill area, 4 km NE. of homestead	-22.11855	118.5095	20/04/2009
T107369	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hope Downs, 76.0 km NW. of Newman	-22.98972	119.0883	25/06/2010
T80318	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Kalamina Gorge, Karijini National Park	-22.4783	118.5617	8/07/2006
T111032	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area	-22.555	119.2214	6/09/2008
T78002	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi, 24 km SW. of Marillana, site YEX82	-22.78	119.25	30/08/2004
T78001	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Yandi, 24 km SW. of Marillana, site YEX77	-22.82	119.27	30/08/2004
T80317	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Dales Gorge, Karijini National Park	-22.4783	118.5617	8/07/2006
T111033	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Juna Downs Station@	-22.8725	118.6747	29/07/2008
T111021	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area	-22.54972	119.2139	30/06/2008
T101049	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Chichester Range, Cloud Break mine area@	-22.32	119.4481	6/07/2006
T105522	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 95 km SW. of Nullagine, Cloudbreak [mine lease], Chichester Range	-22.25987	119.2786	26/10/2010
T107501	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, site 15-HC557	-23.37125	119.6127	14/08/2010
T111024	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	20.5 km NW. of Roy Hill Station Homestead	-22.45477	119.8709	27/05/2009
T111061	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Juna Downs Station, area A	-22.89242	118.686	21/03/2009
T111042	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Juna Downs Station @	-22.87833	118.6481	1/09/2008
T105525	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 84 km SW. of Nullagine, Cloudbreak [mine lease], Chichester Range	-22.28271	119.4037	26/10/2010
T111036	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area	-22.62583	119.2831	6/09/2008
T111064	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Juna Downs Station @	-22.89833	118.6728	17/06/2008
T111034	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area	-22.62611	119.2803	6/09/2008
T111022	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area	-22.54833	119.2128	6/09/2008
T105545	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 17 km WNW. of Marillana Station homestead, site 4	-22.58105	119.2523	9/04/2011
T111025	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area	-22.62583	119.2831	6/09/2008
T111031	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area	-22.555	119.2214	30/06/2008
T111030	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	7 km NNE. of Roy Hill Station Homestead	-22.55656	119.9703	25/05/2009
T111029	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	8 km NE. of Roy Hill Station Homestead	-22.57717	120.0247	25/05/2009
T111026	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area	-22.60833	119.2403	6/09/2008
T80168	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	24 km ENE. of Moorimoordinina Native Well, Pilbara Biological Survey site RHNE08	-22.4518	119.976	9/08/2003
T80166	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	16 km SW. of Rhodes Ridge, Pilbara Biological Survey site RHNC06	-23.1852	119.2379	20/08/2003
T80165	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	33 km W. of Rhodes Ridge, Pilbara Biological Survey site RHNC08	-23.1032	119.0389	2/09/2003
T80163	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	24 km WSW. of Mt Marsh, Pilbara Biological Survey site RHNW02	-22.53583	118.9975	20/11/2003
T111035	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area	-22.62667	119.2789	6/09/2008
T108715	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Chichester Range, northern slopes @	-22.16866	118.8904	22/08/2008
T111027	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area	-22.60695	119.2386	6/09/2008
T81657	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 37)	-22.3025	119.4275	1/06/2006
T107728	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Chichester Range, northern slopes	-22.09841	119.0274	22/08/2008
T101324	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area @	-22.54833	119.2128	30/06/2008
T108703	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Chichester Range, northern slopes @	-22.13872	119.0137	22/08/2008
T108711	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Chichester Range, northern slopes @	-22.2241	118.9614	22/08/2008
T108713	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Chichester Range, northern slopes @	-22.22492	118.9887	22/08/2008
T111023	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	15 km NW. of Roy Hill Station Homestead	-22.4943	119.9217	26/05/2009

T81661	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 40)	-22.2911	119.3811	1/06/2006
T111067	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Juna Downs Station, area A	-22.89519	118.7144	21/03/2009
T108719	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Chichester Range, northern slopes @	-22.02017	119.0237	22/08/2008
T111018	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area	-22.55389	119.22	30/06/2008
T111020	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area	-22.54972	119.2139	6/09/2008
T106049	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 92.2 km NW. of Newman	-22.90583	118.9803	1/05/2010
T111019	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area	-22.55305	119.2228	30/06/2008
T108720	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Chichester Range, northern slopes @	-22.17915	118.9488	22/08/2008
T111017	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area	-22.55389	119.22	6/09/2008
T109654	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, Marillana Creek area (974)	-22.60695	119.2386	30/06/2008
T106052	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 92.2 km NW. of Newman	-22.90583	118.9803	1/05/2010
T105389	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill	-22.51743	119.9167	11/03/2010
T106054	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 83.1 km NW. of Newman	-22.975	119.0378	1/05/2010
T108721	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Chichester Range, northern slopes @	-22.02017	119.0237	22/08/2008
T152060	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Marillana, site 9, 100 km NW. of Newman	-22.73269	119.3674	20/05/2011
T137749	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, c. 16 km N. of homestead, Roy Hill SRE	-22.475	119.9711	15/12/2006
T114167	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 12 km SW. of Marillana Station homestead, FMG Nyidinghu Project	-22.71819	119.3401	10/05/2011
T135535	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, c. 15 km SW. of Dales Gorge	-22.56528	118.4525	14/03/2015
T114176	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 3.5 km SW. of Marillana Station homestead, site 8	-22.63761	119.3744	8/08/2011
T114200	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 22 km WNW. of Marillana Station homestead, FMG Nyidinghu Project	-22.55897	119.2138	10/05/2011
T114162	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 11 km SW. of Marillana Station homestead, FMG Nyidinghu Project	-22.71136	119.3393	10/05/2011
T115179	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas mine lease, site WES 4, 15 km SSE. of The Governor	-23.19	118.87	5/05/2004
T114185	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 24 km WNW. of Marillana Station homestead, FMG Nyidinghu Project	-22.5358	119.1953	10/05/2011
T114193	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 11 km SW. of Marillana Station homestead, FMG Nyidinghu Project	-22.71222	119.3396	10/05/2011
T114307	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 25 km NE. of Mt Meharry	-22.87056	118.8053	1/04/2012
T114150	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 11 km SW. of Marillana Station homestead, FMG Nyidinghu Project	-22.7115	119.3395	10/05/2011
T115173	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Fortescue (FMG), 24 km NW. of Roy Hill (FMR14)	-22.47	119.87	5/07/2004
T115174	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, 90 km NW. of Newman (WES003)	-23.2	118.83	5/05/2004
T132668	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hope Downs, 78.2 km NW. of Newman	-23.01306	119.0639	13/09/2013
T144061	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Fortescue River valley, sites T2M50-60	-22.09056	118.3253	30/09/2011
T114197	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	near Marillana Station homestead, FMG Nyidinghu Project	-22.53447	119.1927	10/05/2011
T144337	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Fortescue River valley, sites T5M70-80	-22.07361	118.35	28/09/2011
T115177	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas mine lease, site WES 6, 15 km SSE. of The Governor	-23.2	118.85	5/05/2004
T114184	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 12 km SW. of Marillana Station homestead, FMG Nyidinghu Project	-22.71861	119.34	10/05/2011
T115178	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas mine lease, site WES 6, 15 km SSE. of The Governor	-23.2	118.85	5/05/2004
T115175	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, 90 km NW. of Newman (WES001)	-23.2	118.8	5/05/2004
T115180	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas mine lease, site WES 4, 15 km SSE. of The Governor	-23.19	118.87	5/05/2004
T114154	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 11 km SW. of Marillana Station homestead, FMG Nyidinghu Project	-22.70986	119.3385	10/05/2011
T126898	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	28 km NW. of West Mt Hilditch, West Angelas mining lease	-23.08333	118.55	25/09/2012
T144325	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Fortescue River valley, sites T4M180-190	-22.07833	118.3439	29/09/2011
T114178	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 11 km SSW. of Marillana Station homestead, FMG Nyidinghu Project	-22.73108	119.383	10/05/2011
T155690	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, c. 46 km E. of Mt Meharry	-22.90583	119.0289	1/05/2010
T126899	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	6 km WNW. of West Mt Hilditch, West Angelas mining lease	-23.19408	118.6882	25/09/2012
T114308	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 25 km NE. of Mt Meharry	-22.88139	118.8044	1/04/2012

Western Australian Museum Database Search Interpreted Results

T116664	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	ca. 8 km WSW. of Newman, OB35	-23.38806	119.6539	13/09/2011
T126932	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	10 km WNW. of West Mt Hilditch, West Angelas mining lease	-23.19228	118.6422	25/09/2012
T81654	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'sp. indet. (scottae or mjobergi)'	epigean	Potential SRE: DD	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 36)	-22.3177	119.4186	1/06/2006
T134367	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'splendens ms'	epigean	widespread	eronious idnetification?? L. 'splendens' is a wheatbelt-mid west species. I don't think ive seen specimens from the Pilbara before…	ca. 40 km E. of Mount McRae, Solomon Mine	-22.0996	118.185	22/04/2014
T134376	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'splendens ms'	epigean	widespread	eronious idnetification?? L. 'splendens' is a wheatbelt-mid west species. I don't think ive seen specimens from the Pilbara before…	ca. 40 km E. of Mount McRae, Solomon Mine	-22.0996	118.185	22/04/2014
T134362	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'splendens ms'	epigean	widespread	eronious idnetification?? L. 'splendens' is a wheatbelt-mid west species. I don't think ive seen specimens from the Pilbara before…	ca. 40 km E. of Mount McRae, Solomon Mine	-22.0996	118.185	22/04/2014
T134369	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'splendens ms'	epigean	widespread	eronious idnetification?? L. 'splendens' is a wheatbelt-mid west species. I don't think ive seen specimens from the Pilbara before…	ca. 40 km E. of Mount McRae, Solomon Mine	-22.14715	118.173	22/04/2014
T105016	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'waldockae'	epigean	Potential SRE: DD	rare scorpions, unresolved species complex likely to contain SREs	ca. 8 km W. of Newman, Orebody 35 [mine lease], site11-P8	-23.42059	119.5679	12/03/2010
T105042	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'waldockae'	epigean	Potential SRE: DD	rare scorpions, unresolved species complex likely to contain SREs	Orebody 35, ca. 8 km W. of Newman, Site11-P4	-23.42057	119.5675	12/03/2010
T105012	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'waldockae'	epigean	Potential SRE: DD	rare scorpions, unresolved species complex likely to contain SREs	ca. 8 km W. of Newman, Orebody 35 [mine lease], site13-P1	-23.39455	119.639	12/03/2010
T93576	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'waldockae'	epigean	Potential SRE: DD	rare scorpions, unresolved species complex likely to contain SREs	Jinary, ca. 60 km NW. of Newman	-23.04078	119.2798	28/08/2008
T105015	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'waldockae'	epigean	Potential SRE: DD	rare scorpions, unresolved species complex likely to contain SREs	ca. 8 km W. of Newman, Orebody 35 [mine lease], site11-P10	-23.4209	119.5679	12/03/2010
T105031	Arachnida	Scorpiones (scorpions)	Scorpiones	Buthidae	Lychas 'waldockae'	epigean	Potential SRE: DD	rare scorpions, unresolved species complex likely to contain SREs	Orebody 35, ca. 8 km W. of Newman, Site3-P10	-23.40474	119.6055	14/03/2010
T9910	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'armatus spp. gp'	epigean	Potential SRE: DD	Alacran unpublished data	8 miles W. of Nullagine	-21.8833	120	23/05/1971
T118658	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'armatus spp. gp'	epigean	Potential SRE: DD	Alacran unpublished data	15 miles N. of Roy Hill	-22.6025	119.9547	10/04/1977
T134140	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'B09'	epigean	Potential SRE: DD	W.A. Museum assessment	ca. 40 km E. of Mt McRae, Solomon mine lease	-22.1456	118.1724	22/04/2014
T134399	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'B09'	epigean	Potential SRE: DD	W.A. Museum assessment	ca. 40 km E. of Mount McRae, Solomon Mine	-22.14674	118.1729	22/04/2014
T134400	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'B09'	epigean	Potential SRE: DD	W.A. Museum assessment	ca. 40 km E. of Mount McRae, Solomon Mine	-22.14635	118.1728	22/04/2014
T78175	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus butleri	epigean	widespread	W.A. Museum assessment	Port Hedland-Newman railway, Chichester Range, site FMG22	-21.98833	119.0219	12/03/2004
T78174	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus butleri	epigean	widespread	W.A. Museum assessment	Port Hedland-Newman railway, Chichester Range, site FMG24	-21.91361	118.9719	12/03/2004
T78173	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus butleri	epigean	widespread	W.A. Museum assessment	Port Hedland-Newman railway, Chichester Range, site FMG21	-22.06778	118.9956	24/03/2004
T105541	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus butleri	epigean	widespread	W.A. Museum assessment	59 km SW. of Nullagine, Christmas Creek mine lease	-22.37565	119.8845	23/03/2011
T105547	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus butleri	epigean	widespread	W.A. Museum assessment	49 km SW. of Nullagine, Christmas Creek mine lease	-22.36917	119.7387	23/03/2011
T105574	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus butleri	epigean	widespread	W.A. Museum assessment	66 km SW. of Nullagine, Christmas Creek mine lease	-22.37063	119.7463	23/03/2011
T114296	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus butleri	epigean	widespread	W.A. Museum assessment	108 km N. of Newman	-22.31327	119.8599	24/03/2011
T114300	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus butleri	epigean	widespread	W.A. Museum assessment	118 km N. of Newman	-22.29548	119.8109	24/03/2011
T114229	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus butleri	epigean	widespread	W.A. Museum assessment	57 km SW. of Nullagine, Christmas Creek mine lease	-22.31347	119.7886	25/03/2011
T114299	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus butleri	epigean	widespread	W.A. Museum assessment	Chichester Range, 105 km NNE. of Newman on Marble Bar Road, site 1	-22.43556	119.9868	15/04/2011
T114294	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus butleri	epigean	widespread	W.A. Museum assessment	Chichester Range, 114 km N. of Newman, site 11	-22.32692	119.7424	16/04/2011
T114293	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus butleri	epigean	widespread	W.A. Museum assessment	Chichester Range, 105 km NNE. of Newman on Marble Bar Road, site 1	-22.43556	119.9868	15/04/2011
T114301	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus butleri	epigean	widespread	W.A. Museum assessment	108 km N. of Newman	-22.31327	119.8599	24/03/2011
T91922	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'butleri group, SCO026'	epigean	Potential SRE: DD	W.A. Museum assessment	Hamersley Range, Weeli Wolli Creek region, Area C, site 12-12I	-22.91681	118.9105	11/06/2008

Western Australian Museum Database Search Interpreted Results

T93574	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'butleri group, SCO026'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinary, ca. 60 km NW. of Newman	-23.02508	119.2434	30/08/2008
T93575	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'butleri group, SCO026'	epigean	Potential SRE: DD	W.A. Museum assessment	Jinary, ca. 60 km NW. of Newman	-23.04078	119.2798	29/08/2008
T81640	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'cloudbreak'	epigean	Potential SRE: DD	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 30)	-22.3275	119.4231	1/06/2006
T81645	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'cloudbreak'	epigean	Potential SRE: DD	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 03)	-22.2891	119.3758	1/06/2006
T81643	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'cloudbreak'	epigean	Potential SRE: DD	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 05)	-22.3086	119.3783	1/06/2006
T81647	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'cloudbreak'	epigean	Potential SRE: DD	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 19)	-22.3119	119.3589	1/06/2006
T81642	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'cloudbreak'	epigean	Potential SRE: DD	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 06)	-22.315	119.3767	1/06/2006
T81644	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'cloudbreak'	epigean	Potential SRE: DD	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 11)	-22.3275	119.3825	1/06/2006
T81641	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'cloudbreak'	epigean	Potential SRE: DD	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 19)	-22.3119	119.3589	1/06/2006
T81646	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'cloudbreak'	epigean	Potential SRE: DD	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 11)	-22.3275	119.3825	1/06/2006
T81639	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'cloudbreak'	epigean	Potential SRE: DD	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 30)	-22.3275	119.4231	1/06/2006
T81648	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'cloudbreak'	epigean	Potential SRE: DD	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 14)	-22.3252	119.3533	1/06/2006
T81649	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'cloudbreak'	epigean	Potential SRE: DD	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 09)	-22.3275	119.3731	1/06/2006
T81650	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'cloudbreak'	epigean	Potential SRE: DD	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 37)	-22.3025	119.4275	1/06/2006
T81651	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'cloudbreak'	epigean	Potential SRE: DD	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 03)	-22.2891	119.3758	1/06/2006
T81652	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'cloudbreak'	epigean	Potential SRE: DD	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 25)	-22.335	119.4039	1/06/2006
T81658	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'cloudbreak'	epigean	Potential SRE: DD	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 10)	-22.3275	119.3703	1/06/2006
T81638	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'cloudbreak'	epigean	Potential SRE: DD	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 37)	-22.3025	119.4275	1/06/2006
T135561	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'fat hands, SCO031'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini National Park, c. 7 km SSW. of Hancock Gorge	-22.41444	118.2475	15/03/2015
T135540	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'fat hands, SCO031'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini National Park, c. 8.6 km W. of Dales Gorge	-22.47583	118.4781	15/03/2015
T106046	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'firetail'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 89.6 km NW. of Newman	-23.00111	118.9478	1/05/2010
T106045	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'firetail'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 87.2 km NW. of Newman	-22.98917	118.9822	1/05/2010
T106041	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'firetail'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 89 km NW. of Newman	-22.95639	118.9833	1/05/2010
T106007	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'firetail'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 74.1 km NW. of Newman	-22.91778	119.1892	1/05/2010
T106040	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'firetail'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 75.8 km NW. of Newman	-22.90944	119.1758	1/05/2010
T106039	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'firetail'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 85.2 km NW. of Newman	-23.00361	118.9942	1/05/2010
T106051	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'firetail'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 82.7 km NW. of Newman	-22.89917	119.0994	1/05/2010
T106011	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'firetail'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 74.1 km NW. of Newman	-22.91778	119.1892	1/05/2010
T106008	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'firetail'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 93.7 km NW. of Newman	-22.99861	118.9075	1/05/2010
T106009	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'firetail'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 74.1 km NW. of Newman	-22.91778	119.1892	1/05/2010
T106038	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'firetail'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 74.1 km NW. of Newman	-22.91778	119.1892	1/05/2010
T106013	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'firetail'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 82.7 km NW. of Newman	-22.96361	119.0472	1/05/2010
T106018	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'firetail'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 83.6 km NW. of Newman	-22.99167	118.9592	1/05/2010
T106021	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'firetail'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 75.8 km NW. of Newman	-22.90583	119.18	1/05/2010
T106025	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'firetail'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 93.1 km NW. of Newman	-23	118.9131	1/05/2010
T106035	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'firetail'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 83.9 km NW. of Newman	-22.99306	119.0158	1/05/2010
T106036	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'firetail'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 84.7 km NW. of Newman	-22.90583	119.0289	1/05/2010
T118156	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'firetail'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna, ca. 72 km heading 290° from Newman	-23.130909	119.068878	19/05/2011
T126831	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'firetail'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna, 27 km ENE. of West Mt Hilditch, 982-Vert5-T1-BE	-23.16366	119.0031	23/05/2011
T118157	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'firetail'	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna	-23.1637	119.003128	23/05/2011
T149458	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'HD1'	epigean	Potential SRE: DD	W.A. Museum assessment	80.3 km NW. of Newman	-23.04843	119.0211	9/03/2019
T9899	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus hoplurus	epigean	widespread	W.A. Museum assessment	Head of Hancock Gorge, Wittenoom (Under Rock at Approx 12.00)	-22.35	118.2667	12/08/1971
T5011	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus hoplurus	epigean	widespread	W.A. Museum assessment	Mt Newman	-23.2666	119.5667	8/11/1964

T93765	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus megamastigus	epigean	Potential SRE: DD	W.A. Museum assessment	ca. 60 km E. of Auski Road-house	-22.55	119.2125	11/08/2008
T41314	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus megamastigus	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.6166	119.95	18/05/1982
T100798	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus megamastigus	epigean	Potential SRE: DD	W.A. Museum assessment	Mulga Downs Station, Murrays Hill area, 6 km NE. of homestead	-22.11471	118.5221	20/04/2009
T36373	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus megamastigus	epigean	Potential SRE: DD	W.A. Museum assessment	Newman area	-23.35	119.7333	15/04/1984
T93758	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus megamastigus	epigean	Potential SRE: DD	W.A. Museum assessment	ca. 60 km E. of Auski Road House, Pilbara	-22.55	119.2125	11/08/2008
T93759	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus megamastigus	epigean	Potential SRE: DD	W.A. Museum assessment	ca. 60 km E. of Auski Road House, Pilbara	-22.55	119.2125	11/08/2008
T100386	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus megamastigus	epigean	Potential SRE: DD	W.A. Museum assessment	Mulga Downs Station, Murrays Hill area, 4 km NE. of homestead	-22.117	118.5032	21/04/2009
T100390	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus megamastigus	epigean	Potential SRE: DD	W.A. Museum assessment	Mulga Downs Station, Murrays Hill area, 4 km NE. of homestead	-22.12782	118.5153	19/04/2009
T100387	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus megamastigus	epigean	Potential SRE: DD	W.A. Museum assessment	Mulga Downs Station, Murrays Hill area, 6 km NE. of homestead	-22.11896	118.5268	20/04/2009
T100389	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus megamastigus	epigean	Potential SRE: DD	W.A. Museum assessment	Mulga Downs Station, Murrays Hill area, 6 km NE. of homestead	-22.12469	118.5181	21/04/2009
T100391	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus megamastigus	epigean	Potential SRE: DD	W.A. Museum assessment	Mulga Downs Station, Murrays Hill area, 4 km NE. of homestead	-22.117	118.5032	21/04/2009
T125363	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus megamastigus	epigean	Potential SRE: DD	W.A. Museum assessment	Koodaideri Western Corridor, 180.9 km NW. of Newman	-22.24992	118.4451	28/03/2012
T125364	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus megamastigus	epigean	Potential SRE: DD	W.A. Museum assessment	Koodaideri Western Corridor, 211.8 km NW. of Newman	-22.15344	118.1198	28/03/2012
T105556	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus complex'	epigean	Potential SRE: DD	W.A. Museum assessment	near Marillana Station, ca. 100 km NW. of Newman, site 1	-22.53386	119.197	9/04/2011
T105597	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus complex'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana Station, ca. 100 km NW. of Newman	-22.75058	119.3156	15/05/2011
T105546	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus complex'	epigean	Potential SRE: DD	W.A. Museum assessment	c. 24 km WNW. of Marillana Station homestead, site 11	-22.53594	119.1961	9/04/2011
T105595	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus complex'	epigean	Potential SRE: DD	W.A. Museum assessment	near Marillana Station, ca. 100 km NW. of Newman, site 1	-22.6243	119.3299	22/05/2011
T105594	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus complex'	epigean	Potential SRE: DD	W.A. Museum assessment	near Marillana Station, ca. 100 km NW. of Newman, site 6	-22.7174	119.327	22/05/2011
T105552	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus complex'	epigean	Potential SRE: DD	W.A. Museum assessment	c. 16 km NW. of Marillana Station homestead, site 1	-22.53425	119.2967	9/04/2011
T105557	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus complex'	epigean	Potential SRE: DD	W.A. Museum assessment	near Marillana Station, ca. 100 km NW. of Newman, FMG camp	-22.73003	119.3755	9/04/2011
T105492	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus complex'	epigean	Potential SRE: DD	W.A. Museum assessment	c. 9 km WNW. of Marillana Station homestead, site 11	-22.62228	119.3247	9/04/2011
T105560	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus complex'	epigean	Potential SRE: DD	W.A. Museum assessment	c. 9 km WNW. of Marillana Station homestead, site 11	-22.62255	119.3224	9/04/2011
T105641	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus complex'	epigean	Potential SRE: DD	W.A. Museum assessment	near Marillana Station, site 11	-22.5057	119.3734	21/05/2011
T105531	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus complex'	epigean	Potential SRE: DD	W.A. Museum assessment	near Marillana Station, ca. 100 km NW. of Newman, site 1	-22.53425	119.2967	9/04/2011
T105654	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus complex'	epigean	Potential SRE: DD	W.A. Museum assessment	near Marillana Station, ca. 100 km NW. of Newman	-22.6077	119.2917	20/05/2011
T105549	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus complex'	epigean	Potential SRE: DD	W.A. Museum assessment	near Marillana Station, ca. 100 km NW. of Newman, site 11	-22.62322	119.3212	9/04/2011

Western Australian Museum Database Search Interpreted Results

T105548	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus complex'	epigean	Potential SRE: DD	W.A. Museum assessment	c. 9 km WNW. of Marillana Station homestead, site 11	-22.62303	119.3217	9/04/2011
T105507	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus complex'	epigean	Potential SRE: DD	W.A. Museum assessment	c. 9 km WNW. Marillana Station homestead, site 11	-22.62228	119.3244	9/04/2011
T128272	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus complex'	epigean	Potential SRE: DD	W.A. Museum assessment	ca. 18 km N. of Wittenoom	-22.08333	118.3998	20/05/2013
T128277	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus complex'	epigean	Potential SRE: DD	W.A. Museum assessment	ca. 18 km N. of Wittenoom	-22.06667	118.3499	20/05/2013
T152055	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus complex'	epigean	Potential SRE: DD	W.A. Museum assessment	Iron Valley, 5 km NE. of Yandicoogina Mine	-22.73297	119.3172	5/05/2010
T128270	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus complex'	epigean	Potential SRE: DD	W.A. Museum assessment	ca. 18 km N. of Wittenoom	-22.06667	118.3499	20/05/2013
T128269	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus complex'	epigean	Potential SRE: DD	W.A. Museum assessment	ca. 18 km N. of Wittenoom	-22.06667	118.3499	20/05/2013
T128268	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus complex'	epigean	Potential SRE: DD	W.A. Museum assessment	ca. 18 km N. of Wittenoom	-22.06667	118.3499	20/05/2013
T152065	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus complex'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana, site 11, 100 km NW. of Newman	-22.5048	119.3733	9/04/2011
T105489	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus 'short`	epigean	Potential SRE: DD	W.A. Museum assessment	near Marillana Station, ca. 100 km NW. of Newman, site 11	-22.62178	119.3237	9/04/2011
T105486	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus 'short`	epigean	Potential SRE: DD	W.A. Museum assessment	near Marillana Station, ca. 100 km NW. of Newman, site 11	-22.6215	119.3244	9/04/2011
T105514	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus 'short`	epigean	Potential SRE: DD	W.A. Museum assessment	near Marillana Station, ca. 100 km NW. of Newman, site 11	-22.62303	119.3217	9/04/2011
T105555	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus 'short`	epigean	Potential SRE: DD	W.A. Museum assessment	near Marillana Station, ca. 100 km NW. of Newman, site 1	-22.53494	119.1939	9/04/2011
T105544	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus 'short`	epigean	Potential SRE: DD	W.A. Museum assessment	near Marillana Station, ca. 100 km NW. of Newman, site 11	-22.62303	119.3217	9/04/2011
T105643	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus 'short`	epigean	Potential SRE: DD	W.A. Museum assessment	near Marillana Station, ca. 100 km NW. of Newman, site 11	-22.6218	119.3237	9/04/2011
T102946	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'megamastigus?'	epigean	Potential SRE: DD	W.A. Museum assessment	Hamersley Ranges, 85 km E. of Auski Roadhouse	-22.71128	119.3131	1/05/2010
T134403	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus megastigmatus	epigean	Potential SRE: DD	W.A. Museum assessment	ca. 40 km E. of Mount McRae, Solomon Mine	-22.14657	118.1728	22/04/2014
T122383	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'micros'	epigean	SRE	only known from two disparate localities	Mudlark, 92.3 km NW. of Newman, ca. 31 km ESE. of Mt Meharry	-23.04756	118.885	9/02/2012
T122384	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'micros'	epigean	SRE	only known from two disparate localities	Mudlark, 91 km NW. of Newman, ca. 31 km ESE. of Mt Meharry	-23.04772	118.885	13/02/2012
T59019	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'novaehollandiae?'	epigean	widespread	eronious identification??, U. 'novaehollandiae is widespread in SW of W.A.	10.5 km N. of West Angela Hill, 14.5 km WNW. of The Governor	-23.0277	118.6869	1/06/1998
T118787	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pearcei'	epigean	widespread	W.A. Museum assessment	Koodaideri, 124.2 km NW. of Newman	-22.47639	118.9814	20/10/2011
T105573	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pearcei, SCO010'	epigean	widespread	W.A. Museum assessment	Christmas Creek	-22.43144	119.9	23/03/2011
T105524	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pearcei, SCO010'	epigean	widespread	W.A. Museum assessment	Christmas Creek	-22.40149	119.7833	23/03/2011
T105538	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pearcei, SCO010'	epigean	widespread	W.A. Museum assessment	Christmas Creek	-22.43144	119.9	23/03/2011
T105535	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pearcei, SCO010'	epigean	widespread	W.A. Museum assessment	Christmas Creek	-22.39276	119.85	23/03/2011
T105534	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pearcei, SCO010'	epigean	widespread	W.A. Museum assessment	Christmas Creek	-22.39853	119.7833	23/03/2011

Western Australian Museum Database Search Interpreted Results

T79483	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pearcei, SCO010'	epigean	widespread	W.A. Museum assessment	25 km NE. of Moorimoordinia Native Well, Pilbara Biological Survey site RHNE09	-22.41545	119.984	8/08/2003
T136774	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pearcei, SCO010'	epigean	widespread	W.A. Museum assessment	Hillside Station, ca. 150 km SE. Wodgina Mine	-21.86633	119.4416	23/05/2014
T112163	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pearcei, SCO010'	epigean	widespread	W.A. Museum assessment	110.6 km, heading 12.7° from Newman	-22.38322	119.9727	12/04/2011
T112187	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pearcei, SCO010'	epigean	widespread	W.A. Museum assessment	108 km N. of Newman	-22.31327	119.8599	24/03/2011
T112171	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pearcei, SCO010'	epigean	widespread	W.A. Museum assessment	110.6 km, heading 12.7° from Newman	-22.38322	119.9727	12/04/2011
T112170	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pearcei, SCO010'	epigean	widespread	W.A. Museum assessment	105 km, heading 14° from Newman	-22.43557	119.9868	11/04/2011
T112169	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pearcei, SCO010'	epigean	widespread	W.A. Museum assessment	105 km, heading 14° from Newman	-22.43557	119.9868	11/04/2011
T112168	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pearcei, SCO010'	epigean	widespread	W.A. Museum assessment	109.5 km, heading 13° from Newman	-22.39378	119.9761	11/04/2011
T112167	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pearcei, SCO010'	epigean	widespread	W.A. Museum assessment	110.6 km, heading 12.7° from Newman	-22.38322	119.9727	12/04/2011
T112166	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pearcei, SCO010'	epigean	widespread	W.A. Museum assessment	110.6 km, heading 12.7° from Newman	-22.38322	119.9727	12/04/2011
T112165	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pearcei, SCO010'	epigean	widespread	W.A. Museum assessment	109.5 km, heading 13° from Newman	-22.39378	119.9761	11/04/2011
T112157	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pearcei, SCO010'	epigean	widespread	W.A. Museum assessment	110 km NNE. of Newman	-22.38274	119.9727	23/03/2011
T112164	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pearcei, SCO010'	epigean	widespread	W.A. Museum assessment	110.6 km, heading 12.7° from Newman	-22.38322	119.9727	12/04/2011
T112162	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pearcei, SCO010'	epigean	widespread	W.A. Museum assessment	110 km, heading 13° from Newman	-22.39098	119.9749	12/04/2011
T112161	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pearcei, SCO010'	epigean	widespread	W.A. Museum assessment	110.6 km, heading 12.7° from Newman	-22.38322	119.9727	12/04/2011
T112160	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pearcei, SCO010'	epigean	widespread	W.A. Museum assessment	115 km N. of Newman	-22.31347	119.7886	25/03/2011
T112159	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pearcei, SCO010'	epigean	widespread	W.A. Museum assessment	115 km N. of Newman	-22.31347	119.7886	25/03/2011
T128087	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pearcei, SCO010'	epigean	widespread	W.A. Museum assessment	ca. 15 km NE. of Roy Hill	-22.53048	120.033	18/04/2013
T112158	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pearcei, SCO010'	epigean	widespread	W.A. Museum assessment	108 km N. of Newman	-22.31327	119.8599	24/03/2011
T105041	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site3-P6	-23.40496	119.6053	14/03/2010
T105036	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site4-P2	-23.40215	119.5971	12/03/2010
T105045	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	ca. 8 km W. of Newman, Orebody 35 [mine lease], site14-P4	-23.38348	119.6479	12/03/2010
T105044	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site11-P4	-23.42057	119.5675	12/03/2010
T105040	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site5-P5	-23.41028	119.5716	12/03/2010
T105043	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	ca. 8 km W. of Newman, Orebody 35 [mine lease], site11-P4	-23.42057	119.5675	12/03/2010
T105037	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site4-P2	-23.40215	119.5971	12/03/2010
T105038	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site1-P10	-23.39453	119.6318	13/03/2010
T105002	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site12-P5	-23.39936	119.5844	12/03/2010
T105005	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site18-P6	-23.41806	119.5847	14/03/2010
T105023	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site4-P7	-23.40233	119.5969	12/03/2010
T105021	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site3-P7	-23.40499	119.6052	14/03/2010
T105020	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site3-P7	-23.40499	119.6052	14/03/2010
T105019	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site1-P5	-23.39446	119.6318	13/03/2010

Western Australian Museum Database Search Interpreted Results

T105013	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site13-P1	-23.39455	119.639	12/03/2010
T105009	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site20-P1	-23.39474	119.5913	12/03/2010
T105008	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site20-P4	-23.39509	119.5916	12/03/2010
T105007	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site18-P6	-23.41806	119.5847	14/03/2010
T105006	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site18-P6	-23.41806	119.5847	14/03/2010
T105035	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site5-P7	-23.4096	119.5716	12/03/2010
T105004	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site18-P10	-23.41765	119.585	14/03/2010
T104998	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site12-P6	-23.39935	119.5844	12/03/2010
T104997	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site12-P8	-23.39946	119.5846	12/03/2010
T105028	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site5-P6	-23.41014	119.5716	12/03/2010
T105024	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site17-P8	-23.40458	119.6249	12/03/2010
T105033	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	ca. 8 km W. of Newman, Orebody 35 [mine lease], site4-P3	-23.40223	119.5971	12/03/2010
T105032	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site5-P9	-23.40974	119.5714	12/03/2010
T105029	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site5-P4	-23.41033	119.5716	12/03/2010
T104996	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site12-P8	-23.39946	119.5846	12/03/2010
T105027	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site5-P6	-23.41014	119.5716	12/03/2010
T105025	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site17-P2	-23.40458	119.6249	12/03/2010
T105026	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site13-P10	-23.39451	119.6392	12/03/2010
T149459	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 12'	epigean	widespread	W.A. Museum assessment	84.1 km NW. of Newman	-23.07811	118.9678	14/03/2019
T105397	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 4'	epigean	widespread	W.A. Museum assessment	Roy Hill	-22.58542	120.0333	11/03/2010
T122385	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'Pilbara 5'	epigean	widespread	W.A. Museum assessment	Mudlark, 99.7 km NW. of Newman, ca. 23 km ESE. of Mt Meharry	-23.07772	118.7884	10/02/2012
T105385	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'pilbara 8'	epigean	widespread	W.A. Museum assessment	Roy Hill	-22.44107	119.9667	11/03/2010
T79497	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'Pilbara 8'	epigean	widespread	W.A. Museum assessment	10.5 km NW. of Bonney Downs Homestead, Pilbara Biological Survey site RHNE10	-22.1178	119.8769	18/11/2003
T128774	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'Pilbara 8'	epigean	widespread	W.A. Museum assessment	Orebody 24, ca. 7 km N. of Newman	-23.28873	119.727	29/04/2013
T128088	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'Pilbara 8'	epigean	widespread	W.A. Museum assessment	ca. 15 km NE. of Roy Hill	-22.53944	120.0287	18/04/2013
T105394	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'Roy Hill keeled'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.54898	120.0333	11/03/2010
T105395	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'Roy Hill smooth'	epigean	Potential SRE: DD	W.A. Museum assessment	Roy Hill	-22.54898	120.0333	11/03/2010
T122058	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'SCO004'	epigean	widespread	W.A. Museum assessment	63.9 km NW. of Newman, South Parmelia	-23.03695	119.2125	1/02/2012
T135627	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'SCO022'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini National Park, Dales Gorge, Circular Pool	-22.47694	118.5633	18/03/2015
T135644	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'SCO022'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini National Park, Dales Gorge	-22.47794	118.562	18/03/2015
T101152	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'SCO031'	epigean	potential SRE: DD	W.A. Museum assessment	Area C, 85.8 km NW. of Newman	-22.89639	119.0619	25/02/2010
T91707	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'SCO031'	epigean	Potential SRE: DD	W.A. Museum assessment	Hope Downs 4, ca. 100 km NW. of Newman, HD4-8	-23.08656	119.3184	12/05/2008
T135544	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'SCO031'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini National Park, c. 7 km SSW. of Hancock Gorge	-22.41444	118.2475	15/03/2015
T113671	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'SCO031'	epigean	Potential SRE: DD	W.A. Museum assessment	113.3 km NW. of Newman	-22.79925	118.8015	28/05/2011
T113670	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'SCO031'	epigean	Potential SRE: DD	W.A. Museum assessment	113.5 km NW. of Newman	-22.78208	118.8171	28/05/2011
T128289	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'SCO031'	epigean	Potential SRE: DD	W.A. Museum assessment	Orebody 19, ca. 28 km ENE. of Newman	-23.33036	120.0027	27/08/2013
T113669	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'SCO031'	epigean	Potential SRE: DD	W.A. Museum assessment	110.7 km NW. of Newman	-22.62246	118.9966	25/05/2011

Western Australian Museum Database Search Interpreted Results

T113672	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'SCO031'	epigean	Potential SRE: DD	W.A. Museum assessment	119.1 km NW. of Newman	-22.63382	118.871	30/05/2011
T113673	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'SCO031'	epigean	Potential SRE: DD	W.A. Museum assessment	115.9 km NW. of Newman	-22.61053	118.9394	30/05/2011
T113674	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'SCO031'	epigean	Potential SRE: DD	W.A. Museum assessment	117.6 km NW. of Newman	-22.6275	118.8965	31/05/2011
T113675	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'SCO031'	epigean	Potential SRE: DD	W.A. Museum assessment	117.6 km NW. of Newman	-22.6275	118.8962	1/06/2011
T122886	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'SCO031'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C West; 115.4 km NW. of Newman, ca. 16 km NE. of Mt Meharry	-22.90861	118.7175	31/03/2012
T79530	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	18.5 km SE. of Mt Bruce, Pilbara Biological Survey site TCMBE08	-22.7225	118.2683	1/09/2005
T80238	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	25 km NE. of Moorimoordinia Native Well, Pilbara Biological Survey site RHNE09	-22.41545	119.984	8/08/2003
T80237	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	47.5 km ESE. of Paraburdoo, Pilbara Biological Survey site TCMBC11	-23.2863	118.1236	28/08/2005
T79522	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	17.5 km SE. of Mt Bruce, Pilbara Biological Survey site TCMBE07	-22.7161	118.2633	1/09/2005
T80234	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	9 km SW. of Giles Point, Pilbara Biological Survey site RHNC02	-23.3195	119.1016	29/08/2003
T105647	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 13 km SW. of Marillana Station homestead, site 1	-22.71111	119.3136	15/05/2011
T105001	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, Site12-P5	-23.39936	119.5844	12/03/2010
T77986	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Port Hedland-Newman Railway, Chichester Rge, Fortescue Metals Group, site FMG22	-21.9883	119.0219	12/03/2004
T80236	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	10.5 km NW. of Bonney Downs Homestead, Pilbara Biological Survey site RHNE10	-22.1178	119.8769	18/11/2003
T106031	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Area C, 82.7 km NW. of Newman	-23.005	119.0239	1/05/2010
T111062	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Juna Downs Station, area A	-22.89322	118.693	23/03/2009
T105521	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 83 km SW. of Nullagine, Cloudbreak [mine lease], Chichester Range	-22.32517	119.4458	26/10/2010
T105526	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 95 km SW. of Nullagine, Cloudbreak [mine lease], Chichester Range	-22.31462	119.302	26/10/2010
T105528	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 96 km SW. of Nullagine, Cloudbreak [mine lease], Chichester Range	-22.31462	119.3	26/10/2010
T105637	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 13 km SW. of Marillana Station homestead, site 1	-22.71111	119.3136	15/05/2011
T105460	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Iron Valley, c. 7 km NE. of Yandicoogina Mine	-22.75517	119.3049	5/05/2010
T41547	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Munjini Gorge	-22.4536	118.7028	16/12/1998
T105396	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill	-22.59335	120.0167	11/03/2010
T105387	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill [Station], Marble Bar Road	-22.50509	119.9143	11/03/2010
T108722	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Chichester Range, northern slopes @	-22.1769	119.0319	22/08/2008
T92464	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jimblebar, 40 km ESE. of Newman, site 08-8E	-23.3765	120.0295	23/08/2008
T111028	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	8 km NE. of Roy Hill Station Homestead	-22.57717	120.0247	25/05/2009
T91923	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Hamersley Range, Weeli Wolli Creek region, Area C, site 12-12C	-22.91681	118.9105	11/06/2008
T114249	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 32 km NW. of Marillana Station homestead, site 4	-22.512277	119.128861	8/08/2011
T115176	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas, 90 km NW. of Newman, site WES004	-23.19	118.87	5/05/2004
T115170	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Fortescue (FMG), 24 km NW. of Roy Hill (FMC05)	-22.42	119.91	5/07/2004
T114372	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 11 km NE. of Roy Hill Station homestead, Roy Hill Mine 1 lease	-22.545916	120.030055	20/02/2012
T114359	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 31 km NW. of Roy Hill Station homestead, BFS1-2, site 1	-22.44192	119.7235	12/07/2010
T114357	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 89 km WNW. of Roy Hill Station homestead, BFS2	-22.28758	119.1701	14/07/2010
T114345	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 10 km NW. of Roy Hill Station homestead, Roy Hill Mine 1 lease	-22.54306	119.9162	8/02/2011
T114341	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 27 km NW. of Roy Hill Station homestead, BFS1-2	-22.443055	119.778527	13/07/2010
T114338	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	c. 9 km NW. of Roy Hill Station homestead, Roy Hill Mine 1 lease	-22.543027	119.916361	17/02/2012
T131161	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	3 km SW. of West Angelas Aerodrome	-23.1465	118.683	18/03/2013
T136656	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Roy Hill Station, c. 13 km NNE. of homestead, site 4	-22.50664	119.9781	18/05/2006
T125359	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri Western Corridor, 136.5 km NW. of Newman	-22.40428	118.8823	29/03/2012

Western Australian Museum Database Search Interpreted Results

T133363	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	West Angelas lease, 31.6 km SE. of Juna Downs Homestead	-23.085	118.7047	7/09/2005
T118825	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Koodaideri, 118 km NW. of Newman	-22.5	119.0472	19/10/2011
T131170	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	17 km SE. of West Angelas Aerodrome	-23.203	118.8303	18/03/2013
T131178	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	3 km SW. of West Angelas Aerodrome	-23.14546	118.6665	18/03/2013
T131175	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	17 km SE. of West Angelas Aerodrome	-23.19879	118.8469	18/03/2013
T118152	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Wonmunna, ca. 73 km heading 291° from Newman	-23.122091	119.06105	20/05/2011
T131173	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	17 km SE. of West Angelas Aerodrome	-23.20294	118.8309	18/03/2013
T131163	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	17 km SE. of West Angelas Aerodrome	-23.20296	118.8304	18/03/2013
T136818	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Karijini National Park, c. 1.5 km NE. of Visitor Centre	-22.4725	118.4753	18/03/2015
T131172	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	17 km SE. of West Angelas Aerodrome	-23.20229	118.8303	18/03/2013
T131167	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	9 km WSW. of West Angelas Aerodrome	-23.17319	118.6245	18/03/2013
T131169	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	17 km SE. of West Angelas Aerodrome	-23.20296	118.8304	18/03/2013
T131174	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	17 km SE. of West Angelas Aerodrome	-23.203	118.8303	18/03/2013
T54004	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'sp. 1'	epigean	widespread	W.A. Museum assessment	Weeli Wolli Creek, ca. 40 km SW. of Marillana, site HDA3	-22.9369	119.2078	22/04/2003
T79537	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'sp. 4'	epigean	widespread	W.A. Museum assessment	Mulga Downs Station, 16 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW07	-22.2217	119.0249	21/11/2003
T79473	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'sp. 5'	epigean	widespread	W.A. Museum assessment	17.5 km SE. of Mt Bruce, Pilbara Biological Survey site TCMBE07	-22.7161	118.2633	1/09/2005
T79462	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'sp. 5'	epigean	widespread	W.A. Museum assessment	1 km SSE. of Cowra Line Camp, Pilbara Biological Survey site RHNW13	-22.3614	119.0068	20/11/2003
T79515	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'sp. 9'	epigean	widespread	W.A. Museum assessment	0.5 km NW. of Weeli Wollie Spring, Pilbara Biological Survey site RHNC11	-22.9146	119.209	1/09/2003
T79526	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'sp. 9'	epigean	widespread	W.A. Museum assessment	3 km SW. of Weeli Wollie Spring, Pilbara Biological Survey site RHNC10	-22.9311	119.1847	31/08/2003
T79500	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'sp. 9'	epigean	widespread	W.A. Museum assessment	14 km WSW. of Roy Hill Station, Pilbara Biological Survey site RHNE05	-22.6756	119.8406	19/11/2003
T79517	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'sp. 9'	epigean	widespread	W.A. Museum assessment	9 km SW. of Giles Point, Pilbara Biological Survey site RHNC02	-23.3195	119.1016	29/08/2003
T79516	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'sp. 9'	epigean	widespread	W.A. Museum assessment	3 km SW. of Weeli Wolli Spring, Pilbara Biological Survey site RHNC10	-22.9477	119.1847	31/08/2003
T79511	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'sp. 9'	epigean	widespread	W.A. Museum assessment	20 km WNW. of Rhodes Ridge, Pilbara Biological Survey site RHNC09	-23.0538	119.1769	1/09/2003
T105568	Arachnida	Scorpiones (scorpions)	Scorpiones	Urodacidae	Urodacus 'yaschenkoi complex'	epigean	Potential SRE: DD	W.A. Museum assessment	Marillana [lease], 100 km NW. of Newman, site 11	-22.62228	119.3244	9/04/2011
S67741	Bivalvia	Mollusca		Corbiculidae	Corbicula sp.	epigean	widespread	W.A. Museum assessment	Karijini NP; Dales Gorge; Fern Pool	-22.4797	118.628	20/08/2010
T93676	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-23.02767	119.255	30/08/2008
T97636	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Murray Hill, Mulga Downs Station, Ecologia project 1142	-22.11234	118.5209	19/04/2009
T93671	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-23.04078	119.2798	29/08/2008
T97628	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Phils Creek, Pilbara, Ecologia project 1038	-22.7316	119.1931	4/04/2009
T93675	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-22.98428	119.2677	31/08/2008
T93674	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-23.04078	119.2797	24/08/2008
T97635	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Murray Hill, Mulga Downs Station, Ecologia project 1142	-22.12174	118.5188	19/04/2009
T93672	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-23.02767	119.255	30/08/2008
T93696	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-23.04078	119.2798	29/08/2008
T93648	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-23.04078	119.2798	29/08/2008
T109630	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Roy Hill Station, Marillana Creek area (974)	-22.56639	119.2321	30/06/2008
T107276	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Fortescue Marsh, ca. 50 km NE. of Newman	-22.08832	119.0169	12/05/2010
T93625	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-23.04039	119.2791	24/08/2008

T93635	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-23.02767	119.255	30/08/2008
T93636	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-23.04078	119.2798	29/08/2008
T93665	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-22.98925	119.2363	28/08/2008
T93646	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-22.98428	119.2677	31/08/2008
T93670	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-23.04169	119.2776	30/08/2008
T93660	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-22.98428	119.2677	31/08/2008
T93661	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-23.04033	119.279	25/08/2008
T93662	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-23.02483	119.2436	30/08/2008
T93664	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-23.01042	119.2364	30/08/2008
T93666	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-23.02483	119.2436	30/08/2008
T93667	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-23.04078	119.2798	29/08/2008
T93669	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-23.04078	119.2798	29/08/2008
T93637	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Jinary, ca. 60 km NW. of Newman	-22.98925	119.2363	28/08/2008
T153982	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Karijini National Park, Mt Meharry, 150 m E. of summit	-22.97944	118.5889	31/05/2021
T137971	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	1 km SSE. Of Cowra Line Camp site RHNW13	-22.36144	119.0068	28/08/2003
T149506	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	83.2 km NW. of Newman	-23.08254	118.9746	10/03/2019
T153981	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph		Geophilomorpha sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Karijini National Park, Mt Meharry, 150 m E. of summit	-22.97944	118.5889	31/05/2021
T135633	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Ballophilidae	Ballophilidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Karijini National Park, Dales Gorge, Circular Pool	-22.47583	118.5619	18/03/2015
T143550	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Ballophilidae	Ballophilidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Karijini National Park, Dales Gorge, upstream from Fern Pool	-22.4775	118.5458	8/07/2006
T109307	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Chilenophilidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Roy Hill Station, Marillana Creek area (974)	-22.56639	119.2321	30/06/2008
T109659	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Chilenophilidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Juna Downs Station	-22.89833	118.6728	17/06/2008
T122178	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Chilenophilidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Area C, west to Yandi, 105 km NW. of Newman	-22.63833	119.0678	7/02/2012
T131332	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Chilenophilidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	ca.15 km NE. of Roy Hill	-22.53333	120.0287	18/04/2013
T131156	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Chilenophilidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	18 km E. of of West Angelas Aerodrome	-23.12279	118.8753	18/03/2013
T131240	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Chilenophilidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Orebody 24, ca. 7 km N. of Newman	-23.28276	119.7396	5/08/2013
T137931	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Chilenophilidae sp.	?epigean	Potential SRE: DD	Family contains SREs and potential SREs	Karijini National Park, Dales Gorge, Circular Pool	-22.47583	118.5619	18/03/2015
T137930	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Chilenophilidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Karijini National Park, Dales Gorge, Circular Pool	-22.47583	118.5619	18/03/2015
T139740	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Chilenophilidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.83268	119.1297	3/09/2015
T149502	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Sepedonophilus 'HD1'	epigean	Potential SRE: DD	Alacran unpublished data	84 km NW. of Newman	-23.08253	118.968	15/03/2019
T149498	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Sepedonophilus 'HD1'	epigean	Potential SRE: DD	Alacran unpublished data	84.2 km NW. of Newman	-23.06062	118.9743	12/03/2019
T149499	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Sepedonophilus 'HD1'	epigean	Potential SRE: DD	Alacran unpublished data	84.2 km NW. of Newman	-23.06062	118.9743	12/03/2019
T149501	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Sepedonophilus 'HD1'	epigean	Potential SRE: DD	Alacran unpublished data	70.8 km NW. of Newman	-23.04168	119.1292	11/03/2019
T149503	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Sepedonophilus 'HD1'	epigean	Potential SRE: DD	Alacran unpublished data	70.8 km NW. of Newman	-23.04168	119.1292	11/03/2019

T149500	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Sepedonophilus 'HD1'	epigean	Potential SRE: DD	Alacran unpublished data	84.2 km NW. of Newman	-23.06062	118.9743	12/03/2019
T149504	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Sepedonophilus 'HD2'	epigean	Potential SRE: DD	Alacran unpublished data	79.9 km NW. of Newman	-23.07775	119.0114	16/03/2019
T112354	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Sepedonophilus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Wonmunna, ca. 70 km heading 291° from Newman	-23.13186	119.0964	21/05/2011
T112352	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Sepedonophilus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Wonmunna, ca. 73 km heading 291° from Newman	-23.12101	119.0632	20/05/2011
T112347	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Sepedonophilus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Wonmunna, ca. 70 km heading 291° from Newman	-23.12877	119.0904	19/05/2011
T112350	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Sepedonophilus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Wonmunna, ca. 78 km heading 288° from Newman	-23.14368	119.0064	18/05/2011
T112349	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Sepedonophilus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Wonmunna, ca. 80 km heading 285° from Newman	-23.16326	118.977	17/05/2011
T149505	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Sepedonophilus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	84.2 km NW. of Newman	-23.06062	118.9743	12/03/2019
T112346	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Sepedonophilus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Wonmunna, ca. 74 km heading 289° from Newman	-23.1356	119.0463	19/05/2011
T112351	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Sepedonophilus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Wonmunna, ca. 70 km heading 291° from Newman	-23.12877	119.0904	19/05/2011
T112345	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Sepedonophilus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Wonmunna, ca. 70 km heading 291° from Newman	-23.13186	119.0964	21/05/2011
T112344	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Sepedonophilus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Wonmunna, ca. 78 km heading 286° from Newman	-23.1615	119.002	18/05/2011
T112343	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Sepedonophilus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Wonmunna, ca. 73 km heading 291° from Newman	-23.12101	119.0632	20/05/2011
T112342	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Sepedonophilus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Wonmunna, ca. 73 km heading 291° from Newman	-23.12101	119.0632	20/05/2011
T112341	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Sepedonophilus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Wonmunna, ca. 73 km heading 291° from Newman	-23.12101	119.0632	20/05/2011
T112340	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Sepedonophilus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Wonmunna, ca. 73 km heading 291° from Newman	-23.12202	119.0611	20/05/2011
T146570	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Sepedonophilus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Greater Hope Downs, Hope Downs 1 mine, ca. 81.8 km NW. of Newman	-23.04347	119.1166	22/05/2018
T112348	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Sepedonophilus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Wonmunna, ca. 81 km, heading 286° from Newman	-23.15965	118.9703	18/05/2011
T112353	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Chilenophilidae	Sepedonophilus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Wonmunna, ca. 74 km heading 289° from Newman	-23.1356	119.0463	19/05/2011
T101040	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Geophilidae	Geophilidae sp.	epigean	Potential SRE: DD	Family may contain SREs and potential SREs	Chichester Range, Cloud Break mine area@	-22.29889	119.3853	7/07/2006
T101052	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Geophilidae	Geophilidae sp.	epigean	Potential SRE: DD	Family may contain SREs and potential SREs	Chichester Range, Cloud Break mine area@	-22.30889	119.4386	6/07/2006
T101041	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Geophilidae	Geophilidae sp.	epigean	Potential SRE: DD	Family may contain SREs and potential SREs	Chichester Range, Cloud Break mine area@	-22.31806	119.3786	4/07/2006
T126246	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Geophilidae	Geophilidae sp.	epigean	Potential SRE: DD	Family may contain SREs and potential SREs	112.5 km NW. of Newman	-22.60417	118.9869	20/11/2011
T131155	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Geophilidae	Geophilidae sp.	epigean	Potential SRE: DD	Family may contain SREs and potential SREs	18 km E. of of West Angelas Aerodrome	-23.12279	118.8753	18/03/2013
T111865	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalid	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Christmas Creek, 110 km N. of Newman	-22.41707	119.8941	9/04/2011
T111871	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalid	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Christmas Creek, 110 km N. of Newman	-22.41906	119.8968	8/04/2011
T111864	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalid	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Christmas Creek, 110 km N. of Newman	-22.41336	119.8699	9/04/2011
T111863	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalid	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Christmas Creek, 110 km N. of Newman	-22.41044	119.8593	9/04/2011
T111859	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalid	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Christmas Creek, 110 km N. of Newman	-22.39307	119.7154	12/04/2011
T111869	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalid	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Christmas Creek, 110 km N. of Newman	-22.40898	119.8845	8/04/2011
T108712	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalid	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Chichester Range, northern slopes @	-22.22805	118.9986	22/08/2008
T111867	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalid	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Christmas Creek, 110 km N. of Newman	-22.39307	119.7154	12/04/2011
T111870	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalid	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Christmas Creek, 110 km N. of Newman	-22.40399	119.8653	8/04/2011

Western Australian Museum Database Search Interpreted Results

T111862	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Christmas Creek, 110 km N. of Newman	-22.39853	119.793	9/04/2011
T115821	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 81 km, heading 286° from Newman	-23.15965	118.9703	18/05/2011
T115789	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 71 km heading 290° from Newman	-23.13146	119.0774	19/05/2011
T115790	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 75 km heading 289° from Newman	-23.13551	119.0384	19/05/2011
T115791	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 76 km heading 290° from Newman	-23.1169	119.0396	20/05/2011
T126856	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi, 24 km SW. of Marillana, YEX82	-22.83	119.25	30/08/2004
T126852	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Yandi, 24 km SW. of Marillana, YEX75	-22.83	119.26	30/08/2004
T115792	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 79 km heading 286° from Newman	-23.15929	118.9928	17/05/2011
T115810	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 71 km heading 290° from Newman	-23.13146	119.0774	19/05/2011
T115811	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 77 km heading 288° from Newman	-23.13937	119.0182	19/05/2011
T113480	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Christmas Creek, 110 km N. of Newman	-22.39307	119.7154	12/04/2011
T115794	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 72 km heading 290° from Newman	-23.12683	119.0673	19/05/2011
T115788	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 81 km, heading 286° from Newman	-23.15965	118.9703	18/05/2011
T115812	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 73 km heading 291° from Newman	-23.11855	119.0649	20/05/2011
T115795	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 72 km heading 291° from Newman	-23.12558	119.0797	21/05/2011
T115819	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 70 km heading 291° from Newman	-23.13186	119.0964	21/05/2011
T139743	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.84918	119.1111	3/04/2015
T139742	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.82818	119.0855	2/04/2015
T115818	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 79 km heading 286° from Newman	-23.15466	118.9932	18/05/2011
T115813	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 73 km heading 291° from Newman	-23.12202	119.0611	20/05/2011
T115814	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 80 km heading 285° from Newman	-23.16326	118.977	17/05/2011
T115815	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 79 km heading 286° from Newman	-23.15466	118.9932	18/05/2011
T115816	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 71 km heading 290° from Newman	-23.13146	119.0774	19/05/2011
T115793	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 75 km heading 289° from Newman	-23.13551	119.0384	19/05/2011
T115806	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 75 km heading 290° from Newman	-23.12662	119.047	20/05/2011
T115798	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 77 km heading 288° from Newman	-23.13937	119.0182	19/05/2011
T115799	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 79 km heading 286° from Newman	-23.15929	118.9928	17/05/2011
T115800	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 75 km heading 289° from Newman	-23.13551	119.0384	19/05/2011
T115801	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 71 km heading 290° from Newman	-23.13146	119.0774	19/05/2011
T115802	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 79 km heading 286° from Newman	-23.15466	118.9932	18/05/2011
T115803	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 71 km heading 290° from Newman	-23.13146	119.0774	19/05/2011
T113252	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Christmas Creek, 110 km N. of Newman	-22.41906	119.8968	8/04/2011
T115805	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 77 km heading 288° from Newman	-23.13937	119.0182	19/05/2011

T115807	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 72 km heading 290° from Newman	-23.12683	119.0673	19/05/2011
T115809	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 72 km heading 291° from Newman	-23.12558	119.0797	21/05/2011
T115820	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 79 km heading 286° from Newman	-23.15929	118.9928	17/05/2011
T115796	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 78 km heading 288° from Newman	-23.14284	119.0099	18/05/2011
T115804	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 70 km heading 291° from Newman	-23.12877	119.0904	19/05/2011
T115787	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 78 km heading 288° from Newman	-23.14284	119.0099	18/05/2011
T115808	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 75 km heading 289° from Newman	-23.13489	119.0338	19/05/2011
T115786	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 72 km heading 291° from Newman	-23.12558	119.0797	21/05/2011
T115797	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 71 km heading 290° from Newman	-23.13146	119.0774	19/05/2011
T115817	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 79 km heading 286° from Newman	-23.15466	118.9932	18/05/2011
T149508	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalus 'HD1'	epigean	Potential SRE: DD	Alacran unpublished data	82.5 km NW. of Newman	-23.04504	118.9991	14/03/2019
T149510	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalus 'HD1'	epigean	Potential SRE: DD	Alacran unpublished data	79.9 km NW. of Newman	-23.07775	119.0114	16/03/2019
T149509	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalus 'HD1'	epigean	Potential SRE: DD	Alacran unpublished data	79.9 km NW. of Newman	-23.07775	119.0114	16/03/2019
T149507	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalus 'HD1'	epigean	Potential SRE: DD	Alacran unpublished data	80.3 km NW. of Newman	-23.04843	119.0211	9/03/2019
T149511	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalus 'HD2'	epigean	Potential SRE: DD	Alacran unpublished data	79.9 km NW. of Newman	-23.07775	119.0114	16/03/2019
T149513	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalus 'HD3'	epigean	Potential SRE: DD	Alacran unpublished data	81.6 km NW. of Newman	-23.07701	118.9937	17/03/2019
T149512	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalus 'HD3'	epigean	Potential SRE: DD	Alacran unpublished data	81.6 km NW. of Newman	-23.07701	118.9937	17/03/2019
T126693	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	63 km E. of Paraburdoo, site 1000-tuX1	-23.20412	118.2882	1/04/2012
T126694	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Mecistocephalic	Mecistocephalus sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	67.5 km ESE. of Paraburdoo, site 1000-tur03	-23.32424	118.3173	23/07/2012
T126761	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Oryidae	Orphnaeus brevilabiatus	epigean	Potential SRE: DD	numerous species are currently included within this species	4.5 km SW. of Redmont Airport, site 994-08	-22.00204	118.9813	15/04/2012
T126762	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Oryidae	Orphnaeus brevilabiatus	epigean	Potential SRE: DD	numerous species are currently included within this species	4.5 km SW. of Redmont Airport, site 994-08	-22.00204	118.9813	15/04/2012
T128638	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Oryidae	Orphnaeus brevilabiatus	epigean	Potential SRE: DD	numerous species are currently included within this species	ca. 18 km N. of Wittenoom	-22.1	118.3878	20/05/2013
T115947	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Oryidae	Orphnaeus brevilabiatus	epigean	Potential SRE: DD	numerous species are currently included within this species	Wonmunna, ca. 75 km heading 290° from Newman	-23.12662	119.047	20/05/2011
T115936	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Oryidae	Orphnaeus brevilabiatus	epigean	Potential SRE: DD	numerous species are currently included within this species	Wonmunna, ca. 70 km heading 291° from Newman	-23.13186	119.0964	21/05/2011
T128639	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Oryidae	Orphnaeus brevilabiatus	epigean	Potential SRE: DD	numerous species are currently included within this species	ca. 18 km N. of Wittenoom	-22.1	118.3878	20/05/2013
T149514	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Oryidae	Orphnaeus 'HD1'	epigean	Potential SRE: DD	Alacran unpublished data	79.9 km NW. of Newman	-23.07775	119.0114	16/03/2019
T25705	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Oryidae	Oryidae sp.	epigean	Potential SRE: DD	Family likely to contain SREs and potential SREs	Mt Newman	-23.2666	119.5667	10/05/1983
T111860	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Oryidae	Oryidae sp.	epigean	Potential SRE: DD	Family likely to contain SREs and potential SREs	Christmas Creek, 110 km N. of Newman	-22.39276	119.8546	9/04/2011
T131241	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Oryidae	Oryidae sp.	epigean	Potential SRE: DD	Family likely to contain SREs and potential SREs	Orebody 25, ca. 5 km N. of Newman	-23.32689	119.7685	5/08/2013
T139744	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Oryidae	Oryidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.83915	119.1399	3/09/2015
T126682	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Schendylidae	Australoschendyla 'cf. capensis'	epigean	Potential SRE: DD	ALA, W.A. Museum assessment	69 km E. of Paraburdoo, site 1000-tur10	-23.25557	118.2624	22/06/2012
T126676	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Schendylidae	Australoschendyla 'cf. capensis'	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	45 km ESE. of Paraburdoo, site 1000-tur06	-23.2738	118.202	21/06/2012
T114702	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorph	Schendylidae	Schendylidae sp.	epigean	Potential SRE: DD	Family likely to contain SREs and potential SREs	Angelo River, 100 km W. of Newman	-23.28798	118.754	20/06/2011

Western Australian Museum Database Search Interpreted Results

T114704	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorpl	Schendylidae	Schendylidae sp.	epigean	Potential SRE: DD	Family likely to contain SREs and potential SREs	Angelo River, 98 km W. of Newman	-23.4	118.7697	20/06/2011
T114703	Chilopoda	Geophilomorpha (soil centipedes)	Geophilomorpl	Schendylidae	Schendylidae sp.	epigean	Potential SRE: DD	Family likely to contain SREs and potential SREs	Angelo River, 97 km W. of Newman	-23.26311	118.7825	20/06/2011
T104003	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Chichester Range, Cloud Break mine area, station FMG #29	-22.32078	119.4442	6/07/2006
T111861	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Christmas Creek, 110 km N. of Newman	-22.39853	119.793	9/04/2011
T111866	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Christmas Creek, 110 km N. of Newman	-22.35158	119.7715	10/04/2011
T93678	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-23.02767	119.255	30/08/2008
T100118	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Roy Hill, Ecologia project 1209	-22.74864	119.922	20/11/2009
T111868	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Christmas Creek, 110 km N. of Newman	-22.41906	119.8968	8/04/2011
T112380	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 74 km heading 289° from Newman	-23.1356	119.0463	19/05/2011
T112150	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	113 km NNW. of Newman	-22.33519	119.6531	22/03/2011
T112469	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 72 km heading 290° from Newman	-23.12832	119.0736	19/05/2011
T112151	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	118 km N. of Newman	-22.29725	119.8633	24/03/2011
T112463	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 75 km heading 289° from Newman	-23.13551	119.0384	19/05/2011
T112461	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 70 km heading 291° from Newman	-23.12877	119.0904	19/05/2011
T112152	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	108 km N. of Newman	-22.31327	119.8599	24/03/2011
T112153	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	110 km NNE. of Newman	-22.38274	119.9727	23/03/2011
T112154	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	104 km NNE. of Newman	-22.44815	119.986	26/03/2011
T142224	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	7 km NNE. of Roy Hill Station homestead	-22.55692	119.9866	26/05/2009
T112362	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 70 km heading 291° from Newman	-23.12877	119.0904	19/05/2011
T126245	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	?epigean	Potential SRE: DD	Family contains SREs and potential SREs	112.5 km NW. of Newman	-22.60417	118.9869	20/11/2011
T112155	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	104 km NNE. of Newman	-22.44815	119.986	26/03/2011
T112156	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	115 km NNW. of Newman	-22.31787	119.7476	24/03/2011
T112361	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 75 km heading 290° from Newman	-23.12012	119.0484	20/05/2011
T112384	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 73 km heading 291° from Newman	-23.12101	119.0632	20/05/2011
T112149	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	108 km N. of Newman	-22.31327	119.8599	24/03/2011
T112148	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	118 km N. of Newman	-22.29725	119.8633	24/03/2011
T112435	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 73 km heading 291° from Newman	-23.12202	119.0611	20/05/2011
T112147	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	112 km NNE. of Newman	-22.36219	119.9691	23/03/2011
T113482	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Christmas Creek, 110 km N. of Newman	-22.35158	119.7715	10/04/2011
T112455	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptopidae sp.	epigean	Potential SRE: DD	Family contains SREs and potential SREs	Wonmunna, ca. 81 km, heading 286° from Newman	-23.15965	118.9703	18/05/2011
T93659	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptops sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-23.01042	119.2364	30/08/2008
T111872	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptops sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Christmas Creek, 110 km N. of Newman	-22.36568	119.6031	11/04/2011
T93673	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptops sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-23.02508	119.2434	30/08/2008

T93663	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptops sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-23.01042	119.2364	30/08/2008
T93668	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptops sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-23.02767	119.255	30/08/2008
T93642	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptops sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-23.01042	119.2364	30/08/2008
T149516	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptops sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	81.6 km NW. of Newman	-23.07701	118.9937	17/03/2019
T149517	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptops sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	81.6 km NW. of Newman	-23.07701	118.9937	17/03/2019
T124749	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptops sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	ca. 104 km heading 53.8° NE. from Tom Price	-22.16136	118.7236	20/02/2012
T149515	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptops sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	81.6 km NW. of Newman	-23.07701	118.9937	17/03/2019
T126647	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptops sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	69 km E. of Paraburdoo, site 1000-tur10	-23.25557	118.2624	22/06/2012
T139741	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Cryptopidae	Cryptops sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	Ministers North, ca. 93 km NW. of Newman	-22.82825	119.144	2/09/2015
T85910	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Scolopendridae	Cormocephalus 'long anal legs'	epigean	Potential SRE: DD	W.A. Museum assessment	Mulga Downs Station, E. of Outcamp, Pilbara Biological Survey site RHNW13	-22.3613	119.0067	20/11/2003
T82772	Chilopoda	Geophilomorpha (soil centipedes)	Scolopendromo	Scolopendridae	Cormocephalus 'long anal legs'	epigean	Potential SRE: DD	W.A. Museum assessment	`Cloudbreak` Mining Lease, Fortescue Metals Group (site 29)	-22.3358	119.4242	1/06/2006
T51583	Diplopoda	Diplopoda (millipedes)			Diplopoda sp.	epigean	Potential SRE: DD	Class contains SREs and potential SREs	Weeli Wolli Creek, site HDA05	-22.8786	119.2406	24/04/2003
T32305	Diplopoda	Diplopoda (millipedes)			Diplopoda sp.	epigean	Potential SRE: DD	Class contains SREs and potential SREs	Hancock Gorge, 15 km S. of Wittenoom, Karijini National Park [Formerley Hamersley Range National Park]	-22.35	118.2667	15/05/1980
T128724	Diplopoda	Diplopoda (millipedes)			Helminthomorpha sp.	epigean	Potential SRE: DD	Class contains SREs and potential SREs	ca. 51 km NE. of Auski Roadhouse	-21.97474	118.943	13/04/2013
T128722	Diplopoda	Diplopoda (millipedes)			Helminthomorpha sp.	epigean	potential SRE: DD	order contains SREs and potential SREs	ca. 56 km NE. of Auski Roadhouse	-21.92352	118.9326	13/04/2013
T98176	Diplopoda	Diplopoda (millipedes)	`Order indet.`	`Family indet.`	Diplopoda sp.	epigean	Potential SRE: DD	Class contains SREs and potential SREs	Roy Hill Station, Ecologia Project 1106	-22.49669	120.0096	24/05/2009
T127459	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida		Polydesmida sp.	?epigean	Potential SRE: DD	Order contains SREs and potential SREs	Phil`s Creek, ca. 100 km NNW. of Newman	-22.73464	119.1852	10/03/2009
T93869	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	`Family indet.`	Polydesmida sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Chichester Range, Ecologia site 03	-22.17471	118.9918	9/06/2008
T102823	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Dalodesmidae	Dalodesmidae sp.	epigean	Potential SRE: DD	Genus contains SREs and potential SREs	76.7 km NW. of Newman, Yandi Lease	-22.79056	119.305	7/03/2010
T76073	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomati	Antichiropus antius	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	24.5 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW10	-22.13467	119.0242	15/05/2004
T93875	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomati	Antichiropus antius	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Chichester Range, Ecologia site 24	-22.05037	118.9934	9/06/2008
T146699	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomati	Antichiropus antius	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Chichester Range, Pilbara, site 24	-22.05037	118.9934	9/06/2008
T144620	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomati	Antichiropus antius	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	24.5 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW10	-22.13467	119.0242	27/08/2003
T105993	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomati	Antichiropus cirratus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Area C, 87.2 km NW. of Newman	-22.98917	118.9822	1/05/2010
T107388	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomati	Antichiropus cirratus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Hope Downs, 81.4 km NW. of Newman	-22.94194	119.0839	26/06/2010
T106134	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomati	Antichiropus cirratus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Area C, 85.2 km NW. of Newman	-23.00361	118.9942	1/05/2010
T106004	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomati	Antichiropus cirratus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Area C, 81.8 km NW. of Newman	-23.005	119.0331	1/05/2010
T105994	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomati	Antichiropus cirratus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Area C, 87.2 km NW. of Newman	-22.98917	118.9822	1/05/2010
T105992	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomati	Antichiropus cirratus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Area C, 86.2 km NW. of Newman	-23.00139	118.9817	1/05/2010

Western Australian Museum Database Search Interpreted Results

T105991	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus cirratus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Area C, 89.6 km NW. of Newman	-23.00111	118.9478	1/05/2010
T105988	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus cirratus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Area C, 101 km NW. of Newman	-23.00556	118.8275	1/05/2010
T105995	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus cirratus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Area C, 85.2 km NW. of Newman	-23.00361	118.9942	1/05/2010
T140199	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus cirratus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	South Flank, ca. 95 km NW. of Newman	-22.98761	118.9976	23/03/2016
T140189	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus cirratus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	South Flank, ca. 95 km NW. of Newman	-23.00542	119.0326	23/03/2016
T140196	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus cirratus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	South Flank, ca. 95 km NW. of Newman	-22.95822	118.9546	23/03/2016
T140198	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus cirratus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	South Flank, ca. 95 km NW. of Newman	-22.98761	118.9976	23/03/2016
T140193	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus cirratus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	South Flank, ca. 95 km NW. of Newman	-22.96961	118.946	23/03/2016
T144537	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus cirratus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Area C [mine lease], 87.2 km NW. of Newman	-22.98917	118.9822	1/05/2010
T140197	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus cirratus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	South Flank, ca. 95 km NW. of Newman	-22.98761	118.9976	23/03/2016
T140190	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus cirratus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	South Flank, ca. 95 km NW. of Newman	-23.00386	118.9956	23/03/2016
T140195	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus cirratus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	South Flank, ca. 95 km NW. of Newman	-22.96961	118.946	23/03/2016
T140194	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus cirratus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	South Flank, ca. 95 km NW. of Newman	-22.96961	118.946	23/03/2016
T140188	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus cirratus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	South Flank, ca. 95 km NW. of Newman	-23.00542	119.0326	23/03/2016
T140187	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus cirratus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	South Flank, ca. 95 km NW. of Newman	-22.95386	118.889	23/03/2016
T140191	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus cirratus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	South Flank, ca. 95 km NW. of Newman	-22.96856	118.9492	23/03/2016
T140192	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus cirratus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	South Flank, ca. 95 km NW. of Newman	-22.96939	118.9494	23/03/2016
T104778	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus cristatus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, site6-P7	-23.40177	119.5745	12/03/2010
T124596	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus cucumeraceous	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	16 km E. of Mt Bruce, Pilbara Biological Survey site TCMBE05	-22.60944	118.2992	2/08/2005
T124598	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus cucumeraceous	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	15.5 km ENE. of Mt Bruce, Pilbara Biological Survey site TCMBE02	-22.58333	118.2903	2/08/2005
T146783	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP006, Area C, species1'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Packsaddle Range, 93 km NW. of Newman	-22.90064	118.9933	1/06/2017
T146786	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP006, Area C, species1'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Packsaddle Range, 80 km NW. of Newman	-22.89594	119.0772	1/06/2017

Western Australian Museum Database Search Interpreted Results

T146788	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP006, Area C, species1'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	ca. 105 km NW. of Newman	-22.89691	118.8593	1/06/2017
T146784	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP006, Area C, species1'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Packsaddle Range,93 km NW. of Newman	-22.93177	118.7645	1/06/2017
T146785	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP006, Area C, species1'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Packsaddle Range, 108 km NW. of Newman	-22.93177	118.7645	1/06/2017
T106003	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP007, Area C, species2'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Area C, 81.8 km NW. of Newman	-23.005	119.0331	1/05/2010
T105989	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP007, Area C, species2'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Area C, 61.8 km NW. of Newman	-22.99861	118.8686	1/05/2010
T146750	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP007, Area C, species2'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Area C, 87.2 km NW. of Newman	-22.98917	118.9822	1/05/2010
T111846	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP031, christmas'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Christmas Creek, 110 km N. of Newman; Molecular Species	-22.35158	119.7715	10/04/2011
T113250	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP031, christmas'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Christmas Creek, 110 km N. of Newman; Molecular Species	-22.41906	119.8968	8/04/2011
T113251	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP032', bluespec	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Christmas Creek, 110 km N. of Newman; Molecular Species	-22.41906	119.8968	8/04/2011
T135570	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP048, karijini'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Karijini National Park, c. 21 km SW. of Dales Gorge, site MAM 1	-22.57131	118.37703	17/03/2015
T118102	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP163, wonmunna'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Wonmunna, ca. 79 km NW. of Newman	-23.15928	118.9928	17/05/2011
T118101	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP163, wonmunna'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Wonmunna, ca. 78 km NW. of Newman	-23.1615	119.002	18/05/2011
T118100	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP163, wonmunna'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Wonmunna, ca. 79 km NW. of Newman	-23.15929	118.9928	17/05/2011
T118099	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP163, wonmunna'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Wonmunna, ca. 78 km NW. of Newman	-23.1615	119.002	18/05/2011
T118104	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP163, wonmunna'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Wonmunna, ca. 72 km NW. of Newman	-23.13091	119.0689	19/05/2011
T149520	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP163, wonmunna'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	79.9 km NW. of Newman	-23.07775	119.0114	16/03/2019
T149519	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP163, wonmunna'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	81.6 km NW. of Newman	-23.07701	118.9937	17/03/2019
T149518	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP163, wonmunna'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	79.9 km NW. of Newman	-23.07775	119.0114	16/03/2019
T149460	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP163, wonmunna'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	79.9 km NW. of Newman	-23.07775	119.0114	16/03/2019
T144921	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP163, wonmunna'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Wonmunna, ca. 78 km E. of Newman	-23.1615	119.002	18/08/2011
T146757	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP163, wonmunna'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Wonmunna, ca. 78 km heading 286° from Newman	-23.1615	119.002	18/05/2011
T149461	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP163, wonmunna?'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	81.6 km NW. of Newman	-23.07701	118.9937	17/03/2019

T149521	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP163, wonmunna?'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	79.9 km NW. of Newman	-23.07775	119.0114	16/03/2019
T146787	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP173, danberrin5'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	ca. 105 km NW. of Newman	-22.8989	118.8602	1/06/2017
T144512	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'DIP173, danberrin5'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	ca. 105 km NW. of Newman	-22.8989	118.8602	1/06/2017
T76075	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus echinus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	13 km SSW. of Giles Point, Pilbara Biological Survey site RHNC01	-23.36111	119.1125	15/05/2004
T146708	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus echinus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	13 km SSW. of Giles Point, Pilbara Biological Survey site RHNC01	-23.36111	119.1125	15/05/2004
T112620	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus echinus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	13 km SSW. of Giles Point, Pilbara Biological Survey site RHNC01	-23.36111	119.1125	15/05/2004
T144610	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus echinus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	13 km SSW of Giles point, Pilbara Biological Survey site RHNC01	-23.36111	119.1125	1/05/2004
T94687	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus gibbus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Auski Road House, 55.5 km S. of (Ecologia 997)	-22.8725	118.6747	17/06/2008
T94688	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus gibbus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Auski Road House, 55.5 km S. of (Ecologia 997)	-22.88694	118.6408	17/06/2008
T94689	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus gibbus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Auski Road House, 55.5 km S. of (Ecologia 997)	-22.88694	118.6408	17/06/2008
T94686	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus gibbus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Auski Road House, 55.5 km S. of (Ecologia 997)	-22.89778	118.6531	17/06/2008
T144578	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus gibbus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Auski Road House, 55.5 km S. of (Ecologia 997)	-22.88694	118.6408	17/06/2008
T146714	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus gibbus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Auski Road House, 55.5 km S. of (Ecologia 997)	-22.88694	118.6408	17/06/2008
T76054	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus lucyae	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	24 km WSW. of Mt Marsh, Pilbara Biological Survey site RHNW02	-22.53583	118.9976	15/05/2004
T144605	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus lucyae	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	24 km WSW. of Mt Marsh, Pilbara Biological Survey site RHNW02	-22.53583	118.9976	15/05/2004
T146717	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus lucyae	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	24 km WSW. of Mt Marsh, Pilbara Biological Survey site RHNW02	-22.53583	118.9976	15/05/2004
T109073	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus nimbus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Cloudbreak [Chichester Range, c. 64 km WSW. of Bonney Downs h`std]	-22.31462	119.302	26/10/2010
T109074	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus nimbus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Cloudbreak [Chichester Range]	-22.31462	119.302	26/10/2010
T109072	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus nimbus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Cloudbreak [Chichester Range]	-22.31462	119.302	26/10/2010
T109075	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus nimbus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Cloudbreak [Chichester Range]	-22.31462	119.302	26/10/2010
T112610	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus nimbus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Cloudbreak [Chichester Range]	-22.31462	119.302	26/10/2010
T146719	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus nimbus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Cloudbreak [Chichester Range]	-22.31462	119.302	26/10/2010

Western Australian Museum Database Search Interpreted Results

T146720	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus nimbus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Cloudbreak [Chichester Range]	-22.31462	119.302	26/10/2010
T121031	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus nimbus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Newman, ca. 130 km NW. of Newman, BFS2, site 08	-22.28728	119.0301	6/06/2010
T144574	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus nimbus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Cloudbreak [Chichester Range]	-22.31462	119.302	26/10/2010
T146721	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus nimbus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Newman, ca. 130 km NW. of Newman, BFS2, site 08	-22.28728	119.0301	6/06/2010
T104717	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'OB35_1? (female)'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, Site13-P5	-23.39471	119.6384	12/03/2010
T104762	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus 'OB35_2? (female)'	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, site3-P9	-23.40477	119.605	14/03/2010
T76079	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus patriciae	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	9.3 km NE. of Cowra Line Camp, Pilbara Biological Survey site RHNW11	-22.29411	119.0614	15/05/2004
T91863	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus pendiculus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Area C, ca. 120 km NNW. Newman, site 12-12B	-22.91681	118.9105	11/06/2008
T91864	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus pendiculus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Area C, ca. 120 km NNW. of Newman, site 08-8B	-22.90061	118.9932	12/06/2008
T91862	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus pendiculus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Area C, ca. 120 km NNW. of Newman, site 12-12N	-22.91681	118.9105	11/06/2008
T144506	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus pendiculus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Packsaddle Range, 80 km NW. of Newman	-22.91749	119.1518	1/06/2017
T144507	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus pendiculus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Packsaddle Range, 80 km NW. of Newman	-22.91976	119.145	
T144505	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus pendiculus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Packsaddle Range, 93 km NW. of Newman	-22.89147	118.9956	
T144508	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus pendiculus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Packsaddle Range, 80 km NW. of Newman	-22.9094	119.1275	1/06/2017
T144504	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus pendiculus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Packsaddle Range, 93 km NW. of Newman	-22.88865	119.0293	1/06/2017
T144503	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus pendiculus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Packsaddle Range, 108 km NW. of Newman	-22.92754	118.8052	1/06/2017
T144502	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus pendiculus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Packsaddle Range, 108 km NW. of Newman	-22.92947	118.7876	
T144500	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus pendiculus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Packsaddle Range, 108 km NW. of Newman	-22.93177	118.7645	1/06/2017
T144501	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus pendiculus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Packsaddle Range, 108 km NW. of Newman	-22.9251	118.7814	
T144513	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus pendiculus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	ca. 105 km NW. of Newman	-22.89691	118.8593	1/06/2017
T144514	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus pendiculus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	ca. 105 km NW. of Newman	-22.8991	118.8516	
T144515	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus pendiculus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	ca. 105 km NW. of Newman	-22.90022	118.854	

T144498	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus pendiculus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Packsaddle Range,93 km NW. of Newman	-22.93177	118.7645	1/06/2017
T144497	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus pendiculus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Packsaddle Range, 93 km NW. of Newman	-22.90064	118.9933	1/06/2017
T144509	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus pendiculus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Packsaddle Range, 80 km NW. of Newman	-22.89594	119.0772	1/06/2017
T144510	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus pendiculus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	ca. 105 km NW. of Newman	-22.87221	118.8605	
T144499	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus pendiculus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Packsaddle Range, 108 km NW. of Newman	-22.89812	119.0023	
T135581	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus rupinus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Karijini National Park, c. 21 km SW. of Dales Gorge, site MAM 1	-22.57131	118.37703	16/03/2015
T135512	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus rupinus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Karijini National Park, near Rangers Station	-22.57139	118.3781	14/03/2015
T111856	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sloanae	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Christmas Creek, 110 km N. of Newman	-22.37891	119.8186	23/03/2011
T144612	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sloanae	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	90 km NE. of Newman	-22.47889	119.9419	16/02/2012
T113481	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sloanae	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Christmas Creek, 110 km N. of Newman; Molecular Species	-22.39327	119.7797	11/04/2011
T124140	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sloanae	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	100 km N. of Newman	-22.39665	119.7767	11/04/2011
T121032	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sloanae	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Roy Hill 1 Mine, ca. 90 km NE. of Newman	-22.47892	119.9421	16/02/2012
T93447	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sp.	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Hope Downs 4, ca. 30 km NW. of Newman, HD4-13, 29	-23.10378	119.2799	22/09/2008
T107384	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sp.	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Hope Downs, 73.3 km NW. of Newman	-23.00694	119.1517	23/06/2010
T76071	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sp.	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Mulga Downs Station, 16 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW07	-22.22172	119.0249	14/08/2003
T93877	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sp.	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Chichester Range, Ecologia site 10	-22.15031	119.0169	9/06/2008
T93876	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sp.	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Chichester Range, Ecologia site 22	-22.05167	118.9884	9/06/2008
T76064	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sp.	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	34 km NNW. of Cowra Line Camp, Pilbara Biological Survey site RHNW09	-22.06881	118.9787	15/05/2004
T76055	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sp.	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	1.5 km W. of Giles Point, Pilbara Biological Survey site RHNC04	-23.25094	119.1447	15/05/2004
T111973	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sp.	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	115 km N. of Newman	-22.31347	119.7886	25/03/2011
T76061	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sp.	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	4 km SSW. of Mile Camp, Pilbara Biological Survey site RHNE01	-22.82014	119.6127	10/08/2003
T111975	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sp.	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	112 km NNE. of Newman	-22.36219	119.9691	23/03/2011

T111977	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sp.	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	110 km NNE. of Newman	-22.38274	119.9727	23/03/2011
T76063	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sp.	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	24 km ENE. of Moorimoordinina Native Well, Pilbara Biological Survey site RHNE08	-22.45183	119.976	15/05/2004
T111976	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sp.	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	112 km NNE. of Newman	-22.36219	119.9691	23/03/2011
T111974	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sp.	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	115 km N. of Newman	-22.31347	119.7886	25/03/2011
T135508	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sp.	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Karijini National Park, near Rangers Station	-22.57139	118.3781	14/03/2015
T135509	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sp.	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Karijini National Park, near Rangers Station	-22.57139	118.3781	14/03/2015
T130962	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sp.	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 19, ca. 28 km ENE. of Newman	-23.32906	119.9997	19/03/2013
T130961	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sp.	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 19, ca. 28 km ENE. of Newman	-23.32906	119.9997	19/03/2013
T144517	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sp.	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	ca. 105 km NW. of Newman	-22.8989	118.8602	
T144516	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sp.	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	ca. 105 km NW. of Newman	-22.90247	118.8394	1/06/2017
T118105	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sp.	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Wonmunna, ca 80 km heading 285 degrees from Newman	-23.16326	118.977	17/05/2011
T146741	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sp.	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	1.5 km W. of Giles Point, Pilbara Biological Survey site RHNC04	-23.25094	119.1447	15/05/2004
T144576	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sp.	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	55.5 km south of Auski Roadhouse	-22.89833	118.6728	17/06/2008
T144519	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus sp.	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	ca. 105 km NW. of Newman	-22.8991	118.8516	1/06/2017
T146749	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus spathion	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, Site13-P10	-23.39451	119.6392	12/03/2010
T104729	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, Site13-P10	-23.39451	119.6392	12/03/2010
T104725	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, Site1-P6	-23.39449	119.6317	13/03/2010
T104726	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, Site17-P2	-23.40458	119.6249	12/03/2010
T104724	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, Site1-P5	-23.39446	119.6318	13/03/2010
T104772	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, site1-P9	-23.39447	119.632	13/03/2010
T104722	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, Site13-P1	-23.39455	119.639	12/03/2010
T104721	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, Site13-P1	-23.39455	119.639	12/03/2010

T104757	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, site1-P4	-23.39436	119.6317	13/03/2010
T104758	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, site1-P4	-23.39436	119.6317	13/03/2010
T104759	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, site1-P4	-23.39436	119.6317	13/03/2010
T104765	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, site1-P10	-23.39453	119.6318	13/03/2010
T104783	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, Site1-P2	-23.39436	119.6316	13/03/2010
T104731	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, Site7-P2	-23.40526	119.6223	14/03/2010
T104775	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, site3-P6	-23.40496	119.6053	14/03/2010
T104770	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, site1-P9	-23.39447	119.632	13/03/2010
T104728	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, Site17-P2	-23.40458	119.6249	12/03/2010
T104773	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, site1-P9	-23.39447	119.632	13/03/2010
T104715	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, Site20-P3	-23.39499	119.5915	12/03/2010
T104771	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, site1-P9	-23.39447	119.632	13/03/2010
T104733	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, Site1-P3	-23.39443	119.6316	13/03/2010
T104769	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, site1-P9	-23.39447	119.632	13/03/2010
T104734	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, Site1-P3	-23.39443	119.6316	13/03/2010
T104768	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, site1-P9	-23.39447	119.632	13/03/2010
T104767	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, site1-P9	-23.39447	119.632	13/03/2010
T104727	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, Site17-P2	-23.40458	119.6249	12/03/2010
T112607	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35, ca. 8 km W. of Newman, Site13-P10	-23.39451	119.6392	12/03/2010
T146806	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Antichiropus verutus	epigean	Potential SRE: DD	Genus contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Orebody 35 [mine lease], ca. 8 km W. of Newman, site 1-P10	-23.39453	119.6318	13/03/2010
T94690	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Auski Road House, 55.5 km S. of (Ecologia 997)	-22.89833	118.6728	17/06/2008
T111850	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Christmas Creek, 110 km N. of Newman	-22.39665	119.7767	11/04/2011

Western Australian Museum Database Search Interpreted Results

T111849	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Christmas Creek, 110 km N. of Newman	-22.39327	119.7797	11/04/2011
T93874	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Chichester Range, Ecologia site 04	-22.15635	119.0109	9/06/2008
T111848	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Christmas Creek, 110 km N. of Newman	-22.38902	119.8553	9/04/2011
T111851	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Christmas Creek, 110 km N. of Newman	-22.39665	119.7767	11/04/2011
T109962	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Hamersley Range, SE. of Mt Robinson, Pilbara Biological Survey site RHNC07	-23.14611	119.2658	18/10/2004
T111855	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Christmas Creek, 110 km N. of Newman; Molecular Species	-22.36568	119.6031	11/04/2011
T111857	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Christmas Creek, 110 km N. of Newman	-22.34728	119.6333	10/04/2011
T91905	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	10 km NE. of Newman, Ore-body 24, site 03-3A	-23.29464	119.7559	24/06/2008
T111854	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Christmas Creek, 110 km N. of Newman	-22.41707	119.8941	8/04/2011
T111853	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Christmas Creek, 110 km N. of Newman; Molecular Species	-22.41707	119.8941	8/04/2011
T111852	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Christmas Creek, 110 km N. of Newman	-22.41906	119.8968	8/04/2011
T111844	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Christmas Creek, 110 km N. of Newman	-22.39327	119.7797	11/04/2011
T111845	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Christmas Creek, 110 km N. of Newman	-22.34728	119.6333	10/04/2011
T111847	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Christmas Creek, 110 km N. of Newman	-22.40771	119.8662	8/04/2011
T91908	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	10 km NE. of Newman, Ore-body 24, site 02-2B	-23.29095	119.7562	26/06/2008
T111858	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Christmas Creek, 110 km N. of Newman; Molecular Species	-22.38198	119.8184	10/04/2011
T113249	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	Christmas Creek, 110 km N. of Newman	-22.34728	119.6333	10/04/2011
T136032	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	West Angelas mine [lease], 46.2 km ESE. of Juna Downs homestead	-23.06889	118.89	9/09/2005
T124760	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	ca. 104 km heading 53.8° NE. from Tom Price	-22.1562	118.6538	21/10/2011
T124759	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	ca. 104 km heading 53.8° NE. from Tom Price	-22.13814	118.5822	16/02/2012
T128120	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	ca. 15 km NE. of Roy Hill	-22.53944	120.0287	18/04/2013
T124758	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	ca. 91.75 km heading 45.69° NE. from Tom Price	-22.10966	118.4473	15/02/2012

T128119	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	ca. 15 km NE. of Roy Hill	-22.53944	120.0287	18/04/2013
T124757	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	ca. 91.75 km heading 45.69° NE. from Tom Price	-22.11557	118.4428	25/10/2011
T124756	Diplopoda	Polydesmida (flat back millipedes)	Polydesmida	Paradoxosomat	Paradoxosomatidae sp.	epigean	Potential SRE: DD	Family contains numerous SRE taxa: {Car, 2013 #37321;Car, 2014 #38427;Car, 2013 #38389; Harvey, 2002 #31719}	ca. 91.75 km heading 45.69° NE. from Tom Price	-22.11258	118.4451	25/10/2011
T104738	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, Site5-P9	-23.40974	119.5714	12/03/2010
T107455	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site 18-P3	-23.41788	119.5843	18/08/2010
T98378	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	?epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Hope Downs, 32.7 km NW. of Newman	-23.18667	119.4758	8/06/2009
T98379	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	?epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Hope Downs, 35.9 km NW. of Newman	-23.10722	119.5133	8/06/2009
T104781	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site6-P5	-23.40157	119.5747	12/03/2010
T100182	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Marillana Station, 60 km ESE. of Auski Roadhouse	-22.6118	119.2143	15/04/2009
T98377	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	?epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Hope Downs, 32.7 km NW. of Newman	-23.18667	119.4758	8/06/2009
T104732	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, Site1-P3	-23.39443	119.6316	13/03/2010
T100183	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	55 km S. of Auski Roadhouse	-22.8733	118.6755	1/12/2008
T107466	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site 10-P9	-23.39965	119.6519	13/08/2010
T107470	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site 24-HC573	-23.41399	119.5826	16/08/2010
T104776	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, Sste11-P4	-23.42057	119.5675	12/03/2010
T104763	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site3-P9	-23.40477	119.605	14/03/2010
T107467	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site 27-HC569	-23.39462	119.5876	18/08/2010
T107472	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site 3-HC579	-23.40472	119.6052	15/08/2010
T104777	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site6-P6	-23.40167	119.5747	12/03/2010
T104779	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site6-P7	-23.40177	119.5745	12/03/2010
T104780	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site8-P6	-23.41537	119.5915	14/03/2010
T107468	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site 10-P8	-23.39973	119.6519	16/08/2010
T103929	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	West Angelas, 115 km SE. of Tom Price	-23.37417	118.6444	27/06/2010
T107480	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site 10-P10	-23.3996	119.6519	14/08/2010
T104749	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site4-P2	-23.40215	119.5971	12/03/2010
T107461	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site 10-P6	-23.3999	119.6521	15/08/2010
T107460	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site 10-P10	-23.3996	119.6519	20/08/2010
T104745	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, Site2-P5	-23.4036	119.611	13/03/2010
T104744	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, Site5-P7	-23.4096	119.5716	12/03/2010
T100184	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Marillana Station, 60 km ESE. of Auski Roadhouse	-22.59096	119.2212	14/07/2009
T104753	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site3-P2	-23.40471	119.6054	14/03/2010
T92111	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Hope Downs [Station], bore PC550	-23.13194	119.5869	12/03/2008

T104754	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site20-P10	-23.39498	119.5927	12/03/2010
T107463	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site 23-HC564	-23.39704	119.6138	17/08/2010
T104755	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site19-P8	-23.4047	119.6211	14/03/2010
T104756	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site4-P6	-23.40224	119.5969	12/03/2010
T104761	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site5-P2	-23.41063	119.5715	12/03/2010
T107457	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site 11-HC552	-23.42061	119.5673	12/08/2010
T107367	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site 10-P6	-23.3999	119.6521	14/08/2010
T107478	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site 10-P10	-23.3996	119.6519	17/08/2010
T107464	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site 3-P7	-23.40499	119.6052	14/08/2010
T107477	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site 10-P10	-23.3996	119.6519	16/08/2010
T107465	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site 10-P9	-23.39965	119.6519	14/08/2010
T107476	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site 10-P10	-23.3996	119.6519	15/08/2010
T107474	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site 14-P9	-23.38308	119.6481	19/08/2010
T107473	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site 10-P9	-23.39965	119.6519	16/08/2010
T104746	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, Site1-P7	-23.39447	119.6319	13/03/2010
T104760	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site1-P4	-23.39436	119.6317	13/03/2010
T107462	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Indet	Polyxenida sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Orebody 35, ca. 8 km W. of Newman, site 3-P6	-23.40496	119.6053	14/08/2010
T97626	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Polyxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Phils Creek, Pilbara, Ecologia project 1038	-22.74264	119.1929	3/04/2009
T97624	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Polyxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Phils Creek, Pilbara, Ecologia project 1038	-22.74126	119.1959	3/04/2009
T97622	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Polyxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Phils Creek, Pilbara, Ecologia project 1038	-22.73175	119.1798	2/04/2009
T96107	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Polyxenidae sp.	?epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Hope Downs, 31.9 km NW. of Newman	-23.12444	119.5533	22/01/2009
T92113	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Polyxenidae sp.	?epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Hope Downs [Station], bore RC06EA049	-23.13278	119.5058	13/03/2008
T111890	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Polyxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Christmas Creek, 110 km N. of Newman	-22.34925	119.632	10/04/2011
T111882	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Polyxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Christmas Creek, 110 km N. of Newman	-22.39853	119.793	9/04/2011
T108716	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Polyxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	74 km NW. of Newman	-22.88319	119.2148	6/09/2008
T93450	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Polyxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Hope Downs 4, ca. 30 km NW. of Newman, HD4-3 Gully, 12	-23.15347	119.5329	17/09/2008
T59256	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Polyxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Juna Downs Station, c. 68 km NE. of Mt Meharry, bore RC13KOOD0198	-22.54967	119.0528	1/11/2013
T111873	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Polyxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Christmas Creek, 110 km N. of Newman	-22.39307	119.7154	12/04/2011
T59253	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Polyxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Juna Downs Station, c. 64 km NE. of Mt Meharry, bore RC12KOOD2210	-22.53094	118.969	1/11/2013
T111875	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Polyxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Christmas Creek, 110 km N. of Newman	-22.39853	119.793	9/04/2011
T129476	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Polyxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	West Angelas mining village	-23.13333	118.6667	6/01/2003
T135623	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Polyxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Karijini National Park, Karijini Drive	-22.56	118.4492	14/03/2015
T135464	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Polyxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Karijini National Park, Dales Gorge, walking path	-22.47722	118.5614	12/03/2015

T135446	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Polyxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Karijini National Park, near Rangers Station, vertebrate trapline 2	-22.58278	118.4589	12/03/2015
T144480	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Polyxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Weano Gorge, Karijini National Park	-22.35639	118.2872	14/05/2015
T111881	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus attemsi	epigean	widespread	W.A. Museum assessment	Christmas Creek, 110 km N. of Newman	-22.40149	119.7938	6/04/2011
T115549	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus attemsi	epigean	widespread	W.A. Museum assessment	Phils Creek, Pilbara, Ecologia project 1038	-22.74631	119.2056	4/04/2009
T71106	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus karajinensis	epigean	widespread	W.A. Museum assessment	Wittenoom Gorge, asbestos mine	-22.31667	118.3167	20/05/1977
T116469	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus karajinensis	epigean	widespread	W.A. Museum assessment	Wittenoom [townsite]	-22.23333	118.3333	30/04/1973
T116452	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus karajinensis	epigean	widespread	W.A. Museum assessment	Wittenoom Gorge, asbestos mine	-22.31667	118.3167	20/05/1977
T116453	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus karajinensis	epigean	widespread	W.A. Museum assessment	Wittenoom Gorge, asbestos mine	-22.31667	118.3167	20/05/1977
T116455	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus karajinensis	epigean	widespread	W.A. Museum assessment	Wittenoom Gorge, asbestos mine	-22.31667	118.3167	20/05/1977
T116456	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus karajinensis	epigean	widespread	W.A. Museum assessment	Wittenoom Gorge, asbestos mine	-22.31667	118.3167	20/05/1977
T116454	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus karajinensis	epigean	widespread	W.A. Museum assessment	Wittenoom Gorge, asbestos mine	-22.31667	118.3167	20/05/1977
T116468	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus karajinensis	epigean	widespread	W.A. Museum assessment	Wittenoom [townsite]	-22.23333	118.3333	10/10/1983
T116457	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus karajinensis	epigean	widespread	W.A. Museum assessment	Wittenoom Gorge, asbestos mine	-22.31667	118.3167	20/05/1977
T116451	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus karajinensis	epigean	widespread	W.A. Museum assessment	Wittenoom Gorge, asbestos mine	-22.31667	118.3167	20/05/1977
T116467	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus karajinensis	epigean	widespread	W.A. Museum assessment	Wittenoom [townsite]	-22.23333	118.3333	15/05/1973
T129519	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus karajinensis	epigean	widespread	W.A. Museum assessment	Wittenoom Gorge, asbestos mine	-22.31667	118.3167	20/05/1977
T116466	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus karajinensis	epigean	widespread	W.A. Museum assessment	Wittenoom [townsite]	-22.23333	118.3333	15/05/1973
T71079	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus karajinesis	epigean	widespread	W.A. Museum assessment	West Angelas mining village	-23.1333	118.6667	6/01/2003
T93442	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus karijinensis	epigean	widespread	W.A. Museum assessment	Hope Downs 4 [mine lease], ca. 30 km NW. of Newman, HD4-15, 21	-23.09185	119.188	20/09/2008
T117556	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus karijinesis	epigean	widespread	W.A. Museum assessment	West Angelas [mine lease], 90 km NW. of Newman, site WES006	-23.2	118.85	5/05/2004
T104737	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus mjoebergi	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site5-P9	-23.40974	119.5714	12/03/2010
T131342	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus mjoebergi	epigean	widespread	W.A. Museum assessment	ca.15 km NE. of Roy Hill	-22.51667	120.0378	18/04/2013
T131337	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus mjoebergi	epigean	widespread	W.A. Museum assessment	ca.15 km NE. of Roy Hill	-22.5218	120.0378	18/04/2013
T131335	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus mjoebergi	epigean	widespread	W.A. Museum assessment	ca.15 km NE. of Roy Hill	-22.53	120.0354	18/04/2013
T131624	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus mjoebergi	epigean	widespread	W.A. Museum assessment	ca.15 km NE. of Roy Hill	-22.5218	120.0378	18/04/2013
T131348	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus mjoebergi	epigean	widespread	W.A. Museum assessment	ca.15 km NE. of Roy Hill	-22.5218	120.0378	18/04/2013
T107469	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus 'mjoebergi complex'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, site 1-HC572	-23.39433	119.6316	12/08/2010
T107385	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus 'mjoebergi complex'	epigean	widespread	W.A. Museum assessment	Hope Downs, 76.0 km NW. of Newman	-22.98972	119.0883	25/06/2010
T107387	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus 'mjoebergi complex'	epigean	widespread	W.A. Museum assessment	Hope Downs, 75.1 km NW. of Newman	-22.97556	119.1483	26/06/2010
T107475	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus 'mjoebergi complex'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, site 23-HC582	-23.39704	119.6138	17/08/2010
T104736	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus 'mjoebergi complex'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site5-P9	-23.40974	119.5714	12/03/2010

Western Australian Museum Database Search Interpreted Results

T107330	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus 'mjoebergi?'	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, site 10-P9	-23.39965	119.6519	17/08/2010
T107479	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus sp.	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, site 18-HC587	-23.41822	119.5847	14/08/2010
T104766	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus sp.	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, site1-P9	-23.39447	119.632	13/03/2010
T104750	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus sp.	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, site17-P7	-23.40458	119.6249	12/03/2010
T104739	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus sp.	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site5-P10	-23.4096	119.5716	12/03/2010
T104782	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus sp.	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, site4-P1	-23.40216	119.5971	12/03/2010
T104735	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus sp.	epigean	widespread	W.A. Museum assessment	Orebody 35, ca. 8 km W. of Newman, Site5-P3	-23.41051	119.5716	12/03/2010
T128628	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus sp.	epigean	widespread	W.A. Museum assessment	ca. 18 km N. of Wittenoom	-22.08333	118.4139	20/05/2013
T115425	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Polyxenidae	Unixenus sp.	?epigean	widespread	W.A. Museum assessment	Yandi, 73.1 km NW. of Newman	-22.84194	119.2825	9/12/2009
T97627	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Phryssonotus novaehollandiae	epigean	widespread	naturemap	Phils Creek, Pilbara, Ecologia project 1038	-22.73519	119.1856	2/04/2009
T107456	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Phryssonotus novaehollandiae	epigean	widespread	naturemap	Orebody 35, ca. 8 km W. of Newman, site 23-HC550	-23.39704	119.6138	17/08/2010
T97623	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Phryssonotus novaehollandiae	epigean	widespread	naturemap	Phils Creek, Pilbara, Ecologia project 1038	-22.7361	119.1834	4/04/2009
T111889	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Phryssonotus novaehollandiae	epigean	widespread	naturemap	Christmas Creek, 110 km N. of Newman	-22.36622	119.6202	26/03/2011
T104774	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Phryssonotus novaehollandiae	epigean	widespread	naturemap	Orebody 35, ca. 8 km W. of Newman, site3-P6	-23.40496	119.6053	14/03/2010
T111884	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Phryssonotus novaehollandiae	epigean	widespread	naturemap	Christmas Creek, 110 km N. of Newman	-22.40898	119.8845	8/04/2011
T97625	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Phryssonotus novaehollandiae	epigean	widespread	naturemap	Phils Creek, Pilbara, Ecologia project 1038	-22.74631	119.2056	4/04/2009
T131346	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Phryssonotus novaehollandiae	epigean	widespread	naturemap	ca.15 km NE. of Roy Hill	-22.5218	120.0378	18/04/2013
T131347	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Phryssonotus novaehollandiae	epigean	widespread	naturemap	ca.15 km NE. of Roy Hill	-22.5218	120.0378	18/04/2013
T131345	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Phryssonotus novaehollandiae	epigean	widespread	naturemap	ca.15 km NE. of Roy Hill	-22.5218	120.0378	18/04/2013
T128624	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Phryssonotus novaehollandiae	epigean	widespread	naturemap	ca. 18 km N. of Wittenoom	-22.1	118.3878	20/05/2013
T115550	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Phryssonotus novaehollandiae	epigean	widespread	naturemap	Orebody 35, ca. 8 km W. of Newman, Site5-P10	-23.4096	119.5716	12/03/2010
T128627	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Phryssonotus novaehollandiae	epigean	widespread	naturemap	ca. 18 km N. of Wittenoom	-22.1	118.3878	20/05/2013
T128626	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Phryssonotus novaehollandiae	epigean	widespread	naturemap	ca. 18 km N. of Wittenoom	-22.1	118.3878	20/05/2013
T128625	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Phryssonotus novaehollandiae	epigean	widespread	naturemap	ca. 18 km N. of Wittenoom	-22.06667	118.3625	19/06/2013
T131334	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Phryssonotus novaehollandiae	epigean	widespread	naturemap	ca.15 km NE. of Roy Hill	-22.5369	120.0363	18/04/2013
T131336	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Phryssonotus novaehollandiae	epigean	widespread	naturemap	ca.15 km NE. of Roy Hill	-22.5218	120.0378	18/04/2013
T131341	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Phryssonotus sp.	epigean	widespread	naturemap	ca.15 km NE. of Roy Hill	-22.48333	120.0185	18/04/2013
T131343	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Phryssonotus sp.	epigean	widespread	naturemap	ca.15 km NE. of Roy Hill	-22.51667	120.0378	18/04/2013
T131333	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Phryssonotus sp.	epigean	widespread	naturemap	ca.15 km NE. of Roy Hill	-22.5369	120.0363	18/04/2013
T131340	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Phryssonotus sp.	epigean	widespread	naturemap	ca.15 km NE. of Roy Hill	-22.53333	120.0287	18/04/2013
T131339	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Phryssonotus sp.	epigean	widespread	naturemap	ca.15 km NE. of Roy Hill	-22.53333	120.0287	18/04/2013
T131349	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Phryssonotus sp.	epigean	widespread	naturemap	ca.15 km NE. of Roy Hill	-22.53333	120.0287	18/04/2013
T111891	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Synxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Christmas Creek, 110 km N. of Newman	-22.39307	119.7154	12/04/2011

T111874	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Synxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Christmas Creek, 110 km N. of Newman	-22.40612	119.7376	12/04/2011
T111887	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Synxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Christmas Creek, 110 km N. of Newman	-22.41707	119.8941	8/04/2011
T111885	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Synxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Christmas Creek, 110 km N. of Newman	-22.36917	119.7387	11/04/2011
T100875	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Synxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	12 km NE. of Roy Hill Station homestead	-22.50397	120.021	24/05/2009
T100873	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Synxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	7 km NNE. of Roy Hill Station homestead	-22.55656	119.9703	25/05/2009
T111883	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Synxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Christmas Creek, 110 km N. of Newman	-22.39665	119.7767	11/04/2011
T111888	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Synxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Christmas Creek, 110 km N. of Newman	-22.36568	119.6031	11/04/2011
T101060	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Synxenidae sp.	?epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Chichester Range, Cloud Break mine area@	-22.29972	119.3736	3/07/2006
T111886	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Synxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Christmas Creek, 110 km N. of Newman	-22.41906	119.8968	8/04/2011
T111876	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Synxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Christmas Creek, 110 km N. of Newman	-22.36568	119.6031	11/04/2011
T111880	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Synxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Christmas Creek, 110 km N. of Newman	-22.39276	119.8546	9/04/2011
T111879	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Synxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Christmas Creek, 110 km N. of Newman	-22.40399	119.8653	11/04/2011
T111878	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Synxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Christmas Creek, 110 km N. of Newman	-22.40771	119.8662	8/04/2011
T111877	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Synxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Christmas Creek, 110 km N. of Newman	-22.40612	119.7376	8/04/2011
T114446	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Synxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Karijini National Park, Dales Gorge, Circular Pool	-22.47583	118.5619	18/03/2015
T114451	Diplopoda	Polyxenida (pincushion millipedes)	Polyxenida	Synxenidae	Synxenidae sp.	epigean	widespread	Epigean representatives are widespread. Subterranean species may be SRE	Karijini National Park, Dales Gorge, Circular Pool	-22.47583	118.5619	18/03/2015
T144518	Diplopoda	Diplopoda (millipedes)	Polyzoniida	`Family indet.`	Polyzoniida sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	ca. 105 km NW. of Newman	-22.898896	118.860218	1/06/2017
T106002	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	`Family indet.`	Spirobolida sp.	epigean	Potential SRE: DD	Order contains SREs and potential SREs	Area C, 83.9 km NW. of Newman	-22.99306	119.0158	1/05/2010
T118342	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	`Trigoniulidae?`	'Trigoniulidae?' sp.	epigean	Potential SRE: DD	Class contains SREs and potential SREs	ca. 120 km NW. of Newman	-22.85833	118.8417	4/04/2012
T149522	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus 'clade A'	epigean	Potential SRE: DD	W.A. Museum assessment	69.8 km NW. of Newman	-23.04071	119.1411	13/03/2019
T149524	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus 'clade E'	epigean	Potential SRE: DD	W.A. Museum assessment	88.2 km NW. of Newman	-23.06007	118.9316	9/03/2019
T149462	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus 'clade E'	epigean	Potential SRE: DD	W.A. Museum assessment	18.4 km NW. of Newman	-23.05806	119.0052	10/03/2019
T149523	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus 'clade E'	epigean	Potential SRE: DD	W.A. Museum assessment	82.5 km NW. of Newman	-23.04832	118.9978	14/03/2019
T149463	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus 'clade E'	epigean	Potential SRE: DD	W.A. Museum assessment	81.6 km NW. of Newman	-23.07701	118.9937	17/03/2019
T106000	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus 'DIP018'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 82.7 km NW. of Newman	-23.005	119.0239	1/05/2010
T126751	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus 'DIP018'	epigean	Potential SRE: DD	W.A. Museum assessment	E. of Woodstock Aboriginal Reserve, 6 km SW. of Redmont Airport	-22.01723	118.982	15/04/2012
T106001	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus 'DIP018 (female)'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 90.6 km NW. of Newman	-22.99778	119.0297	1/05/2010
T106005	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus 'DIP018 (juvenile)'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 82.7 km NW. of Newman	-22.96361	119.0472	1/05/2010
T106006	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus 'DIP018 (juvenile)'	epigean	Potential SRE: DD	W.A. Museum assessment	Area C, 89.6 km NW. of Newman	-22.92278	119.1628	1/05/2010
T135562	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus 'DIP053'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini National Park, Hancock Gorge	-22.35917	118.2844	15/03/2015
T135489	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus 'DIP053'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini National Park, Kalamina Gorge	-22.41722	118.4025	13/03/2015
T135488	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus 'DIP053'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini National Park, Kalamina Gorge	-22.41722	118.4025	13/03/2015
T135487	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus 'DIP053'	epigean	Potential SRE: DD	W.A. Museum assessment	Karijini National Park, Kalamina Gorge	-22.41722	118.4025	13/03/2015
T101131	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 90.6 km NW. of Newman	-22.89889	119.0019	16/02/2010

T101145	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 90.6 km NW. of Newman	-22.89889	119.0019	16/02/2010
T101144	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 90.6 km NW. of Newman	-22.89889	119.0019	16/02/2010
T101143	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 87.2 km NW. of Newman	-22.98944	118.9828	22/02/2010
T101141	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 83.6 km NW. of Newman	-22.99167	118.9589	23/02/2010
T101139	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 75.9 km NW. of Newman	-22.92278	119.1628	18/02/2010
T101138	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 89 km NW. of Newman	-22.95611	118.9831	23/02/2010
T101137	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 88.4 km NW. of Newman	-22.89889	119.0303	17/02/2010
T101136	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 82.7 km NW. of Newman	-23.005	119.0239	21/02/2010
T101134	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 93.1 km NW. of Newman	-23	118.9131	24/02/2001
T91861	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, ca. 120 km NNW. of Newman, site 11-11A	-22.92006	118.8941	11/06/2008
T101130	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 75.8 km NW. of Newman	-22.90944	119.1758	19/02/2010
T101127	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 75.8 km NW. of Newman	-22.90944	119.1758	19/02/2010
T101125	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 89.2 km NW. of Newman	-22.96556	118.9756	23/02/2010
T101124	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 89 km NW. of Newman	-22.95611	118.9831	23/02/2010
T101122	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 75.9 km NW. of Newman	-22.92278	119.1628	18/02/2010
T101120	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 83.9 km NW. of Newman	-22.99306	119.0156	21/02/2010
T101119	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 93.7 km NW. of Newman	-22.99861	118.9067	24/02/2001
T101118	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 83.9 km NW. of Newman	-22.99306	119.0156	21/02/2010
T100797	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 75.8 km NW. of Newman	-22.90944	119.1758	19/02/2010
T100796	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 75.9 km NW. of Newman	-22.92278	119.1628	18/02/2010
T101135	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 82.7 km NW. of Newman	-23.005	119.0239	21/02/2010
T101148	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 75.8 km NW. of Newman	-22.90944	119.1758	19/02/2010
T104752	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, site17-P7	-23.40458	119.6249	12/03/2010
T104751	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, site17-P7	-23.40458	119.6249	12/03/2010
T104743	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, Site5-P10	-23.4096	119.5716	12/03/2010
T104742	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, Site5-P10	-23.4096	119.5716	12/03/2010
T104741	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, Site5-P10	-23.4096	119.5716	12/03/2010
T104740	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, Site5-P10	-23.4096	119.5716	12/03/2010
T111817	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	62.3 km NW. of Newman	-22.95	119.3089	11/03/2011
T111816	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	62.3 km NW. of Newman	-22.95	119.3089	11/03/2011
T104720	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, Site13-P3	-23.39472	119.6388	12/03/2010
T101146	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 81.8 km NW. of Newman	-23.00556	119.0328	21/02/2010
T101149	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 82.7 km NW. of Newman	-23.005	119.0239	21/02/2010

Western Australian Museum Database Search Interpreted Results

T101147	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 84.7 km NW. of Newman	-22.90556	119.0286	18/02/2010
T91852	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, ca. 120 km NNW. of Newman, site 05-5B	-22.93797	119.008	13/06/2008
T91853	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, ca. 120 km NNW. of Newman, site 12-12K	-22.91667	118.9105	11/06/2008
T91854	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, ca. 120 km NNW. of Newman, site 07-7B	-22.89989	119.013	12/06/2008
T91855	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, ca. 120 km NNW. of Newman, site 06-6A	-22.89981	119.024	16/06/2008
T91856	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, ca. 120 km NNW. of Newman, site 12-12D	-22.91681	118.9105	11/06/2008
T91857	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, ca. 120 km NNW. of Newman, site 08-8A	-22.90061	118.9932	12/06/2008
T91858	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, ca. 120 km NNW. of Newman, site 12-12O	-22.91681	118.9105	11/06/2008
T91859	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, ca. 120 km NNW. of Newman, site 05-5A	-22.93797	119.008	12/06/2008
T91860	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, ca. 120 km NNW. of Newman, site 13-13A	-22.91375	118.9159	16/06/2008
T73154	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Hamersley Range, The Governor	-23.0797	118.8108	9/09/2005
T104716	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, Site20-P9	-23.39514	119.5924	12/03/2010
T93873	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Chichester Range, Ecologia site 04	-22.15635	119.0109	9/06/2008
T100794	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 83.9 km NW. of Newman	-22.99306	119.0156	21/02/2010
T100768	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 92.7 km NW. of Newman	-23.01778	118.9067	23/02/2010
T100767	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 93.1 km NW. of Newman	-23	118.9131	23/02/2010
T100200	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 93.7 km NW. of Newman	-22.99861	118.9067	24/02/2001
T107471	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, site 13-HC574	-23.39455	119.639	15/08/2010
T100196	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 83.6 km NW. of Newman	-22.99167	118.9589	23/02/2010
T100194	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 89 km NW. of Newman	-22.95611	118.9831	23/02/2010
T100193	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 87.3 km NW. of Newman	-22.89528	119.045	17/02/2010
T96155	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-23.01292	119.2371	8/02/2009
T100771	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 75.8 km NW. of Newman	-22.90944	119.1758	23/02/2010
T93879	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Chichester Range, Ecologia site 24	-22.05037	118.9934	8/04/2008
T100773	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 82.7 km NW. of Newman	-23.005	119.0239	23/02/2010
T93872	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Chichester Range, Ecologia site 14	-22.15081	119.0179	9/06/2008
T93870	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Chichester Range, Ecologia site 17	-22.14652	119.0184	8/04/2008
T107459	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, site 20-HC555	-23.39474	119.5913	15/08/2010
T107458	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, site 5-HC554	-23.41086	119.5715	12/08/2010
T93868	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Chichester Range, Pilbara, site 16	-22.14653	119.019	9/06/2008
T93593	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-23.01292	119.2371	30/08/2008
T93592	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-22.98428	119.2677	31/08/2008
T107386	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Hope Downs, 78.8 km NW. of Newman	-22.97639	119.1336	26/06/2010

Western Australian Museum Database Search Interpreted Results

T107389	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Hope Downs, 73.7 km NW. of Newman	-22.99028	119.1217	27/06/2010
T96154	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Jinayri, ca. 60 km NW. of Newman	-23.00697	119.2462	8/02/2009
T93445	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Hope Downs 4, ca. 30 km NW. of Newman, HD4 Eagle Rock Falls	-23.10302	119.5821	18/09/2008
T107390	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Hope Downs, 73.7 km NW. of Newman	-22.99028	119.1217	27/06/2010
T100791	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 81.6 km NW. of Newman	-22.90667	119.1239	18/02/2010
T100790	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 75.8 km NW. of Newman	-22.90944	119.1758	19/02/2010
T100789	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 89.2 km NW. of Newman	-22.96556	118.9756	23/02/2010
T100788	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 88.4 km NW. of Newman	-22.89889	119.0303	17/02/2010
T93440	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Hope Downs 4, ca. 30 km NW. of Newman, HD4-13, 28	-23.10378	119.2799	22/09/2008
T93441	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Hope Downs 4, ca. 30 km NW. of Newman, HD4-13, 30	-23.10378	119.2799	22/09/2008
T100787	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 83.9 km NW. of Newman	-22.99306	119.0156	21/02/2010
T93443	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Hope Downs 4, ca. 30 km NW. of Newman, HD4-3, 9	-23.15328	119.529	17/09/2008
T100770	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 84.9 km NW. of Newman	-22.98167	119.0136	23/02/2010
T93444	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Hope Downs 4, ca. 30 km NW. of Newman, HD4-15, 22	-23.09185	119.188	20/09/2008
T100792	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 83.6 km NW. of Newman	-22.99167	118.9589	23/02/2010
T100785	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 83.1 km NW. of Newman	-22.97472	119.0378	20/02/2010
T93446	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Hope Downs 4, ca. 30 km NW. of Newman, HD4-12, 32	-23.1063	119.2919	23/09/2008
T100784	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 92.7 km NW. of Newman	-23.01778	118.9067	24/02/2001
T100783	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 93.1 km NW. of Newman	-23	118.9131	24/02/2001
T100782	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 78.2 km NW. of Newman	-22.91778	119.1392	18/02/2010
T100781	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 93.7 km NW. of Newman	-22.99861	118.9067	24/02/2001
T100777	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 75.8 km NW. of Newman	-22.90944	119.1758	19/02/2010
T100776	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 83.6 km NW. of Newman	-22.99167	118.9589	23/02/2010
T100775	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 78.2 km NW. of Newman	-22.91778	119.1392	23/02/2010
T100786	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Area C, 78.2 km NW. of Newman	-22.91778	119.1392	23/02/2010
T130389	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.69913	118.9966	14/05/2013
T136357	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Hamersley Range, ca. 30 km ESE. of Juna Downs	-22.69533	119.0584	30/03/2014
T149529	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	genus contains potential SREs	80.3 km NW. of Newman	-23.04843	119.0211	9/03/2019
T149528	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	genus contains potential SREs	81.6 km NW. of Newman	-23.07701	118.9937	17/03/2019
T149527	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	genus contains potential SREs	83.2 km NW. of Newman	-23.08254	118.9746	10/03/2019
T149526	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	genus contains potential SREs	84.2 km NW. of Newman	-23.06062	118.9743	12/03/2019
T115768	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Orebody 35, ca. 8 km W. of Newman, site 20-HC555	-23.39474	119.5913	15/08/2010
T126630	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	63 km E. of Paraburdoo, site 1000-tur08	-23.23551	118.2876	27/04/2012

Western Australian Museum Database Search Interpreted Results

T149464	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	potential SRE: DD	genus contains potential SREs	71.9 km NW. of Newman	-23.04277	119.1169	11/03/2019
T130388	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Yandi (Marillana Ck), ca. 98 km NW. of Newman	-22.77458	119.1234	14/05/2013
T149525	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	genus contains potential SREs	70.8 km NW. of Newman	-23.04168	119.1292	11/03/2019
T116684	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	OB35, ca. 8 km WSW. of Newman	-23.39083	119.6625	13/09/2011
T97354	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Hamersley Range, 60 km WNW. of Newman, Hope Downs 4	-23.10556	119.2919	23/04/2009
T101129	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Area C, 93.7 km NW. of Newman	-22.99861	118.9067	24/02/2001
T96156	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Jinayri, ca. 60 km NW. of Newman	-23.01042	119.2364	8/02/2009
T100774	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Area C, 75.8 km NW. of Newman	-22.90944	119.1758	23/02/2010
T100778	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Area C, 83.9 km NW. of Newman	-22.99306	119.0156	21/02/2010
T100779	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Area C, 83.6 km NW. of Newman	-22.99167	118.9589	23/02/2010
T100780	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Area C, 75.9 km NW. of Newman	-22.92278	119.1628	18/02/2010
T100793	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Area C, 82.7 km NW. of Newman	-23.005	119.0239	21/02/2010
T100795	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Area C, 93.1 km NW. of Newman	-23	118.9131	24/02/2001
T101121	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Area C, 84.7 km NW. of Newman	-22.90556	119.0286	18/02/2010
T101123	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Area C, 81.6 km NW. of Newman	-22.90667	119.1239	18/02/2010
T100772	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Area C, 78.2 km NW. of Newman	-22.91778	119.1392	23/02/2010
T101128	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Area C, 88.4 km NW. of Newman	-22.89889	119.0303	17/02/2010
T100769	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Area C, 93.7 km NW. of Newman	-22.99861	118.9067	23/02/2010
T101132	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Area C, 78.2 km NW. of Newman	-22.91778	119.1392	18/02/2010
T101133	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Area C, 85.2 km NW. of Newman	-23.00389	118.9947	22/02/2010
T101140	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Area C, 89.6 km NW. of Newman	-23.00083	118.9469	24/02/2001
T101142	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Area C, 89.6 km NW. of Newman	-23.00083	118.9469	24/02/2001
T101264	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Area C, 93.7 km NW. of Newman	-22.99861	118.9067	24/02/2010

T104718	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 35, ca. 8 km W. of Newman, Site13-P3	-23.39472	119.6388	12/03/2010
T104719	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 35, ca. 8 km W. of Newman, Site13-P3	-23.39472	119.6388	12/03/2010
T104723	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 35, ca. 8 km W. of Newman, Site11-P7	-23.42069	119.5677	12/03/2010
T104730	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 35, ca. 8 km W. of Newman, Site5-P1	-23.4108	119.5714	12/03/2010
T104748	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 35, ca. 8 km W. of Newman, site3-P2	-23.40471	119.6054	14/03/2010
T101126	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Area C, 90.6 km NW. of Newman	-22.89889	119.0019	16/02/2010
T97353	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Hamersley Range, 60 km WNW. of Newman, Hope Downs 4	-23.09139	119.209	22/04/2009
T91650	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	10 km NE. of Newman, ore-body 24, site 04-4E	-23.29925	119.7861	27/06/2008
T91670	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	10 km NE. of Newman, ore-body 24, site 01-1A	-23.29464	119.7559	28/06/2008
T91687	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	10 km NE. of Newman, ore-body 24, site 04-4B	-23.29917	119.786	29/06/2008
T91904	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	10 km NE. of Newman, Ore-body 24, site 04-4D	-23.29917	119.786	26/06/2008
T91906	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	10 km NE. of Newman, Ore-body 24, site 02-2A	-23.29095	119.7562	24/06/2008
T91907	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	10 km NE. of Newman, Ore-body 24, site 07-7A	-23.30808	119.815	29/06/2008
T93871	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Chichester Range, Ecologia site 20	-22.13991	119.0155	9/06/2008
T91638	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	10 km NE. of Newman, ore-body 24, site 04-4C	-23.29917	119.786	29/06/2008
T97355	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Hamersley Range, 60 km WNW. of Newman, Hope Downs 4	-23.10308	119.2918	23/04/2009
T100199	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Area C, 81.6 km NW. of Newman	-22.90667	119.1239	18/02/2010
T97357	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Hamersley Range, 60 km WNW. of Newman, Hope Downs 4	-23.10556	119.2919	23/04/2009
T100195	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Area C, 78.2 km NW. of Newman	-22.91778	119.1392	18/02/2010
T100197	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Area C, 82.7 km NW. of Newman	-23.005	119.0239	21/02/2010
T105997	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Area C, 82.7 km NW. of Newman	-23.005	119.0239	1/05/2010
T100198	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Area C, 89.6 km NW. of Newman	-23.00083	118.9469	24/02/2001

T97356	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Hamersley Range, 60 km WNW. of Newman, Hope Downs 4	-23.10308	119.2918	23/04/2009
T140212	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-23.008	119.0348	16/03/2016
T131516	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32045	120.0389	27/08/2013
T139745	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Ministers North, ca. 93 km NW. of Newman	-22.81159	119.0909	31/03/2015
T140213	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-23.008	119.0348	16/03/2016
T140226	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-22.98317	118.9337	16/03/2016
T140225	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-22.96536	118.9721	16/03/2016
T140224	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-22.96536	118.9721	16/03/2016
T140223	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-22.96422	118.9546	16/03/2016
T140222	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-22.96961	118.946	16/03/2016
T140221	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-22.95697	118.8552	16/03/2016
T140220	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-22.95372	118.9082	16/03/2016
T140219	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-22.95422	118.9209	16/03/2016
T140218	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-22.96854	118.9492	16/03/2016
T140217	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-22.99531	119.0405	16/03/2016
T140216	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-23.00542	119.0326	16/03/2016
T140210	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-22.96958	118.9445	16/03/2016
T140214	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-23.008	119.0348	16/03/2016
T139746	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Ministers North, ca. 93 km NW. of Newman	-22.83268	119.1297	3/09/2015
T140201	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-22.95283	118.9758	16/03/2016
T140211	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-22.96947	118.9548	16/03/2016
T140209	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-22.96097	118.9173	16/03/2016

T140208	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-22.96206	118.9125	16/03/2016
T140207	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-22.96206	118.9125	16/03/2016
T140206	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-22.96175	118.909	16/03/2016
T140205	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-22.96333	118.9378	16/03/2016
T140204	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-22.96095	118.9231	16/03/2016
T140202	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-22.96095	118.9231	16/03/2016
T140200	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-22.94711	118.978	16/03/2016
T139748	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Ministers North, ca. 93 km NW. of Newman	-22.82664	119.072	2/04/2015
T139747	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Ministers North, ca. 93 km NW. of Newman	-22.84593	119.1269	1/04/2015
T140215	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-23.008	119.0348	16/03/2016
T115782	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Wonmunna, ca. 70 km heading 291° from Newman	-23.12877	119.0904	19/05/2011
T128924	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	West Angelas, ca. 21 km SE. of Mt Meharry	-23.14808	118.6912	25/09/2012
T128623	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	ca. 18 km N. of Wittenoom	-22.06667	118.3026	20/05/2013
T126298	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	112.4 km NW. of Newman	-22.70333	118.8733	17/11/2011
T126289	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	114.3 km NW. of Newman	-22.65444	118.9169	18/11/2011
T126287	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	114.3 km NW. of Newman	-22.65444	118.9169	21/11/2011
T126247	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	112.5 km NW. of Newman	-22.60417	118.9869	20/11/2011
T122387	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Mudlark, 91 km NW. of Newman	-23.04772	118.885	6/02/2012
T122386	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Mudlark, 91 km NW. of Newman	-23.04772	118.885	6/02/2012
T122345	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Marillana, 95.3 km NW. of Newman	-22.63133	119.2218	6/02/2012
T122344	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Marillana, 95.4 km NW. of Newman	-22.63361	119.2251	6/02/2012
T122166	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Parmelia, 67.4 km NW. of Newman	-23.03111	119.1789	2/02/2012

T130957	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.3341	120.0176	19/03/2013
T115784	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Wonmunna, ca. 73 km heading 291° from Newman	-23.12202	119.0611	20/05/2011
T115771	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Wonmunna, ca. 73 km heading 291° from Newman	-23.12202	119.0611	20/05/2011
T115779	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Wonmunna, ca. 70 km heading 291° from Newman	-23.13186	119.0964	21/05/2011
T115778	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Wonmunna	-23.134	119.0505	23/05/2011
T115777	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Wonmunna, ca. 79 km heading 286° from Newman	-23.15466	118.9932	18/05/2011
T115776	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Wonmunna, ca. 70 km heading 291° from Newman	-23.12877	119.0904	19/05/2011
T115772	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Wonmunna, ca. 78 km heading 288° from Newman	-23.14284	119.0099	18/05/2011
T115770	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Wonmunna, ca. 70 km heading 291° from Newman	-23.13186	119.0964	21/05/2011
T115767	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Wonmunna, ca. 75 km heading 289° from Newman	-23.13551	119.0384	19/05/2011
T115764	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Wonmunna, ca. 77 km heading 288° from Newman	-23.13937	119.0182	19/05/2011
T115762	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Wonmunna, ca. 70 km heading 291° from Newman	-23.13186	119.0964	21/05/2011
T114705	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Angelo River, 118 km W. of Newman	-23.20142	118.5851	20/06/2011
T131255	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 24, ca. 7 km N. of Newman	-23.28391	119.7468	5/08/2013
T140203	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Flank, ca. 95 km NW. of Newman	-22.96095	118.9231	16/03/2016
T122165	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	South Parmelia, 67.4 km NW. of Newman	-23.03111	119.1789	2/02/2012
T130984	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 25, ca. 5 km N. of Newman	-23.33228	119.7798	29/04/2013
T131158	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	18 km E. of of West Angelas Aerodrome	-23.12279	118.8753	18/03/2013
T131157	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	18 km E. of of West Angelas Aerodrome	-23.12279	118.8753	18/03/2013
T130958	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.33136	120.0187	19/03/2013
T130987	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 25, ca. 5 km N. of Newman	-23.32689	119.7685	29/04/2013
T130986	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 25, ca. 5 km N. of Newman	-23.32689	119.7685	29/04/2013

T130985	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 25, ca. 5 km N. of Newman	-23.32341	119.77	29/04/2013
T130983	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 24, ca. 7 km N. of Newman	-23.28253	119.7497	29/04/2013
T130982	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 24, ca. 7 km N. of Newman	-23.28391	119.7468	29/04/2013
T130980	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 25, ca. 5 km N. of Newman	-23.32746	119.7644	5/04/2013
T130979	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 25, ca. 5 km N. of Newman	-23.32173	119.7858	5/04/2013
T130978	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 25, ca. 5 km N. of Newman	-23.32755	119.7733	5/04/2013
T130977	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 24, ca. 7 km N. of Newman	-23.28841	119.7315	5/04/2013
T130976	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 24, ca. 7 km N. of Newman	-23.29307	119.7571	5/04/2013
T130965	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32269	119.9822	19/03/2013
T130959	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.33136	120.0187	19/03/2013
T130963	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32269	119.9822	19/03/2013
T130960	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32917	119.9956	19/03/2013
T130964	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32269	119.9822	19/03/2013
T130966	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32269	119.9822	19/03/2013
T130967	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32319	119.9946	19/03/2013
T130968	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32283	120.0099	19/03/2013
T130969	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32075	120.0014	19/03/2013
T130970	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 19, ca. 28 km ENE. of Newman	-23.32158	120.0014	19/03/2013
T130975	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Austrostrophus stictopygus	epigean	Potential SRE: DD	Species currently under investigation with molecular data, likely to contain one or more SREs	Orebody 24, ca. 7 km N. of Newman	-23.28526	119.7435	29/04/2013
T109959	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	'Austrostrophus?' sp.	epigean	potential SRE: DD	family contains potential SREs	24.5 km N. of Cowra Line Camp, Pilbara Biological Survey site RHNW10	-22.13467	119.0242	27/08/2003
T109961	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	'Austrostrophus?' sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	33 km W. of Rhodes Ridge, Pilbara Biological Survey site RHNC08	-23.10322	119.0389	2/09/2003
T115774	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	'Austrostrophus?' sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Wonmunna, ca. 72 km heading 290° from Newman	-23.13091	119.0689	19/05/2011
T115773	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	'Austrostrophus?' sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Wonmunna, ca. 79 km heading 286° from Newman	-23.15466	118.9932	18/05/2011
T115765	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	'Austrostrophus?' sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Wonmunna, ca. 72 km heading 290° from Newman	-23.12832	119.0736	19/05/2011

Western Australian Museum Database Search Interpreted Results

T115769	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	'Austrostrophus?' sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Wonmunna, ca. 75 km heading 290° from Newman	-23.12662	119.047	20/05/2011
T115785	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	'Austrostrophus?' sp.	epigean	Potential SRE: DD	Genus likely to contain SREs and potential SREs	Wonmunna, ca. 72 km heading 290° from Newman	-23.12832	119.0736	19/05/2011
T93439	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Trigoniulidae sp.	epigean	Potential SRE: DD	Presence of SRE or potential SRE species in this family	Hope Downs 4, ca. 30 km NW. of Newman, HD4-11, 41	-23.10145	119.2918	24/09/2008
T93594	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Trigoniulidae sp.	epigean	Potential SRE: DD	Presence of SRE or potential SRE species in this family	Jinary, ca. 60 km NW. of Newman	-23.05303	119.2701	27/08/2008
T105999	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Trigoniulidae sp.	epigean	Potential SRE: DD	Presence of SRE or potential SRE species in this family	Area C, 82.7 km NW. of Newman	-23.005	119.0239	1/05/2010
T105998	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Trigoniulidae sp.	epigean	Potential SRE: DD	Presence of SRE or potential SRE species in this family	Area C, 82.7 km NW. of Newman	-23.005	119.0239	1/05/2010
T105990	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Trigoniulidae sp.	epigean	Potential SRE: DD	Presence of SRE or potential SRE species in this family	Area C, 93.1 km NW. of Newman	-23	118.9131	1/05/2010
T105996	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Trigoniulidae sp.	epigean	Potential SRE: DD	Presence of SRE or potential SRE species in this family	Area C, 85.2 km NW. of Newman	-23.00361	118.9942	1/05/2010
T78984	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Trigoniulidae sp.	epigean	Potential SRE: DD	Presence of SRE or potential SRE species in this family	Hamersley Range, SE. of Mt Robinson, Pilbara Biological Survey site RHNC7	-23.14611	119.2658	18/10/2004
T115781	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Trigoniulidae sp.	epigean	Potential SRE: DD	Presence of SRE or potential SRE species in this family	Southern Carnarvon Range	-23.13551	119.0384	17/05/2013
T115780	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Trigoniulidae sp.	epigean	Potential SRE: DD	Presence of SRE or potential SRE species in this family	Southern Carnarvon Range WP32, W. side of gorge	-23.16326	118.977	18/05/2013
T138827	Diplopoda	Spirobolida (Roundback millipedes)	Spirobolida	Trigoniulidae	Trigoniulidae sp.	epigean	Potential SRE: DD	Presence of SRE or potential SRE species in this family	Hamersley Range, SE. of Mt Robinson, Pilbara Biological Survey site RHNC7	-23.14611	119.2658	18/10/2004
S83546	Gastropoda	Gastropoda (Snails)	Indet	Bithyniidae	Gabbia aff. Smithii	epigean	widespread	W.A. Museum assessment	Xmas Creek, ca. 100km N of Newman	-22.4417	119.649	10/05/2012
S83542	Gastropoda	Gastropoda (Snails)	Indet	Bithyniidae	Gabbia aff. Smithii	epigean	widespread	W.A. Museum assessment	Xmas Creek, ca. 100km N of Newman	-22.4295	119.627	10/05/2012
S83536	Gastropoda	Gastropoda (Snails)	Indet	Bithyniidae	Gabbia aff. Smithii	epigean	widespread	W.A. Museum assessment	Xmas Creek, ca. 100km N of Newman	-22.459	119.692	10/05/2012
S83535	Gastropoda	Gastropoda (Snails)	Indet	Bithyniidae	Gabbia aff. Smithii	epigean	widespread	W.A. Museum assessment	Xmas Creek, ca. 100km N of Newman	-22.4659	119.72	10/05/2012
S83530	Gastropoda	Gastropoda (Snails)	Indet	Bithyniidae	Gabbia aff. Smithii	epigean	widespread	W.A. Museum assessment	Xmas Creek, ca. 100km N of Newman	-22.4294	119.628	10/05/2012
S83528	Gastropoda	Gastropoda (Snails)	Indet	Bithyniidae	Gabbia aff. Smithii	epigean	widespread	W.A. Museum assessment	Xmas Creek, ca. 100km N of Newman	-22.4972	119.76	10/05/2012
S65281	Gastropoda	Gastropoda (Snails)	Indet	Bithyniidae	Gabbia aff. Smithii	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3988	119.445	26/10/2010
S66677	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT062'	epigean	potential SRE: DD	Alacran, unpublished data	Karijini National Park; Dales Gorge; 82 kms ENE of Tom Price	-22.4782	118.56	30/07/2010
S67039	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT062'	epigean	potential SRE: DD	Alacran, unpublished data	Pilbara area	-22.7741	118.298	18/02/2007
S66644	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT062'	epigean	potential SRE: DD	Alacran, unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8437	118.533	1/05/2010
S67343	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT062'	epigean	potential SRE: DD	Alacran, unpublished data	Pilbara; Marando MAR03	-22.6466	118.185	6/03/2007
S87822	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT062'	epigean	potential SRE: DD	Alacran, unpublished data	Karijini NP;Road to Visitors Center	-22.7283	118.456	18/03/2015
S87812	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT062'	epigean	potential SRE: DD	Alacran, unpublished data	Karijini NP; Near turn-off to Kalamina Gorge	-22.4305	118.357	15/03/2015
S67143	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT063'	epigean	potential SRE: DD	Alacran, unpublished data	Pilbara area	-23.3261	118.73	19/02/2007
S66696	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT063'	epigean	potential SRE: DD	Alacran, unpublished data	Pilbara; Hope Downs	-23.0379	119.212	11/05/2008
S66703	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT063'	epigean	potential SRE: DD	Alacran, unpublished data	Pilbara; Hope Downs	-23.0379	119.212	11/05/2008
S67145	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT063'	epigean	potential SRE: DD	Alacran, unpublished data	Pilbara area	-23.3261	118.73	19/02/2007
S66701	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT063'	epigean	potential SRE: DD	Alacran, unpublished data	Pilbara; Hope Downs	-23.0379	119.212	11/05/2008
S67142	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT063'	epigean	potential SRE: DD	Alacran, unpublished data	Pilbara area	-23.3261	118.73	19/02/2007
S67240	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara;	-22.6533	118.181	2/03/2007
S67051	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara area	-22.866	118.645	18/02/2007
S67215	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara; Marandoo MAR09	-22.6399	118.155	7/11/2007
S66668	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Karijini National Park; 78 kms East of Tom Price	-22.849	118.545	24/07/2010
S83357	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Mudlark, 91.3km NW of Newman	-23.0483	118.886	6/02/2012
S67292	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara;	-23.0233	119.021	13/11/2005

S66661	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Karijini National Park; 78 kms East of Tom Price	-22.849	118.545	24/07/2010
S67290	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara;	-23.0233	119.021	13/11/2005
S67170	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara area	-22.5598	118.455	22/02/2007
S67169	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara area	-22.5598	118.455	22/02/2007
S67234	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara;	-22.6533	118.181	2/03/2007
S67168	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara area	-22.5598	118.455	22/02/2007
S67134	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S67172	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara area	-22.5598	118.455	22/02/2007
S67274	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara; Corridor	-22.997	119.114	13/01/2005
S67159	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara area	-23.3637	119.116	20/02/2007
S66643	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8437	118.533	1/05/2010
S67152	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara area	-23.3637	119.116	20/02/2007
S67007	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara area	-22.5811	118.161	15/02/2007
S67132	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S87807	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Karijini NP; Access track to Rangers Quarters in Karinjini NP	-22.5658	118.453	14/03/2015
S67213	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara; Marandoo MAR09	-22.6399	118.155	7/11/2007
S84091	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara; Pebble Mouse Creek	-23.023	119.02	13/11/2005
S66616	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Mudlark, 91.3km NW of Newman	-23.0483	118.886	6/02/2012
S67057	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara area	-22.866	118.645	18/02/2007
S66681	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Karijini National Park; Dales Gorge; 82 kms ENE of Tom Price	-22.4778	118.559	30/07/2010
S67063	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara area	-22.866	118.645	18/02/2007
S84098	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara; Weeli Wolli Spring Calcretes	-22.9288	119.196	13/11/2005
S67126	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S84094	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	South of deposit F (Pilbara)	-23.2581	118.841	14/11/2005
S87809	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Karijini NP; Karinjini Drive west of access to angers quarters (Site MH1009)	-22.5713	118.378	14/03/2015
S67101	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara area	-23.2618	119.006	19/02/2007
S67121	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S87808	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Karijini NP; Access track to Rangers Quarters in Karinjini NP	-22.5658	118.453	14/03/2015
S67337	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara; Manrando MAR02	-22.6488	118.182	6/03/2007
S87821	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Karijini NP;Road to Visitors Center	-22.7283	118.456	18/03/2015
S67335	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara; Weeli Wolli Springs calacretes	-22.9288	119.196	13/11/2005
S67095	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'BOT065'	epigean	widespread	Alacran, unpublished data	Pilbara area	-23.2618	119.006	19/02/2007
S34996	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Hope Downs	-23.0379	119.212	11/05/2008

S59568	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	65km NW of Newman; Jinayri	-22.9177	119.204	19/06/2009
S59567	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	65km NW of Newman; Jinayri	-22.9161	119.199	21/06/2009
S81071	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011
S84099	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Weeli Wolli Spring	-22.93	119.195	13/11/2005
S67255	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Weeli Wolli Creek	-22.85	119.217	15/04/1995
S81070	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011
S59565	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	65km NW of Newman; Jinayri	-22.9161	119.199	21/06/2009
S66692	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 64 kms ESE of Tom Price	-22.9268	118.372	31/07/2010
S81069	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011
S59563	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	65km NW of Newman; Jinayri	-22.9427	119.233	19/06/2009
S59562	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	65km NW of Newman; Jinayri	-22.9247	119.199	21/06/2009
S59561	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	65km NW of Newman; Jinayri	-22.9166	119.196	19/06/2009
S59560	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Hammersley Range; 60km WNW Newman; Hope Downs	-23.0913	119.209	22/04/2009
S66693	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 64 kms ESE of Tom Price	-22.9268	118.372	31/07/2010
S59566	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	65km NW of Newman; Jinayri	-22.9316	119.187	19/06/2009
S66690	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8446	118.54	1/08/2010
S84097	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; near Deposits E and F	-23.2665	118.832	14/11/2005
S67262	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Weeli Wolli Creek	-22.85	119.217	15/04/1995
S67006	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.5811	118.161	15/02/2007
S59325	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	East Pilbara; Juna Downs Pastoral lease; ~55.5km S of Auski Roadhouse	-22.8977	118.653	17/06/2008
S3773	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Hamersley Range; northern arm of Gorge below car park	-22.4666	118.617	31/08/1975
S67261	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Weeli Wolli Creek	-22.85	119.217	15/04/1995
S67005	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.5811	118.161	15/02/2007
S67258	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Weeli Wolli Creek	-22.85	119.217	15/04/1995
S3772	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Hamersley Range; northern arm of Gorge below car park	-22.4666	118.617	31/08/1975
S67256	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Weeli Wolli Creek	-22.85	119.217	15/04/1995
S67260	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Weeli Wolli Creek	-22.85	119.217	15/04/1995
S59323	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	East Pilbara; Juna Downs Pastoral lease; ~55.5km S of Auski Roadhouse	-22.8725	118.675	17/06/2008
S3771	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Hamersley Range; northern arm of Gorge below car park	-22.4666	118.617	31/08/1975
S67259	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Weeli Wolli Creek	-22.85	119.217	15/04/1995
S59302	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	NW of Newman; Hope Downs	-23.0918	119.188	20/09/2008
S66691	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8446	118.54	1/08/2010
S67257	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Weeli Wolli Creek	-22.85	119.217	15/04/1995

S59324	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	East Pilbara; Juna Downs Pastoral lease; ~55.5km S of Auski Roadhouse	-22.8936	118.7	17/06/2008
S84116	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Marandoo Powerline Corridor	-22.7558	118.274	16/11/2005
S59303	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	NW of Newman; Hope Downs	-23.0925	119.206	21/09/2008
S66698	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Hope Downs	-23.0379	119.212	11/05/2008
S66699	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Hope Downs	-23.0379	119.212	11/05/2008
S11933	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	along road to Marillana, 3 miles west of Great Northern Highway, near Marina Bore	-22.6666	119.9	3/05/1970
S59291	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	NW of Newman; Hope Downs	-23.1014	119.292	24/09/2008
S83355	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Mudlark, 94 km West of Newman	-23.0811	118.858	6/07/2011
S67211	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Marandoo MAR09	-22.6399	118.155	7/11/2007
S66697	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Hope Downs	-23.0379	119.212	11/05/2008
S66700	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Hope Downs	-23.0379	119.212	11/05/2008
S3777	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Hamersley Range; Weeli Wolli Spring	-22.9166	119.2	12/07/1964
S84115	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; West Angelas Mine (New Governor)	-23.0731	118.913	6/10/2005
S84112	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; West Angelas (The Governor)	-23.0398	118.965	6/10/2005
S67216	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Marandoo MAR09	-22.6399	118.155	7/11/2007
S66704	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Hope Downs	-23.0379	119.212	11/05/2008
S65936	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Angelo River	-23.2756	118.824	20/06/2011
S84111	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	West Angelas Mine (New Governor)	-23.0731	118.913	6/10/2005
S67212	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Marandoo MAR09	-22.6399	118.155	7/11/2007
S67214	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Marandoo MAR09	-22.6399	118.155	7/11/2007
S81051	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Wonmunna; ~73 km heading 291° from Newman	-23.1192	119.064	20/05/2011
S28578	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; mulga flat N of Ranger Headquarters (GR 64875E,7504005N);	-22.6166	118.383	10/05/1995
S67231	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara;	-22.6533	118.181	2/03/2007
S67239	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara;	-22.6533	118.181	2/03/2007
S66702	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Hope Downs	-23.0379	119.212	11/05/2008
S67238	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara;	-22.6533	118.181	2/03/2007
S28581	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Hamersley Range, Dales Gorge	-22.4666	118.617	29/07/1987
S67237	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara;	-22.6533	118.181	2/03/2007
S66694	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Roy Hill Station; EE09:1954	-22.6593	119.92	29/10/2009
S83358	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Mudlark, 91.9km NW of Newman	-23.0477	118.885	6/02/2012
S67235	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara;	-22.6533	118.181	2/03/2007
S59559	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Hammersley Range; 60km WNW Newman; Hope Downs	-23.0913	119.209	22/04/2009
S84102	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; West Angelas Mine; mulga flat	-23.0755	118.896	11/11/2005

S66695	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Hope Downs	-23.0379	119.212	11/05/2008
S84103	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Pebble Mouse Creek	-23.0269	119.021	13/11/2005
S67233	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara;	-22.6533	118.181	2/03/2007
S59296	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	NW of Newman; Hope Downs	-23.0918	119.188	20/09/2008
S83360	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Mudlark, 93.6km NW of Newman	-23.0476	118.885	6/02/2012
S67232	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara;	-22.6533	118.181	2/03/2007
S3774	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Hamersley Range; Dales Gorge	-22.4666	118.617	15/07/1956
S67236	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara;	-22.6533	118.181	2/03/2007
S67041	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.8481	118.455	18/02/2007
S67052	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.866	118.645	18/02/2007
S67050	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.866	118.645	18/02/2007
S67049	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.866	118.645	18/02/2007
S67048	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.866	118.645	18/02/2007
S67047	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.866	118.645	18/02/2007
S60390	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Roy Hill Station; EE09:1952	-22.6593	119.92	29/10/2009
S67046	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.866	118.645	18/02/2007
S67045	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.8808	118.517	18/02/2007
S67044	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.8808	118.517	18/02/2007
S67033	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.0864	118.26	17/02/2007
S67042	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.8808	118.517	18/02/2007
S67055	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.866	118.645	18/02/2007
S67294	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; West Angelas, The Governor	-23.0822	118.77	3/10/2005
S67038	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.7741	118.298	18/02/2007
S67293	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara;	-23.0233	119.021	13/11/2005
S67037	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.7741	118.298	18/02/2007
S67036	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.7741	118.298	18/02/2007
S67291	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara;	-23.0233	119.021	13/11/2005
S67035	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.7741	118.298	18/02/2007
S67034	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.0864	118.26	17/02/2007
S1498	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 10km NW of Mt Windell	-22.6005	118.465	6/08/1981
S67009	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.5811	118.161	15/02/2007
S67043	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.8808	118.517	18/02/2007
S67064	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.866	118.645	18/02/2007

S67122	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S67071	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.8868	118.712	18/02/2007
S87806	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini NP; Access track to Rangers Quarters in Karinjini NP	-22.568	118.453	14/03/2015
S67070	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.8868	118.712	18/02/2007
S87805	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini NP; Dales Gorge where ladder is located for access to circular pool	-22.4766	118.557	13/03/2015
S67069	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.866	118.645	18/02/2007
S87804	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini NP; Dales Gorge where ladder is located for access to circular pool	-22.4766	118.557	13/03/2015
S67068	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.866	118.645	18/02/2007
S87803	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini NP; Dales Gorge where ladder is located for access to circular pool	-22.4766	118.557	13/03/2015
S67067	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.866	118.645	18/02/2007
S67053	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.866	118.645	18/02/2007
S67065	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.866	118.645	18/02/2007
S67054	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.866	118.645	18/02/2007
S67062	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.866	118.645	18/02/2007
S67061	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.866	118.645	18/02/2007
S67060	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.866	118.645	18/02/2007
S1524	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; Slumpy Mountain; in moist gorges high on hills	-22.6138	118.328	29/04/1995
S67059	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.866	118.645	18/02/2007
S67058	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.866	118.645	18/02/2007
S60401	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Roy Hill Station; EE09:1954	-22.6593	119.92	29/10/2009
S60400	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Roy Hill Station; EE09:1713	-22.6593	119.92	29/10/2009
S67056	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.866	118.645	18/02/2007
S1497	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karajini National Park; Dales Gorge; 200m upstream of Fortescue Falls	-22.4666	118.55	3/08/1991
S67066	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.866	118.645	18/02/2007
S59329	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	East Pilbara; Juna Downs Pastoral lease; ~55.5km S of Auski Roadhouse	-22.8725	118.675	17/06/2008
S67270	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Weeli Wolli Creek	-22.85	119.217	15/04/1995
S7621	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	potential paratypes :	-22.9166	119.217	
S67269	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Weeli Wolli Creek	-22.85	119.217	15/04/1995
S81092	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Wonmunna; ~73 km heading 291° from Newman	-23.1185	119.065	20/05/2011
S7620	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Marillana Station : Hammersley Ranges :	-22.9166	119.217	30/05/1966
S3780	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Hamersley Range; Marillana Station; Weeli Wolli Spring	-22.9166	119.2	30/05/1966
S67268	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Weeli Wolli Creek	-22.85	119.217	15/04/1995
S3779	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Hamersley Range; Weeli Wolli Creek	-22.5	119.217	28/08/1959

S67267	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Weeli Wolli Creek	-22.85	119.217	15/04/1995
S67289	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara;	-23.0233	119.021	13/11/2005
S67266	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Weeli Wolli Creek	-22.85	119.217	15/04/1995
S67272	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Weeli Wolli Creek	-22.85	119.217	15/04/1995
S67040	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.8481	118.455	18/02/2007
S67265	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Weeli Wolli Creek	-22.85	119.217	15/04/1995
S66689	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8446	118.54	1/08/2010
S59328	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	East Pilbara; Juna Downs Pastoral lease; ~55.5km S of Auski Roadhouse	-22.8858	118.688	1/09/2008
S3776	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Hamersley Range; Weeli Wolli Gorge (northern side); Marillana Station	-22.6333	119.4	30/05/1966
S67264	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Weeli Wolli Creek	-22.85	119.217	15/04/1995
S67008	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.5811	118.161	15/02/2007
S59327	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	East Pilbara; Juna Downs Pastoral lease; ~55.5km S of Auski Roadhouse	-22.8725	118.675	17/06/2008
S3775	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Hamersley Range; northern arm of Gorge below car park	-22.4666	118.617	31/08/1975
S67263	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Weeli Wolli Creek	-22.85	119.217	15/04/1995
S3778	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Hamersley Range; Weeli Wolli Creek (26 miles from Marillana Homestead)	-22.5	119.217	30/05/1966
S67280	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara;	-23.0233	119.021	13/11/2005
S67288	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara;	-23.0233	119.021	13/11/2005
S67032	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.0864	118.26	17/02/2007
S67287	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara;	-23.0233	119.021	13/11/2005
S12246	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	24km E of Karijini National Park Headquarters; rocky gully on hillside	-22.6375	118.658	1/08/1991
S67286	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara;	-23.0233	119.021	13/11/2005
S59093	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Jinayri area	-22.9316	119.187	27/03/2009
S67285	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara;	-23.0233	119.021	13/11/2005
S3796	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Hamersley Range; 2km ESE of Wittenoom Town; at bottom of small gorge at the base of Mount Watkins	-22.25	118.333	26/07/1985
S67284	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara;	-23.0233	119.021	13/11/2005
S67283	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara;	-23.0233	119.021	13/11/2005
S7622	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	150 kilometres East of Tom Price :	-22.8	119.283	30/05/1966
S67281	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara;	-23.0233	119.021	13/11/2005
S67271	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Weeli Wolli Creek	-22.85	119.217	15/04/1995
S67279	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara;	-23.0233	119.021	13/11/2005
S3790	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Hamersley Range; Marandoo; on N bank of many branches of Fortescue River	-22.6166	118.117	19/01/1992
S67278	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Corridor	-22.997	119.114	13/01/2005
S67277	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Corridor	-22.997	119.114	13/01/2005

S3788	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Bee Gorge (W of Wittenoom Gorge); by dry creek bed	-22.2166	118.25	2/09/1983
S67276	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Corridor	-22.997	119.114	13/01/2005
S67275	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Corridor	-22.997	119.114	13/01/2005
S67273	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Weeli Wolli Creek	-22.85	119.217	15/04/1995
S7624	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Northern arm of gorge below car park : on lower talus slope :	-22.5	118.6	31/08/1975
S59326	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	East Pilbara; Juna Downs Pastoral lease; ~55.5km S of Auski Roadhouse	-22.8725	118.675	17/06/2008
S67282	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara;	-23.0233	119.021	13/11/2005
S83523	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Lamb Creek, ca. 120 km NW of Newman	-22.8331	118.849	5/04/2012
S66639	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8437	118.533	1/05/2010
S65350	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; Dales Gorge; 82 kms ENE of Tom Price	-22.4782	118.56	30/07/2010
S66630	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8437	118.533	1/08/2010
S67141	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2562	118.888	19/02/2007
S66629	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8437	118.533	1/08/2010
S83524	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Lamb Creek, ca. 120 km NW of Newman	-22.8329	118.849	9/04/2012
S9540	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Marandoo Minesite; Mt Bruce	-22.6	118.133	24/04/1976
S65351	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 78 kms East of Tom Price	-22.849	118.545	24/07/2010
S66628	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8437	118.533	1/08/2010
S66632	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8437	118.533	1/08/2010
S9539	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Hamersley Range :Marandoo	-22.6166	118.117	19/01/1992
S67139	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S67138	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S65345	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Juna Downs Station; 75 kms ESE of Tom Price	-22.9211	118.494	26/04/2010
S59201	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Jinayri area	-22.9247	119.199	27/03/2009
S67137	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S65344	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 75 kms East of Tom Price	-22.8397	118.524	28/07/2010
S67140	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2562	118.888	19/02/2007
S67147	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2768	119.116	20/02/2007
S67150	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2768	119.116	20/02/2007
S66638	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8437	118.533	1/05/2010
S65357	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; Dales Gorge; 82 kms ENE of Tom Price	-22.4782	118.56	29/07/2010
S67149	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2768	119.116	20/02/2007
S66637	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8437	118.533	1/05/2010
S65356	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 75 kms East of Tom Price	-22.8415	118.521	28/07/2010

S67148	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2768	119.116	20/02/2007
S66631	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8437	118.533	1/08/2010
S65355	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Juna Downs Station; 75 kms ESE of Tom Price	-22.9211	118.494	27/07/2010
S59199	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Jinayri area	-22.9263	119.204	27/03/2009
S65354	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8437	118.533	1/08/2010
S67130	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S66634	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8437	118.533	1/08/2010
S65353	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; Knox Gorge; 63 kms NE of Tom Price	-22.3714	118.299	30/07/2010
S66633	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8437	118.533	1/08/2010
S65352	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 64 kms ESE of Tom Price	-22.9268	118.372	31/07/2010
S67144	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.3261	118.73	19/02/2007
S66636	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8437	118.533	1/05/2010
S67128	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S67123	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S65333	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 76 kms East of Tom Price	-22.8469	118.526	2/08/2010
S66614	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Mudlark, 91.3km NW of Newman	-23.0483	118.886	6/02/2012
S34358	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Near Weeli Wolli Creek	-22.9686	119.165	26/04/2003
S66615	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Mudlark, 91.3km NW of Newman	-23.0483	118.886	6/02/2012
S67127	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S9527	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area :	-22.5	118.6	29/07/1987
S59200	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Jinayri area	-22.9247	119.199	27/03/2009
S65335	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Juna Downs Station; 75 kms ESE of Tom Price	-22.9211	118.494	27/04/2010
S66613	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Mudlark, 91.3km NW of Newman	-23.0483	118.886	6/02/2012
S59192	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Jinayri area	-22.9161	119.199	31/03/2009
S67129	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S59193	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Jinayri area	-22.9161	119.199	31/03/2009
S59195	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Jinayri area	-22.9427	119.233	29/03/2009
S34363	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park, mulga flat	-22.6166	118.383	10/05/1995
S67131	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S59194	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Jinayri area	-22.9427	119.233	29/03/2009
S59191	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Jinayri area	-22.9161	119.199	31/03/2009
S34364	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park, Dale Gorge	-22.6166	118.383	13/07/2004
S66635	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8437	118.533	1/05/2010

S67135	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S65342	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 75 kms East of Tom Price	-22.8415	118.521	28/07/2010
S59198	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Jinayri area	-22.9263	119.204	27/03/2009
S65341	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 75 kms East of Tom Price	-22.8397	118.524	25/04/2010
S59197	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Jinayri area	-22.9263	119.204	27/03/2009
S67133	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S34357	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Weeli Wolli Creek	-22.9368	119.208	25/04/2003
S59196	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Jinayri area	-22.9427	119.233	29/03/2009
S67125	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S65339	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 80 kms East of Tom Price	-22.8523	118.568	27/04/2010
S83937	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	RIOTIO Greater West Angelas; Juna Downs Station	-23.148	118.691	25/09/2012
S84096	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	South of deposit F (Pilbara)	-23.0755	118.899	11/11/2005
S66612	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Mudlark, 91.3km NW of Newman	-23.0483	118.886	6/02/2012
S67124	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S9524	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park	-22.6166	118.383	10/05/1995
S65332	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; Dales Gorge; 82 kms ENE of Tom Price	-22.4778	118.559	30/07/2010
S67136	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S65340	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8446	118.54	1/05/2010
S81005	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011
S81011	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Wonmunna; ~73 km heading 291° from Newman	-23.1185	119.065	20/05/2011
S81009	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Wonmunna; ~73 km heading 291° from Newman	-23.1185	119.065	20/05/2011
S81520	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Area C West; 85.8km NW of Newman (666070,7466190,50)	-22.9038	118.619	17/09/2011
S67146	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2768	119.116	20/02/2007
S66688	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8446	118.54	1/08/2010
S84095	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	South of deposit F (Pilbara)	-23.0755	118.899	11/11/2005
S81519	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Area C West; 85.8km NW of Newman (666825,7467032,50)	-22.8961	118.626	14/09/2011
S66660	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 78 kms East of Tom Price	-22.849	118.545	24/07/2010
S66670	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 78 kms East of Tom Price	-22.849	118.545	24/07/2010
S66678	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; Dales Gorge; 82 kms ENE of Tom Price	-22.4782	118.56	30/07/2010
S66669	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 78 kms East of Tom Price	-22.849	118.545	24/07/2010
S66667	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 78 kms East of Tom Price	-22.849	118.545	24/07/2010
S66666	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 78 kms East of Tom Price	-22.849	118.545	24/07/2010
S66665	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 78 kms East of Tom Price	-22.849	118.545	24/07/2010

S66664	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 78 kms East of Tom Price	-22.849	118.545	24/07/2010
S66663	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 78 kms East of Tom Price	-22.849	118.545	24/07/2010
S66662	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 78 kms East of Tom Price	-22.849	118.545	24/07/2010
S66672	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	NW of Newman; Hope Downs	-23.0925	119.206	21/09/2008
S66684	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Juna Downs Station; 73 kms ESE of Tom Price	-22.9234	118.474	26/04/2010
S81023	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Wonmunna	-23.1632	118.99	23/05/2011
S66687	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8446	118.54	1/08/2010
S81022	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Wonmunna	-23.1502	119.009	23/05/2011
S66686	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8446	118.54	1/08/2010
S84093	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	South of deposit F (Pilbara)	-23.2581	118.841	14/11/2005
S81021	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Wonmunna	-23.1632	118.99	23/05/2011
S66685	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8446	118.54	1/08/2010
S84084	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Juna Downs	-22.9433	118.766	12/11/2005
S83324	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Southern Flank to Jinidi, 68.8km NW of Newman	-22.9627	119.204	4/02/2012
S84085	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Juna Downs	-22.9405	118.776	12/11/2005
S81019	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Wonmunna	-23.1502	119.009	23/05/2011
S66683	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 80 kms East of Tom Price	-22.8523	118.568	23/07/2010
S81018	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Wonmunna	-23.1632	118.99	23/05/2011
S66682	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Roy Hill Station; EE09:1952	-22.6593	119.92	29/10/2009
S84089	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Pebble Mouse Creek	-23.023	119.02	13/11/2005
S81016	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Wonmunna	-23.1349	119.051	23/05/2011
S84086	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Juna Downs	-22.9405	118.776	12/11/2005
S66671	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	NW of Newman; Hope Downs	-23.0925	119.206	21/09/2008
S84092	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Pebble Mouse Creek	-23.0261	119.022	13/11/2005
S67155	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.3637	119.116	20/02/2007
S67161	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.3637	119.116	20/02/2007
S66649	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Juna Downs Station; 75 kms ESE of Tom Price	-22.9211	118.494	27/07/2010
S12120	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Hamersley Range; 25km E of Mt Bruce; `Slumpy Mountain` (map ref 6425E 74990S)	-22.6097	118.386	29/04/1995
S67160	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.3637	119.116	20/02/2007
S66641	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8437	118.533	1/05/2010
S67157	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.3637	119.116	20/02/2007
S66642	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8437	118.533	1/05/2010
S12121	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Hamersley Range; stony colluvial slope; near small clay creek (GR 6338E 75028S)	-22.5761	118.301	27/12/1997

Western Australian Museum Database Search Interpreted Results

S83299	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 22km E of Mt Meharry	-22.9405	118.776	12/11/2005
S66648	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Juna Downs Station; 75 kms ESE of Tom Price	-22.9211	118.494	27/07/2010
S67151	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2768	119.116	20/02/2007
S67156	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.3637	119.116	20/02/2007
S66645	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8437	118.533	1/05/2010
S66647	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Juna Downs Station; 75 kms ESE of Tom Price	-22.9211	118.494	27/07/2010
S12118	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	10km E of Coppin Pool; enroute to Juna Downs (Map Ref 62650E74675S)	-22.8955	118.233	20/06/1991
S81024	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Wonmunna	-23.1349	119.051	23/05/2011
S67158	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.3637	119.116	20/02/2007
S66646	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8437	118.533	1/05/2010
S67154	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.3637	119.116	20/02/2007
S67166	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.6289	118.616	22/02/2007
S66657	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 78 kms East of Tom Price	-22.849	118.545	24/07/2010
S66658	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 78 kms East of Tom Price	-22.849	118.545	24/07/2010
S67153	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.3637	119.116	20/02/2007
S66659	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 78 kms East of Tom Price	-22.849	118.545	24/07/2010
S66650	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Juna Downs Station; 75 kms ESE of Tom Price	-22.9211	118.494	27/07/2010
S66655	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Juna Downs Station; 75 kms ESE of Tom Price	-22.9211	118.494	27/07/2010
S66656	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 78 kms East of Tom Price	-22.849	118.545	24/07/2010
S66654	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Juna Downs Station; 75 kms ESE of Tom Price	-22.9211	118.494	27/07/2010
S67165	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.6289	118.616	22/02/2007
S66640	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8437	118.533	1/05/2010
S67167	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.6289	118.616	22/02/2007
S66651	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Juna Downs Station; 75 kms ESE of Tom Price	-22.9211	118.494	27/07/2010
S66653	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Juna Downs Station; 75 kms ESE of Tom Price	-22.9211	118.494	27/07/2010
S67171	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.5598	118.455	22/02/2007
S67163	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.3637	119.116	20/02/2007
S66652	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Juna Downs Station; 75 kms ESE of Tom Price	-22.9211	118.494	27/07/2010
S67164	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.6289	118.616	22/02/2007
S67162	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.3637	119.116	20/02/2007
S67103	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2618	119.006	19/02/2007
S65311	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Juna Downs Station; 74 kms East of Tom Price	-22.915	118.485	27/07/2010
S67105	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2618	119.006	19/02/2007

S65312	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; Dales Gorge; 82 kms ENE of Tom Price	-22.4777	118.563	30/07/2010
S67107	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S67106	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S67104	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2618	119.006	19/02/2007
S67102	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2618	119.006	19/02/2007
S65308	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; Mt Meharry; 87 kms ESE of Tom Price	-22.9797	118.589	26/07/2010
S67100	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2618	119.006	19/02/2007
S67098	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2618	119.006	19/02/2007
S65305	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; Dales Gorge; 82 kms ENE of Tom Price	-22.4782	118.56	30/07/2010
S67097	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2618	119.006	19/02/2007
S65315	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8446	118.54	1/08/2010
S65326	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Juna Downs Station; 73 kms ESE of Tom Price	-22.9234	118.474	26/04/2010
S67096	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2618	119.006	19/02/2007
S65303	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 80 kms East of Tom Price	-22.8523	118.568	23/07/2010
S67099	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2618	119.006	19/02/2007
S67115	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S34352	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Mt. Bruce; 3.5 klm SSE of summit. 4.5 klm east of Marandoo	-22.6	118.133	27/07/1989
S34353	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park	-22.6166	118.383	29/04/1995
S67094	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2618	119.006	19/02/2007
S67120	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S65327	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8437	118.533	1/08/2010
S9519	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karajini National Park :	-22.5	118.6	8/12/1994
S67119	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S9518	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Roy Hill; near Marina Bore along road to Marillana; ca. 3 miles West from Great Northern Highway	-22.6605	119.901	3/05/1970
S67117	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S67118	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S65323	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 75 kms East of Tom Price	-22.8424	118.52	24/04/2010
S67108	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S67114	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S67113	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S67112	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S65319	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 78 kms East of Tom Price	-22.849	118.545	28/04/2010
S67111	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007

S65318	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 78 kms East of Tom Price	-22.849	118.545	28/04/2010
S67110	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S65317	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; Mt Meharry; 87 kms ESE of Tom Price	-22.9797	118.589	26/07/2010
S67109	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S67116	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2579	118.951	19/02/2007
S67077	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.284	119.086	19/02/2007
S67093	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.2618	119.006	19/02/2007
S87817	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini NP; Near turn-off to Kalamina Gorge	-22.4305	118.357	15/03/2015
S67079	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.284	119.086	19/02/2007
S87816	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini NP; Near turn-off to Kalamina Gorge	-22.4305	118.357	15/03/2015
S67336	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Manrando MAR02	-22.6488	118.182	6/03/2007
S67080	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.284	119.086	19/02/2007
S87815	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini NP; Near turn-off to Kalamina Gorge	-22.4305	118.357	15/03/2015
S87814	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini NP; Near turn-off to Kalamina Gorge	-22.4305	118.357	15/03/2015
S67338	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Manrando MAR02	-22.6488	118.182	6/03/2007
S87813	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini NP; Near turn-off to Kalamina Gorge	-22.4305	118.357	15/03/2015
S67082	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.284	119.086	19/02/2007
S67076	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.284	119.086	19/02/2007
S87811	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini NP; Near turn-off to Kalamina Gorge	-22.4305	118.357	15/03/2015
S67075	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.284	119.086	19/02/2007
S87810	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini NP; Near turn-off to Kalamina Gorge	-22.4305	118.357	15/03/2015
S67074	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.284	119.086	19/02/2007
S67073	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.284	119.086	19/02/2007
S67072	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-22.8868	118.712	18/02/2007
S65329	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini National Park; 77 kms East of Tom Price	-22.8437	118.533	1/05/2010
S67078	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.284	119.086	19/02/2007
S67087	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.284	119.086	19/02/2007
S81172	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011
S67092	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.284	119.086	19/02/2007
S67091	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.284	119.086	19/02/2007
S67090	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.284	119.086	19/02/2007
S67089	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.284	119.086	19/02/2007
S67088	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.284	119.086	19/02/2007

Western Australian Museum Database Search Interpreted Results

S67081	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.284	119.086	19/02/2007
S87823	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini NP;Road to Visitors Center	-22.7283	118.456	18/03/2015
S87818	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini NP; Near turn-off to Kalamina Gorge	-22.4305	118.357	15/03/2015
S67342	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Manrando MAR02	-22.6488	118.182	6/03/2007
S67086	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.284	119.086	19/02/2007
S67341	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Manrando MAR02	-22.6488	118.182	6/03/2007
S67085	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.284	119.086	19/02/2007
S87820	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini NP;Track to Juna Downs from Rangers HQ	-22.823	118.439	17/03/2015
S67340	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Manrando MAR02	-22.6488	118.182	6/03/2007
S67084	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.284	119.086	19/02/2007
S87819	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Karijini NP;Track to Juna Downs from Rangers HQ	-22.823	118.439	17/03/2015
S67339	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara; Manrando MAR02	-22.6488	118.182	6/03/2007
S67083	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	Pilbara area	-23.284	119.086	19/02/2007
S59407	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon 'Pilbara'	epigean	potential SRE: DD	taxon contains multiple species, Alacran unpublished data	120km NNW of Newman; BHP `Mining Area C`	-22.9189	118.889	1/05/2009
S74198	Gastropoda	Gastropoda (Snails)	Indet	Bothriembryont	Bothriembryon sp.	epigean	potential SRE: DD	Alacran, unpublished data	Mt Meharry; 150m E of summit	-22.9794	118.589	1/06/2021
S70254	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Camaenidae 'Mount Robinson'	epigean	Potential SRE: DD	W.A. Museum assessment	Mount Robinson; 94km E of Newman	-23.0475	118.885	13/02/2012
S70253	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Camaenidae 'Mount Robinson'	epigean	Potential SRE: DD	W.A. Museum assessment	Mount Robinson; 94km E of Newman	-23.0475	118.885	13/02/2012
S83368	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Camaenidae 'Mount Robinson'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 92km NW of Newman	-23.0475	118.885	6/02/2012
S83367	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Camaenidae 'Mount Robinson'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 93.6km NW of Newman	-23.0476	118.885	6/02/2012
S83366	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Camaenidae 'Mount Robinson'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 91.6km NW of Newman	-23.0477	118.885	6/02/2012
S83363	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Camaenidae 'Mount Robinson'	epigean	Potential SRE: DD	W.A. Museum assessment	Mudlark, 93.6km NW of Newman	-23.0476	118.885	6/02/2012
S70255	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Camaenidae 'Mount Robinson'	epigean	Potential SRE: DD	W.A. Museum assessment	Mount Robinson; 94km E of Newman	-23.0475	118.885	13/02/2012
S65328	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Camaenidae sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	Karijini National Park; 77 kms East of Tom Price	-22.8437	118.533	1/08/2010
S65343	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Camaenidae 'Z'	epigean	widespread	W.A. Museum assessment	Karijini National Park; 75 kms East of Tom Price	-22.8415	118.521	28/07/2010
S83362	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Camaenidae 'Z'	epigean	widespread	W.A. Museum assessment	Mudlark, 102.4km NW of Newman	-23.0779	118.752	6/02/2012
S83364	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Camaenidae 'Z'	epigean	widespread	W.A. Museum assessment	Mudlark, 98 km WNW of Newman	-23.073	118.82	6/07/2011
S83365	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Camaenidae 'Z'	epigean	widespread	W.A. Museum assessment	Mudlark, 101.1km NW of Newman	-23.077	118.787	6/02/2012
S83325	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	cf. Quistrachia sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	N of Newman; Cloud Break	-22.265	119.317	4/07/2006
S64580	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	cf. Quistrachia sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	N of Newman; Cloud Break area; base of cliff	-22.2688	119.315	4/07/2006
S64582	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	cf. Quistrachia sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	N of Newman; Cloud Break area	-22.2688	119.315	4/07/2006
S59256	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	cf. Quistrachia sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	N of Newman; Cloud Break	-22.2688	119.315	4/07/2006
S92029	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	cf. Quistrachia sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	N of Newman; Cloud Break	-22.265	119.317	4/07/2006
S92030	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	cf. Quistrachia sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	N of Newman; Cloud Break	-22.265	119.317	4/07/2006
S92031	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	cf. Quistrachia sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	N of Newman; Cloud Break	-22.265	119.317	4/07/2006
S67472	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	cf. Quistrachia sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	N of Newman; Cloud Break area; base of cliff	-22.2688	119.315	4/07/2006
S59245	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	cf. Quistrachia sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	N of Newman; Cloud Break	-22.265	119.317	4/07/2006
S34786	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Quistrachia cf. turneri	epigean	Potential SRE: DD	W.A. Museum assessment	N of Newman; Cloud Break	-22.2688	119.315	4/07/2006
S60272	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Quistrachia 'Marandoo'	epigean	Potential SRE: DD	W.A. Museum assessment	Hamersley Range; Marandoo	-22.6166	118.117	19/01/1992
S5776	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Quistrachia 'Marandoo'	epigean	Potential SRE: DD	W.A. Museum assessment	Hamersley Range NP; Mount Bruce; Marandoo Minesite	-22.5833	118.45	24/04/1976
S83466	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada cf. richardsonii	epigean	widespread	W.A. Museum assessment	208 km SSE of Port Hedland	-22.1554	119.022	23/04/2012

S74628	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada globosa	epigean	widespread	W.A. Museum assessment	Coral Bay	-22.5476	119.716	1/12/2005
S74567	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada globosa	epigean	widespread	W.A. Museum assessment	Coral Bay; #13	-23.1134	119.874	23/01/2009
S74569	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada globosa	epigean	widespread	W.A. Museum assessment	Coral Bay; #14	-23.1412	119.776	23/01/2006
S60381	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada richardsonii	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:1955	-22.6593	119.92	29/10/2009
S59257	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada richardsonii	epigean	widespread	W.A. Museum assessment	Roy Hill near Marine Bore; about 3miles W from Gt Nth Hwy; along road to Marillana; ~150yards N of road	-22.6166	119.95	3/05/1970
S28100	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada richardsonii	epigean	widespread	W.A. Museum assessment	Near Marina Bore, c 3 miles W from Grt Nth Hway, along rd to Marillano, Roy Hill	-22.6	119.95	3/05/1970
S60383	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada richardsonii	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:1943	-22.6593	119.92	29/10/2009
S60384	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada richardsonii	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:1942	-22.6593	119.92	29/10/2009
S60391	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada richardsonii	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:1951	-22.6593	119.92	29/10/2009
S82807	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada 'small banded'	epigean	Potential SRE: DD	genus contains SREs and potential SREs	Juna Downs	-22.8855	118.485	10/05/2008
S82808	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada 'small banded'	epigean	Potential SRE: DD	genus contains SREs and potential SREs	Juna Downs	-22.8855	118.485	10/05/2008
S74556	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada 'small banded'	epigean	Potential SRE: DD	genus contains SREs and potential SREs	Karijini area; PIJSN02	-22.6967	118.239	10/05/2008
S74555	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada 'small banded'	epigean	Potential SRE: DD	genus contains SREs and potential SREs	Karijini area; PIJSN01	-22.7113	118.258	10/05/2008
S92068	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	Fortescue Marsh; S side of Marillana Stn; N of Paroo Wells	-22.4546	119.434	2/06/2003
S67383	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	Pilbara area; Fortescue Marshes	-22.5178	119.451	1/08/2011
S92069	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	Fortescue Marsh; S side of Marillana Stn; N of Paroo Wells	-22.4546	119.434	2/06/2003
S92066	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	Fortescue Marsh; S side of Marillana Stn; N of Paroo Wells	-22.4546	119.434	2/06/2003
S92073	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	Fortescue Marsh; S side of Marillana Stn; N of Paroo Wells	-22.4546	119.434	2/06/2003
S92065	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	Fortescue Marsh; S side of Marillana Stn; N of Paroo Wells	-22.4546	119.434	2/06/2003
S92064	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	Fortescue Marsh; S side of Marillana Stn; N of Paroo Wells	-22.4546	119.434	2/06/2003
S92067	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	Fortescue Marsh; S side of Marillana Stn; N of Paroo Wells	-22.4546	119.434	2/06/2003
S92070	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	Fortescue Marsh; S side of Marillana Stn; N of Paroo Wells	-22.4546	119.434	2/06/2003
S59283	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	4.5km E of Marandoo; 3.5km SSE of summit of Mt Bruce	-22.6	118.133	27/07/1989
S92072	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	Fortescue Marsh; S side of Marillana Stn; N of Paroo Wells	-22.4546	119.434	2/06/2003
S92074	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	Fortescue Marsh; S side of Marillana Stn; N of Paroo Wells	-22.4546	119.434	2/06/2003
S92075	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	Fortescue Marsh; S side of Marillana Stn; N of Paroo Wells	-22.4546	119.434	2/06/2003
S92076	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	Fortescue Marsh; S side of Marillana Stn; N of Paroo Wells	-22.4546	119.434	2/06/2003
S92077	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	Fortescue Marsh; S side of Marillana Stn; N of Paroo Wells	-22.4546	119.434	2/06/2003
S92078	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	Fortescue Marsh; S side of Marillana Stn; N of Paroo Wells	-22.4546	119.434	2/06/2003
S84181	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	Fortescue Marsh; S side of Marillana Stn; N of Paroo Wells	-22.4546	119.434	2/06/2003
S92071	Gastropoda	Gastropoda (Snails)	Indet	Camaenidae	Rhagada sp.	epigean	Potential SRE: DD	genus contains SREs and potential SREs	Fortescue Marsh; S side of Marillana Stn; N of Paroo Wells	-22.4546	119.434	2/06/2003
S58108	Gastropoda	Gastropoda (Snails)	Indet	Charopidae	Discocharopa sp.	epigean	Potential SRE: DD	W.A. Museum assessment	North of Newman; upstream of Kalgan Pool; SSE facing slope of gorge base	-23.1874	119.696	24/06/2009
S58076	Gastropoda	Gastropoda (Snails)	Indet	Charopidae	Discocharopa sp.	epigean	Potential SRE: DD	W.A. Museum assessment	North of Newman; upstream of Kalgan Pool; E facing side of gorge	-23.1877	119.697	24/06/2009
S64466	Gastropoda	Gastropoda (Snails)	Indet	Helicodiscidae	Stenopylis coarctata	epigean	widespread	W.A. Museum assessment	Around the East Hamerlsey Range and Fortescue Marsh junction	-22.8586	119.673	20/04/2010
S60371	Gastropoda	Gastropoda (Snails)	Indet	Helicodiscidae	Stenopylis coarctata	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0683	-22.4943	119.922	26/05/2009

S83488	Gastropoda	Gastropoda (Snails)	Indet	Helicodiscidae	Stenopylis coarctata	epigean	widespread	W.A. Museum assessment	208 km SSE of Port Hedland	-22.1554	119.022	23/04/2012
S65159	Gastropoda	Gastropoda (Snails)	Indet	Helicodiscidae	Stenopylis coarctata	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3949	119.502	26/10/2010
S83514	Gastropoda	Gastropoda (Snails)	Indet	Helicodiscidae	Stenopylis coarctata	epigean	widespread	W.A. Museum assessment	208 km SSE of Port Hedland	-22.2035	119.023	23/04/2012
S83473	Gastropoda	Gastropoda (Snails)	Indet	Helicodiscidae	Stenopylis coarctata	epigean	widespread	W.A. Museum assessment	208 km SSE of Port Hedland	-22.2334	119.022	23/04/2012
S64456	Gastropoda	Gastropoda (Snails)	Indet	Helicodiscidae	Stenopylis coarctata	epigean	widespread	W.A. Museum assessment	E Pilbara; Marble Bar Rd; Roy Hill	-22.505	119.914	11/03/2010
S60360	Gastropoda	Gastropoda (Snails)	Indet	Helicodiscidae	Stenopylis sp.	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0678	-22.4943	119.922	26/05/2009
S60369	Gastropoda	Gastropoda (Snails)	Indet	Helicodiscidae	Stenopylis sp.	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0688	-22.4943	119.922	26/05/2009
S81610	Gastropoda	Gastropoda (Snails)	Indet	Lymnaeidae	Bullastra cf. lessoni	epigean	widespread	W.A. Museum assessment	ca. 56 km NE of Auski Roadhouse	-21.9235	118.933	13/04/2013
S65428	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Bayardella sp.	epigean	Potential SRE: DD	W.A. Museum assessment	Koodaideri; 84km ESE of Wittenoom	-22.5505	119.076	12/08/2010
S42715	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	cf. Gyraulus sp.	epigean	widespread	W.A. Museum assessment	Pilbara; Chichester Range; spinifex dominated rocky slopes	-22.0516	118.988	7/07/2008
S65427	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus cf. hesperus	epigean	widespread	W.A. Museum assessment	Koodaideri; 81km ESE of Wittenoom	-22.5391	119.057	12/08/2010
S59581	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.8752	119.245	20/06/2009
S64679	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	ca. 50 km NW of Fortescue Marsh	-22.2184	119.059	12/05/2010
S59390	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.7412	119.196	3/04/2009
S81608	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	ca. 56 km NE of Auski Roadhouse	-21.9235	118.933	13/04/2013
S83409	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	50km NNE of Great Northern Hwy and Port Hedland-Wittenoom Rd junction, 6km SW of Redmont Airport	-22.0178	118.982	15/04/2012
S88054	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3307	119.76	5/08/2013
S65531	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S65533	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	108km N of Newman	-22.3132	119.86	24/03/2011
S64659	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	Fortescue Marsh east	-22.4252	119.724	2/06/2010
S64660	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	Fortescue Marsh east	-22.4252	119.724	2/06/2010
S64672	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	ca. 50 km NW of Fortescue Marsh	-22.0191	119.034	12/05/2010
S65934	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	Angelo River	-23.3171	118.812	20/06/2011
S64675	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	ca. 50 km NW of Fortescue Marsh	-22.1322	119.198	12/05/2010
S81796	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.291	119.794	29/04/2013
S64465	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	Around the East Hamerlsey Range and Fortescue Marsh junction	-22.8586	119.673	20/04/2010
S64467	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	Around the East Hamerlsey Range and Fortescue Marsh junction	-22.8586	119.673	20/04/2010
S64673	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	ca. 50 km NW of Fortescue Marsh	-22.0187	119.034	12/05/2010
S81434	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	Marillana; 100 km NW Newman	-22.4285	119.204	20/05/2011
S81686	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.7321	119.05	14/05/2013
S81673	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.7398	119.004	14/05/2013
S65689	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	108km N of Newman	-22.3132	119.86	24/03/2011
S65282	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	Cloudbreak	-22.3988	119.445	26/10/2010
S80921	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	Marillana, 100 Km N of Newman	-22.1269	119.212	19/07/2011
S81443	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	Marillana; 100 km NW Newman	-22.4295	119.192	20/05/2011
S65600	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	Christmas Creek	-22.4314	119.915	8/04/2011
S83531	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	Xmas Creek, ca. 100km N of Newman	-22.4294	119.628	10/05/2012
S83533	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	Xmas Creek, ca. 100km N of Newman	-22.4659	119.72	10/05/2012
S83538	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	Xmas Creek, ca. 100km N of Newman	-22.4656	119.719	10/05/2012
S83540	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	Xmas Creek, ca. 100km N of Newman	-22.4174	119.557	10/05/2012
S83543	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	Xmas Creek, ca. 100km N of Newman	-22.4295	119.627	10/05/2012
S83547	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	Xmas Creek, ca. 100km N of Newman	-22.4417	119.649	10/05/2012
S65131	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	Cloudbreak	-22.3652	119.341	26/10/2010
S65132	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	Cloudbreak	-22.3652	119.341	26/10/2010
S65613	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	Christmas Creek	-22.4314	119.915	8/04/2011
S65149	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Gyraulus sp.	epigean	potential SRE: DD	W.A. Museum assessment	Cloudbreak	-22.3652	119.341	26/10/2010
S88415	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Isidorella sp.	epigean	widespread	W.A. Museum assessment	Newman; Fortecue River	-23.4005	119.795	8/12/2014
S83532	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Isidorella cf. egregia	epigean	widespread	W.A. Museum assessment	Xmas Creek, ca. 100km N of Newman	-22.4294	119.628	10/05/2012
S83537	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Isidorella cf. egregia	epigean	widespread	W.A. Museum assessment	Xmas Creek, ca. 100km N of Newman	-22.4656	119.719	10/05/2012
S83544	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Isidorella cf. egregia	epigean	widespread	W.A. Museum assessment	Xmas Creek, ca. 100km N of Newman	-22.4644	119.711	10/05/2012
S83545	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Isidorella cf. egregia	epigean	widespread	W.A. Museum assessment	Xmas Creek, ca. 100km N of Newman	-22.4417	119.649	10/05/2012

Western Australian Museum Database Search Interpreted Results

S81787	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Isidorella cf. egregia	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2852	119.743	29/04/2013
S83397	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Isidorella cf. egregia	epigean	widespread	W.A. Museum assessment	50km NNE of Great Northern Hwy and Port Hedland-Wittenoom Rd junction, 6km SW of Redmont Airport	-22.0178	118.982	15/04/2012
S83521	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Isidorella cf. egregia	epigean	widespread	W.A. Museum assessment	208 km SSE of Port Hedland	-22.1683	119.021	23/04/2012
S80922	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Isidorella cf. egregia	epigean	widespread	W.A. Museum assessment	Marillana, 100 Km N of Newman	-22.1269	119.212	19/07/2011
S65279	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Isidorella cf. newcombi	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.4011	119.476	26/10/2010
S81609	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Isidorella egregia	epigean	widespread	W.A. Museum assessment	ca. 51 km NE of Auski Roadhouse	-21.9747	118.943	13/04/2013
S65209	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Isidorella newcombi	epigean	widespread	W.A. Museum assessment	Fortescue River; Redmont Camp	-22.0286	119.021	25/08/1980
S64674	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Isidorella sp.	epigean	widespread	W.A. Museum assessment	ca. 50 km NW of Fortescue Marsh	-22.1322	119.198	12/05/2010
S64685	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Isidorella sp.	epigean	widespread	W.A. Museum assessment	ca. 50 km NW of Fortescue Marsh	-22.0191	119.034	12/05/2010
S83508	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Leichhardtia cf. sisurnius	epigean	Potential SRE: DD	W.A. Museum assessment	190 km SSE of Port Hedland	-21.9586	118.992	23/04/2012
S81068	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Leichhardtia sisurnius	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011
S65973	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Leichhardtia sisurnius	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.122	119.061	20/05/2011
S81088	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Leichhardtia sisurnius	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.121	119.063	20/05/2011
S65987	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Leichhardtia sisurnius	epigean	Potential SRE: DD	W.A. Museum assessment	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011
S59304	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Leichhardtia cf. sisurnius	epigean	Potential SRE: DD	W.A. Museum assessment	NW of Newman; Hope Downs	-23.103	119.582	18/09/2008
S42760	Gastropoda	Gastropoda (Snails)	Indet	Planorbidae	Leichhardtia sp.	epigean	Potential SRE: DD	W.A. Museum assessment	Pilbara; Chichester Range; spinifex dominated rocky slopes	-22.0503	118.993	7/07/2008
S59270	Gastropoda	Gastropoda (Snails)	Indet	Punctidae	Paralaoma sp.	epigean	Potential SRE: DD	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.7316	119.193	4/04/2009
S64662	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	cf. Pupisoma sp.	epigean	Potential SRE: DD	W.A. Museum assessment	Fortescue Marsh east	-22.4646	119.773	3/06/2010
S64661	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	cf. Pupisoma sp.	epigean	Potential SRE: DD	W.A. Museum assessment	Fortescue Marsh west	-22.3125	119.235	14/07/2010
S65536	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	cf. Pupisoma sp.	epigean	Potential SRE: DD	W.A. Museum assessment	110km N of Newman	-22.3827	119.973	23/03/2011
S65538	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	cf. Pupisoma sp.	epigean	Potential SRE: DD	W.A. Museum assessment	112km N of Newman	-22.3871	119.966	26/03/2011
S65978	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~79 km heading 286° from Newman	-23.1592	118.993	17/05/2011
S80941	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.122	119.061	20/05/2011
S83321	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. hedleyi	epigean	widespread	W.A. Museum assessment	129.2km NW of Newman	-22.8316	118.603	30/03/2012
S81025	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~79 km heading 286° from Newman	-23.1592	118.993	17/05/2011
S81052	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~81 km; heading 286° from Newman	-23.1596	118.97	18/05/2011
S81059	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~72 km heading 290° from Newman	-23.1283	119.074	19/05/2011
S59555	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. hedleyi	epigean	widespread	W.A. Museum assessment	Hammersley Range; 60km WNW Newman; Hope Downs	-23.103	119.292	27/04/2009
S42661	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. hedleyi	epigean	widespread	W.A. Museum assessment	Pilbara; Hope Downs (~100km NW of Newman)	-23.0865	119.318	13/05/2008
S81064	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~72 km heading 290° from Newman	-23.1268	119.067	19/05/2011
S81122	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~79 km heading 286° from Newman	-23.1546	118.993	18/05/2011
S88043	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3258	119.768	5/08/2013
S81074	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~75 km heading 289° from Newman	-23.1348	119.034	19/05/2011
S64741	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. hedleyi	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.4137	119.583	16/08/2010
S81073	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~78 km heading 288° from Newman	-23.1436	119.006	18/05/2011
S83932	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. hedleyi	epigean	widespread	W.A. Museum assessment	RIOTIO Greater West Angelas; Juna Downs Station	-23.1229	118.862	25/09/2012
S81105	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~78 km heading 286° from Newman	-23.1615	119.002	18/05/2011

Western Australian Museum Database Search Interpreted Results

S65992	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~75 km heading 290° from Newman	-23.1266	119.047	20/05/2011
S81085	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~75 km heading 290° from Newman	-23.1266	119.047	20/05/2011
S65976	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~78 km heading 288° from Newman	-23.1428	119.01	18/05/2011
S64745	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. hedleyi	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.4003	119.572	16/08/2010
S80914	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. larapinta	epigean	widespread	W.A. Museum assessment	Marillana, 100 Km N of Newman	-22.408	119.007	8/08/2011
S60234	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0634	-22.4898	119.895	27/05/2009
S64639	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. larapinta	epigean	widespread	W.A. Museum assessment	Fortescue Marsh west	-22.2822	119.128	15/07/2010
S64642	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. larapinta	epigean	widespread	W.A. Museum assessment	Fortescue Marsh west	-22.2875	119.17	15/07/2010
S80956	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. larapinta	epigean	widespread	W.A. Museum assessment	Cloud Break area (N of Newman)	-22.3207	119.444	6/07/2006
S83527	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. mussoni	epigean	widespread	W.A. Museum assessment	Lamb Creek, ca. 120 km NW of Newman	-22.8333	118.831	7/04/2012
S84075	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. mussoni	epigean	widespread	W.A. Museum assessment	East Pilbara; Maralina Station; about 60km ESE of Auski Roadhouse	-22.584	119.311	5/09/2008
S64751	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. mussoni	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.3819	119.613	14/08/2010
S83526	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. mussoni	epigean	widespread	W.A. Museum assessment	Lamb Creek, ca. 120 km NW of Newman	-22.8706	118.805	4/04/2012
S80911	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. mussoni	epigean	widespread	W.A. Museum assessment	Marillana, 100 Km N of Newman	-22.1269	119.212	19/07/2011
S81116	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta cf. mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~72 km heading 291° from Newman	-23.1255	119.08	21/05/2011
S81106	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~78 km heading 286° from Newman	-23.1615	119.002	18/05/2011
S64735	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.4045	119.625	15/03/2010
S58079	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	North of Newman; upstream of Kalgan Pool; W facing side of gorge	-23.1872	119.696	24/06/2009
S64734	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.3943	119.632	15/03/2010
S88029	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2844	119.74	5/08/2013
S64732	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.4049	119.605	14/03/2010
S88027	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2825	119.75	5/08/2013
S64730	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.4182	119.585	14/03/2010
S88025	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3013	119.757	5/08/2013
S64726	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.4045	119.621	15/03/2010
S64722	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.3994	119.584	15/03/2010
S88033	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3239	119.79	5/08/2013
S64720	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.4108	119.572	15/03/2010
S88015	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3217	119.786	5/08/2013
S81103	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~77 km heading 289° from Newman	-23.1331	119.015	23/05/2011
S64718	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.3943	119.632	15/03/2010
S64716	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.3943	119.632	15/03/2010
S64715	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.3943	119.632	15/03/2010

Western Australian Museum Database Search Interpreted Results

S88011	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2834	119.75	5/08/2013
S88021	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.288	119.729	5/08/2013
S64744	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.4182	119.585	14/08/2010
S64713	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.4047	119.605	15/03/2010
S88060	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2885	119.738	5/08/2013
S88053	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3307	119.76	5/08/2013
S88063	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3133	119.76	5/08/2013
S59376	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.7319	119.194	4/04/2009
S64750	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.3947	119.591	15/08/2010
S88046	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2853	119.773	5/08/2013
S58093	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Between Newman and Nullagine on W side of road; top of S facing slope	-22.3848	119.97	25/06/2009
S81120	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011
S58091	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	North of Newman; upstream of Kalgan Pool; E facing side of gorge	-23.1877	119.697	24/06/2009
S88032	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3239	119.79	5/08/2013
S88039	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3315	119.777	5/08/2013
S64742	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.4029	119.602	18/08/2010
S64740	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.4003	119.652	14/08/2010
S88036	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3232	119.79	5/08/2013
S88035	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3232	119.79	5/08/2013
S88034	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.323	119.79	5/08/2013
S64737	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.4049	119.605	15/08/2010
S64753	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.3943	119.632	15/08/2010
S64747	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.4049	119.605	14/08/2010
S65314	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Karijini National Park; 77 kms East of Tom Price	-22.8446	118.54	1/08/2010
S81785	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.323	119.79	29/04/2013
S81781	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.325	119.769	29/04/2013
S81780	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2853	119.773	29/04/2013
S81004	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.1185	119.065	20/05/2011
S81001	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~78 km heading 288° from Newman	-23.1436	119.006	18/05/2011
S88127	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28km ENE of Newman	-23.334	120.024	27/08/2013
S65336	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Karijini National Park; Knox Gorge; 63 kms NE of Tom Price	-22.3714	118.299	30/07/2010
S80939	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~77 km heading 288° from Newman	-23.1393	119.018	19/05/2011
S81786	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3315	119.777	29/04/2013

Western Australian Museum Database Search Interpreted Results

S80937	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~72 km heading 291° from Newman	-23.1255	119.08	21/05/2011
S65310	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Karijini National Park; Mt Meharry; 87 kms ESE of Tom Price	-22.9797	118.589	26/07/2010
S81440	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Marillana; 100 km NW Newman	-22.4285	119.204	20/05/2011
S65307	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Karijini National Park; Dales Gorge; 82 kms ENE of Tom Price	-22.4782	118.56	30/07/2010
S81174	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~71 km heading 290° from Newman	-23.1314	119.077	19/05/2011
S88083	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28km ENE of Newman	-23.3303	120.009	27/08/2013
S81168	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~80 km heading 285° from Newman	-23.1632	118.977	17/05/2011
S60416	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	N of Newman; Cloudbreak	-22.2997	119.374	3/07/2006
S88055	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.286	119.727	5/08/2013
S88008	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3106	119.731	5/08/2013
S80938	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~70 km heading 291° from Newman	-23.1287	119.09	19/05/2011
S59553	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Hammersley Range; 60km WNW Newman; Hope Downs	-23.0952	119.202	25/04/2009
S65971	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~74 km heading 290° from Newman	-23.1216	119.05	20/05/2011
S81091	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.1185	119.065	20/05/2011
S81176	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~80 km heading 285° from Newman	-23.1632	118.977	17/05/2011
S81789	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3232	119.79	29/04/2013
S42663	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Pilbara; Hope Downs (~100km NW of Newman)	-23.0379	119.212	11/05/2008
S81062	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~79 km heading 286° from Newman	-23.1592	118.993	17/05/2011
S81054	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~80 km heading 285° from Newman	-23.1632	118.977	17/05/2011
S81819	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3315	119.777	29/04/2013
S81818	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3258	119.768	29/04/2013
S88202	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.322	119.777	5/08/2013
S81033	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~80 km heading 285° from Newman	-23.1632	118.977	17/05/2011
S81830	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2834	119.75	5/04/2013
S81048	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~78 km heading 286° from Newman	-23.1615	119.002	18/05/2011
S81027	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Wonmunna; ~75 km heading 290° from Newman	-23.1266	119.047	20/05/2011
S81800	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2825	119.75	29/04/2013
S88201	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.293	119.757	5/08/2013
S88189	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2834	119.75	5/08/2013
S81803	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2872	119.724	5/04/2013
S88203	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3133	119.76	5/08/2013
S81812	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta hedleyi	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3013	119.757	29/04/2013
S42925	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0758	-22.4793	119.942	26/05/2009

S59550	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Hammersley Range; 60km WNW Newman; Hope Downs	-23.0919	119.188	27/04/2009
S81822	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3115	119.766	29/04/2013
S34472	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	East Pilbara; Maralina Station; about 60km ESE of Auski Roadhouse	-22.584	119.311	5/09/2008
S59298	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	NW of Newman; Hope Downs	-23.103	119.582	18/09/2008
S34474	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	East Pilbara; Maralina Station; about 60km ESE of Auski Roadhouse	-22.5739	119.256	5/09/2008
S42924	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0651	-22.4547	119.871	27/05/2009
S81840	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3106	119.731	5/04/2013
S88219	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3207	119.754	5/08/2013
S64654	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Fortescue Marsh east	-22.4646	119.773	3/06/2010
S60853	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0767	-22.4793	119.942	26/05/2009
S60854	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0804	-22.5769	119.995	25/05/2009
S42923	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Fortescue Marsh west	-22.2822	119.128	15/07/2010
S88209	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3115	119.766	5/08/2013
S81125	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011
S60855	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0798	-22.5769	119.995	25/05/2009
S64651	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Fortescue Marsh east	-22.4646	119.773	3/06/2010
S64652	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Fortescue Marsh west	-22.2822	119.128	15/07/2010
S61069	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill; EE09:1744	-22.6642	119.946	20/10/2009
S61072	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill; EE09:1749	-22.6225	119.963	20/10/2009
S34703	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0603	-22.4898	119.895	27/05/2009
S88216	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3207	119.754	5/08/2013
S61073	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill; EE09:1752	-22.6225	119.963	20/10/2009
S65682	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S61075	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill; EE09:1720	-22.6431	119.964	20/10/2009
S34453	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Cloud Break area (N of Newman)	-22.321	119.444	4/07/2006
S58005	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	North of Newman; upstream of Kalgan Pool; E facing side of gorge	-23.1877	119.697	24/06/2009
S61077	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill; EE09:1754	-22.6431	119.964	20/10/2009
S88206	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3307	119.76	5/08/2013
S60397	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:1950	-22.6593	119.92	29/10/2009
S83423	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	50km NNE of Great Northern Hwy and Port Hedland-Wittenoom Rd junction, 6km SW of Redmont Airport	-22.0195	118.982	15/04/2012
S60378	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0670	-22.4943	119.922	26/05/2009
S64650	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Fortescue Marsh west	-22.2875	119.17	15/07/2010
S60388	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:1946	-22.6076	119.983	29/10/2009

S34634	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	East Pilbara; Maralina Station; about 60km ESE of Auski Roadhouse	-22.5739	119.256	5/09/2008
S60373	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0683	-22.4943	119.922	26/05/2009
S60396	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:1938	-22.643	119.96	29/10/2009
S81107	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011
S59374	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.732	119.184	2/04/2009
S60398	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:1935	-22.6394	119.964	29/10/2009
S88050	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3329	119.764	5/08/2013
S88056	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.3103	119.726	5/08/2013
S59388	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.7412	119.196	3/04/2009
S65530	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S60392	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:1933	-22.7058	119.708	29/10/2009
S64455	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	E Pilbara; Marble Bar Rd; Roy Hill	-22.505	119.914	11/03/2010
S60857	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0706	-22.5383	119.942	26/05/2009
S60859	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0799	-22.5769	119.995	25/05/2009
S60860	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0758	-22.4793	119.942	26/05/2009
S60861	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0693	-22.5383	119.942	26/05/2009
S81087	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.121	119.063	20/05/2011
S64469	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Around the East Hamerlsey Range and Fortescue Marsh junction	-23.1164	119.886	20/04/2010
S60359	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0678	-22.4943	119.922	26/05/2009
S83384	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	East of Woodstock Aboriginal Reserve, 50km NNE of Great Northern Hwy and Port Hedland-Wittenoom Rd junction, 6km SW of Redmont Airport	-22.0172	118.982	15/04/2012
S61128	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Cloud Break area N of Newman	-22.2688	119.315	4/07/2006
S60363	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0763	-22.4793	119.942	26/05/2009
S60366	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0794	-22.5769	119.995	25/05/2009
S60367	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0794	-22.5769	119.995	25/05/2009
S64463	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Around the East Hamerlsey Range and Fortescue Marsh junction	-22.8586	119.673	20/04/2010
S60368	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0688	-22.4943	119.922	26/05/2009
S81602	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	ca. 56 km NE of Auski Roadhouse	-21.9235	118.933	13/04/2013
S60429	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0646	-22.4547	119.871	27/05/2009
S34637	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	East Pilbara; Maralina Station; about 60km ESE of Auski Roadhouse	-22.5666	119.233	10/10/2008
S81439	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Marillana; 100 km NW Newman	-22.4285	119.204	20/05/2011
S83486	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	208 km SSE of Port Hedland	-22.1554	119.022	23/04/2012
S81182	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.122	119.061	20/05/2011

S81693	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.7396	119	14/05/2013
S81692	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.7392	118.995	14/05/2013
S80924	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Marillana, 100 Km N of Newman	-22.6013	119.291	8/08/2011
S81691	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.7348	118.995	14/05/2013
S83481	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	222 km SSE of Port Hedland	-22.2799	119.019	23/04/2012
S81433	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Marillana; 100 km NW Newman	-22.3476	119.152	20/05/2011
S83479	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	222 km SSE of Port Hedland	-22.2866	119.03	23/04/2012
S81687	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.7259	118.984	14/05/2013
S81685	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.7629	119.128	14/05/2013
S80934	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.7412	119.196	3/04/2009
S83467	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	222 km SSE of Port Hedland	-22.4082	119.006	23/04/2012
S65534	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	108km N of Newman	-22.3132	119.86	24/03/2011
S88068	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.2928	119.858	5/08/2013
S88069	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.2968	119.727	5/08/2013
S88070	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3055	119.748	5/08/2013
S60422	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0810	-22.5771	120.025	25/05/2009
S83475	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	208 km SSE of Port Hedland	-22.2334	119.022	23/04/2012
S60426	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0770	-22.4793	119.942	26/05/2009
S81678	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.7398	119.004	14/05/2013
S80908	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Marillana, 100 Km N of Newman	-22.5625	119.231	8/08/2011
S81164	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011
S81676	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.7138	119.01	14/05/2013
S83468	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	222 km SSE of Port Hedland	-22.345	119.01	23/04/2012
S60428	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0653	-22.4547	119.871	27/05/2009
S81446	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Marillana; 100 km NW Newman	-22.4295	119.192	20/05/2011
S80904	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Wonmunna; ~75 km heading 290° from Newman	-23.1201	119.048	20/05/2011
S65389	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0651	-22.4547	119.871	27/05/2009
S65161	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3949	119.502	26/10/2010
S64649	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Fortescue Marsh east	-22.443	119.779	3/06/2010
S65673	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	108km N of Newman	-22.3132	119.86	24/03/2011
S65156	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3985	119.475	26/10/2010
S64644	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Fortescue Marsh west	-22.2822	119.128	15/07/2010
S88195	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3307	119.76	5/08/2013

S65150	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3652	119.341	26/10/2010
S64637	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Fortescue Marsh west	-22.3125	119.235	14/07/2010
S64636	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Fortescue Marsh east	-22.4252	119.724	2/06/2010
S64635	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Fortescue Marsh east	-22.4252	119.724	2/06/2010
S64634	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Fortescue Marsh west	-22.3125	119.235	14/07/2010
S65657	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	115km N of Newman	-22.3134	119.789	24/03/2011
S65652	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2954	119.811	24/03/2011
S81696	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.7386	118.996	14/05/2013
S34633	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	East Pilbara; Maralina Station; about 60km ESE of Auski Roadhouse	-22.5663	119.231	30/06/2008
S80935	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.121	119.063	20/05/2011
S80940	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	East Pilbara; Maralina Station; about 60km ESE of Auski Roadhouse	-22.5739	119.256	5/09/2008
S61996	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Fortescue Marsh	-22.293	119.061	22/04/2010
S61997	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Fortescue Marsh	-22.293	119.061	22/04/2010
S65604	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Christmas Creek	-22.3985	119.793	9/04/2011
S65135	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3527	119.419	26/10/2010
S60232	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0702	-22.5383	119.942	26/05/2009
S65646	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	115km N of Newman	-22.3134	119.789	24/03/2011
S60233	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	60km NW of Newman	-22.9632	119.228	29/08/2008
S65612	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Christmas Creek	-22.4061	119.738	8/04/2011
S34638	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	East Pilbara; Maralina Station; about 60km ESE of Auski Roadhouse	-22.626	119.283	10/10/2008
S42831	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0706	-22.5383	119.942	26/05/2009
S42833	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0706	-22.5383	119.942	26/05/2009
S61066	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Roy Hill; EE09:1231	-22.6642	119.946	20/10/2009
S34632	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	East Pilbara; Maralina Station; about 60km ESE of Auski Roadhouse	-22.584	119.311	5/09/2008
S88057	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta larapinta	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.3103	119.726	5/08/2013
S59576	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9058	119.2	21/06/2009
S65985	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~80 km heading 285° from Newman	-23.1632	118.977	17/05/2011
S81763	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28km ENE of Newman	-23.3228	120.01	19/03/2013
S60864	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:1149	-22.5039	120.021	24/05/2009
S65213	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3949	119.502	26/10/2010
S81851	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	ca.15 kms NE Roy Hill	-22.4932	120.019	18/04/2013
S65979	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~81 km; heading 286° from Newman	-23.1596	118.97	18/05/2011
S81808	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2826	119.739	5/04/2013

S65977	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~78 km heading 288° from Newman	-23.1436	119.006	18/05/2011
S60865	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0739	-22.5566	119.97	26/05/2009
S65975	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~72 km heading 290° from Newman	-23.1268	119.067	19/05/2011
S64694	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Fortescue Marsh west	-22.2822	119.128	15/07/2010
S81846	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	ca.15 kms NE Roy Hill	-22.4932	120.019	18/04/2013
S71347	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Chichester Range; N slopes	-22.0984	119.027	22/08/2008
S42929	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9219	119.204	19/06/2009
S42928	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	60km NW of Newman	-22.9632	119.228	29/08/2008
S81081	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~75 km heading 289° from Newman	-23.1355	119.038	19/05/2011
S88005	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3127	119.746	5/08/2013
S81099	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~76 km heading 290° from Newman	-23.1169	119.04	20/05/2011
S65993	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~75 km heading 290° from Newman	-23.1201	119.048	20/05/2011
S81096	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~74 km heading 290° from Newman	-23.1216	119.05	20/05/2011
S59591	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9219	119.204	19/06/2009
S88007	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3062	119.724	5/08/2013
S81094	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~72 km heading 291° from Newman	-23.1255	119.08	21/05/2011
S88001	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.293	119.757	5/08/2013
S64453	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	E Pilbara; Marble Bar Rd; Roy Hill	-22.5843	120.017	11/03/2010
S59585	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9275	119.128	18/06/2009
S88004	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3127	119.746	5/08/2013
S61123	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Cloud Break area N of Newman	-22.2997	119.374	3/07/2006
S59587	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9169	119.213	19/06/2009
S88003	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3022	119.725	5/08/2013
S61122	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Cloud Break area N of Newman	-22.2935	119.387	7/07/2006
S60866	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:1424	-22.5771	120.025	25/05/2009
S42926	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Fortescue Marsh west	-22.2822	119.128	15/07/2010
S65990	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~78 km heading 286° from Newman	-23.1615	119.002	18/05/2011
S65683	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S59549	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Hammersley Range; 60km WNW Newman; Hope Downs	-23.0878	119.161	27/04/2009
S81821	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3115	119.766	29/04/2013
S81053	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~78 km heading 288° from Newman	-23.1428	119.01	18/05/2011
S59548	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Hammersley Range; 60km WNW Newman; Hope Downs	-23.103	119.292	24/04/2009
S65688	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	115km N of Newman	-22.3134	119.789	24/03/2011

Western Australian Museum Database Search Interpreted Results

S58007	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	North of Newman; upstream of Kalgan Pool; SSE facing slope of gorge base	-23.1874	119.696	24/06/2009
S64687	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	ca. 50 km NW of Fortescue Marsh	-22.2924	119.028	12/05/2010
S81811	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3291	119.769	5/04/2013
S59551	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Hammersley Range; 60km WNW Newman; Hope Downs	-23.0925	119.206	27/04/2009
S61074	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Roy Hill; EE09:1720	-22.6431	119.964	20/10/2009
S81810	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3094	119.743	29/04/2013
S81042	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.1185	119.065	20/05/2011
S81809	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2922	119.8	29/04/2013
S65681	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S64656	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Fortescue Marsh west	-22.2872	119.03	15/07/2010
S61076	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Roy Hill; EE09:1754	-22.6431	119.964	20/10/2009
S34473	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	East Pilbara; Maralina Station; about 60km ESE of Auski Roadhouse	-22.5663	119.231	30/06/2008
S64460	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Around the East Hamerlsey Range and Fortescue Marsh junction	-23.1164	119.886	20/04/2010
S34478	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	East Pilbara; Maralina Station; about 60km ESE of Auski Roadhouse	-22.5851	119.314	5/09/2008
S81838	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2827	119.74	29/04/2013
S64684	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	ca. 50 km NW of Fortescue Marsh	-22.1322	119.198	12/05/2010
S34476	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	East Pilbara; Maralina Station; about 60km ESE of Auski Roadhouse	-22.5497	119.215	7/08/2008
S81835	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3062	119.724	5/04/2013
S65694	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	112km NNE of Newman	-22.3871	119.966	24/03/2011
S42921	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Around the East Hamerlsey Range and Fortescue Marsh junction	-22.8586	119.673	20/04/2010
S81823	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2909	119.861	5/04/2013
S81831	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2834	119.75	5/04/2013
S42662	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Pilbara; Hope Downs (~100km NW of Newman)	-23.1474	119.519	13/05/2008
S59554	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Hammersley Range; 60km WNW Newman; Hope Downs	-23.103	119.292	27/04/2009
S81570	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	119km NW of Newman; Area C West -Yandi	-22.6336	118.871	30/05/2011
S65697	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S59552	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Hammersley Range; 60km WNW Newman; Hope Downs	-23.0878	119.161	27/04/2009
S42927	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0702	-22.5383	119.942	26/05/2009
S81834	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3054	119.77	29/04/2013
S60395	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:1921	-22.8174	119.947	29/10/2009
S88048	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.3054	119.77	5/08/2013
S60399	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:1715	-22.8174	119.947	29/10/2009
S59375	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.7316	119.193	4/04/2009

S88047	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.3054	119.77	5/08/2013
S64749	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.3712	119.613	14/08/2010
S59373	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.7351	119.186	2/04/2009
S65996	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~70 km heading 291° from Newman	-23.1287	119.09	19/05/2011
S59372	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.732	119.184	2/04/2009
S59377	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.7384	119.192	3/04/2009
S59371	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.7316	119.193	4/04/2009
S60394	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:1929	-22.6347	119.97	29/10/2009
S60393	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:1944	-22.7058	119.708	29/10/2009
S88041	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3322	119.78	5/08/2013
S88040	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3322	119.78	5/08/2013
S81127	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011
S64748	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.3837	119.648	14/08/2010
S59381	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.7366	119.181	4/04/2009
S88061	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.29	119.816	5/08/2013
S60411	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	60km NW of Newman	-23.0504	119.273	27/08/2008
S88059	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2885	119.738	5/08/2013
S60407	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Chichester Ranges	-22.0525	118.988	1/05/2003
S59383	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.7316	119.193	4/04/2009
S60406	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	60km NW of Newman	-23.0504	119.273	27/08/2008
S64752	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.397	119.614	17/08/2010
S60405	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	60km NW of Newman	-23.053	119.27	27/08/2008
S88049	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3115	119.766	5/08/2013
S60404	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	60km NW of Newman	-23.0504	119.273	27/08/2008
S59380	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.7412	119.196	3/04/2009
S88052	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3307	119.76	5/08/2013
S60403	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	N of Newman; Cloudbreak	-22.321	119.444	6/07/2006
S59379	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.7448	119.193	4/04/2009
S59378	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.7412	119.196	3/04/2009
S81121	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~75 km heading 290° from Newman	-23.1266	119.047	20/05/2011
S59382	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.7316	119.18	2/04/2009
S88016	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.3003	119.862	5/08/2013
S88038	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3288	119.782	5/08/2013

S81109	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.121	119.063	20/05/2011
S65749	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	115km N of Newman	-22.3134	119.789	25/03/2011
S88020	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3274	119.764	5/08/2013
S65748	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	110km NNE of Newman	-22.3827	119.973	23/03/2011
S88019	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3291	119.769	5/08/2013
S81110	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011
S88017	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.3003	119.862	5/08/2013
S88022	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2899	119.736	5/08/2013
S81104	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~77 km heading 288° from Newman	-23.1393	119.018	19/05/2011
S43983	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	North of Newman; upstream of Kalgan Pool; E facing side of gorge	-23.1877	119.697	24/06/2009
S43982	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	North of Newman; upstream of Kalgan Pool; E facing side of gorge	-23.1877	119.697	24/06/2009
S88014	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.322	119.777	5/08/2013
S65998	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~72 km heading 290° from Newman	-23.1283	119.074	19/05/2011
S88013	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2834	119.75	5/08/2013
S65983	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~75 km heading 289° from Newman	-23.1355	119.038	19/05/2011
S88018	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2909	119.861	5/08/2013
S42713	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Pilbara; Chichester Range; spinifex dominated rocky slopes	-22.0516	118.988	7/07/2008
S59596	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9058	119.2	21/06/2009
S88031	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2922	119.8	5/08/2013
S81119	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~75 km heading 290° from Newman	-23.1201	119.048	20/05/2011
S83422	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	50km NNE of Great Northern Hwy and Port Hedland-Wittenoom Rd junction, 6km SW of Redmont Airport	-22.0195	118.982	15/04/2012
S64733	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.4108	119.572	15/03/2010
S42717	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Pilbara; Chichester Range; spinifex dominated rocky slopes	-22.0503	118.993	7/07/2008
S42709	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Pilbara; Chichester Range; spinifex dominated rocky slopes	-22.1508	119.018	7/07/2008
S81114	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.1185	119.065	20/05/2011
S88037	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3288	119.782	5/08/2013
S83929	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	RIOTIO Greater West Angelas; Juna Downs Station	-23.148	118.691	25/09/2012
S60376	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0670	-22.4943	119.922	26/05/2009
S88024	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2879	119.736	5/08/2013
S42711	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Pilbara; Chichester Range; spinifex dominated rocky slopes	-22.0516	118.988	7/07/2008
S88023	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2879	119.736	5/08/2013
S64470	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Around the East Hamerlsey Range and Fortescue Marsh junction	-22.6335	119.329	20/04/2010
S60374	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0683	-22.4943	119.922	26/05/2009

S83930	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	RIOTIO Greater West Angelas; Juna Downs Station	-23.1936	118.645	25/09/2012
S83490	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	198 km SSE of Port Hedland	-22.0905	118.994	23/04/2012
S61995	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Fortescue Marsh	-22.5098	119.127	22/04/2010
S34588	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Roy Hill; EE09:1744	-22.6642	119.946	20/10/2009
S81437	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Marillana; 100 km NW Newman	-22.4285	119.204	20/05/2011
S88093	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28km ENE of Newman	-23.3231	119.995	27/08/2013
S88094	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28km ENE of Newman	-23.3228	120.01	27/08/2013
S83487	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	208 km SSE of Port Hedland	-22.1554	119.022	23/04/2012
S81180	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.122	119.061	20/05/2011
S81442	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Marillana; 100 km NW Newman	-22.3182	119.118	20/05/2011
S83483	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	208 km SSE of Port Hedland	-22.1839	119.033	23/04/2012
S81444	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Marillana; 100 km NW Newman	-22.4295	119.192	20/05/2011
S83492	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	222 km SSE of Port Hedland	-22.3145	119.015	23/04/2012
S83494	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	222 km SSE of Port Hedland	-22.4082	119.006	23/04/2012
S83495	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	208 km SSE of Port Hedland	-22.1943	118.987	23/04/2012
S61991	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Fortescue Marsh	-22.2938	119.073	22/04/2010
S61993	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Fortescue Marsh	-22.5098	119.127	22/04/2010
S60427	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0770	-22.4793	119.942	26/05/2009
S81697	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.7386	118.996	14/05/2013
S80916	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Marillana, 100 Km N of Newman	-22.408	119.007	8/08/2011
S81677	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.7253	119.064	14/05/2013
S80910	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Marillana, 100 Km N of Newman	-22.1269	119.212	19/07/2011
S81167	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~72 km heading 290° from Newman	-23.1309	119.069	19/05/2011
S80913	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Marillana, 100 Km N of Newman	-22.5625	119.231	8/08/2011
S81169	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.122	119.061	20/05/2011
S81170	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~77 km heading 289° from Newman	-23.1331	119.015	23/05/2011
S88092	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28km ENE of Newman	-23.3246	120.012	27/08/2013
S81683	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.7156	118.981	14/05/2013
S83500	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	235 km SSE of Port Hedland	-22.4368	119.018	23/04/2012
S81684	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.7596	119.123	14/05/2013
S83476	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	208 km SSE of Port Hedland	-22.2334	119.022	23/04/2012
S88084	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28km ENE of Newman	-23.3325	120.013	27/08/2013
S80917	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Marillana, 100 Km N of Newman	-22.6376	119.374	8/08/2011

Western Australian Museum Database Search Interpreted Results

S83478	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	190 km SSE of Port Hedland	-22.0146	119.006	23/04/2012
S81178	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~74 km heading 290° from Newman	-23.1216	119.05	20/05/2011
S81690	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.7321	119.05	14/05/2013
S81171	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~74 km heading 290° from Newman	-23.1216	119.05	20/05/2011
S34386	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Chichester Range, 14 miles north from Roy Hill Homestead along Great Nthn Hway	-22.6166	119.95	26/06/1967
S83499	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	190 km SSE of Port Hedland	-22.0597	118.974	23/04/2012
S60231	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Weeli Wolli Creek; 26 miles from Marillana homestead; S side of creek	-22.6166	119.4	29/05/1966
S65611	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Christmas Creek	-22.4061	119.738	8/04/2011
S34635	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	East Pilbara; Maralina Station; about 60km ESE of Auski Roadhouse	-22.5538	119.228	6/09/2008
S60235	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	60km NW of Newman	-23.053	119.27	27/08/2008
S42828	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0688	-22.4943	119.922	26/05/2009
S88134	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Mesa Gap, ca. 33km ENE of Newman	-23.355	120.029	27/08/2013
S34639	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	East Pilbara; Maralina Station; about 60km ESE of Auski Roadhouse	-22.626	119.283	10/10/2008
S88133	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Mesa Gap, ca. 33km ENE of Newman	-23.3502	120.03	27/08/2013
S81748	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28km ENE of Newman	-23.3315	119.982	19/03/2013
S42837	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0786	-22.4396	119.945	23/05/2009
S81751	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28km ENE of Newman	-23.3231	119.995	19/03/2013
S59996	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Pilbara; Mulga Downs Station; Murray Hills	-22.1147	118.522	20/04/2009
S65633	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S65634	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	110km NNE of Newman	-22.3827	119.973	24/03/2011
S81762	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28km ENE of Newman	-23.3213	120.008	19/03/2013
S61774	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	23km SW of Marillana; Yandi mine	-22.82	119.25	30/08/2004
S83516	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	190 km SSE of Port Hedland	-22.0264	119.003	23/04/2012
S83506	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	208 km SSE of Port Hedland	-22.1885	119.031	23/04/2012
S83509	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	198 km SSE of Port Hedland	-22.1182	119.005	23/04/2012
S88118	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28km ENE of Newman	-23.3315	119.982	27/08/2013
S88119	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28km ENE of Newman	-23.3315	119.982	27/08/2013
S83512	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	208 km SSE of Port Hedland	-22.2035	119.023	23/04/2012
S88121	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28km ENE of Newman	-23.319	120.026	27/08/2013
S88135	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Mesa Gap, ca. 33km ENE of Newman	-23.355	120.029	27/08/2013
S88123	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28km ENE of Newman	-23.3238	120.026	27/08/2013
S83519	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	222 km SSE of Port Hedland	-22.3007	119.015	23/04/2012
S88124	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28km ENE of Newman	-23.3252	120.024	27/08/2013

Western Australian Museum Database Search Interpreted Results

S83517	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	208 km SSE of Port Hedland	-22.1606	119.016	23/04/2012
S64655	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Fortescue Marsh west	-22.2872	119.03	15/07/2010
S88130	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28km ENE of Newman	-23.3202	120.033	27/08/2013
S64448	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	E Pilbara; Marble Bar Rd; Roy Hill	-22.505	119.904	11/03/2010
S88132	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Mesa Gap, ca. 33km ENE of Newman	-23.3502	120.03	27/08/2013
S65605	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Christmas Creek	-22.4078	119.877	11/04/2011
S88122	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28km ENE of Newman	-23.319	120.026	27/08/2013
S65603	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Christmas Creek	-22.417	119.894	8/04/2011
S81797	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2825	119.75	29/04/2013
S81028	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~76 km heading 290° from Newman	-23.1169	119.04	20/05/2011
S65155	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3894	119.438	26/10/2010
S81795	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2827	119.74	29/04/2013
S81026	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~78 km heading 288° from Newman	-23.1436	119.006	18/05/2011
S65153	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.2881	119.236	26/10/2010
S81784	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2879	119.736	29/04/2013
S88193	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3232	119.79	5/08/2013
S65672	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	108km N of Newman	-22.3132	119.86	24/03/2011
S64640	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Fortescue Marsh west	-22.2872	119.03	15/07/2010
S65662	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	110km NNE of Newman	-22.3827	119.973	24/03/2011
S65148	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3652	119.341	26/10/2010
S42876	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Cloud Break area (N of Newman)	-22.3207	119.444	6/07/2006
S42875	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0600	-22.4898	119.895	27/05/2009
S65144	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3527	119.419	26/10/2010
S64641	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Fortescue Marsh west	-22.2872	119.03	15/07/2010
S65677	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	115km N of Newman	-22.3134	119.789	24/03/2011
S81675	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.7138	119.01	14/05/2013
S81807	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3127	119.746	5/04/2013
S65935	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Angelo River	-23.4331	118.733	20/06/2011
S61070	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Roy Hill; EE09:1741	-22.6365	119.964	20/10/2009
S81038	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~81 km; heading 286° from Newman	-23.1596	118.97	18/05/2011
S65678	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	110km NNE of Newman	-22.3827	119.973	24/03/2011
S65157	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3985	119.475	26/10/2010
S81805	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.3067	119.858	29/04/2013

S81798	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2899	119.736	29/04/2013
S61068	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Roy Hill; EE09:1736	-22.7195	119.939	20/10/2009
S81036	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~72 km heading 290° from Newman	-23.1309	119.069	19/05/2011
S61067	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Roy Hill; EE09:1727	-22.7489	119.922	20/10/2009
S81802	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2872	119.724	5/04/2013
S81034	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~80 km heading 285° from Newman	-23.1632	118.977	17/05/2011
S81032	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~72 km heading 290° from Newman	-23.1268	119.067	19/05/2011
S42878	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.732	119.184	2/04/2009
S64653	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Fortescue Marsh west	-22.2822	119.128	15/07/2010
S60417	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	120km NNW of Newman; Area C	-22.9104	118.966	13/06/2008
S59240	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Jinayri area	-23.0129	119.237	1/09/2008
S59239	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Jinayri area	-23.053	119.27	27/08/2008
S65638	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2954	119.811	24/03/2011
S81764	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28km ENE of Newman	-23.3226	119.982	19/03/2013
S65143	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.2881	119.236	26/10/2010
S83811	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	69km E Paraburdoo	-23.2555	118.262	18/06/2012
S59241	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Jinayri area	-23.053	119.27	27/08/2008
S88065	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3207	119.754	5/08/2013
S61071	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Roy Hill; EE09:1233	-22.7195	119.939	20/10/2009
S88066	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3207	119.754	5/08/2013
S88067	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.3039	119.854	5/08/2013
S60421	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0810	-22.5771	120.025	25/05/2009
S42759	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Pilbara; Chichester Range; spinifex dominated rocky slopes	-22.0516	118.988	7/07/2008
S88072	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3255	119.748	5/08/2013
S80905	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Marillana, 100 Km N of Newman	-22.1269	119.212	19/07/2011
S80907	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Marillana, 100 Km N of Newman	-22.5625	119.231	8/08/2011
S81793	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3288	119.782	29/04/2013
S65139	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3251	119.446	26/10/2010
S81782	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3322	119.78	29/04/2013
S88064	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3133	119.76	5/08/2013
S65653	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	112km NNE of Newman	-22.3621	119.969	24/03/2011
S81002	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Wonmunna; ~78 km heading 288° from Newman	-23.1436	119.006	18/05/2011
S81779	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3054	119.77	29/04/2013

S81778	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3115	119.766	29/04/2013
S65650	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	112km NNE of Newman	-22.3621	119.969	24/03/2011
S65137	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.2881	119.236	26/10/2010
S65136	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3949	119.502	26/10/2010
S59242	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Jinayri area	-23.053	119.27	27/08/2008
S59244	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Jinayri area	-23.053	119.27	27/08/2008
S60267	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Cloud break area N of Newman	-22.3181	119.379	4/07/2006
S59243	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	Jinayri area	-23.0504	119.273	27/08/2008
S65643	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S60266	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	60km NW of Newman	-23.053	119.27	27/08/2008
S65649	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta mussoni	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S111508	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta sp.	epigean	widespread	W.A. Museum assessment	Greater Hope Downs, 81.8 km NW of Newman	-23.0434	119.117	22/05/2018
S64631	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta sp.	epigean	widespread	W.A. Museum assessment	Fortescue Marsh west	-22.2872	119.03	15/07/2010
S64629	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta sp.	epigean	widespread	W.A. Museum assessment	Fortescue Marsh east	-22.443	119.779	3/06/2010
S29647	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta sp.	epigean	widespread	W.A. Museum assessment	82.5 km NW of Newman	-23.045	118.999	14/03/2019
S29646	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta sp.	epigean	widespread	W.A. Museum assessment	79.9 km NW of Newman	-23.0777	119.011	16/03/2019
S29645	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta sp.	epigean	widespread	W.A. Museum assessment	78.5 km NW of Newman	-23.0838	119.023	17/03/2019
S29644	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta sp.	epigean	widespread	W.A. Museum assessment	88.2 km NW of Newman	-23.06	118.932	9/03/2019
S111512	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta sp.	epigean	widespread	W.A. Museum assessment	Greater Hope Downs, 70 km NW of Newman	-23.0383	119.141	24/05/2018
S111511	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta sp.	epigean	widespread	W.A. Museum assessment	Greater Hope Downs, 81.4 km NW of Newman	-23.0782	118.995	25/05/2018
S71770	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta sp.	epigean	widespread	W.A. Museum assessment	Chichester Range; N slopes	-22.1873	119.026	22/08/2008
S111509	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta sp.	epigean	widespread	W.A. Museum assessment	Greater Hope Downs, 80.9 km NW of Newman	-23.0779	119.001	25/05/2018
S111507	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta sp.	epigean	widespread	W.A. Museum assessment	Greater Hope Downs, 80.3 km NW of Newman	-23.0483	119.021	25/05/2018
S111506	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta sp.	epigean	widespread	W.A. Museum assessment	Greater Hope Downs, 81.8 km NW of Newman	-23.0434	119.117	22/05/2018
S64632	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta sp.	epigean	widespread	W.A. Museum assessment	Fortescue Marsh west	-22.2872	119.03	15/07/2010
S111510	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Gastrocopta sp.	epigean	widespread	W.A. Museum assessment	Greater Hope Downs, 85.9 km NW of Newman	-23.083	118.947	23/05/2018
S61129	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Cloud Break area N of Newman	-22.2688	119.315	4/07/2006
S61113	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Cloud Break area N of Newman	-22.2978	119.392	5/07/2006
S61114	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Cloud Break area N of Newman	-22.3207	119.444	6/07/2006
S64647	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Fortescue Marsh east	-22.443	119.779	3/06/2010
S64638	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Fortescue Marsh east	-22.4419	119.724	2/06/2010
S65663	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	110km NNE of Newman	-22.3827	119.973	24/03/2011
S65151	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3146	119.302	26/10/2010
S65154	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3713	119.552	26/10/2010
S65667	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S64645	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Fortescue Marsh west	-22.2822	119.128	15/07/2010
S65670	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	108km N of Newman	-22.3132	119.86	24/03/2011
S61062	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Roy Hill; EE09:1733	-22.7489	119.922	20/10/2009
S61063	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Roy Hill; EE09:1729	-22.6365	119.964	20/10/2009
S65145	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3527	119.419	26/10/2010
S61064	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Roy Hill; EE09:1735	-22.7195	119.939	20/10/2009
S61065	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Roy Hill; EE09:1742	-22.6365	119.964	20/10/2009
S65162	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3949	119.502	26/10/2010
S64657	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Fortescue Marsh west	-22.2822	119.128	15/07/2010
S64658	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Fortescue Marsh west	-22.2822	119.128	15/07/2010
S65684	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2954	119.811	24/03/2011

Western Australian Museum Database Search Interpreted Results

S58004	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	North of Newman; upstream of Kalgan Pool; E facing side of gorge	-23.1877	119.697	24/06/2009
S65158	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3985	119.475	26/10/2010
S59997	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Pilbara; Mulga Downs Station; Murray Hills	-22.1188	118.512	21/04/2009
S65535	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	108km N of Newman	-22.3132	119.86	24/03/2011
S65337	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Karijini National Park; Knox Gorge; 63 kms NE of Tom Price	-22.3714	118.299	30/07/2010
S65598	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Christmas Creek	-22.3932	119.78	11/04/2011
S65601	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Christmas Creek	-22.3932	119.78	11/04/2011
S65602	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Christmas Creek	-22.3706	119.746	9/04/2011
S83525	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Lamb Creek, ca. 120 km NW of Newman	-22.8814	118.804	7/04/2012
S65349	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Juna Downs Station; 75 kms ESE of Tom Price	-22.9211	118.494	27/07/2010
S65606	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Christmas Creek	-22.3932	119.78	11/04/2011
S65659	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S65614	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Christmas Creek	-22.4314	119.915	8/04/2011
S65146	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3652	119.341	26/10/2010
S65133	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3527	119.419	26/10/2010
S65134	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3527	119.419	26/10/2010
S65138	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.2881	119.236	26/10/2010
S81523	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	OB35, ca. 8km WSW of Newman	-23.388	119.654	13/09/2011
S64628	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Fortescue Marsh east	-22.443	119.779	3/06/2010
S65140	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3251	119.446	26/10/2010
S65142	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.2881	119.236	26/10/2010
S65655	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	115km N of Newman	-22.3134	119.789	24/03/2011
S64683	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	ca. 50 km NW of Fortescue Marsh	-22.2924	119.028	12/05/2010
S83529	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Xmas Creek, ca. 100km N of Newman	-22.4595	119.773	10/05/2012
S58080	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	North of Newman; upstream of Kalgan Pool; W facing side of gorge	-23.1872	119.696	24/06/2009
S65686	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	115km NNW of Newman	-22.3178	119.748	24/03/2011
S60370	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0688	-22.4943	119.922	26/05/2009
S65747	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S64723	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.4045	119.625	15/03/2010
S64468	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Around the East Hamerlsey Range and Fortescue Marsh junction	-23.1164	119.886	20/04/2010
S64471	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Around the East Hamerlsey Range and Fortescue Marsh junction	-22.6335	119.329	20/04/2010
S60377	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0670	-22.4943	119.922	26/05/2009
S64729	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.4206	119.567	15/03/2010
S83408	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Mulga Downs Station, Cowra, 32km NE of Great Northern Hwy and Port Hedland-Wittenoom Rd junction	-22.2825	119.023	16/04/2012
S60382	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:1922	-22.8554	119.887	29/10/2009
S64717	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.3994	119.584	15/03/2010
S60385	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:1919	-22.8554	119.887	29/10/2009
S60386	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:1946	-22.6076	119.983	29/10/2009
S64738	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.3712	119.613	14/08/2010
S59366	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.7412	119.196	3/04/2009
S59367	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.7316	119.193	4/04/2009
S64754	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.3712	119.613	14/08/2010
S64756	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.3819	119.613	14/08/2010
S60425	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0770	-22.4793	119.942	26/05/2009
S60379	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0674	-22.4943	119.922	26/05/2009
S64450	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	E Pilbara; Marble Bar Rd; Roy Hill	-22.4827	119.881	11/03/2010
S59308	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	NW of Newman; Hope Downs	-23.1014	119.292	24/09/2008
S64688	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	ca. 50 km NW of Fortescue Marsh	-22.0191	119.034	12/05/2010
S59570	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9177	119.204	19/06/2009
S81591	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	SW Jimblebar, ca. 35km E of Newman	-23.4049	120.027	15/02/2013
S59575	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9058	119.2	21/06/2009
S60862	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0760	-22.4793	119.942	26/05/2009
S60863	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:1149	-22.5039	120.021	24/05/2009
S64447	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	E Pilbara; Marble Bar Rd; Roy Hill	-22.4843	119.87	11/03/2010
S64464	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Around the East Hamerlsey Range and Fortescue Marsh junction	-22.8586	119.673	20/04/2010
S64449	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	E Pilbara; Marble Bar Rd; Roy Hill	-22.441	119.979	11/03/2010
S59557	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Hammersley Range; 60km WNW Newman; Hope Downs	-23.0561	119.151	24/04/2009
S64452	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	E Pilbara; Marble Bar Rd; Roy Hill	-22.5843	120.017	11/03/2010

Western Australian Museum Database Search Interpreted Results

S64454	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	E Pilbara; Marble Bar Rd; Roy Hill	-22.505	119.914	11/03/2010
S59592	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.6475	119.392	20/06/2009
S64457	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Around the East Hamerlsey Range and Fortescue Marsh junction	-22.6687	119.419	20/04/2010
S64458	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Around the East Hamerlsey Range and Fortescue Marsh junction	-22.8586	119.673	20/04/2010
S64714	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.4047	119.605	15/03/2010
S64459	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Around the East Hamerlsey Range and Fortescue Marsh junction	-22.6687	119.419	20/04/2010
S64461	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Around the East Hamerlsey Range and Fortescue Marsh junction	-22.6687	119.419	20/04/2010
S59584	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9275	119.128	18/06/2009
S83489	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	198 km SSE of Port Hedland	-22.0905	118.994	23/04/2012
S81427	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Marillana; 100 km NW Newman	-22.429	119.21	20/05/2011
S81428	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Marillana; 100 km NW Newman; near WT20	-22.4308	119.212	20/05/2011
S81432	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Marillana; 100 km NW Newman	-22.3476	119.152	20/05/2011
S83480	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	222 km SSE of Port Hedland	-22.2866	119.03	23/04/2012
S83482	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	208 km SSE of Port Hedland	-22.1839	119.033	23/04/2012
S81436	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Marillana; 100 km NW Newman	-22.4285	119.204	20/05/2011
S83474	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	208 km SSE of Port Hedland	-22.2334	119.022	23/04/2012
S81441	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Marillana; 100 km NW Newman	-22.3182	119.118	20/05/2011
S61994	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Fortescue Marsh	-22.5098	119.127	22/04/2010
S83491	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	222 km SSE of Port Hedland	-22.3145	119.015	23/04/2012
S81445	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Marillana; 100 km NW Newman	-22.4295	119.192	20/05/2011
S83496	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	208 km SSE of Port Hedland	-22.1943	118.987	23/04/2012
S61992	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Fortescue Marsh	-22.3157	119.241	22/04/2010
S83497	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	222 km SSE of Port Hedland	-22.3681	119.006	23/04/2012
S83502	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	222 km SSE of Port Hedland	-22.345	119.01	23/04/2012
S83511	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	208 km SSE of Port Hedland	-22.2035	119.023	23/04/2012
S83484	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	208 km SSE of Port Hedland	-22.1554	119.022	23/04/2012
S81426	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Marillana; 100 km NW Newman	-22.429	119.21	20/05/2011
S60430	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0806	-22.5771	120.025	25/05/2009
S83469	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	222 km SSE of Port Hedland	-22.345	119.01	23/04/2012
S42763	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	ca. 60km NW of Newman	-22.9632	119.228	29/08/2008
S60423	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0786	-22.4396	119.945	23/05/2009
S60420	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0810	-22.5771	120.025	25/05/2009
S61998	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides beltianus	epigean	widespread	W.A. Museum assessment	Fortescue Marsh	-22.293	119.061	22/04/2010
S42823	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. adelaidae	epigean	widespread	W.A. Museum assessment	Pilbara; Hope Downs area; ER Falls; cliff with small scree slope near pool	-23.103	119.582	18/09/2008
S65679	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S65932	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Angelo River	-23.3171	118.812	20/06/2011
S88199	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2834	119.75	5/08/2013
S72328	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S81801	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2825	119.75	29/04/2013
S65675	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	115km N of Newman	-22.3134	119.789	24/03/2011
S81035	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~71 km heading 290° from Newman	-23.1314	119.077	19/05/2011
S58498	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Angelo River	-23.3171	118.812	20/06/2011
S88196	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3288	119.782	5/08/2013
S88204	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3133	119.76	5/08/2013
S88194	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.286	119.727	5/08/2013
S81806	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2836	119.805	5/04/2013
S59594	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9058	119.2	21/06/2009
S81039	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011

S88208	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.3003	119.862	5/08/2013
S88210	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3115	119.766	5/08/2013
S88211	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2853	119.773	5/08/2013
S81813	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3013	119.757	29/04/2013
S88213	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3315	119.777	5/08/2013
S65687	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	115km NNW of Newman	-22.3178	119.748	24/03/2011
S88205	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3232	119.79	5/08/2013
S59369	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.7412	119.196	3/04/2009
S64728	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.3712	119.613	15/03/2010
S81113	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011
S81115	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.1185	119.065	20/05/2011
S81117	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~72 km heading 291° from Newman	-23.1255	119.08	21/05/2011
S64736	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.4182	119.585	14/08/2010
S81123	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~70 km heading 291° from Newman	-23.1287	119.09	19/05/2011
S64739	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.3712	119.613	14/08/2010
S81126	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011
S60361	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0678	-22.4943	119.922	26/05/2009
S64677	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	ca. 50 km NW of Fortescue Marsh	-22.1322	119.198	12/05/2010
S81794	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2827	119.74	29/04/2013
S88217	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3207	119.754	5/08/2013
S42710	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Pilbara; Chichester Range; spinifex dominated rocky slopes	-22.0516	118.988	7/07/2008
S60372	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0683	-22.4943	119.922	26/05/2009
S42708	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Pilbara; Chichester Range; spinifex dominated rocky slopes	-22.0516	118.988	7/07/2008
S60364	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0763	-22.4793	119.942	26/05/2009
S88012	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2834	119.75	5/08/2013
S88010	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2826	119.739	5/08/2013
S88192	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.3103	119.726	5/08/2013
S59368	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.732	119.184	2/04/2009
S65986	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~75 km heading 289° from Newman	-23.1355	119.038	19/05/2011
S59556	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Hammersley Range; 60km WNW Newman; Hope Downs	-23.0925	119.206	27/04/2009
S81841	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3106	119.731	5/04/2013
S81076	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~71 km heading 290° from Newman	-23.1314	119.077	19/05/2011
S59574	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9102	119.208	19/06/2009

S81848	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	ca.15 kms NE Roy Hill	-22.5394	120.029	18/04/2013
S81850	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	ca.15 kms NE Roy Hill	-22.5217	120.038	18/04/2013
S59579	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9316	119.187	19/06/2009
S88000	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.3031	119.86	5/08/2013
S81837	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2827	119.74	29/04/2013
S65304	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Karijini National Park; 80 kms East of Tom Price	-22.8523	118.568	23/07/2010
S59564	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9427	119.233	19/06/2009
S42757	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Pilbara; Chichester Range; spinifex dominated rocky slopes	-22.0503	118.993	7/07/2008
S42758	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Pilbara; Chichester Range; spinifex dominated rocky slopes	-22.0516	118.988	7/07/2008
S88071	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3255	119.748	5/08/2013
S80906	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Marillana, 100 Km N of Newman	-22.5625	119.231	8/08/2011
S80912	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Marillana, 100 Km N of Newman	-22.1269	119.212	19/07/2011
S88080	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28km ENE of Newman	-23.3361	120.024	27/08/2013
S80915	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Marillana, 100 Km N of Newman	-22.408	119.007	8/08/2011
S83477	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	190 km SSE of Port Hedland	-22.0146	119.006	23/04/2012
S80919	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Marillana, 100 Km N of Newman	-22.1164	119.245	19/07/2011
S81601	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	ca. 56 km NE of Auski Roadhouse	-21.9235	118.933	13/04/2013
S88044	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2715	119.842	5/08/2013
S81820	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3315	119.777	29/04/2013
S65695	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S88224	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28km ENE of Newman	-23.319	120.026	27/08/2013
S81825	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2715	119.842	29/04/2013
S88225	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Mesa Gap, ca. 33km ENE of Newman	-23.355	120.029	27/08/2013
S81826	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3232	119.79	29/04/2013
S88226	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28km ENE of Newman	-23.3315	119.982	27/08/2013
S81827	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2865	119.744	29/04/2013
S34477	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	East Pilbara; Maralina Station; about 60km ESE of Auski Roadhouse	-22.5851	119.314	5/09/2008
S59300	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	NW of Newman; Hope Downs	-23.103	119.582	18/09/2008
S65690	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2954	119.811	24/03/2011
S64676	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	ca. 50 km NW of Fortescue Marsh	-22.1322	119.198	12/05/2010
S64755	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.3947	119.591	15/08/2010
S81063	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~72 km heading 290° from Newman	-23.1268	119.067	19/05/2011
S34471	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	East Pilbara; Maralina Station; about 60km ESE of Auski Roadhouse	-22.584	119.311	5/09/2008

S64680	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	ca. 50 km NW of Fortescue Marsh	-22.2858	119.028	12/05/2010
S81833	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3054	119.77	29/04/2013
S64681	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	ca. 50 km NW of Fortescue Marsh	-22.2924	119.028	12/05/2010
S64682	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	ca. 50 km NW of Fortescue Marsh	-22.2858	119.028	12/05/2010
S81836	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2892	119.795	29/04/2013
S88009	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3106	119.731	5/08/2013
S80928	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Marillana, 100 Km N of Newman	-22.6376	119.374	8/08/2011
S65632	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S65630	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S65629	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	115km NNW of Newman	-22.3178	119.748	24/03/2011
S81747	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28km ENE of Newman	-23.3315	119.982	19/03/2013
S65334	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Karijini National Park; 78 kms East of Tom Price	-22.8533	118.547	24/07/2010
S65325	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Karijini National Park; 83 kms ESE of Tom Price	-22.9412	118.567	25/07/2010
S65324	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Karijini National Park; 80 kms East of Tom Price	-22.8538	118.566	23/07/2010
S83813	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	69km E Paraburdoo	-23.2555	118.262	18/06/2012
S65320	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Karijini National Park; 78 kms East of Tom Price	-22.849	118.545	28/04/2010
S83520	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	222 km SSE of Port Hedland	-22.3007	119.015	23/04/2012
S80926	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Marillana, 100 Km N of Newman	-22.3667	119.005	8/08/2011
S80925	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Marillana, 100 Km N of Newman	-22.6013	119.291	8/08/2011
S80923	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Marillana, 100 Km N of Newman	-22.265	119.025	8/08/2011
S81177	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~78 km heading 286° from Newman	-23.1615	119.002	18/05/2011
S81792	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2852	119.743	29/04/2013
S88191	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2922	119.8	5/08/2013
S59370	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.7316	119.193	4/04/2009
S81788	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3232	119.79	29/04/2013
S65322	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Karijini National Park; 83 kms ESE of Tom Price	-22.9416	118.568	25/07/2010
S83826	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	65km E Paraburdoo	-23.2109	118.305	18/06/2012
S81000	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.122	119.061	20/05/2011
S64633	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Fortescue Marsh west	-22.2872	119.03	15/07/2010
S83831	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	63km E Paraburdoo	-23.2355	118.288	18/06/2012
S65654	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	115km NNW of Newman	-22.3178	119.748	24/03/2011
S83510	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	198 km SSE of Port Hedland	-22.1182	119.005	23/04/2012
S83827	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	67.5km ESE Paraburdoo	-23.3242	118.317	18/06/2012

S88062	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.3005	119.849	5/08/2013
S83825	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	57km E Paraburdoo	-22.2301	118.228	18/06/2012
S88058	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2927	119.81	5/08/2013
S65647	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S65644	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	115km N of Newman	-22.3134	119.789	24/03/2011
S65641	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S81768	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Orebody 19, ca. 28km ENE of Newman	-23.3361	120.024	19/03/2013
S64627	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. beltianus	epigean	widespread	W.A. Museum assessment	Fortescue Marsh west	-22.2872	119.03	15/07/2010
S59573	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. eremicolus	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9102	119.208	19/06/2009
S80927	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. eremicolus	epigean	widespread	W.A. Museum assessment	Marillana, 100 Km N of Newman	-22.3667	119.005	8/08/2011
S64643	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. eremicolus	epigean	widespread	W.A. Museum assessment	Fortescue Marsh east	-22.4252	119.724	2/06/2010
S59571	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. eremicolus	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9102	119.208	19/06/2009
S59299	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. lepidulus	epigean	widespread	W.A. Museum assessment	NW of Newman; Hope Downs	-23.103	119.582	18/09/2008
S83935	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	RIOTIO Greater West Angelas; Juna Downs Station	-23.1464	118.638	25/09/2012
S88030	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.291	119.794	5/08/2013
S83934	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	RIOTIO Greater West Angelas; Juna Downs Station	-23.1723	118.624	25/09/2012
S42716	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Pilbara; Chichester Range; spinifex dominated rocky slopes	-22.0503	118.993	7/07/2008
S64731	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.3947	119.591	15/03/2010
S42712	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Pilbara; Chichester Range; spinifex dominated rocky slopes	-22.0516	118.988	7/07/2008
S81112	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011
S64727	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.3902	119.643	14/03/2010
S81086	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~75 km heading 290° from Newman	-23.1266	119.047	20/05/2011
S29641	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	78.5 km NW of Newman	-23.0838	119.023	17/03/2019
S81604	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	ca. 51 km NE of Auski Roadhouse	-21.9747	118.943	13/04/2013
S59586	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9427	119.233	19/06/2009
S83936	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	RIOTIO Greater West Angelas; Juna Downs Station	-23.1341	118.837	25/09/2012
S60521	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	60km NW of Newman	-22.9892	119.236	28/08/2008
S81098	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~76 km heading 290° from Newman	-23.1169	119.04	20/05/2011
S81044	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~78 km heading 286° from Newman	-23.1615	119.002	18/05/2011
S88200	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.3054	119.77	5/08/2013
S81799	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2853	119.773	29/04/2013
S88198	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.29	119.816	5/08/2013
S81030	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~75 km heading 289° from Newman	-23.1355	119.038	19/05/2011

S81791	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2741	119.74	29/04/2013
S88190	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2899	119.736	5/08/2013
S81790	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2844	119.74	29/04/2013
S81015	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~72 km heading 290° from Newman	-23.1309	119.069	19/05/2011
S81525	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	OB35, ca. 8km WSW of Newman	-23.3875	119.656	13/09/2011
S81524	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	OB35, ca. 8km WSW of Newman	-23.3936	119.653	13/09/2011
S88214	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2885	119.738	5/08/2013
S81006	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.122	119.061	20/05/2011
S81815	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2892	119.795	29/04/2013
S60517	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	60km NW of Newman	-22.9632	119.228	29/08/2008
S14155	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Hamersley Range, Dales Gorge, N arm of Gorge below carpark, W side	-22.4666	118.617	31/08/1975
S14154	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Hamersley Range, Dales Gorge, N arm of Gorge below carpark	-22.4666	118.617	31/08/1975
S65610	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Christmas Creek	-22.3985	119.793	9/04/2011
S83518	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	208 km SSE of Port Hedland	-22.1606	119.016	23/04/2012
S83505	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	208 km SSE of Port Hedland	-22.1885	119.031	23/04/2012
S80920	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Marillana, 100 Km N of Newman	-22.5625	119.231	8/08/2011
S81175	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~80 km heading 285° from Newman	-23.1632	118.977	17/05/2011
S81430	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Marillana; 100 km NW Newman	-22.3733	119.195	20/05/2011
S81173	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna	-23.1502	119.009	23/05/2011
S81681	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.7253	119.064	14/05/2013
S81674	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.6991	118.997	14/05/2013
S81522	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	OB35, ca. 8km WSW of Newman	-23.3908	119.662	13/09/2011
S81828	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2758	119.807	29/04/2013
S81084	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~75 km heading 290° from Newman	-23.1201	119.048	20/05/2011
S81816	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2834	119.77	29/04/2013
S81817	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.323	119.79	29/04/2013
S64669	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	ca. 50 km NW of Fortescue Marsh	-22.0883	119.017	12/05/2010
S81056	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~80 km heading 285° from Newman	-23.1632	118.977	17/05/2011
S81814	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3273	119.772	29/04/2013
S81058	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~79 km heading 286° from Newman	-23.1546	118.993	18/05/2011
S81829	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2834	119.75	5/04/2013
S81832	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3217	119.786	5/04/2013
S65970	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~75 km heading 289° from Newman	-23.1348	119.034	19/05/2011

S81075	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~71 km heading 290° from Newman	-23.1314	119.077	19/05/2011
S65974	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.122	119.061	20/05/2011
S81079	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.122	119.061	20/05/2011
S59297	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides cf. pacificus	epigean	widespread	W.A. Museum assessment	NW of Newman; Hope Downs	-23.0912	119.212	21/09/2008
S83498	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides eremicolus	epigean	widespread	W.A. Museum assessment	222 km SSE of Port Hedland	-22.3681	119.006	23/04/2012
S83471	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides eremicolus	epigean	widespread	W.A. Museum assessment	190 km SSE of Port Hedland	-22.0475	118.998	23/04/2012
S65160	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides ischnus	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3949	119.502	26/10/2010
S64686	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides ischnus	epigean	widespread	W.A. Museum assessment	ca. 50 km NW of Fortescue Marsh	-22.1322	119.198	12/05/2010
S41281	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides lepidulus	epigean	widespread	W.A. Museum assessment	Cloud Break area (N of Newman)	-22.3181	119.379	4/07/2006
S41282	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides lepidulus	epigean	widespread	W.A. Museum assessment	Cloud Break area (N of Newman)	-22.2997	119.374	3/07/2006
S41283	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides lepidulus	epigean	widespread	W.A. Museum assessment	Cloud Break area (N of Newman)	-22.321	119.444	4/07/2006
S34470	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides lepidulus	epigean	widespread	W.A. Museum assessment	East Pilbara; Maralina Station; about 60km ESE of Auski Roadhouse	-22.6663	119.232	30/06/2008
S34475	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides lepidulus	epigean	widespread	W.A. Museum assessment	East Pilbara; Maralina Station; about 60km ESE of Auski Roadhouse	-22.5739	119.256	5/09/2008
S60082	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides lepidulus	epigean	widespread	W.A. Museum assessment	120km NNW of Newman; Area C	-22.9313	119.038	13/06/2008
S60084	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides lepidulus	epigean	widespread	W.A. Museum assessment	26km from Marillana Homestead; Welli Wolli Creek; S side of creek	-22.5	119.217	29/05/1966
S41144	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides lepidulus	epigean	widespread	W.A. Museum assessment	Cloud Break area (N of Newman)	-22.2979	119.381	3/07/2006
S41169	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides lepidulus	epigean	widespread	W.A. Museum assessment	Cloud Break area (N of Newman)	-22.3188	119.377	4/07/2006
S41170	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides lepidulus	epigean	widespread	W.A. Museum assessment	Cloud Break area (N of Newman)	-22.265	119.317	4/07/2006
S41171	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides lepidulus	epigean	widespread	W.A. Museum assessment	Cloud Break area (N of Newman)	-23	119.217	5/07/2006
S65999	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~70 km heading 291° from Newman	-23.1287	119.09	19/05/2011
S59589	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9169	119.213	19/06/2009
S83323	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Southern Flank to Jinidi, 68.8km NW of Newman	-22.9627	119.204	4/02/2012
S59301	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	NW of Newman; Hope Downs	-23.103	119.582	18/09/2008
S81060	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~72 km heading 290° from Newman	-23.1309	119.069	19/05/2011
S81571	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	119km NW of Newman; Area C West -Yandi	-22.6336	118.871	30/05/2011
S65696	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S64670	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	ca. 50 km NW of Fortescue Marsh	-22.0191	119.034	12/05/2010
S64678	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	ca. 50 km NW of Fortescue Marsh	-22.2184	119.059	12/05/2010
S81041	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.121	119.063	20/05/2011
S81066	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011
S81037	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~72 km heading 290° from Newman	-23.1309	119.069	19/05/2011
S65549	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	108km N of Newman	-22.3132	119.86	24/03/2011
S72330	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~72 km heading 290° from Newman	-23.1309	119.069	19/05/2011
S81031	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.1185	119.065	20/05/2011
S65671	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	108km N of Newman	-22.3132	119.86	24/03/2011
S65669	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	115km N of Newman	-22.3134	119.789	24/03/2011
S65668	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S65693	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	112km NNE of Newman	-22.3871	119.966	24/03/2011
S65988	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011
S65338	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Karijini National Park; Knox Gorge; 63 kms NE of Tom Price	-22.3714	118.299	30/07/2010
S65532	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	113km N of Newman	-22.3351	119.653	22/03/2011
S65529	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2954	119.811	24/03/2011
S83928	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	RIOTIO Greater West Angelas; Juna Downs Station	-23.148	118.691	25/09/2012
S81111	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011
S65750	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	115km N of Newman	-22.3134	119.789	25/03/2011

Western Australian Museum Database Search Interpreted Results

S59558	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Hammersley Range; 60km WNW Newman; Hope Downs	-23.0561	119.151	24/04/2009
S59590	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9219	119.204	19/06/2009
S65676	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	115km N of Newman	-22.3134	119.789	24/03/2011
S59583	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9275	119.128	18/06/2009
S83385	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	East of Woodstock Aboriginal Reserve, 50km NNE of Great Northern Hwy and Port Hedland-Wittenoom Rd junction, 6km SW of Redmont Airport	-22.0172	118.982	15/04/2012
S81849	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	ca.15 kms NE Roy Hill	-22.4932	120.019	18/04/2013
S81077	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~72 km heading 290° from Newman	-23.1309	119.069	19/05/2011
S60083	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	26km from Marillana Homestead; Welli Wolli Creek; S side of creek	-22.5	119.217	29/05/1966
S60081	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	120km NNW of Newman; Area C	-22.9313	119.038	13/06/2008
S59569	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9177	119.204	19/06/2009
S81108	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.121	119.063	20/05/2011
S81695	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.7386	118.996	14/05/2013
S65609	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Christmas Creek	-22.4078	119.877	11/04/2011
S65599	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Christmas Creek	-22.4061	119.738	8/04/2011
S83515	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	190 km SSE of Port Hedland	-22.0264	119.003	23/04/2012
S83504	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	208 km SSE of Port Hedland	-22.1493	119.025	23/04/2012
S83501	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	190 km SSE of Port Hedland	-22.0521	118.987	23/04/2012
S65656	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	115km N of Newman	-22.3134	119.789	24/03/2011
S65615	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Christmas Creek	-22.4314	119.915	8/04/2011
S65680	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S83493	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	190 km SSE of Port Hedland	-22.0427	119.007	23/04/2012
S81435	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Marillana; 100 km NW Newman	-22.4285	119.204	20/05/2011
S81179	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.122	119.061	20/05/2011
S81688	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.7259	118.984	14/05/2013
S80918	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Marillana, 100 Km N of Newman	-22.1164	119.245	19/07/2011
S83470	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	190 km SSE of Port Hedland	-22.0475	118.998	23/04/2012
S81166	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~72 km heading 290° from Newman	-23.1309	119.069	19/05/2011
S81165	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011
S81700	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.7386	118.996	14/05/2013
S65645	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	115km N of Newman	-22.3134	119.789	24/03/2011
S80930	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Marillana, 100 Km N of Newman	-22.1269	119.212	19/07/2011
S65648	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S65617	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	Christmas Creek	-22.3932	119.78	11/04/2011
S65642	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S60520	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	60km NW of Newman	-23.053	119.27	27/08/2008
S60519	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	60km NW of Newman	-23.053	119.27	27/08/2008
S65639	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2954	119.811	24/03/2011
S60518	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	60km NW of Newman	-23.0504	119.273	27/08/2008
S65631	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S65651	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2954	119.811	24/03/2011
S65637	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2954	119.811	24/03/2011
S65628	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2954	119.811	24/03/2011
S83810	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	69km E Paraburdoo	-23.2555	118.262	18/06/2012
S60514	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	60km NW of Newman	-23.0504	119.273	27/08/2008
S65635	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	113km NNW of Newman	-22.3351	119.653	24/03/2011
S65636	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2972	119.863	24/03/2011
S60516	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	60km NW of Newman	-23.053	119.27	27/08/2008
S60501	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides pacificus	epigean	widespread	W.A. Museum assessment	60km NW of Newman	-23.053	119.27	27/08/2008
S58006	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides sp.	epigean	widespread	W.A. Museum assessment	North of Newman; upstream of Kalgan Pool; SSE facing slope of gorge base	-23.1874	119.696	24/06/2009
S29639	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides sp.	epigean	widespread	W.A. Museum assessment	88.2 km NW of Newman	-23.06	118.932	9/03/2019
S81118	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides sp.	epigean	widespread	W.A. Museum assessment	Wonmunna; ~75 km heading 290° from Newman	-23.1201	119.048	20/05/2011
S64758	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides sp.	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.3837	119.648	14/08/2010
S29643	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides sp.	epigean	widespread	W.A. Museum assessment	82.5 km NW of Newman	-23.045	118.999	14/03/2019
S29642	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides sp.	epigean	widespread	W.A. Museum assessment	82.5 km NW of Newman	-23.045	118.999	14/03/2019
S29640	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides sp.	epigean	widespread	W.A. Museum assessment	81.6 km NW of Newman	-23.077	118.994	17/03/2019

Western Australian Museum Database Search Interpreted Results

S59572	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides sp.	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9102	119.208	19/06/2009
S59306	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides sp.	epigean	widespread	W.A. Museum assessment	NW of Newman; Hope Downs	-23.0925	119.206	21/09/2008
S111516	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides sp.	epigean	widespread	W.A. Museum assessment	Greater Hope Downs, 80.9 km NW of Newman	-23.0779	119.001	25/05/2018
S111515	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides sp.	epigean	widespread	W.A. Museum assessment	Greater Hope Downs, 81.8 km NW of Newman	-23.0434	119.117	22/05/2018
S111513	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides sp.	epigean	widespread	W.A. Museum assessment	Greater Hope Downs, 80.3 km NW of Newman	-23.0483	119.021	25/05/2018
S65664	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides sp.	epigean	widespread	W.A. Museum assessment	118km N of Newman	-22.2954	119.811	24/03/2011
S111514	Gastropoda	Gastropoda (Snails)	Indet	Pupillidae	Pupoides sp.	epigean	widespread	W.A. Museum assessment	Greater Hope Downs, 85.9 km NW of Newman	-23.083	118.947	23/05/2018
S88197	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.2928	119.858	5/08/2013
S65991	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~79 km heading 286° from Newman	-23.1592	118.993	17/05/2011
S65980	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011
S65212	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3395	119.277	26/10/2010
S65981	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011
S65982	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~77 km heading 288° from Newman	-23.1393	119.018	19/05/2011
S65984	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~75 km heading 290° from Newman	-23.1266	119.047	20/05/2011
S81089	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.121	119.063	20/05/2011
S83393	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	50km NNE of Great Northern Hwy and Port Hedland-Wittenoom Rd junction, 6km SW of Redmont Airport	-22.0195	118.982	15/04/2012
S81090	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.121	119.063	20/05/2011
S65989	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~78 km heading 286° from Newman	-23.1615	119.002	18/05/2011
S64719	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.3945	119.639	15/03/2010
S83398	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Marillana Station, 62km E of Great Northern Hwy and Port Hedland Wittenoom Rd junction	-22.5746	119.256	16/04/2012
S83386	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	East of Woodstock Aboriginal Reserve, 50km NNE of Great Northern Hwy and Port Hedland-Wittenoom Rd junction, 6km SW of Redmont Airport	-22.0172	118.982	15/04/2012
S81095	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~72 km heading 291° from Newman	-23.1255	119.08	21/05/2011
S81097	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~74 km heading 290° from Newman	-23.1216	119.05	20/05/2011
S65994	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~77 km heading 288° from Newman	-23.1393	119.018	19/05/2011
S65995	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~74 km heading 290° from Newman	-23.1216	119.05	20/05/2011
S81100	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~77 km heading 289° from Newman	-23.1331	119.015	23/05/2011
S65997	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~72 km heading 290° from Newman	-23.1309	119.069	19/05/2011
S81101	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~77 km heading 289° from Newman	-23.1331	119.015	23/05/2011
S81102	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~77 km heading 289° from Newman	-23.1331	119.015	23/05/2011
S81065	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011
S81093	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.1185	119.065	20/05/2011
S66228	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Karijini National Park, Dales Gorge, Circular Pool	-22.4758	118.562	18/03/2015
S42665	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Pilbara; Hope Downs (~100km NW of Newman)	-23.0865	119.318	13/05/2008

S81067	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011
S81839	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.293	119.757	5/04/2013
S65968	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.1185	119.065	20/05/2011
S81072	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~78 km heading 288° from Newman	-23.1436	119.006	18/05/2011
S34480	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	East Pilbara; Maralina Station; about 60km ESE of Auski Roadhouse	-22.584	119.311	5/09/2008
S65969	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.1185	119.065	20/05/2011
S66225	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Karijini National Park, Dales Gorge, Circular Pool	-22.4758	118.562	18/03/2015
S66226	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Karijini National Park, Dales Gorge, Circular Pool	-22.4758	118.562	18/03/2015
S81083	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~75 km heading 290° from Newman	-23.1201	119.048	20/05/2011
S65972	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.122	119.061	20/05/2011
S66235	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Karijini National Park, Dales Gorge, Circular Pool	-22.4758	118.562	18/03/2015
S65537	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	112km N of Newman	-22.3871	119.966	26/03/2011
S66230	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Karijini National Park, Dales Gorge, Circular Pool	-22.4758	118.562	18/03/2015
S65152	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3394	119.277	26/10/2010
S66231	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Karijini National Park, Dales Gorge, Circular Pool	-22.4758	118.562	18/03/2015
S66232	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Karijini National Park, Dales Gorge, Circular Pool	-22.4758	118.562	18/03/2015
S81080	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.122	119.061	20/05/2011
S66233	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Karijini National Park, Dales Gorge, Circular Pool	-22.4758	118.562	18/03/2015
S66234	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Karijini National Park, Dales Gorge, Circular Pool	-22.4758	118.562	18/03/2015
S81082	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~75 km heading 290° from Newman	-23.1201	119.048	20/05/2011
S29648	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	88.2 km NW of Newman	-23.06	118.932	9/03/2019
S66227	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Karijini National Park, Dales Gorge, Circular Pool	-22.4758	118.562	18/03/2015
S61130	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Cloud Break area N of Newman	-22.2688	119.315	4/07/2006
S59475	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Pilbara; Mulga Downs Station; Murray Hills	-22.1123	118.521	19/04/2009
S59476	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Pilbara; Mulga Downs Station; Murray Hills	-22.1291	118.505	19/04/2009
S59545	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Hammersley Range; 60km WNW Newman; Hope Downs	-23.0878	119.161	27/04/2009
S59546	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Hammersley Range; 60km WNW Newman; Hope Downs	-23.0913	119.209	22/04/2009
S59547	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Hammersley Range; 60km WNW Newman; Hope Downs	-23.0919	119.188	27/04/2009
S59577	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9058	119.2	21/06/2009
S59578	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9247	119.199	21/06/2009
S59580	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9272	119.235	22/06/2009
S59582	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9275	119.128	18/06/2009
S58062	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	North of Newman; upstream of Kalgan Pool; NNW facing slope of gorge base	-23.1862	119.695	24/06/2009

S60362	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0678	-22.4943	119.922	26/05/2009
S59392	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.7351	119.186	2/04/2009
S59597	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9058	119.2	21/06/2009
S64462	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Around the East Hamerlsey Range and Fortescue Marsh junction	-22.9841	119.771	20/04/2010
S60375	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0670	-22.4943	119.922	26/05/2009
S60380	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:1937	-22.6076	119.983	29/10/2009
S60387	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:1946	-22.6076	119.983	29/10/2009
S60389	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:1947	-22.6076	119.983	29/10/2009
S59386	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.7412	119.196	3/04/2009
S59387	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.7316	119.193	4/04/2009
S59391	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.7316	119.193	4/04/2009
S59588	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	65km NW of Newman; Jinayri	-22.9169	119.213	19/06/2009
S83431	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Area C West to Yandi, 110km NW of Newman	-22.7425	118.88	5/02/2012
S29649	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	70.8 km NW of Newman	-23.0416	119.129	11/03/2019
S64721	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.4108	119.572	15/03/2010
S29650	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	88.2 km NW of Newman	-23.06	118.932	9/03/2019
S29651	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	81.6 km NW of Newman	-23.077	118.994	17/03/2019
S29652	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	78.5 km NW of Newman	-23.0838	119.023	17/03/2019
S64724	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.4108	119.572	15/03/2010
S29653	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	84.2 km NW of Newman	-23.0606	118.974	12/03/2019
S64725	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.3943	119.632	15/03/2010
S83931	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	RIOTIO Greater West Angelas; Juna Downs Station	-23.1229	118.862	25/09/2012
S60424	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0770	-22.4793	119.942	26/05/2009
S58081	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	North of Newman; upstream of Kalgan Pool; W facing side of gorge	-23.1872	119.696	24/06/2009
S59393	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.7412	119.196	3/04/2009
S64743	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.4108	119.572	14/08/2010
S64746	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.3723	119.64	15/08/2010
S58094	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Between Newman and Nullagine on W side of road; top of S facing slope	-22.3848	119.97	25/06/2009
S83441	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	South Parmelia, 52.1km NW of Newman	-23.0336	119.176	3/02/2012
S88051	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3307	119.76	5/08/2013
S64757	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	ca. 8 km W of Newman; Ore Body 35	-23.3943	119.632	15/08/2010
S59384	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.732	119.184	2/04/2009
S59385	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.7412	119.196	3/04/2009

Western Australian Museum Database Search Interpreted Results

S59389	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Hammersley Range; Phils Creek	-22.732	119.184	2/04/2009
S66229	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Karijini National Park, Dales Gorge, Circular Pool	-22.4758	118.562	18/03/2015
S83933	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	RIOTIO Greater West Angelas; Juna Downs Station	-23.123	118.874	25/09/2012
S83812	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	69km E Paraburdoo	-23.2555	118.262	18/06/2012
S61772	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	ca. 60km NW of Newman	-23.0504	119.273	27/08/2008
S65616	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Christmas Creek	-22.3932	119.78	11/04/2011
S34640	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	East Pilbara; Maralina Station; about 60km ESE of Auski Roadhouse	-22.626	119.283	10/10/2008
S59228	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Jinayri area	-23.0248	119.244	30/08/2008
S59229	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Jinayri area	-23.053	119.27	27/08/2008
S59230	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Jinayri area	-23.053	119.27	27/08/2008
S81078	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~72 km heading 290° from Newman	-23.1309	119.069	19/05/2011
S59232	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Jinayri area	-23.053	119.27	27/08/2008
S81061	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~79 km heading 286° from Newman	-23.1592	118.993	17/05/2011
S81521	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	OB35, ca. 8km WSW of Newman	-23.3908	119.664	13/09/2011
S59235	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Jinayri area	-23.0504	119.273	27/08/2008
S65607	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Christmas Creek	-22.4314	119.915	8/04/2011
S59236	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Jinayri area	-23.053	119.27	27/08/2008
S59237	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Jinayri area	-23.0504	119.273	27/08/2008
S59238	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Jinayri area	-23.0504	119.273	27/08/2008
S65129	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3652	119.341	26/10/2010
S65130	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3652	119.341	26/10/2010
S81003	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.121	119.063	20/05/2011
S65390	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Roy Hill Station; EE09:0651	-22.4547	119.871	27/05/2009
S81007	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.1185	119.065	20/05/2011
S81008	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~78 km heading 288° from Newman	-23.1436	119.006	18/05/2011
S59234	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Jinayri area	-23.0129	119.237	1/09/2008
S81694	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.7396	119	14/05/2013
S80909	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Marillana, 100 Km N of Newman	-22.5625	119.231	8/08/2011
S81680	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.7253	119.064	14/05/2013
S83472	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	208 km SSE of Port Hedland	-22.2334	119.022	23/04/2012
S81682	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.7138	119.01	14/05/2013
S81429	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Marillana; 100 km NW Newman	-22.3733	119.195	20/05/2011
S81431	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Marillana; 100 km NW Newman	-22.3476	119.152	20/05/2011

S65306	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Karijini National Park; Dales Gorge; 82 kms ENE of Tom Price	-22.4782	118.56	30/07/2010
S81181	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.122	119.061	20/05/2011
S83485	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	208 km SSE of Port Hedland	-22.1554	119.022	23/04/2012
S34636	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	East Pilbara; Maralina Station; about 60km ESE of Auski Roadhouse	-22.5552	119.23	6/09/2008
S81438	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Marillana; 100 km NW Newman	-22.4285	119.204	20/05/2011
S65608	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Christmas Creek	-22.3515	119.771	10/04/2011
S65313	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Karijini National Park; Dales Gorge; 82 kms ENE of Tom Price	-22.4777	118.563	30/07/2010
S81698	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.7386	118.996	14/05/2013
S81699	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Yandi (Marillana Ck) ca. 98km NW Newman	-22.7386	118.996	14/05/2013
S65316	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Karijini National Park; Mt Meharry; 86 kms ESE of Tom Price	-22.9819	118.588	26/07/2010
S65321	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Karijini National Park; 83 kms ESE of Tom Price	-22.9416	118.568	25/07/2010
S83513	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	208 km SSE of Port Hedland	-22.2035	119.023	23/04/2012
S65346	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Juna Downs Station; 75 kms ESE of Tom Price	-22.9211	118.494	27/04/2010
S65347	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Karijini National Park; Knox Gorge; 63 kms NE of Tom Price	-22.3714	118.299	30/07/2010
S65348	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Karijini National Park; Dales Gorge; 82 kms ENE of Tom Price	-22.4778	118.559	30/07/2010
S59233	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Jinayri area	-23.025	119.243	30/08/2008
S65309	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Karijini National Park; Mt Meharry; 87 kms ESE of Tom Price	-22.9797	118.589	26/07/2010
S81010	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.1185	119.065	20/05/2011
S88215	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.2968	119.727	5/08/2013
S83352	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Mudlark, 101.2km NW of Newman	-23.077	118.787	6/02/2012
S58008	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	North of Newman; upstream of Kalgan Pool; SSE facing slope of gorge base	-23.1874	119.696	24/06/2009
S81049	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~78 km heading 286° from Newman	-23.1615	119.002	18/05/2011
S83353	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Mudlark, 101.1km NW of Newman	-23.077	118.787	6/02/2012
S81050	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~75 km heading 289° from Newman	-23.1355	119.038	19/05/2011
S83354	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Mudlark, 95km NW of Newman; narrow gorge several hundred metres up from entrance of mt robinson.	-23.0393	118.853	6/02/2012
S88218	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3207	119.754	5/08/2013
S65692	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	112km NNE of Newman	-22.3871	119.966	24/03/2011
S83351	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Mudlark, 91.6km NW of Newman	-23.0477	118.885	6/02/2012
S88220	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3329	119.764	5/08/2013
S59292	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	NW of Newman; Hope Downs	-23.103	119.582	18/09/2008
S59293	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	NW of Newman; Hope Downs	-23.0918	119.188	20/09/2008
S59231	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Jinayri area	-22.9842	119.268	1/09/2008
S81055	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~80 km heading 285° from Newman	-23.1632	118.977	17/05/2011

S83359	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Mudlark, 102.4km NW of Newman	-23.0779	118.752	6/02/2012
S59295	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	NW of Newman; Hope Downs	-23.0912	119.212	21/09/2008
S81824	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2909	119.861	5/04/2013
S81057	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~80 km heading 285° from Newman	-23.1632	118.977	17/05/2011
S81569	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	119km NW of Newman; Area C West -Yandi	-22.6336	118.871	30/05/2011
S83361	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Mudlark, 101.1km NW of Newman	-23.077	118.787	6/02/2012
S83356	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Mudlark, 93.6km NW of Newman	-23.0476	118.885	6/02/2012
S81029	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~75 km heading 289° from Newman	-23.1355	119.038	19/05/2011
S81047	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~78 km heading 286° from Newman	-23.1615	119.002	18/05/2011
S81012	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~72 km heading 291° from Newman	-23.1255	119.08	21/05/2011
S81013	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~73 km heading 291° from Newman	-23.122	119.061	20/05/2011
S65141	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3251	119.446	26/10/2010
S81014	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~72 km heading 291° from Newman	-23.1255	119.08	21/05/2011
S81526	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	OB35, ca. 8km WSW of Newman	-23.3905	119.664	13/09/2011
S81527	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	OB35, ca. 8km WSW of Newman	-23.3908	119.663	13/09/2011
S81783	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3322	119.78	29/04/2013
S81017	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna	-23.1502	119.009	23/05/2011
S59294	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	NW of Newman; Hope Downs	-23.0925	119.206	21/09/2008
S65147	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Cloudbreak	-22.3652	119.341	26/10/2010
S59271	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Jinayri area	-22.9427	119.233	29/03/2009
S59272	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Jinayri area	-22.9263	119.204	27/03/2009
S81804	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Orebody 24 ca. 7km N of Newman	-23.2872	119.724	5/04/2013
S65933	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Angelo River	-23.3171	118.812	20/06/2011
S88207	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Orebody 25 ca. 5km N of Newman	-23.3307	119.76	5/08/2013
S65937	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Angelo River	-23.37	118.83	20/06/2011
S81043	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~78 km heading 286° from Newman	-23.1615	119.002	18/05/2011
S58003	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	North of Newman; upstream of Kalgan Pool; E facing side of gorge	-23.1877	119.697	24/06/2009
S88212	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	`Homestead` ca. 6km N of Newman	-23.3255	119.748	5/08/2013
S81045	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~78 km heading 286° from Newman	-23.1615	119.002	18/05/2011
S81046	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Wonmunna; ~78 km heading 286° from Newman	-23.1615	119.002	18/05/2011
S83322	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Eremopeas interioris	epigean	widespread	W.A. Museum assessment	Area C West, 120.1km NW of Newman	-22.8885	118.674	13/02/2012
S111518	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Subulinidae sp.	epigean	widespread	W.A. Museum assessment	Greater Hope Downs, 81.8 km NW of Newman	-23.0434	119.117	22/05/2018
S111522	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Subulinidae sp.	epigean	widespread	W.A. Museum assessment	Greater Hope Downs, 76.2 km NW of Newman	-23.0391	119.072	22/05/2018

Western Australian Museum Database Search Interpreted Results

S111521	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Subulinidae sp.	epigean	widespread	W.A. Museum assessment	Greater Hope Downs, 70.4 km NW of Newman	-23.0372	119.136	24/05/2018
S111517	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Subulinidae sp.	epigean	widespread	W.A. Museum assessment	Greater Hope Downs, 80.3 km NW of Newman	-23.0483	119.021	25/05/2018
S111519	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Subulinidae sp.	epigean	widespread	W.A. Museum assessment	Greater Hope Downs, 81.4 km NW of Newman	-23.0782	118.995	25/05/2018
S111520	Gastropoda	Gastropoda (Snails)	Indet	Subulinidae	Subulinidae sp.	epigean	widespread	W.A. Museum assessment	Greater Hope Downs, 81.8 km NW of Newman	-23.0434	119.117	22/05/2018
S65665	Gastropoda	Gastropoda (Snails)	Indet	Succineidae	Succinea sp.	epigean	Potential SRE: DD	Genus contains SREs and Potential SREs	118km N of Newman	-22.2954	119.811	24/03/2011
S81124	Gastropoda	Gastropoda (Snails)	Indet	Succineidae	Succinea sp.	epigean	Potential SRE: DD	Genus contains SREs and Potential SREs	Wonmunna	-23.1502	119.009	23/05/2011
S81884	Gastropoda	Gastropoda (Snails)	Indet	Succineidae	Succinea sp.	epigean	Potential SRE: DD	Genus contains SREs and Potential SREs	ca. 18 km N. Wittenoom	-22.0679	118.303	20/05/2013
S64475	Gastropoda	Gastropoda (Snails)	Indet	Succineidae	Succinea sp.	epigean	Potential SRE: DD	Genus contains SREs and Potential SREs	Fortescue Marsh	-22.3108	119.15	20/11/2009
S60365	Gastropoda	Gastropoda (Snails)	Indet	Succineidae	Succinea sp.	epigean	Potential SRE: DD	Genus contains SREs and Potential SREs	Roy Hill Station; EE09:0794	-22.5769	119.995	25/05/2009
S59330	Gastropoda	Gastropoda (Snails)	Indet	Succineidae	Succinea sp.	epigean	Potential SRE: DD	Genus contains SREs and Potential SREs	East Pilbara; Juna Downs Pastoral lease; ~55.5km S of Auski Roadhouse	-22.8697	118.674	17/06/2008
S61096	Gastropoda	Gastropoda (Snails)	Indet	Succineidae	Succinea sp.	epigean	Potential SRE: DD	Genus contains SREs and Potential SREs	Pilbara; 40km S of Nullagine; Bonney Creek Station	-22.0209	119.931	11/10/2008
S65691	Gastropoda	Gastropoda (Snails)	Indet	Succineidae	Succinea sp.	epigean	Potential SRE: DD	Genus contains SREs and Potential SREs	118km N of Newman	-22.2954	119.811	24/03/2011
S65685	Gastropoda	Gastropoda (Snails)	Indet	Succineidae	Succinea sp.	epigean	Potential SRE: DD	Genus contains SREs and Potential SREs	118km N of Newman	-22.2954	119.811	24/03/2011
S81040	Gastropoda	Gastropoda (Snails)	Indet	Succineidae	Succinea sp.	epigean	Potential SRE: DD	Genus contains SREs and Potential SREs	Wonmunna; ~74 km heading 289° from Newman	-23.1356	119.046	19/05/2011
S65674	Gastropoda	Gastropoda (Snails)	Indet	Succineidae	Succinea sp.	epigean	Potential SRE: DD	Genus contains SREs and Potential SREs	118km N of Newman	-22.2954	119.811	24/03/2011
S65666	Gastropoda	Gastropoda (Snails)	Indet	Succineidae	Succinea sp.	epigean	Potential SRE: DD	Genus contains SREs and Potential SREs	118km N of Newman	-22.2972	119.863	24/03/2011
S65661	Gastropoda	Gastropoda (Snails)	Indet	Succineidae	Succinea sp.	epigean	Potential SRE: DD	Genus contains SREs and Potential SREs	118km N of Newman	-22.2954	119.811	24/03/2011
S81020	Gastropoda	Gastropoda (Snails)	Indet	Succineidae	Succinea sp.	epigean	Potential SRE: DD	Genus contains SREs and Potential SREs	Wonmunna	-23.1502	119.009	23/05/2011
S65660	Gastropoda	Gastropoda (Snails)	Indet	Succineidae	Succinea sp.	epigean	Potential SRE: DD	Genus contains SREs and Potential SREs	118km N of Newman	-22.2954	119.811	24/03/2011
S65658	Gastropoda	Gastropoda (Snails)	Indet	Succineidae	Succinea sp.	epigean	Potential SRE: DD	Genus contains SREs and Potential SREs	115km N of Newman	-22.3134	119.789	24/03/2011
S83828	Gastropoda	Gastropoda (Snails)	Indet	Succineidae	Succinea sp.	epigean	Potential SRE: DD	Genus contains SREs and Potential SREs	63.5km ESE Paraburdoo	-23.2884	118.285	18/06/2012
S65640	Gastropoda	Gastropoda (Snails)	Indet	Succineidae	Succinea sp.	epigean	Potential SRE: DD	Genus contains SREs and Potential SREs	118km N of Newman	-22.2954	119.811	24/03/2011
S83507	Gastropoda	Gastropoda (Snails)	Indet	Succineidae	Succinea sp.	epigean	Potential SRE: DD	Genus contains SREs and Potential SREs	190 km SSE of Port Hedland	-21.9586	118.992	23/04/2012
S83971	Gastropoda	Gastropoda (Snails)	Indet	Succineidae	Succinea sp.	epigean	Potential SRE: DD	Genus contains SREs and Potential SREs	157 km SSE. Of Coongan HMSD	-22.1	119.867	22/12/2012
S64689	Gastropoda	Gastropoda (Snails)	Indet	Succineidae	Succinea sp.	epigean	Potential SRE: DD	Genus contains SREs and Potential SREs	ca. 50 km NW of Fortescue Marsh	-22.0191	119.034	12/05/2010
S64646	Gastropoda	Gastropoda (Snails)	Indet	Succineidae	Succinea sp.	epigean	Potential SRE: DD	Genus contains SREs and Potential SREs	Fortescue Marsh east	-22.4252	119.724	2/06/2010
T135590	Symphyla	Symphyla	Cephalostigmat	Indet	Cephalostigmata sp.	epigean	Potential SRE: DD	Class contains numerous SREs. Epigean forms rarely collected in the Pilbara	Karijini National Park, c. 15 km SW. of Hancock Gorge	-22.46083	118.1947	15/03/2015
T135494	Symphyla	Symphyla	Cephalostigmat	Indet	Cephalostigmata sp.	epigean	Potential SRE: DD	Class contains numerous SREs. Epigean forms rarely collected in the Pilbara	Karijini National Park, Kalamina Gorge	-22.41556	118.4039	13/03/2015
T114447	Symphyla	Symphyla	Symphyla	Indet	Symphyla sp.	Epigean	Potential SRE: DD	Class contains numerous SREs. Epigean forms rarely collected in the Pilbara	Karijini National Park, Dales Gorge, Circular Pool	-22.47583	118.5619	18/03/2015

WAM Database Search Interpretation

At the time when the database searches were requested from the Western Australian Museum, there was limited taxonomic support provided for database searches with NO screening for SRE or subterranean fauna. Database search results for arachnids (pseudoscorpions, scorpions and spiders) and myriapods (centipedes and millipedes) consisted of ALL records from within the Search Area. Database search results were edited prior to screening for SREs to enforce consistency between the different departmental databases. The following edits and filters were applied to the combined data:

A new field "Binomial" was created, into which the Genus and Species field values were concatenated, e.g. Genus [Lychas] + Species [`gracilimanus`] --> Binomial [Lychas 'gracilimanus']

a. Where the genus field was empty or contained the values "Unknown" or "gen. nov.", the unitalicized family rank name was used instead of genus.
b. Where both family and genus fields were empty, unknown, the unitalicized order rank was used in place of the genus.
c. all unidentified 'species' in the 'Binomial' field (e.g. "sp. indet. (juvenile)", "sp?", "unknown") were renamed to "sp. indet."
d. All Binomial morphospecies names ending in "sp. n." were renamed without that suffix, e.g. "Rhagada 'pannawonica' sp. n." was renamed to Rhagada 'pannawonica'.

A field was created called "Ecotype", into which the ecotype of the species was manually recorded, based on taxon and/or sampling methods:

a. Epigean: all species obtained through terrestrial survey methods or belonging to taxa only known to be epigean in W.A., e.g. trapdoor spiders.

b. Troglobite: 'named' species or morphospecies obtained using subterranean sampling methods or from taxa known predominantly from subterranean habitats, e.g. schizomids.

c. ?Epigean: unidentified species from subterranean survey methods of groups known to contain epigean SREs in the Pilbara, e.g. Centipedes from the order Geophilomorpha or family Cryptopidae.

d. ?troglobite: Unidentified species obtained from subterranean fauna survey methods of orders or families rarely sampled in SRE surveys in the Pilbara, e.g. Millipede families Haplodesmidae and Dolodesmidae.

e. Marine and Aquatic: marine and freshwater species respectively.

The data were filtered to exclude records with ecotypes that were not "epigean" or "?epigean".

4 The SRE status of each species present in the filtered data was assessed according to the SRE categories previously used by the WAMTS (Western Australian Museum Taxonomic Services).

Search Location: 50K 714830.00 m E, 7482087.00 m S

Search Area: 200 x 200 km

Appendix II Field Data: Location and Habitat Data

Appendix II Habitat Data


Date	Site Name	Habitat	Broad Habitat	Slope	Shading	Soil	Soil Colour	Soil Comments	Rocks	Litter Depth	Litter Distribution	Large Fallen Logs	Fire History	Disturbance	Drainage	Main_Veget Form	Easting	Northing	Zone
17/02/2021	LC01	Medium Drainage	Medium Drainage	Negligible	Minimal Shading from topography, Shade only under corymbias	Loam	Red Brown	Some piles of soil but not deep even under trees	Negligible	0-2cm	Patchy Under Trees	None	Within 5 years	Buffel grass	Creek Wide	Open Woodland	691730.6	7477159.8	50
17/02/2021	LC02	Medium Drainage	Medium Drainage	Negligible	Some shade from vegetation not heavy	Loam	Red Brown			2-5 cm	Patchy Under Trees		Long Unburnt	Buffel grass	Creek Wide	Open Woodland	691751.39	7477231.6	50
17/02/2021	LC03	Medium Drainage	Medium Drainage	Gentle	Some shading from vegetation	Loam	Red Brown			Gr20cm	Patchy Under Trees	Some	Long Unburnt	Creek choked with buffel grass	Creek Wide	Open Woodland	691483.75	7476658.5	50
17/02/2021	LC04	Mulga Shrubland Patches	Mulga/corymbia plain	Negligible	Some shading from patchy vegetation (mulgas)	Sandy Clay Loam	Red Brown	Mostly hard soil except right against trees	Small Rocks	2-5 cm	Patchy Under Trees	Some	Within 5 years	Buffel grass	Sheet flow		691578.66	7476651	50
18/02/2021	LC05	Mulga Shrubland Patches	Mulga/corymbia plain	Negligible	Some shading from patchy vegetation (mulgas)	Sandy Clay Loam	Red Brown	Patches of soil mostly shallow 0-5cm		2-5 cm	Patchy Under Trees		Within 10 years	Buffel grass	Sheet flow	Open Shrubland	691809.64	7475592	50
18/02/2021	LC06	Mulga Shrubland Patches	Mulga/corymbia plain	Negligible	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown		Small Rocks	2-5 cm	Patchy Under Trees		Within 10 years	Buffel grass	Sheet flow	Open Shrubland	691874.62	7475537.1	50
19/02/2021	LC07	Mulga Shrubland Patches	Mulga/corymbia plain	Negligible	Average shading from vegetation	Sandy Clay Loam	Red Brown	Skeletal hard soil between mulga patches	Small Rocks	2-5 cm	Patchy Under Trees	Some	Within 5 years		Sheet flow	Open Shrubland	690726.58	7476079.3	50
19/02/2021	LC08	Mulga Shrubland Patches	Mulga/corymbia plain	Negligible	Some shading from patchy vegetation	Loam	Red Brown	Loamy. The mulga patch tending to sandy clay loam out of the patch	Pebbles	5-10 cm	Patchy Under Trees	Some	Within 10 years		Sheet flow	Open Shrubland	690772.62	7475978.9	50
19/02/2021	LC09	Mulga Shrubland Patches	Mulga/corymbia plain	Negligible	Some shading from patchy vegetation	Loam	Red Brown		Surface sprinkle	2-5 cm	Patchy Under Trees	Some	Within 10 years	Buffel grass	Sheet flow	Open Shrubland	692264.79	7477404.7	50
20/02/2021	LC10	Mulga Shrubland Patches	Mulga/corymbia plain	Negligible	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown		Surface sprinkle	5-10 cm	Patchy Under Trees		Within 10 years	Buffel grass	Sheet flow	Open Shrubland	692336.31	7477314.8	50
20/02/2021	LC11	Hillcrest/ hillslope	Hillcrest/ hillslope	Gentle	Minimal Shading from topography	No Soil	Red Brown	Skeletal under rocks	Gravel	Negligible		None	Within 10 years		Negligible		694331.16	7476078.3	50
20/02/2021	LC12	Shallow Open Gully	Shallow Open Gully	Steep	Some shade from topography	Sandy Clay Loam	Dark Brown			Gr20cm	Patchy against rocks	None	Long Unburnt		gully	Spinifex Grassland	694379.69	7475884.1	50
20/02/2021	LC13	Deep Gully	Deep Gully	Steep	Some shade from topography	No Soil	Red Brown	Patches of soil (sandy clay loam) against rocks, not deep	Large Rocks	5-10 cm	Patches of litter under trees and against rocks	None	Long Unburnt		gully	Spinifex Grassland	694389.26	7475797.2	50
20/02/2021	LC14	Shallow Open Gully	Shallow Open Gully	Steep	Some shade from topography	No Soil	Red Brown	Patches of soil (sandy clay loam) against rocks, not deep	Large Rocks	5-10 cm	Patches of litter under trees and against rocks	None	Long Unburnt		gully	Spinifex Grassland	694288.2	7475719.9	50

Date	Site Name	Habitat	Broad Habitat	Slope	Shading	Soil	Soil Colour	Soil Comments	Rocks	Litter Depth	Litter Distribution	Large Fallen Logs	Fire History	Disturbance	Drainage	Main_Veget Form	Easting	Northing	Zone
21/02/2021	LC15	Mulga Shrubland Patches	Mulga/corymbia plain	Negligible	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown	Some soil against trees but not deep	Small Rocks	2-5 cm	Patchy Under Trees	Some	Within 5 years		Sheet flow	Open Shrubland	690264.72	7476809.2	50
21/02/2021	LC16	Stony Plain	Stony Plain	Negligible	Minimal Shading from topography	Clay_loam	Red Brown	Skeletal under rocks	Small Rocks on surface	0-2cm	Patchy Under Trees	None	Within 5 years		Negligible	Spinifex Grassland	692741.5	7477004	50
21/02/2021	LC17	Hillcrest/ hillslope	Hillcrest/ hillslope	Gentle	Minimal Shading from topography	Clay_loam	Red Brown	Skeletal	Small Rocks	Negligible		None	Within 10 years		Negligible	Spinifex Grassland	693400.78	7476697.5	50
21/02/2021	LC18	Minor Drainage	Minor Drainage	Moderate	Minimal Shading from topography	No Soil	Red Brown	Very little soil mostly creek gravel	Gravel	0-2cm			Within 10 years		Creek Narrow	Open Shrubland	693385.61	7476629.3	50
21/02/2021	LC19	Hillcrest/ hillslope	Hillcrest/ hillslope	Gentle	Minimal Shading from topography	Clay_loam	Red Brown		Small Rocks, Soil is present under rocks but skeletal	Negligible			Within 5 years		Negligible	Spinifex Grassland	694647.79	7475985.4	50
21/02/2021	LC20	Shallow Open Gully	Shallow Open Gully	Moderate	Some shade from topography	Sandy Clay Loam	Dark Brown		Large Rocks	2-5 cm	Patches of litter under trees and against rocks	None	Long Unburnt		gully	Spinifex Grassland	694800.9	7475965.1	50
21/02/2021	LC 21	Deep Gully	Deep Gully	Moderate	Some shade from topography	Sandy Clay Loam	Dark Brown		Small Rocks	5-10 cm	Patches of litter in the twist and turns of gullies or gorges	None	Long Unburnt		gully		694883.35	7475947.5	50
22/02/2021	LC22	Stony Plain	Stony Plain	Gentle	Minimal Shading from topography	Sandy Clay Loam	Red Brown	Skeletal under rocks	Small Rocks	0-2cm	Patchy Under Trees	None	Within 5 years		Negligible	Spinifex Grassland	687114.4	7476173.8	50
22/02/2021	LC23	Minor Drainage	Minor Drainage	Gentle	Minimal Shading from topography and vegetation	Sandy Clay Loam	Red Brown	Little bit deeper under trees; patches of loamier soil in places	Gravel	0-2cm	Patchy Under Trees	None	Within 5 years		Creek Narrow	Other	687235.88	7476276.6	50
22/02/2021	LC24B	Stony Plain	Stony Plain	Negligible	Minimal Shading from topography and vegetation	Loam	Red Orange		Pebbles	5-10 cm	Patchy Under Trees	None	Within 5 years	Edge of laydown and road	Sheet flow	Open Woodland	692511.24	7476409.2	50
22/02/2021	LC24A	Stony Plain	Stony Plain	Negligible	Minimal Shading from topography and vegetation	Loam	Red Orange		Pebbles	5-10 cm	Patchy Under Trees	None	Within 5 years	Next to laydown and road	Sheet flow	Open Woodland	692218.17	7476788.5	50
22/02/2021	LC25	Minor Drainage	Minor Drainage	Gentle	Minimal Shading from topography and vegetation	No Soil	Red Brown	Skeletal Clay loam under rocks	Small Rocks	0-2cm	Patchy Under Trees	Some	Within 5 years	Exploration disturbance	Creek Narrow	Open Shrubland	692318.72	7476031.6	50
22/02/2021	LC26	Hillcrest/ hillslope	Hillcrest/ hillslope	Gentle	Minimal Shading from topography and vegetation	Loam	Red Brown	Skeletal under rocks	Small Rocks	Negligible		None	Within 5 years	Exploration	Negligible	Open Shrubland	692152.09	7475861.3	50
22/02/2021	LC27B	Stony Plain	Stony Plain	Gentle	Minimal Shading from topography and vegetation	Sandy Clay Loam	Red Brown	Soil under rocks	Small Rocks	0-2cm	Patchy Under Trees	None	Within 10 years		Negligible	Spinifex Grassland	684003.25	7473771.8	50
22/02/2021	LC27A	Minor Drainage	Minor Drainage	Gentle	Some shading from vegetation	Sandy Clay Loam	Red Brown	Patches of deeper soil in creekbed but still not that deep	Surface sprinkle	0-2cm	Patchy Under Trees	None	Within 10 years		Creek Narrow	Other	684032.84	7473928.5	50
23/02/2021	LC 28	Stony Plain	Stony Plain	Gentle	Minimal Shading from topography and vegetation	Sandy Clay Loam	Red Brown		Surface sprinkle	5-10 cm	Patchy Under Trees	Some	Within 10 years		Creek Narrow	Shrubland	683361.54	7473308.9	50
23/02/2021	LC 29A	Stony Plain	Stony Plain	Gentle	Minimal Shading from topography and vegetation	Sandy Clay Loam	Red Brown		Small Rocks	0-2cm	Patchy Under Trees	Some	Within 5 years		Negligible	Spinifex Grassland	683413.49	7473241	50

Date	Site Name	Habitat	Broad Habitat	Slope	Shading	Soil	Soil Colour	Soil Comments	Rocks	Litter Depth	Litter Distribution	Large Fallen Logs	Fire History	Disturbance	Drainage	Main_Veget Form	Easting	Northing	Zone
23/02/2021	LC29B	Minor Drainage	Minor Drainage	Gentle	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown		Surface sprinkle	2-5 cm	Patchy Under Trees	None	Within 10 years		Creek Narrow	Shrubland	683019.84	7472195.7	50
23/02/2021	LC30	Stony Plain	Stony Plain	Gentle	Minimal Shading from topography and vegetation	Sandy Clay Loam	Red Brown		Small Rocks	Negligible	Even	None	Long Unburnt		Negligible	Spinifex Grassland	682956.21	7472197.5	50
24/02/2021	LC31	Tussock grassland plain	Tussock grassland plain	Negligible	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown	Quite dry	Surface sprinkle	2-5 cm	Patchy Under Trees	None	Within 10 years			Open Woodland/ grassland	684046.02	7469318.5	50
24/02/2021	LC32	Tussock grassland plain	Tussock grassland plain	Negligible	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown	Quite dry	Surface sprinkle	2-5 cm	Patchy Under Trees	None	Within 10 years			Open Woodland/ grassland	684130.16	7469366	50
24/02/2021	LC33	Tussock grassland plain	Tussock grassland plain	Negligible	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown			2-5 cm	Patchy Under Trees	Some	Within 10 years	Buffel grass	Creek Wide	Open Woodland/ grassland	685147.6	7468502.9	50
24/02/2021	LC34	Tussock grassland plain	Tussock grassland plain	Negligible	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown			2-5 cm	Patchy Under Trees	None	Within 10 years	Buffel grass	Creek Wide	Open Woodland/ grassland	685073.66	7468505.3	50
24/02/2021	LC35	Tussock grassland plain	Tussock grassland plain	Negligible	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown			2-5 cm	Patchy Under Trees	None	Within 10 years	Buffel grass	Creek Wide	Open Woodland/ grassland	685046.68	7468252.4	50
24/02/2021	LC36	Minor Drainage	Minor Drainage	Gentle	Minimal Shading from topography and vegetation	No Soil	Red Brown		Gravel	0-2cm	Patchy Under Trees	None	Within 5 years		Creek Narrow	Open Shrubland	683317.24	7470009.9	50
24/02/2021	LC37A	Stony Plain	Stony Plain	Gentle	Minimal Shading from topography and vegetation	Sandy Clay Loam	Red Brown		Small Rocks	0-2cm	Patchy Under Trees	None	Within 5 years				683263.51	7470052.9	50
25/02/2021	LC37	Minor Drainage	Minor Drainage	Gentle	Minimal Shading from topography and vegetation	No Soil	Red Brown		Gravel	Negligible		None	Within 5 years		Creek Wide	Open Shrubland	693722.6	7477914.9	50
25/02/2021	LC38	Hillcrest/ hillslope	Hillcrest/ hillslope	Negligible	Minimal Shading from topography and vegetation	Loam	Red Orange		Small Rocks	Negligible	Patchy Under Trees	None	Within 5 years			Spinifex Grassland	693720.91	7477981.9	50
25/02/2021	LC39A	Medium Drainage	Medium Drainage	Gentle	Some shading from patchy vegetation	Loam	Red Brown			Gr20cm	Patchy Under Trees	Some	Long Unburnt	Creek choked with buffel grass	Creek Wide	Open Woodland	692608.6	7477833.7	50
25/02/2021	LC39	Medium Drainage	Medium Drainage	Negligible	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown		Surface sprinkle	5-10 cm	Patchy Under Trees		Within 10 years		Sheet flow	Open Woodland	692440.57	7477837.2	50
25/02/2021	LC40	Stony Plain	Stony Plain	Gentle	Minimal Shading from topography and vegetation	Loam	Red Brown	Skeletal under rocks	Small Rocks	Negligible		None	Within 5 years	Exploration rehab	Negligible	Spinifex Grassland	692479.53	7477649.2	50
25/02/2021	LC41	Tussock grassland plain	Tussock grassland plain	Negligible	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown			2-5 cm	Patchy Under Trees	None	Within 10 years	Buffel grass	Sheet flow	Open Woodland/ grassland	684223.16	7468840.2	50
25/02/2021	LC42	Tussock grassland plain	Tussock grassland plain	Negligible	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown			2-5 cm	Patchy Under Trees	None	Within 10 years	Buffel grass	Creek Wide	Open Woodland/ grassland	684045.25	7468807.2	50
22/02/2021	LC42A	Minor Drainage	Minor Drainage	Gentle	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown	Patches of deeper soil in creekbed but still not that deep	Surface sprinkle	0-2cm	Patchy Under Trees	None	Within 10 years		Creek Narrow	Other	684659.52	7474554.3	50
23/02/2021	LC44	Minor Drainage	Minor Drainage	Gentle	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown		Surface sprinkle	2-5 cm	Patchy Under Trees	None	Within 10 years		Creek Narrow	Shrubland	685150.51	7474776.6	50
22/02/2021	LC43	Minor Drainage	Minor Drainage	Gentle	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown	Patches of deeper soil in creekbed but still not that deep	Surface sprinkle	0-2cm	Patchy Under Trees	None	Within 10 years		Creek Narrow	Other	684796.95	7474492.7	50

Date	Site Name	Habitat	Broad Habitat	Slope	Shading	Soil	Soil Colour	Soil Comments	Rocks	Litter Depth	Litter Distribution	Large Fallen Logs	Fire History	Disturbance	Drainage	Main_Veget Form	Easting	Northing	Zone
23/02/2021	LC45	Minor Drainage	Minor Drainage	Gentle	Some shading from patchy vegetation	Sandy Clay Loam	Red Brown		Surface sprinkle	2-5 cm	Patchy Under Trees	None	Within 10 years		Creek Narrow	Shrubland	685087.82	7474822.8	50

Appendix III Lamb Creek SRE Barcoding Report



Alacran Environmental Science

Report No. 2116

DNA Barcoding Report for Samples From Lamb Creek



Prepared for

Rapallo

6/12/2021

ABN 33577027061

www.alacranenvironmental.com

Title	DNA Barcoding Report for Samples From Lamb Creek
Report No.	2116
Version	Final
Prepared by	Dr Erich S. Volschenk
Submitted to	Marieke Weerheim and Kate George (Rapallo)
Date submitted	6/12/2021

***Alacran* Environmental Science**

Address	32 Amalfi Way, Canning Vale 6155 Western Australia, AUSTRALIA
Email	erich@alacranenvironmental.com
Phone	+61 (0) 457 111 317

© 2021 *Alacran* Environmental Science. This report (or any part of it) cannot be reproduced or distributed without the written permission of Rapallo or *Alacran* Environmental Science.

Limitation: This report was prepared for Rapallo to inform their invertebrate survey identifications. *Alacran* Environmental Science accepts no liability or responsibility for any use or reliance on this report beyond its purpose. The accuracy and completeness of the information supplied by Rapallo, Genbank or the W.A. Museum have not been verified.

EXECUTIVE SUMMARY

During short-range endemic (SRE) surveys at Lamb Creek (W.A.), Rapallo sampled a collection of potential SRE invertebrates. A subset of 58 specimens representing unidentifiable and or ambiguously identified taxa was sequenced for the gene Cytochrome C Oxidase subunit I (COI) for the purpose of species delimitation (DNA barcoding). A total of 56 samples yielded DNA sequences from eight (8) groups (Orders) of invertebrates, and 26 putative species. Of the 26 distinct species recognised in this collection, one is a described species, 13 belong to known morphospecies and 12 could not be matched with reference sequences. Four of these taxa are known to be widespread, 10 are potential short-range endemics owing to geographical data deficiency (DDG) and two are potential SRE owing to taxonomic data deficiency (DDT):

- Mygalomorphae (trapdoor spiders)
    - Family Anamidae (open hole trapdoor spiders)
        1. *Aname mellosa*, widespread
        2. *Kwonkan* 'MYG324', potential SRE:DDG
    - Family Barychelidae (brush footed trapdoor spiders)
        3. *Synothele* 'MYG311', widespread
- Pseudoscorpiones (pseudoscorpions)
    - Family Atemnidae
        4. *Oratemnus* 'WA1', widespread
    - Family Chthoniidae
        5. *Austrochthonius* 'LCr01', potential SRE:DDT
    - Family Olpiidae
        6. *Euryolpium* 'LCr01', potential SRE:DDG
        7. *Indolpium* 'LCr03', potential SRE:DDG
        8. *Indolpium* 'LCr04', potential SRE:DDG
        9. *Indolpium* 'LCr05', potential SRE:DDG
        10. Olpiidae 'LCr02', potential SRE:DDG
- Scorpiones (scorpions)
    - Family Buthidae (narrow handed scorpions)
        11. *Lychas* 'hairy tail complex', potential SRE:DDG
        12. *Lychas* 'bituberculatus complex', potential SRE:DDG
        13. *Lychas* 'SCO046 (multipunctatus complex)', potential SRE:DDG
- Geophilomorpha (soil centipedes)
    - Family Chilenophilidae
        14. *Sepedonophilus*, 'LCr01', potential SRE:DDG
    - Family Mecistocephalidae
        15. *Mecistocephalus* 'LCr01', potential SRE:DDG
        16. *Mecistocephalus* 'LCr02', potential SRE:DDG
    - Family Oryidae
        17. *Orphnaeus* 'LCr01', potential SRE:DDG
- Scolopendromorpha (centipedes)
    - Family Cryptopidae
        18. *Cryptops* 'LCr01', potential SRE:DDG

19 *Cryptops* 'LCr02', potential SRE:DDG

- Spirobolida (millipedes)
  - Family Trigoniulidae
    - 20 *Austrostrophus* 'clade A', potential SRE:DDG
    - 21 *Austrostrophus* 'clade M', potential SRE:DDG
- Isopoda (slaters)
  - Family Armadillidae
    - 22 *Buddelundia* 'SJ10ma', potential SRE:DDG
    - 23 *Buddelundia* 'SJ13', potential SRE:DDG
    - 24 *Buddelundia* 'SJ15', widespread
    - 25 Buddelundiinae (Armadillidae) 'ISOP009', potential SRE:DDG
- Eupulmonata
  - Family Bothriembryontidae
    - 26 *Bothriembryon* 'BOT065', potential SRE:DDG

Sequences comparisons were made with with those lodged in Genbank as well as unpublished sequences from, Western Australian Museum Molecular Systematics Unit and Alacran Environmental Science.

1 AIMS

During short-range endemic (SRE) surveys at Lamb Creek (W.A.), Rapallo sampled a collection of potential SRE invertebrates. A subset of 58 specimens representing unidentifiable and or ambiguously identified taxa was sequenced for the gene Cytochrome C Oxidase subunit I (COI) for the purpose of species delimitation (DNA barcoding). A total of 56 samples yielded DNA sequences from nine groups (Orders) of invertebrates. This report presents the results of barcoding analyses undertaken for these sequences as well as comparisons with reference sequences sourced from Genbank, the WA Museum MSU and Alacran's database of unpublished sequences.

2 METHODS

2.1 GENOMIC IDENTIFICATION (DNA BARCODING)

Species and morphospecies were initially determined using morphological characteristics. With the exception of slaters (Isopoda) all specimens were identified by Dr Erich Volschenk from Alacran Environmental Science (Alacran). Morphological identification of slaters was undertaken by Dr Simon Judd.

Sequence fragments of the COI gene were amplified from muscle tissues obtained from specimens fixed and preserved in >95% ethanol or from samples fixed in Propylene glycol and later preserved in >95% ethanol. Sequence generation from tissues was undertaken by Genotyping Australia Pty Ltd and AGRF Perth (http://www.agrf.org.au).

Sequence contigs were assembled from forward and reverse amplicons using Geneious R7 version 7.1.9 and were subsequently edited and pruned by eye, prior to consensus sequences being created. Consensus sequences were then assessed for contamination using NCBI Nucleotide BLAST (Basic Local Alignment Search Tool) (https://blast.ncbi.nlm.nih.gov/Blast.cgi).

Sequences sourced from samples previously studied by Alacran (unpublished) but subsequently lodged at the W.A. Museum are identified with the W.A. Museum registration codes:

- Arachnology dept. beginning with "T" and followed by a string of numbers;
- Crustaceans dept beginning with "C" and followed by a string of numbers;
- Molluscs dept beginning with "S" and followed by a string of numbers.

Alacran sequence registration codes use the format of "AES" or "ESV" followed by a string of six numbers. Sequences sourced from GenBank are identified with the Genbank accession code (comprised of two letters followed by a string of six numbers).

Sequence editing, alignment and phylogenetic analysis were performed with Geneious R7. For each analysis sequences were assembled and aligned using ClausalW or the Geneious alignment tool, implementing the following variable settings: Global alignment with free ends; Cost matrix, 70% similarity (IUB); Open gap penalty, 70; Gap extension penalty, 10; refinement iterations, 4.

Phylogenetic analyses were implemented using Geneious R7 and MrBayes (Huelsenbeck et al. 2001; Ronquist et al. 2012). Outgroups were selected from (in order of preference): sister -genus, -family or -order, to the group under investigation, where systematic relationships were known. Species delimitation was based on an 8% sequence divergence threshold for most taxa (Hebert et al. 2003a; Hebert et al. 2003b; Barrett et al. 2005; Robinson et al. 2009). For trapdoor spiders, the delimiting threshold of 9.5 % was used (Castalanelli et al. 2014;

Huey et al. 2019) and 5% was used for scorpions (Volschenk unpublished data). For *Austrostrophus* millipedes, the W.A. Museum clade identification system was used to identify specific clades; however, the divergence between these clades is often very low suggesting strong sexual selection may be present.

Reference taxa were selected from Genbank in two ways, depending on the number of sequences available for each group. For small groups, all reference COI sequences were sourced from Genbank and a subset of two or three samples were selected to represent each species or morphospecies identified. For groups with many reference COI sequences on Genbank, reference sequences were selected from BLAST results undertaken for each query sequence. Sequence BLAST was undertaken using the Nucleotide BLAST tool. Two or three reference sequences were selected from the 50 most similar sequences (using percentage identity) resulting from a BLAST of each query sequence.

2.2 STUDY GROUPS

Taxon composition of the study groups are detailed in the following tables:

- Table 2.1 Sequences of species and morphospecies included in the assessment of *Aname* species.
- Table 2.2 Sequences of species and morphospecies included in the assessment of *Kwonkan* species.
- Table 2.3 Sequences of species and morphospecies included in the assessment of *Synothele* species.
- Table 2.4 Sequences of species and morphospecies included in the assessment of *Oratemnus* species.
- Table 2.5 Sequences of species and morphospecies included in the assessment of *Austrochthonius* species.
- Table 2.6 Sequences of species and morphospecies included in the assessment of Olpiidae species.
- Table 2.7 Sequences of species and morphospecies included in the assessment of *Lychas* species.
- Table 2.8 Sequences of species and morphospecies included in the assessment of Geophilomorpha species.
- Table 2.9 Sequences of species and morphospecies included in the assessment of *Cryptops* species.
- Table 2.10 Sequences of species and morphospecies included in the assessment of *Austrostrophus* species.
- Table 2.11 Sequences of species and morphospecies included in the assessment of Armadillidae species.

The COI DNA sequences for all of the species examined from this survey are listed in Appendix 1.

2.2.1 Mygalomorphae (Trapdoor spiders)

2.2.1.1 Family Anamidae (Open hole trapdoor spiders)

***Aname* sp.**

This analysis aimed to determine the identity of three samples that were loosely assigned to one morphospecies of *Aname* on the basis of morphology. Sequences included in this analysis are listed in Table 2.1.

Table 2.1 Sequences of species and morphospecies included in the assessment of *Aname* species.

	Species and morphospecies with accession codes
Query taxa	***Aname* sp.:** AES210144, AES210147, AES210163
Reference sequences	*Aname aragog*, KJ745403 *Aname exulans*, MT611173; *Aname* 'FR01', AES200137; *Aname* 'HBI N18137-1', MW621010; *Aname* 'HBI-5378': AES200129, AES200130, AES200131, AES200139, AES200141; *Aname* 'HBI-5379', AES200140; *Aname* 'HBI-5380': AES200136, AES200138; *Aname mainae*, MN635081; *Aname marae*, KJ745450; *Aname mccleeryorum*: MT611168, MT611170, MT611172; *Aname mellosa*: KJ744394, KJ744401, KJ744491, KJ744505, KJ744540, KJ744611, KJ745440; *Aname* 'MR2': T153288, T153289, T153292, T153293 *Aname* 'MYG034', KJ745494; *Aname* 'MYG067', MG800165; *Aname* 'MYG098', KJ745441; *Aname* 'MYG102', MG800161; *Aname* 'MYG176', MG800162; *Aname* 'MYG185', KJ745465; *Aname* 'MYG212', MW518657; *Aname* 'MYG215', KJ744689; *Aname* 'MYG251': T153294, T153295; *Aname* 'MYG339': KJ744625, KJ744638; *Aname* 'MYG350', KJ745224; *Aname* 'MYG364': KJ745296, T153296; *Aname* 'MYG380', KJ744849; *Aname* 'MYG391', MG800174; *Aname* 'MYG411', MG800157; *Aname* 'MYG448', MG800143; *Aname* 'MYG462', MG800140; *Aname* 'MYG463', MG800142; *Aname* 'MYG479', MG800146; *Aname* 'MYG514': AES190814, ESV18:0657, ESV18:0832; *Aname phillipae*, MT611177; *Aname simoneae*: MT611174, MT611175, MT611176; *Aname sinuate*: MN635072, MN635073, MN635074, MW558021; *Aname* 'WM1 (A)': AES190351, ESV18:0106, ESV18:0604; *Aname* 'WM4': AES190816, AES190819, AES190821, ESV18:0667, ESV18:0935; *Aname* 'WM5': ESV18:0542; *Aname* 'WM6': AES190820, ESV18:0103; *Aname* 'WM7', ESV18:0025; *Chenistonia* MYG348: KJ745221, MG800151, MG800152
Outgroup sequence	*Liphistius laoticus*: KP229896

***Kwonkan* sp.**

This analysis aimed to determine the identity of one female sample that was identified on the basis of morphology. Sequences included in this analysis are listed in Table 2.2.

Table 2.2 Sequences of species and morphospecies included in the assessment of *Kwonkan* species.

	Species and morphospecies with accession codes
Query taxa	***Kwonkan* sp.:** AES210197
Reference sequences	*Aname mellosa*, JQ772128, KJ745440; *Kwonkan* 'HBI, 5384': AES200142, AES200143; *Kwonkan* 'MR3': T153297, T153298, T153299, T153300, T153301, T153302; *Kwonkan* 'MR8': T153303, T153304, T153305; *Kwonkan* 'MYG006': KJ744607, KJ744608, KJ744734, KJ744833, KJ745186, KJ745187, KJ745401, KJ745402, KJ745416; *Kwonkan* 'MYG088', KJ745206; *Kwonkan* 'MYG164', KJ745511; *Kwonkan* 'MYG165', KJ745512; *Kwonkan* 'MYG172', KJ744388; *Kwonkan* 'MYG175', KJ744403; *Kwonkan* 'MYG195', MG800177; *Kwonkan* 'MYG325': KJ744665, KJ744834, KJ744835, KJ744916, KJ744919; *Kwonkan* 'MYG327', KJ745013; *Kwonkan* 'MYG337': KJ744964, KJ744967, KJ744968; *Kwonkan* 'MYG338': KJ744666, KJ744840, KJ744842, KJ744912; *Kwonkan* 'MYG341': KJ745188, KJ745190, KJ745193; *Kwonkan* 'MYG343', KJ745210; *Kwonkan* 'MYG352', KJ745238, KJ745255; *Kwonkan* 'MYG361', KJ745281; *Kwonkan* 'MYG378', KJ744782; *Kwonkan* 'MYG379': KJ744831, KJ744832, KJ744838; *Kwonkan* 'MYG380', MN436729; *Kwonkan* 'MYG390', MG800173; *Kwonkan* 'MYG392', MG800175; *Kwonkan* 'MYG394', MG800176; *Kwonkan* 'MYG599': MH932614, MW039184; *Kwonkan*

	'MYG702', MW039183; *Kwonkan* 'MYG703', MW039185; *Kwonkan* 'WM3': AES190815, AES190822, AES190823, AES190824, ESV18:0326, ESV18:0666, ESV18:0668, T150147, T150148, T150150, T150151, AES190817; *Kwonkan* 'WM9', T150152; *Liphistius laoticus*, KP229896; *Merredinia damsonoides*, MG800187; *Merredinia* 'MYG354', KJ745273; *Merredinia* 'MYG356', KJ745275; *Merredinia* 'MYG454', MG800149; *Merredinia* 'MYG480', MG800179; *Namea flavomaculata*, KY241282; *Proshermacha* 'MR1': T153309, T153310; *Teyl* 'MR9', T153311; *Yilgarnia* 'MYG197', AES190050 *Yilgarnia* 'MYG375', KJ744709; *Yilgarnia* 'MYG376', KJ744725
Outgroup	*Liphistius laoticus*: KP229896

2.2.1.2 Family Barychelidae (brush footed trapdoor spiders)

***Synothele* sp.**

This analysis aimed to determine the identity of one female sample that was loosely assigned to the genus of *Synothele* on the basis of morphology. Sequences included in this analysis are listed in Table 2.3.

Table 2.3 Sequences of species and morphospecies included in the assessment of *Synothele* species.

	Species and morphospecies with accession codes
Query taxa	***Synothele* sp.:** AES210149
Reference sequences	*Aurecocrypta* 'HD1', AES190082; *Aurecocrypta* 'MYG246', KJ744784, KJ744805; *Aurecocrypta* 'MYG314', KJ744682; *Aurecocrypta* 'MYG315': AES190347, KJ744636, KJ744870, KJ745353; *Aurecocrypta* 'MYG316': KJ744667, KJ745033; *Aurecocrypta* 'MYG317', KJ744547; *Aurecocrypta* 'MYG318', KJ744660; *Aurecocrypta* 'MYG319', KJ745481; Barychelidae 'WM1', AES190826; *Idiommata blackwalli*, KJ745197; *Idiommata* 'kalgoorlie', MW621134; *Idiommata* 'MYG247': KJ745122, KJ745505, MW621011; *Idiommata* 'MYG254', KJ745103; *Idiommata* 'MYG320': KJ745100, KJ745205; *Synothele* 'MYG127': KJ745105, KJ745113, KJ745118; *Synothele* 'MYG309': AES190063, KJ744800, KJ745080, KJ745344; *Synothele* 'MYG311': AES190039, KJ744654, KJ744891, KJ745445; *Synothele* 'MYG312', T153312; *Synothele* 'MYG335', MW558024; *Synothele* 'OV03', MN433222; *Synothele* 'OV07', MN433225; *Synothele* 'OV09', MN433226; *Synothele* 'OV11', MN433227; *Synothele* 'OV12', MN433228; *Synothele* 'OV13', MN433229; *Synothele* 'OV14', MN433230; *Synothele* 'OV15', MN433231; *Synothele* 'OV16', MN433232; *Synothele* 'OV44', MN433246; *Synothele* 'OV74', MN433259; *Synothele* 'OV75', MN433260; *Synothele* 'xkarara': KJ744470, KJ745213, KJ745343
Outgroup	*Liphistius laoticus*: KP229896

2.2.2 Pseudoscorpiones (pseudoscorpions)

2.2.2.1 Family Atemnidae

***Oratemnus* sp.**

This analysis aimed to determine the identity of six samples that were loosely assigned to the genus *Oratemnus* on the basis of morphology. Sequences included in this analysis are listed in Table 2.4.

Table 2.4 Sequences of species and morphospecies included in the assessment of *Oratemnus* species.

	Species and morphospecies with accession codes
Query taxa	***Oratemnus* sp.**: AES210189, AES210172, AES210211, AES210186, AES210203, AES210187
Reference sequences	*Atemnidae* 'MR3', T153366; *Caecatemnus* 'JM2008', EU559534; *Conicochernes* 'LL1', AES210065; *Cyclatemnus* 'JM2008', EU559528; *Garypinus* 'JA2011', JN018179; *Miratemnus* 'JM2008', EU559535; *Nesidiochernes* 'G1', T149060; *Oratemnus curtus*, EU559531; *Oratemnus* 'MR2', T153370; *Oratemnus* 'WA1; AES180320, T149473, T153367, T153368, T153369; *Oratemnus* 'WM1': T150157, T150175;

	Paratemnoides pallidus, KU755529; *Paratemnoides sumatranus*, JN018204; *Stenatemnus* 'JM2008', EU559529; *Titanatemnus* 'JM2008', EU559530
Outgroup	*Siro exilis*, AY639579; *Buthus occitanus,* GQ168524

2.2.2.2 Family Chthoniidae

***Austrochthonius* sp.**

This analysis aimed to determine the identity of a single sample that were assigned to the genus *Austrochthonius* on the basis of its morphology. Sequences included in this analysis are listed in Table 2.5.

Table 2.5 Sequences of species and morphospecies included in the assessment of *Austrochthonius* species.

	Species and morphospecies with accession codes
Query taxa	***Austrochthonius* sp.**, AES210202
Additional sequences	*Austrochthonius* 'Australia', EU559513; *Austrochthonius* sp., EU559512; Chthoniidae 'BMR00021', MN436723; *Lagynochthonius* australicus: KJ659945, KJ659951; KJ659952; *Lechytia* 'DNA01': MW621028, MW621029; *Lechytia* 'WAMLECYT001', MW021289; *Tyrannochthonius* 'BMR00024', MW012762; *Tyrannochthonius* 'BMR00025', MW012763; *Tyrannochthonius* 'BMR00026', MW012764; *Tyrannochthonius* 'BMR00022', MW012761; *Tyrannochthonius* 'BMR00020', MW012760; *Tyrannochthonius* sp.: AES190330; *Tyrannochthonius* sp.: AES146555; *Tyrannochthonius aridus*: KJ659960, KJ659959; *Tyrannochthonius* 'PU89', MW309113; *Tyrannochthonius* 'PU96', MW309117; *Tyrannochthonius* 'DNA04': MW621103, MW621105, MW621101; *Tyrannochthonius* 'DNA06', MW621107; *Tyrannochthonius* 'PU137', MW309125; *Tyrannochthonius* 'DNA07', MW621108' *Tyrannochthonius* 'DNA08', MW621088; *Tyrannochthonius* 'PU153', MW309137; *Tyrannochthonius* 'PSEU001', MT316797; *Tyrannochthonius* 'WAMCHTH001', MW021287; *Tyrannochthonius* 'DNA05', MW621106; *Tyrannochthonius* 'DNA01', MW621060; *Tyrannochthonius* 'DNA02', MW621027; *Tyrannochthonius garthhumphreysi*: KJ659948
Outgroup	*Siro exilis*, AY639579; *Buthus occitanus,* GQ168524

2.2.2.3 Family Olpiidae

Olpiidae spp.

This analysis aimed to determine the identity of 12 samples that were loosely assigned to five morphospecies of in the genera *Indolpium* (three morphospecies), *Euryolpium* (one morphospecies) and one morphospecies from an unknown genus. Sequences included in this analysis are listed in Table 2.6.

Table 2.6 Sequences of species and morphospecies included in the assessment of Olpiidae species.

	Species and morphospecies with accession codes
Query taxa	***Euryolpium* sp. 01**: AES210141, AES210145, AES210173, AES210175, AES210184, AES210194; ***Indolpium* sp. 02**, AES210210; *Indolpium* **sp. 03**, AES210265; ***Indolpium* sp. 04**: AES210153, AES210174, AES210183; **Olpiidae sp. 05**, AES210267
Reference sequences	*Antillolpium* '783047', KX263396; *Antillolpium* sp.: KX263395, KX263396; *Aphelolpium* sp., KX263397; *Apolpium parvum*, EU559541; *Austrohorus* 'BMR00028', MW012766; *Austrohorus* 'HD5', T146556; *Austrohorus* 'LL1': AES210066, AES210071; *Austrohorus* 'LL2': AES210062, AES210064; *Austrohorus* 'MR1:, T153394, T153395; *Austrohorus* 'MR2': T153396, T153397, T153398; *Austrohorus* 'MR3': T153399, T153400; *Austrohorus* 'PSE119': T139670, T139676, T139680, T139687, T139697, T139700, T139702, T139703, T140270; *Austrohorus* 'PSE120': T140271; *Austrohorus* 'PSE121': T139681; *Austrohorus* 'PSE122': T139706, T139707; *Austrohorus* sp.: T135388, MN058681; *Austrohorus* 'WM1': ESV18:0353, ESV18:0999; *Austrohorus* 'WM3': AES190783, AES190848, T150203; *Beierolpium* '8/2 (WM)': ESV18:0364, ESV18:0485; *Beierolpium* '8/2': AES190546, T150216, AES190546; *Beierolpium* '8/4': MN058684; *Beierolpium bornemisszai*, EU559545; *Beierolpium* 'HD1', T149478; *Beierolpium* 'HD2':

	Species and morphospecies with accession codes
	AES190341, T149479; *Beierolpium* 'HD3', AES190012; *Beierolpium* 'LL3': AES210060, AES210061; *Beierolpium* 'LL4': AES210058, AES210076 LL4, AES210077, AES210078; *Beierolpium* 'LL5': AES210063, AES210070; *Beierolpium* 'LL6', AES210069; *Beierolpium* 'MR1': T153401, T153402; *Beierolpium* 'PSE126', T139688; *Chthoniidae* 'BMR00021', MN436723; *Euryolpium* 'BMR00041', MN436737; *Euryolpium* 'HD6', AES146557; *Euryolpium* 'HD7', T146564; *Euryolpium* sp.:, EU559546, MN058685; *Indolpium* '8/4 (HD4)', T149480; *Indolpium* 'BMR00029', MW012767; *Indolpium* 'BMR00030', MW012768; *Indolpium* 'BMR00032', MW012770; *Indolpium* 'BMR00034', MN436733; *Indolpium* 'BMR00036', MW012771; *Indolpium* 'LL7', AES210067; *Indolpium* 'MR1': T153406, T153407; *Indolpium* 'PSE123': T139675, T139678, T139683, T139696, T139701, T139705 ; *Indolpium* 'PSE124', T136334; *Indolpium* 'PSE125', T105066; *Indolpium* 'PSE174', MW078438; *Indolpium* 'PSE175', MW078439; *Indolpium* 'PSEU018', MW010354; *Indolpium* 'PSEU019', MW010358; *Indolpium* sp.: MN058683, MT052860, MT044589; *Indolpium* 'toothy', AES190672; *Indolpium* 'WM1': T150235, T150236, T150237, T150238; *Indolpium* 'WM2', T150242; *Indolpium* 'WM3', T150243; *Nanolpium* sp., EU559543; Olpiidae '02343', KX054242; Olpiidae 'PSE118': AES190079, MN436734, MN436735, MN436736, T139690, T146559, T146561, T146562, T149483; Olpiidae 'PSEAAA HD4', T149410; Olpiidae 'PSEU002', MT902545; Olpiidae 'PU150', MW309134; Olpiidae 'PU151', MW309135; Olpiidae 'PU154', MW309138; Olpiidae sp., T146564; *Pachyolpium* '783044', KX263402; *Pachyolpium* '783048', KX263403; *Pachyolpium* '783059', KX263404; *Pachyolpium* sp., EU559542; *Xenolpium* sp., EU559539
Outgroup	*Siro exilis*, AY639579; *Buthus occitanus*, GQ168524

2.2.3 Scorpiones (Scorpions)

2.2.3.1 Family Buthidae (narrow handed scorpions)

***Lychas* species**

This analysis aimed to determine the identity of seven samples that were loosely assigned to three species complexes on the basis of morphology. Sequences included in this analysis are listed in Table 2.7.

Table 2.7 Sequences of species and morphospecies included in the assessment of *Lychas* species.

	Species and morphospecies with accession codes
Query taxa	***Lychas* 'hairytail cmplx'**, AES210146; ***Lychas* 'bituberculatus cmplx'**: AES210168, AES210219, AES210268, AES210269, AES210270 ***Lychas* 'multipunctatus cmplx'**: AES210266
Reference sequences	*Isometroides* 'SCO051', MW558023; *Isometrus* 'BNHSSC142', MF422312; *Isometrus* 'BNHSSC143', MF422313; *Isometrus maculatus*, EU252414, KY982207; *Lychas* 'annulatus cmplx (FR)': AES200143, AES200144, AES210042, AES210044; *Lychas* 'annulatus cmplx (LC01)', ESV18:0359; *Lychas* 'annulatus cmplx (LC02)': ESV17:0722, ESV17:1253; *Lychas* 'annulatus cmplx (LW)': AES190506, AES190508, AES190509; *Lychas* 'annulatus cmplx (WM)': AES190828, ESV18:0888; *Lychas* 'annulatus cmplx': T114330, T124554, T99992; *Lychas* 'bituberculatus cmplx': MN436717 (*Lychas* BMR00044), MN436718 (*Lychas* (BMR00045)), AES190065, T101960, T91706; *Lychas* 'hairytail cmplx': MN436716 (*Lychas* (BMR00043)), MN436719 (*Lychas* (BMR00046)), MN436720 (*Lychas* (BMR00047)), MN436721 (*Lychas* (BMR00048)), MN436722 (*Lychas* (BMR00049)); *Lychas* 'jonesae cmplx (FR)': AES200328, AES210003, AES210009; *Lychas* 'jonesae cmplx (Lav)': AES200629, AES200633; *Lychas* 'jonesae cmplx (LB)': AES200602, AES200603; *Lychas* 'jonesae cmplx (LN), AES200807; *Lychas mucronatus*, JN018153; *Lychas* 'multipunctatus cmplx', EVR7952; *Lychas* 'SCO039 (bituberculatus cmplx)': MW078435, WAMT97380, MW558022; *Lychas* 'SCO046 (multipunctatus cmplx)': AES190080, AES190544, MW078434; *Lychas tricarinatus*: KT716037, MF422319, MF422321, MF422326; *Lychas* 'WILD17ARA4004', MF422316.
Outgroup	*Limulus polyphemus*-AF218278; *Siro exilis*-AY639579

2.2.4 Geophilomorpha (soil centipedes)

2.2.4.1 Families Chilenophilidae, Mecistocephalidae and Oryidae

Mecistocephalus, Orphnaeus* and *Sepedenophilus

This analysis aimed to determine the identity of 10 samples that were loosely assigned to three morphospecies in the genera *Mecistocephalus, Orphnaeus* and *Sepedenophilus* on the basis of morphology. Sequences included in this analysis are listed in Table 2.8.

Table 2.8 Sequences of species and morphospecies included in the assessment of Geophilomorpha species.

	Species and morphospecies with accession codes
Query taxa	***Orphnaeus* sp.**, AES210206; ***Mecistocephalus* sp.**: AES210150, AES210169, AES210176, AES210177, AES210178, AES210182, AES210196; ***Sepedonophilus* sp.**: AES210143, AES210156.
Reference sequences	*Geophilus alpinus*: KM999118, KM999124; *Geophilus flavus*: JN306683, JN306684, JN306685; *Mecistocephalus* 'CHI011', MW039175; *Mecistocephalus* 'DNA01', MW621040; *Mecistocephalus* 'DNA02', MW621041; *Mecistocephalus* 'DNA03': MW621042, MW621070; *Mecistocephalus* 'DNA04', MW621082; *Mecistocephalus* 'DNA05', MW621085; *Mecistocephalus* 'DNA06': MW621044, MW621071; *Mecistocephalus* 'DNA07', MW621043; *Mecistocephalus* 'DNA08': MW621077, MW621079; *Mecistocephalus* 'DNA09': MW621072, MW621074, MW621075, MW621076, MW621122, MW621123, MW621124, MW621125, MW621126, MW621127, MW621128; *Mecistocephalus* 'DNA10': MW621073, MW621080; *Mecistocephalus* 'DNA11', MW621052; *Mecistocephalus* 'DNA12', MW621129; *Mecistocephalus guildingii*: AY288747; *Mecistocephalus* 'HD1': T149507, T149508, T149509, T149510; *Mecistocephalus* 'HD2', AES190337; *Mecistocephalus* 'HD3': AES190313, AES190322, T149512, T149513; *Mecistocephalus japonicus*: AB610479, AB610480; *Mecistocephalus marmoratus*: AB610772, AB610773, AB672611, AB672644; *Mecistocephalus* 'MR1': AES200934, T153423, T153426, T153430, T153433, T153439, T153440, T153463, T153465, T153466; *Mecistocephalus multidentatus*: AB610774, AB610775, AB672610; *Orphnaeus brevilabiatus*: AB608780, HM453316, MW621083, MW621084; *Orphnaeus* 'HD1', T149514; *Orphnaeus* 'MR1', T153469; *Orphnaeus* 'WM1', ESV18:0997; *Orya almohadensis*: HM453315; *Schendyla nemorensis*: JQ350469, KM491599, KM491675, KT614370; *Sepedonophilus* 'HD1': T149498, T149500, T149502; *Sepedonophilus* 'HD2': T149504; *Sepedonophilus* 'DNA01': MW621034, MW621036, MW621038, MW621045; *Sepedonophilus* 'DNA02': MW621035, MW621037, MW621046; *Sepedonophilus* 'DNA03': MW621047, MW621049; *Sepedonophilus* 'DNA04': MW621078, MW621081; *Sepedonophilus* 'DNA05', MW621121; *Sepedonophilus* 'G1': T149078, T149085; *Sepedonophilus* 'G2', T149091; *Sepedonophilus* 'G3', T149092; *Sepedonophilus* 'MR1': T153416, T153417, T153418; *Sepedonophilus* 'MR2', T153420; *Sepedonophilus* 'MR3', T153421; *Stigmatogaster subterranea*: JN306672, KF569302
Outgroup	*Lamyctes africanus*, KC688312; *Lithobius agilis*, JN306649; *Lithobius bicolor*, AB672744

2.2.5 Scolopendromorpha (centipedes)

2.2.5.1 Family Cryptopidae (cryptic centipedes)

***Cryptops* sp.**

This analysis aimed to determine the identity of two samples that were identified as morphospecies of *Cryptops* on the basis of morphology. Sequences included in this analysis are listed in Table 2.9.

Table 2.9 Sequences of species and morphospecies included in the assessment of *Cryptops* species.

	Species and morphospecies with accession codes
Query taxa	*Cryptops* sp.: AES210155, AES210179
Reference sequences	Cryptopidae 'CHIL001', MT316783; *Cryptops* 'BOLD:ACX8641', KU497153; *Cryptops* 'CHI009': MW621050, MW621051; *Cryptops* 'CHI012: MW039179, MW039180; *Cryptops* 'CHIL009: MW010346; *Cryptops doriae*: KF676500; *Cryptops* 'G1': ESV18:0047; *Cryptops* 'HD1': AES190315, AES190318;

	Species and morphospecies with accession codes
	Cryptops 'HD1': AES190319; *Cryptops japonicus*: AB610777; *Cryptops niuensis*: JF273299, JF273301, JF273303; *Cryptops pictus*: JF273267, JF273271, JF273279, JF273291; *Cryptops* sp., MN551633; *Cryptops typhloporus*, KF676504; *Cryptops weberi*, HQ402551; *Cryptops* 'ZFMK-TIS-1434, KU342042; *Cryptops* 'Ku01', AES210230; *Eupolybothrus tridentinus*: JN269950, KX458706, KX458725, KX458778; *Newportia adisi*, KF676506; *Scolopendra morsitans*: KR705660, KR705664, MT093845, MT093846; *Scolopendromorpha* 'CHIL004', MT902464; *Scolopendromorpha* 'CHIL005', MT902735; *Scolopendromorpha* 'CHIL006': MT902584, MT902585, MT902586; *Scolopocryptops capillipedatus*, AB617530; *Scolopocryptops mexicanus*, JX422679; *Scolopocryptops nigridius*, JX422680; *Scolopocryptops sexspinosus*, MH680595.
Outgroup	*Lithobius microps*-KM491680, KX458699, KX458770

2.2.6 Spirobolida (millipedes)

2.2.6.1 Family Trigoniulidae

***Austrostrophus* sp.**

This analysis aimed to determine the identity of four samples that were assigned to the genus *Austrostrophus* on the basis of morphology. Sequences included in this analysis are listed in Table 2.10.

Table 2.10 Sequences of species and morphospecies included in the assessment of *Austrostrophus* species.

	Species and morphospecies with accession codes
Query taxa	*Austrostrophus* sp.: AES210162, AES210216, AES210164, AES210185
Reference sequences	*Trigoniulus corallinus*: MF187446, MF187447; *Austrostrophus* 'BMR00050', MN436739 *Austrostrophus* 'BMR00053', MN436742, *Austrostrophus* 'BMR00062', MN436749; *Austrostrophus* 'BMR00057', MN436746; *Austrostrophus* 'BMR00067', MN436753; *Austrostrophus* 'BMR00068', MN436754; *Austrostrophus* 'BMR00056', MN436745; *Austrostrophus* 'clade A': MW012772 (*Austrostrophus* BMR00060), MW012773 (*Austrostrophus* BMR00061), MN436741, MN436748, MN436751, MN436752, MN436740, T149522 *Austrostrophus* 'clade E': T149462, T149524, T149463, T149523, MN436750 *Austrostrophus* 'clade F': MN436744, MN436747, MN436743; *Austrostrophus* sp.: MZ325294, MZ325295, MN551635, MN551636, MN551634.
Outgroup	*Antichiropus* 'wonmunna', AES190040

2.2.7 Isopoda (Slaters)

2.2.7.1 Family Armadillidae

***Buddelundia* and Buddelundiinae**

This analysis aimed to determine the identity of four samples that were identified to two genera (*Buddelundia* sp. and Buddelundiinae sp.) on the basis of morphology. Additional representatives of *Buddelundia* were also sequenced as additional reference taxa for comparison with the unidentified taxa. Sequences included in this analysis are listed in Table 2.11.

Table 2.11 Sequences of species and morphospecies included in the assessment of Armadillidae species.

	Species and morphospecies with accession codes
Query taxa	***Buddelundia* sp.**: AES210205, AES210221, AES210142; **Buddelundiinae sp.**, AES210213
Reference sequences	*Acanthodillo* sp., ESV18:0909; *Acanthodillo* 'WM1': AES190802, AES190811, ESV18:0911, ESV18:0921 *Acanthodillo* 'WM3', AES190809; Armadillidae 'ISOP009', MT902625; Armadillidae 'ARMD001', MW021255; Armadillidae 'ISOP004', MT902781; Armadillidae 'ISOP008', MT902710; *Buddelundia* 'ISOP005', MT902654; *Buddelundia* 'ISOP006', MT902725; *Buddelundia* 'MR1', C77027; *Buddelundia* 'SJ39', C77015; Buddelundiinae sp.: ESV18:0919; *Cubaris* 'MR1', C77029; Isopoda 'ISOP001', MT902650;

	Species and morphospecies with accession codes
	Isopoda 'ISOP002': MT902593, MT902601; Isopoda 'ISOP007': MT902727; Isopoda 'ISOP011': MT902711, MT902753; *Spherillo* 'MR1': C77032, C77036, C77038; *Spherillo* 'MR2': C77014, C77042, C77044, C77047, C77050, C77051, C77052; *Troglarmadillo* 'B66', MT782158; *Troglarmadillo* 'DNA03', MW621020; *Troglarmadillo* 'TRGL001', MW021261
New reference sequences	***Buddelundia* 'SJ10ma',** AES210193, ***Buddelundia* 'SJ13'**, AES210215; ***Buddelundia*** 'SJ15': AES210157, AES210190;
Outgroup	*Pygolabis humphreysi*, EU107548, EU107556

3 RESULTS

Comparisons of the edited COI DNA sequence with Genbank and Alacran reference sequences are summarised in Table 3.1. Relevant parts of the phylogenetic trees are provided in the Figures Section (Section 5) for visualisation of species' relationships. The raw sequence data is supplied for reference in Appendix 1.

Table 3.1 Summary of species delimitation of query samples with supporting COI DNA divergence (%) results. Short-range endemic groups in Bold with SRE status in superscript: DDG, potential SRE owing to geographical data deficiency; DDT, potential SRE owing to taxonomic data deficiency.

Accession Code	Taxon	Within Taxon Divergence	Divergence Between Taxon Samples and Others Analysed
AES210147 AES210163 AES210144	Anamidae: *Aname mellosa*	0.15 - 4.56	≥ 12.98
AES210197	**Anamidae: *Kwonkan* 'LCr01' DDG**	**NA**	**≥ 14.16**
AES210149	Barychelidae: *Synothele* 'MYG311'	1.38 - 8.52	≥ 11.87
AES210189 AES210172 AES210211 AES210186 AES210203	Atemnidae: *Oratemnus* 'WA1'	0 - 3.68	≥ 12.44
AES210184 AES210175 AES210145 AES210173 AES210194 AES210141	**Olpiidae: *Euryolpium* 'LCr01' DDG**	**0- 0.46**	**≥ 15.64**
AES210265	**Olpiidae: *Indolpium* 'LCr03' DDG**	**NA**	**≥ 10.24**
AES210174 AES210183 AES210153	**Olpiidae: *Indolpium* 'LCr04' DDG**	**1.99- 3.37**	**≥ 11.2**
AES210210	**Olpiidae: *Indolpium* 'LCr05' DDG**	**NA**	**≥ 9.51**
AES210267	**Olpiidae: Olpiidae 'LCr02' DDG**	**1.84 - 7.36**	**≥ 16.25**
AES210202	**Chthoniidae: *Austrochthonius* 'LCr01' DDT**	**NA**	**≥ 17.07**
AES210146	**Buthidae: *Lychas* 'hairy tail complex' DDG**	**0 - 4.38**	**≥ 10.18**
AES210219 AES210269 AES210168 AES210268 AES210270	**Buthidae: *Lychas* 'bituberculatus complex' DDG**	**0 - 2.06**	**≥ 9.42**

Accession Code	Taxon	Within Taxon Divergence	Divergence Between Taxon Samples and Others Analysed
AES210266	**Buthidae: *Lychas* 'SCO046 (multipunctatus complex)' DDG**	**1.98 - 6.69**	**≥ 9.27**
AES210143 AES210156	**Chilenophilidae: *Sepedonophilus* 'LCr01' DDG**	**2.65**	**≥ 11.23**
AES210176 AES210196 AES210150 AES210182 AES210177 AES210178	**Mecistocephalidae: *Mecistocephalus* 'LCr01' DDG**	**0 - 1.36**	**≥ 11.42**
AES210169	**Mecistocephalidae: *Mecistocephalus* 'LCr02' DDG**	**NA**	**≥ 13.09**
AES210206	**Oryidae: *Orphnaeus* 'LCr01' DDG**	**NA**	**≥ 10.11**
AES210155	**Cryptopidae: *Cryptops* 'LCr01' DDG**	**NA**	**≥ 16**
AES210179	**Cryptopidae: *Cryptops* 'LCr02' DDG**	**NA**	**≥ 16.11**
AES210164 AES210185	**Trigoniulidae: *Austrostrophus* 'clade A' DDG**	**0 - 2.63**	**≥ 0 - 2.63**
AES210162 AES210216	**Trigoniulidae: *Austrostrophus* 'clade Lc01' DDG**	**1.98**	**≥ 5.93**
AES210193	**Armadillidae: *Buddelundia* 'SJ10ma' DDG**	**NA**	**≥ 17.05**
AES210142 AES210215	**Armadillidae: *Buddelundia* 'SJ13' DDG**	**0**	**≥ 17.66**
AES210190 AES210205 AES210221 AES210157	Armadillidae: *Buddelundia* 'SJ15'	0 - 0.3	≥ 17.05
AES210213	**Armadillidae: Buddelundiinae (Armadillidae) 'ISOP009' DDG**	**2.13**	**≥ 18.54**

4 DISCUSSION

Representative sequences from taxa unmatched with Genbank references, were submitted to W.A. Museum Molecular Systematics Unit (MSU) for comparison within their unpublished research sequences. The results of this comparison are detailed in Appendix 2 and are summarised in Table 4.1. Of the 14 different sequences provided to WAM MSU, three were matched with unpublished morphospecies and 11 were unmatched.

Table 4.1 Summary of species delimitation from WA Museum MSU, matched morphospecies names in bold.

Accession Code	Taxon name used in the analyses of this report	Western Australian Museum species match
AES210197	*Kwonkan* 'LCr01'	***Kwonkan* 'MYG324'**
AES210213	Buddelundiinae (Armadillidae) 'ISOP009'	Unmatched Armadillidae
AES210080	Bothriembryon 'Pilbara'	***Bothriembryon* 'BOT065'**
AES210202	*Austrochthonius* 'LCr01'	Unmatched *Austrochthonius* species
AES210155	*Cryptops* 'LCr01'	Unmatched *Cryptops* species
AES210179	*Cryptops* 'LCr02'	Unmatched *Cryptops* species
AES210169	*Mecistocephalus* 'LCr02'	Unmatched *Mecistocephalus* species
AES210150	*Mecistocephalus* 'LCr01'	Unmatched *Mecistocephalus* species
AES210141	*Euryolpium* 'LCr01'	Unmatched *Euryolpium* species
AES210267	Olpiidae 'LCr02'	Unmatched Olpiidae '7/4' species
AES210265	*Indolpium* 'LCr03'	Unmatched *Indolpium* species
AES210153	*Indolpium* 'LCr04'	Unmatched *Indolpium* species
AES210210	*Indolpium* 'LCr05'	Unmatched *Indolpium* species
AES210162	*Austrostrophus* 'clade Lc01'	***Austrostrophus* 'clade M'**

5 FIGURES




Figure 5.1. Subclade of Bayesian phylogeny of *Aname* analysis (Table 2.1) with query taxa highlighted in blue text and conspecific species 'groups' in bold text. Branch labels represent posterior probabilities and scale bar represents substitutions per site.




Figure 5.2. Subclade of Bayesian phylogeny of *Kwonkan* analysis (Table 2.2) with query taxon highlighted in green text and conspecific species 'groups' in bold text. Branch labels represent posterior probabilities and scale bar represents substitutions per site.




Figure 5.3. Subclade of Bayesian phylogeny of Barychelidae (Synothele) analysis (Table 2.3) with query taxon highlighted in green text and conspecific species 'groups' in bold text. Branch labels represent posterior probabilities and scale bar represents substitutions per site.




Figure 5.4. Subclade (*Oratemnus*) of Bayesian phylogeny of Atemnidae analysis (Table 2.4) with query taxa highlighted in green text and conspecific species 'groups' in bold text. Branch labels represent posterior probabilities and scale bar represents substitutions per site.




Figure 5.5. Subclade of Bayesian phylogeny of Chthoniidae analysis (Table 2.5) with query taxon highlighted in green text and congeneric species 'groups' in bold text. Branch labels represent posterior probabilities and scale bar represents substitutions per site.




Figure 5.6. Subclade of Bayesian phylogeny of Olpiidae analysis (Table 2.6) with query taxa highlighted in green text and conspecific species 'groups' in bold text. Branch labels represent posterior probabilities and scale bar represents substitutions per site.




Figure 5.7. Subclades of Bayesian analysis of Olpiidae (*Indolpium* and *Euryolpium*) (Table 2.6) with query taxa highlighted in coloured text. Branch labels represent posterior probabilities and scale bar represents substitutions per site.




Figure 5.8. Subclade of Bayesian analysis of *Lychas* (Table 2.7) with query taxa highlighted in coloured text and conspecific species 'groups' in bold text. Branch labels represent posterior probabilities and scale bar represents substitutions per site.




Figure 5.9. Subclade of Bayesian phylogeny of Geophilomorpha (*Sepedonophilus*) analysis (Table 2.8) with query taxon highlighted in green text. Branch labels represent posterior probabilities and scale bar represents substitutions per site.




Figure 5.10. Subclade of Bayesian phylogeny of Geophilomorpha (*Mecistocephalus*) analysis (Table 2.8) with query taxa highlighted in coloured text and conspecific species 'groups' in bold text. Branch labels represent posterior probabilities and scale bar represents substitutions per site.




Figure 5.11. Subclade of Bayesian phylogeny of Geophilomorpha (*Orphnaeus*) analysis (Table 2.8) with query taxon highlighted in green text. Branch labels represent posterior probabilities and scale bar represents substitutions per site.




Figure 5.12. Subclade of Bayesian phylogeny of Cryptopidae analysis (Table 2.9) with query taxa highlighted in coloured text. Branch labels represent posterior probabilities and scale bar represents substitutions per site.




Figure 5.13. Subclade of Bayesian phylogeny of *Austrostrophus* analysis (Table 2.10) with query taxa highlighted in coloured text and conspecific species 'groups' in bold text. Branch labels represent posterior probabilities and scale bar represents substitutions per site.




Figure 5.14. Subclade of Bayesian phylogeny of Armadillidae analysis (Table 2.11) with query taxa highlighted in coloured text and conspecific species 'groups' in bold text. Branch labels represent posterior probabilities and scale bar represents substitutions per site.

6 REFERENCES

Barrett, M. and Hebert, P.D.N. (2005). Identifying spiders through DNA Barcodes. *Canadian Journal of Zoology* **83**, 481: 491.

Benson, D.A., Cavanaugh, M., Clark, K., Karsch: Mizrachi, I., Lipman, D., Ostell, J. and Sayers, E.W. (2012). GenBank. *Nucleic Acids Research* **41**(Database issue), D36–D42.

Castalanelli, M.A., Teale, R., Rix, M.G., Kennington, J. and Harvey, M.S. (2014). Barcoding of mygalomorph spiders (Araneae: Mygalomorphae) in the Pilbara region of Western Australia *Invertebrate Systematics* **28**, 375–385.

Hebert, P.D.N., A., C., Ball, S.L. and de Waard, J.R. (2003a). Biological identifications through DNA barcodes. *Proceedings of the Royal Society of London (B)* **270**, 313: 321.

Hebert, P.D.N., Ratnasingham, S. and de Waard, J.R. (2003b). Barcoding animal life: Cytochrome c oxidase subunit 1 divergences among closely related species. *Proceedings of the Royal Society London B, Supplement* **270**, 96–99.

Huelsenbeck, J.P. and Ronquist, F. (2001). MRBAYES: Bayesian inference of phylogenetic trees. *Bioinformatics* **17**, 754: 755.

Huey, J.A., Hillyer, M.J. and Harvey, M.S. (2019). Phylogenetic relationships and biogeographic history of the Australian trapdoor spider genus Conothele (Araneae: Mygalomorphae: Halonoproctidae): diversification into arid habitats in an otherwise tropical radiation. *Invertebrate Systematics*.

Robinson, E.A., Blagoev, G.A., Hebert, P.D.N. and Adamowicz, S.J. (2009). Prospects for using DNA barcoding to identify spiders in species: rich genera. *ZooKeys* **16**, 27–46.

Ronquist, F., Huelsenbeck, J. and Teslenko, M. (2012). MrBayes: Bayesian Inference for Phylogeny v. 3.2.1.

7 APPENDIX

Appendix 1. DNA Sequences (COI) from the short: range endemic survey for the Lamb Creek Collection

>Oratemnus_WA1-AES210211

TAAAGATATTGGAACATTATACTTAATTTTAGGGGCCTTATCAGGATTTTTAGGGGTAATTTTTAGATTATTAATCCGAATACA
ACTTATAAACCCTGATGGGTACATTTCTGAACATTCATATAACGTAATAGTAACTATTCATGCGTTAGTAATAATTTTTTTTATA
GTTATACCCATTATAATTGGAGGTTTTGGGAATTGATTAATCCCTTTAATAATTGGTTCTCCAGATATAGCATTCCCACGTATG
AATAATATAAGATTTTGACTTTTACCCCCTTCTTTAACCTTATTAATATTATCTTCTTTAATTGAAATAGGTTGTGGGGCTGGGT
GAACAATTTACCCACCCTTATCTAATGCAATCTTTCACCCAGGAGCTTCTGTAGATTTAGTAATTTTTTCTCTTCATTTAGCTGG
TATCTCATCCATTCTAGGAGGAGTAAACTTTATCACTACCGTAATTAATATACGAGATCCTTCAGTTTCATTTAAAACTTTACCC
CTTTTTGTATGATCAGTATTTATTACTGTAATTCTAATCTTATTAGCAATACCTGTTTTAGCAGGAGGGGTAACTATACTATTAA
CAGATCGGAATTTTAGTACATCATTTTTTCTTCCAGCAGGAGGAGGAGATCCTATTTTATTTCAACATTTATTTTGATTTTTC

>Orphnaeus_LCr01-AES210206

ATAAAGATATTGGAACAATATATCTAATCTTCGGTGCGTGATCTGCTATAGTAGGAACAGCATTAAGATTACTAATTCGACTT
GAATTAAGTCAACCAGGTAGCTTAATTGGAGATGATCAAACATATAATGTAGTTGTAACAGCCCATGCCTTCGTCATAATTTT
TTTTATAGTAATACCAATCATAATAGGCGGCTTTGGTAATTGACTAGTACCCTTAATACTCGGAGCACCTGACATAGCTTTTCC
ACGTCTTAATAATATAAGATTTTGACTTCTACCTCCCTCACTAATACTATTACTTGCTTCTGCCATAGTAGAAAGCGGAGCAGG
AACAGGATGAACAGTTTATCCTCCTTTAGCAGCAGGAATTGCCCATTCTGGGCCTTCAGTAGATATAACAATTTTTTCACTACA
TCTAGCAGGAGTCTCTTCAATTCTAGGGGCAATTAATTTCATTACTACCGTTATTAATATACGAACAAGAGGAATAATCTTTGA
ACGAGTACCTTTATTTGTATGGGGGGTAAAATTAACAGCAATTTTATTATTATTATCCTTACCTGTTTTAGCAGGGGCAATTAC
AATATTATTAACAGACCGTAATTTTAATACTAGATTTTTTGATCCTACAGGAGGTGGAGACCCTATTTTATATCAACACTTATTC
TGATTTTTC

>Oratemnus_WA1-AES210203

ATAAAGATATTGGAACATTATATTTAATTTTAGGGGCCTTGTCAGGATTTTTAGGGGTAATTTTTAGATTATTAATCCGAATAC
AACTTATAAACCCTGATGGGTACATTTCTGAACATTCATATAACGTAATAGTAACTATTCATGCATTAGTAATAATTTTTTTTAT
AGTTATACCAATTATAATTGGGGGTTTTGGGAACTGATTAATCCCTTTAATAATTGGTTCTCCAGATATAGCATTCCCACGTAT
GAATAATATAAGATTTTGACTTTTACCCCCTTCTTTAACCTTATTAATATTATCTTCTTTAATTGAAATAGGTTGTGGGGCTGGA
TGAACAATTTACCCACCCCTATCTAATGCAATCTTTCACCCAGGAGCTTCTGTAGACTTAGTAATTTTTTCTCTTCATTTAGCTG
GTATCTCATCTATTCTAGGAGGAGTAAACTTTATCACTACCGTAATTAATATACGAGATCCTTCAGTTTCATTTAAAACTTTACC
CCTTTTTGTATGATCAGTATTCATTACTGTAATTCTAATCTTATTAGCAATACCTGTTTTAGCAGGAGGGGTAACTATACTATTA
ACAGATCGAAATTTTAGTACATCATTTTTTCTTCCAGCAGGGGGAGGAGATCCTATTTTATTTCAACATTTATTTTGATTTTTCG
GTCAC

>Kwonkan_LCr01-AES210197

CATAAAGATATTGGAACTTTGTATTTAATGTTTGGAATTTGGTCAGCTATGATGGGGACTGCTTTAAGAGTGATTTTGCGTAT
GGAGTTGGGGCGTGTAGGTAGATTGTTGGGGGATGACCATTTGTATAATGTTATGGTAACTGCTCATGCTTTAGTGATAATC
TTTTTTATGGTAATGCCTATTATAATTGGGGGTTTCGGGAATTGGTTAGTGCCCTTAATGTTGGGAGCACCAGACATGGCCTT
TCCTCGTATGAATAATTTAAGTTTTTGGTTGTTGCCACCTTCTCTGTTTATGTTAATAATATCTGCTTTAGGGGATGATGGAGT
GGGGACTGGGTGGACTATTTATCCTCCTTTGTCTTCTGTTATTGGTCATGGGGGGTGGGGTGTAGATTTTGCTATTTTTTCTTT
ACATTTGGCTGGGGCTTCTTCTATTATGGGGGCTATCAATTTTATTACTACTATTGTAAATATACGGGTAGTTGGGTTAACCAT
GGAGCGTGTTCCTTTGTTTGTATGATCAGTGTTTATTACTGCTGTTCTATTATTGTTGTCTCTTCCTGTGTTGGCTGGGGCTATC
ACTATATTGTTAACGGATCGTAATTTTAATACGTCGTTTTTTGATCCTGTAGGTGGTGGGGATCCAATTTTGTTTCAACATTTG
TTTTGATTTTTCGGT

>Oratemnus_WA1-AES210189

ATAAAGATATTGGAACATTATACTTAATTTTAGGGGCCTTGTCAGGATTTTTAGGGGTAATTTTTAGATTATTAATCCGAATAC
AACTTATAAACCCTGATGGGTACATTTCTGAACATTCATATAACGTAATAGTAACTATTCATGCGTTAGTAATAATTTTTTTTAT
AGTTATACCCATTATAATTGGAGGTTTTGGGAATTGATTAATCCCTTTAATAATTGGTTCTCCAGATATAGCATTCCCACGTAT
GAATAATATAAGATTTTGACTTTTACCCCCTTCTTTAACCTTATTAATATTATCTTCTTTAATTGAAATAGGTTGTGGGGCTGGG
TGAACAATTTACCCACCCTTATCTAATGCAATCTTTCACCCAGGAGCTTCTGTAGATTTAGTAATTTTTTCTCTTCATTTAGCTG
GTATCTCATCCATTCTAGGAGGAGTAAACTTTATCACTACCGTAATTAATATACGAGATCCTTCAGTTTCATTTAAAACTTTACC
CCTTTTTGTATGATCAGTATTTATTACTGTAATTCTAATCTTATTAGCAATACCTGTTTTAGCAGGAGGGGTAACTATACTATTA
ACAGATCGGAATTTTAGTACATCATTTTTTCTTCCAGCAGGAGGAGGAGATCCTATTTTATTTCAACATTTATTTTGATTTTTCG
GTCA

>Oratemnus_WA1-AES210187

AATCATAAAGATATTGGAACATTATACTTAATTTTAGGGGCCTTGTCAGGATTTTTAGGAGTAATTTTTAGATTATTAATCCGA
ATACAACTTATAAACCCTGATGGGTACATTTCTGAACATTCATATAACGTAATAGTAACTATTCATGCATTAGTAATAATTTTTT
TTATAGTTATACCAATTATAATTGGGGGTTATGGGAACTGATTAATCCCTTTAATAATTGGTTCTCCAGATATAGCATTCCCAC
GTATAAATAATATAAGATTTTGACTTTTACCCCCTTCTTTAACCTTATTAATATTATCTTCTTTAATTGAAATGGGTTGTGGGGC
TGGATGAACAATTTATCCACCCCTGTCTAATGCAATCTTTCACCCAGGTGCTTCTGTAGATTTAGTAATTTTTTCTCTTCATTTA
GCTGGAATCTCATCTATTCTAGGAGGAGTAAACTTTATCACTACCGTAATTAATATACGAGATCCTTCAATTTCATTTAAAACT
TTACCCCTCTTTGTGTGATCAGTATTTATTACTGTAATTCTAATCTTATTAGCAATACCTGTCTTAGCAGGGGGGGTAACTATAC
TATTAACAGATCGAAATTTTAGTACATCATTTTTTCTTCCAGCAGGAGGAGGAGATCCTATTTTATTTCAACATTTATTTTGATT
TTTCGGTCACC

>Oratemnus_WA1-AES210186

ATAAAGATATTGGAACATTATACTTAATTTTAGGAGCCTTGTCAGGGTTTTTAGGGGTAATTTTTAGATTATTAATCCGAATAC
AACTTATAAATCCTGATGGGTATATTTCTGAACATTCATATAACGTAACAGTAACTATTCATGCGTTAGTAATAATTTTTTTTAT

AGTTATACCAATTATAATTGGAGGTTTTGGAAACTGATTAATCCCTTTAATAATTGGTTCTCCAGATATAGCATTCCCACGTAT
GAATAATATAAGATTTTGACTTTTACCCCCTTCTTTAACCTTATTAATATTATCTTCTTTAATTGAAATAGGTTGTGGGGCTGGG
TGAACAATTTACCCACCCTTATCTAATGCAATCTTTCACCCAGGAGCTTCTGTAGACTTAGTAATTTTTTCTCTTCATTTAGCTG
GTATCTCATCTATTCTAGGAGGAGTAAACTTTATCACTACCGTAATTAATATACGAGATCCTTCAGTTTCATTTAAAACTTTACC
CCTTTTTGTATGATCAGTATTTATTACTGTAATTCTAATCTTATTAGCAATACCTGTTTTAGCAGGAGGGGTAACTATACTATTA
ACAGATCGAAATTTTAGTACATCATTTTTTCTTCCAGCAGGAGGAGGAGATCCTATTTTATTTCAACATTTATTTTGATTTTTCG
G

>Oratemnus_WA1-AES210172

ATAAAGATATTGGAACATTATACTTAATTTTAGGGGCCTTGTCAGGATTTTTAGGGGTAATTTTTAGATTATTAATCCGAATAC
AACTTATAAACCCTGATGGGTACATTTCTGAACATTCATATAACGTAATAGTAACTATTCATGCGTTAGTAATAATTTTTTTTAT
AGTTATACCCATTATAATTGGAGGTTTTGGGAATTGATTAATCCCTTTAATAATTGGTTCTCCAGATATAGCATTCCCACGTAT
GAATAATATAAGATTTTGACTTTTACCCCCTTCTTTAACCTTATTAATATTATCTTCTTTAATTGAAATAGGTTGTGGGGCTGGG
TGAACAATTTACCCACCCTTATCTAATGCAATCTTTCACCCAGGAGCTTCTGTAGATTTAGTAATTTTTTCTCTTCATTTAGCTG
GTATCTCATCCATTCTAGGAGGAGTAAACTTTATCACTACCGTAATTAATATACGAGATCCTTCAGTTTCATTTAAAACTTTACC
CCTTTTTGTATGATCAGTATTTATTACTGTAATTCTAATCTTATTAGCAATACCTGTTTTAGCAGGAGGGGTAACTATACTATTA
ACAGATCGGAATTTTAGTACATCATTTTTTCTTCCAGCAGGAGGAGGAGATCCTATTTTATTTCAACATTTATTTTGATTTTTCG
GT

>Aname_mellosa-AES210163

ATAAAGATATTGGAACATTGTATTTAGTTTTTGGAGTGTGGTCTGCTATAGTTGGGACAGCTATAAGAGTAATTATTCGGATG
GAATTGGGGCAGGTAGGAAGATTTTTAGGTGATGATCATTTGTATAATGTGGTTGTAACTGCTCATGCTTTAGTGATGATTTT
TTTTATGGTTATACCTATTATAATTGGGGGATTTGGAAATTGATTAGTTCCTTTGATATTAGGAGCGCCTGATATAGCGTTTCC
TCGAATGAATAATTTAAGATTTTGGTTGTTACCTCCTTCATTATTTTTATTAATCTTATCTTCATTAACTGATGTGGGGGTGGGG
GCAGGATGGACTATTTATCCTCCTTTGTCTTCAGTAGTGGGCCATAGAGGGGGGGGTATGGATTTTGCTATTTTTTCATTGCA
TTTGGCTGGGGCTTCTTCTATTATAGGGGCAATTAATTTTATTTCTACTATTGTAAATATGCGTTCATTAGGTATATCTATGGA
GCGAGTTCCTCTATTTGTTTGATCAGTTTTAATTACTGCTATTTTATTGTTGTTGTCTTTACCTGTTTTAGCGGGTGCTATTACTA
TATTATTGACAGATCGAAATTTTAATACATCTTTTTTTGATCCTGCTGGAGGAGGGGATCCTATTTTGTTTCAACATTTATTTTG
ATTTTTCGGTCA

>Aname_mellosa-AES210147

ATAAAGATATTGGAACATTGTATTTAGTTTTTGGAGTGTGGTCTGCTATAGTTGGGACAGCTATAAGAGTAATTATTCGGATG
GAATTGGGGCAGGTAGGAAGATTTTTAGGTGATGATCATTTGTATAATGTGGTTGTAACTGCTCATGCTTTAGTGATGATTTT
TTTTATGGTTATACCTATTATAATTGGGGGATTTGGAAATTGATTAGTTCCTTTGATATTAGGAGCACCTGATATAGCGTTTCC
TCGAATGAATAATTTAAGATTTTGGTTGTTACCTCCTTCATTATTTTTATTAATCTTATCTTCATTAACTGATGTGGGGGTGGGG
GCAGGATGGACTATTTATCCTCCTTTGTCTTCAGTAGTGGGCCATAGAGGGGGGGGTATGGATTTTGCTATTTTTTCATTGCA

TTTGGCTGGGGCTTCTTCTATTATAGGGGCAATTAATTTTATTTCTACTATTGTAAATATGCGTTCATTAGGTATATCTATGGA
GCGAGTTCCTCTATTTGTTTGATCAGTTTTAATTACTGCTATTTTATTGTTGTTGTCTTTACCTGTTTTAGCGGGTGCTATTACTA
TATTATTGACAGATCGAAATTTTAATACATCTTTTTTTGATCCTGCTGGAGGAGGGGATCCTATTTTGTTTCAACATTTATTTTG
ATTTTTCGGTCA

>Aname_mellosa-AES210144

ATAAAGATATTGGAACATTGTATTTAGTTTTTGGAGTGTGGTCTGCTATAGTTGGGACAGCTATAAGAGTAATTATTCGGATG
GAATTGGGGCAGGTAGGAAGATTTTTAGGTGATGATCATTTGTATAATGTGGTTGTAACTGCTCATGCTTTAGTGATGATTTT
TTTTATGGTTATACCTATTATAATCGGGGGATTTGGAAATTGATTAGTTCCTTTGATATTAGGAGCGCCTGATATAGCGTTTCC
TCGAATGAATAATTTAAGATTTTGGTTGTTACCTCCTTCATTATTTTTATTAATCTTATCTTCATTAACTGATGTGGGGGTGGGG
GCAGGATGGACTATTTATCCTCCTTTGTCTTCAGTAGTGGGCCATAGAGGGGGGGGAATGGATTTTGCTATTTTTTCATTGCA
TTTGGCTGGGGCTTCTTCTATTATAGGGGCAATTAATTTTATTTCTACCATTGTAAATATGCGTTCATTAGGTATATCTATGGA
GCGAGTTCCTCTATTTGTTTGATCAGTTTTAATTACTGCTATTTTATTGTTGTTGTCTTTACCTGTTTTAGCGGGTGCTATTACTA
TATTATTGACAGATCGAAATTTTAATACATCTTTTTTTGATCCTGCTGGAGGAGGGGATCCTATTTTGTTTCAACATTTATTTTG
ATTTTTCGGTC

>Synothele_MYG311-AES210149

ATAAAGATATTGGAACTTTATATTTTTTATTTGGTGTTTGGTCTGCTATAGTTGGGGCTGGAATAAGAATTGTTATTCGAGTTG
AGCTTGGGCAGGTAGGCAGATTATTGGGTGATGATCATTTGTATAATGTATTGGTAACTGCTCATGCATTGATTATAATTTTT
TTTATGGTAATGCCTATTTTAATTGGAGGATTTGGAAATTGATTGTTACCTTTGATATTAGGTGCTCCCGATATGGCTTTTCCTC
GTATAAATAATTTAAGTTTTTGGTTGTTGCCTCCTTCTTTATTTTTGTTGATTTTATCATCTTTAGTTGATGTTGGTGTTGGAGCT
GGATGGACTATTTATCCTCCTTTGTCTTCTATGGTTGGGCATTCTGGTGGTGGTATGGATTTTGCTATTTTTTCTCTGCATTTGG
CGGGGGCTTCTTCTATTATAGGATCAATTAATTTTATTTCTACTATTATTAATATACGATCTCCTGGAATGACTTTAGAACGGG
TTCCTTTGTTTGTTTGATCAGTTTTAGTAACTACAATTTTACTTTTGTTGTCTTTACCTGTTTTAGCTGGTGCTATTACAATATTG
CTTACTGATCGAAATTTTAATACTTCTTTTTTTGATCCTTCTGGTGGTGGAGATCCTATTTTATTTCAACATTTATTTTGATTTTTC
GGTCAC

>Sepedonophilus_LCr01-AES210156

CATAAAGATATTGGGACCATATATCTTATTTTTGGTGCTTGAGCTGCTATGGCCGGCACTGCCCTAAGCCTAATTGTTCGCCTG
GAACTAAGACAACCAGGCTCTTTAATTGGAGACGATCAAATTTATAATGTAATCGTAACTGCACATGCTTTTGTTATAATTTTC
TTTATAGTAATGCCTATTATAATAGGAGGCTTTGGAAACTGAATGCTCCCTTTAATACTAGGAGCACCAGACATAGCTTTTCCT
CGAATAAATAACCTGAGATTCTGATTACTTCCTCCTTCTCTTATGCTTTTAATAGCTTCCATGGCCGTAGAAAGAGGGGCAGGT
ACAGGTTGAACTGTCTACCCCCCTTTAGCTAGAAACATCTCTCACTCCGGCCCATCAGTAGACATAACTATCTTTTCTCTTCATC
TTGCAGGTGTGTCTTCTATTTTAGGATCTATTAATTTTATCACCACAATTATTAATATGCGTTCAAGAGGTATAGTCTTAGAAC
GAATTCCTTTATTTGTGTGAAGCGTAAAAATTACAGCTGTTTTATTATTACTTTCTCTCCCAGTGCTTGCAGGCGCCATTACCAT

ACTACTAACTGATCGAAACTTAAACACAAGATTCTTCGACCCTACAGGCGGAGGTGACCCTATTTTATACCAACACCTATTCTG
ATTTTTCGGTC

>Sepedonophilus_LCr01-AES210143

GATATTGGGACCATATATCTTATTTTTGGTGCTTGAGCTGCTATGGCCGGCACTGCTCTAAGCCTAATTGTTCGCCTGGAACTA
AGACAACCAGGCTCTTTAATTGGAGACGATCAAATTTATAATGTAATTGTAACTGCACATGCTTTTGTTATAATTTTCTTTATN
GTAATGCCTATTATAATAGGAGGCTTTGGAAACTGAATGCTCCCTTTAATANTAGGAGCACCAGACATAGCTTTTCCTCGAAT
AAATAACCTGAGATTCTGATTACTTCCTCCTTCTCTTATACTTCTAATAGCTTCCATGGCCGTAGAAAGAGGAGCAGGTACAG
GTTGAACTGTCTACCCCCCTTTAGCTAGAAANATNTCTCACTCCGGCCCATCAGTAGACATAACTATCTTTTCTCTTCATCTTGC
AGGTGTNTCTTCTATTTTAGGATCTATTAATTTTATTACCACAATTATTAATATNCGTTNAAGAGGTATAGTCTTAGAACGAAT
TCCTTTATTTGTGTGAAGCGTAAAAATTACAGCTGTTTTACTATTACTTTCTCTTCCAGTNCTTGCAGGCGCCATTACCATACTA
CTAACTGATCGAAACTTAAACACAAGATTCTTCNATCCNACAGGCGGAGGTGACCCTATTTTATACCAACACCTATTTTGATTT
TTC

>Olpiidae_LCR02-AES210267

AAAGATATTGGAACTCTTTATTTATTATTAGGAATTTGATCAGGGTTAGTAGGAATAAGCTTTAGAATATTAATTCGTATACAA
TTAATATCTCCCGGGAAAATGATCGGAGAACATCAATATAATGTAGTAGTAACTACACATGCTTTTGTAATAATTTTCTTCATA
GTTATACCTATTATAATTGGTGGTTTTGGGAATTGACTTGTACCTTTAATAATTGGATCTCCTGATATAGCTTTTCCTCGATTAA
ATAATCTAAGTTTTTGATTGCTACCTCCTTCATTTCTTCTTTTAGTTTTGTCAACAGGTTTAGAACTAGGTTGTGGAACTGGATG
AACAATCTATCCTCCTTTGTCATCATTAACAGGACATACTTCGAAATCTGTAGATTTAGTAATTTTTTCTTTACATTTAGCCGGG
ATTTCATCAATTTTAGGTTCAATCAATTTTATTACTACTATTTTTAATATACGAACAACAGGTTTAACAATAATACAAATACCTT
TATTTGTATGATCCGTATTTTTTACTACTATTTTAATTATACTTGCTATACCAGTTCTTGCAGGTGCAATTACTATGCTATTAACA
GACCGAAATTTTAATACATCATTTTTTAACCCTACCGGAGGAGGGGATCCTATTTTATTTCAACATTTATTTTGATTTTTC

>Mecistocephalus_LCr01-AES210196

CAATCATAAAGATATTGGTACCATATACCTAGTATTTGGTGCTTGGGCTGCCATACTCGGAACTGCTCTCAGCCTCCTGATTCG
TCTTGAACTAAGCCAGCCCGGAAGCCTTATTGGAGACGACCAGACATACAACGTAGTAGTCACCGCTCATGCATTCGTAATA
ATCTTTTTCATAGTAATGCCAATTATAATAGGGGGATTTGGAAACTGACTTTTACCTCTCATACTAGGCGCCCCAGACATAGCC
TTCCCCCGACTAAATAATATAAGATTTTGGCTCCTTCCCCCTTCACTAACACTCCTCTTAGCCTCGGCCGCCGTAGAAAGAGGA
GCCGGGACAGGATGAACCGTATACCCCCCTCTAGCTTCTGGACTAGCCCACTCAGGAGCATCCGTAGACATAACAATTTTCTC
TCTTCACTTAGCCGGTGCCTCCTCTATTCTAGGGGCGATCAACTTCATCACAACCGTCATTAATATACGAACAAGAGGAATAG
TAATAGAACGAGTCCCCTTATTTGTATGAGGAGTCACTATCACGGCAATTCTCCTCCTCCTCTCCCTCCCAGTTCTAGCTGGAG
CCATTACAATATTACTAACGGACCGAAATTTCAATACCAGCTTCTTTGACCCGGCCGGGGGAGGGGATCCAATCCTATATCAG
CACCTATTTTGATTTTTCGGTCAC

>Mecistocephalus_LCr01-AES210182

CAAATCATAAAGATATTGGTACCATATACCTAGTATTTGGTGCTTGGGCTGCCATACTCGGAACTGCTCTCAGCCTCCTGATTC
GTCTTGAACTAAGCCAGCCCGGAAGCCTTATTGGAGACGACCAGACATACAACGTAGTAGTCACCGCTCATGCATTCGTAAT
AATCTTTTTCATAGTAATGCCAATTATAATAGGGGGATTTGGAAACTGACTTTTACCTCTCATACTAGGCGCCCCAGACATAGC
CTTCCCCCGACTAAATAATATAAGATTTTGGCTCCTTCCCCCCTCACTAACACTCCTCTTAGCCTCGGCCGCCGTAGAAAGAGG
AGCCGGGACAGGATGAACCGTATACCCCCCTCTAGCTTCTGGACTAGCCCACTCAGGAGCATCCGTAGACATAACAATTTTCT
CTCTTCACTTAGCCGGTGCCTCCTCTATTCTAGGGGCGATCAACTTCATCACAACCGTCATTAATATACGAACAAGAGGAATA
GTAATAGAACGAGTCCCCTTATTTGTATGAGGAGTCACTATCACGGCAATTCTCCTCCTCCTCTCCCTCCCAGTTCTAGCTGGA
GCCATTACAATATTACTAACGGACCGAAATTTCAATACCAGCTTCTTTGACCCGGCCGGGGGAGGGGATCCAATCCTATATCA
GCACCTATTTTGATTTTTCGG

>Mecistocephalus_LCr01-AES210178

CATAAAGATATTGGTACCATATACCTAGTATTTGGTGCTTGGGCTGCCATACTCGGAACTGCTCTCAGCCTCCTGATTCGTCTT
GAACTAAGCCAGCCCGGAAGCCTTATTGGAGACGACCAGACATACAACGTAGTAGTCACCGCTCATGCATTCGTAATAATCT
TTTTCATAGTAATGCCAATTATAATAGGAGGATTTGGAAACTGACTTTTACCTCTCATACTAGGCGCCCCAGACATAGCCTTCC
CCCGACTAAATAATATAAGATTTTGGCTCCTTCCCCCTTCACTAACACTCCTCTTAGCCTCGGCCGCCGTAGAAAGAGGAGCT
GGGACAGGATGAACCGTATACCCCCCTCTAGCTTCTGGACTAGCCCACTCAGGAGCATCCGTAGACATAACAATTTTCTCTCT
TCACTTAGCCGGCGCCTCCTCTATTCTAGGGGCAATCAACTTCATCACAACCGTCATTAATATACGAACAAGAGGAATAGTAA
TAGAACGAGTCCCCTTATTTGTATGAGGAGTCACTATCACGGCAATTCTCCTCCTCCTCTCCCTCCCAGTCCTAGCTGGAGCCA
TTACAATATTACTAACAGACCGAAATTTCAATACCAGCTTCTTTGACCCGGCCGGGGGAGGGGATCCAATCCTATATCAGCAC
CTATTTTGATTTTTCGGTCAC

>Mecistocephalus_LCr01-AES210177

CATAAAGATATTGGTACCATATACCTAGTATTTGGTGCTTGGGCTGCCATACTCGGAACAGCTCTCAGCCTCCTGATTCGTCTT
GAACTAAGCCAGCCCGGAAGCCTTATTGGAGACGACCAGACATACAACGTAGTAGTCACTGCTCATGCATTCGTAATAATCTT
TTTCATAGTAATGCCAATTATAATAGGGGGATTTGGAAACTGACTTTTACCTCTCATACTAGGCGCCCCAGACATAGCCTTCCC
CCGACTAAATAATATAAGATTTTGGCTCCTTCCCCCCTCACTAACACTCCTCTTAGCCTCGGCCGCCGTAGAAAGAGGAGCCG
GGACAGGATGAACCGTATACCCCCCTCTAGCTTCTGGACTAGCCCACTCAGGAGCATCCGTAGACATAACAATTTTCTCTCTT
CACTTAGCCGGTGCCTCCTCTATTCTAGGGGCGATCAACTTCATCACAACCGTCATTAATATACGAACAAGAGGAATAGTAAT
AGAACGAGTCCCCTTATTTGTATGAGGAGTCACTATCACGGCAATTCTCCTCCTCCTCTCCCTCCCAGTTCTAGCTGGAGCCAT
TACAATATTACTAACGGACCGAAATTTCAATACCAGCTTCTTTGACCCGGCCGGGGGAGGGGATCCAATCCTATATCAGCACC
TATTTTGATTTTTC

>Mecistocephalus_LCr01-AES210176

CAATCATAAAGATATTGGTACCATATACCTAGTATTTGGTGCTTGGGCTGCCATACTCGGAACTGCTCTCAGCCTCCTGATTCG
TCTTGAACTAAGCCAGCCCGGAAGCCTTATTGGAGACGACCAGACATACAACGTAGTAGTCACCGCTCATGCATTCGTAATA
ATCTTTTTCATAGTAATGCCAATTATAATAGGGGGATTTGGAAACTGACTTTTACCTCTCATACTAGGCGCCCCAGACATAGCC

TTCCCCCGACTAAATAATATAAGATTTTGGCTCCTTCCCCCTTCACTAACACTCCTCTTAGCCTCGGCCGCCGTAGAAAGAGGA
GCCGGGACAGGATGAACCGTATACCCCCCTCTAGCTTCTGGACTAGCCCACTCAGGAGCATCCGTAGACATAACAATTTTCTC
TCTTCACTTAGCCGGTGCCTCCTCTATTCTAGGGGCGATCAACTTCATCACAACCGTCATTAATATACGAACAAGAGGAATAG
TAATAGAACGAGTCCCCTTATTTGTATGAGGAGTCACTATCACGGCAATTCTCCTCCTCCTCTCCCTCCCAGTTCTAGCTGGAG
CCATTACAATATTACTAACGGACCGAAATTTCAATACCAGCTTCTTTGACCCGGCCGGGGGAGGGGATCCAATCCTATATCAG
CACCTATTTTGATTTTTCGG

>Mecistocephalus_LCr01-AES210169

ATAAAGATATTGGTACCATATACCTAGTATTTGGGGCCTGGGCCGCAATACTTGGAACCGCACTGAGCCTTCTGATTCGCCTT
GAGCTAAGCCAGCCCGGAAGCCTCATTGGAGATGACCAAACATATAATGTAGTAGTTACCGCCCACGCATTCGTAATAATTTT
CTTCATAGTAATACCAATTATAATAGGGGGGTTCGGAAACTGACTTTTACCTCTCATACTAGGGGCTCCAGATATAGCCTTCC
CCCGACTAAATAACATAAGATTCTGGCTCCTCCCCCCCTCCCTAACCCTCCTCTTAGCCTCCGCAGCTGTGGAAAGAGGGGCA
GGCACAGGATGAACAGTATACCCCCCCCTAGCCTCCGGTCTGGCCCACTCAGGGGCATCTGTTGACATAACAATCTTCTCCCT
TCACCTGGCTGGTGCCTCCTCCATCCTGGGCGCAATTAACTTTATTACAACTGTAATTAATATACGAACAAGAGGAATAGTTA
TAGAACGAGTCCCGCTATTCGTGTGAGGAGTTACCATCACAGCAATCCTCCTCCTCTTGTCTCTCCCAGTTCTAGCAGGGGCT
ATTACAATACTATTAACCGATCGAAATTTCAACACCAGCTTCTTTGACCCGGCCGGAGGAGGAGACCCAATCCTATACCAACA
CCTCTTTTGATTTTTC

>Mecistocephalus_LCr01-AES210150

TAAAGATATTGGTACCATATACCTAGTATTTGGTGCTTGGGCTGCCATACTCGGAACTGCTCTCAGCCTCCTGATTCGTCTTGA
ACTAAGCCAGCCCGGAAGCCTTATTGGAGACGACCAGACATACAACGTAGTAGTCACCGCTCATGCATTCGTAATAATCTTTT
TCATAGTAATGCCAATTATAATAGGGGGATTTGGAAACTGACTTTTACCTCTCATACTAGGCGCCCCAGACATAGCCTTCCCC
CGACTAAATAATATAAGATTTTGGCTCCTTCCCCCTTCACTAACACTCCTCTTAGCCTCGGCCGCCGTAGAAAGAGGAGCCGG
GACAGGATGAACCGTATACCCCCCTCTAGCTTCTGGACTAGCCCACTCAGGAGCATCCGTAGACATAACAATTTTCTCTCTTCA
CTTAGCCGGTGCCTCCTCTATTCTAGGGGCGATCAACTTCATCACAACCGTCATTAATATACGAACAAGAGGAATAGTAATAG
AACGAGTCCCCTTATTTGTATGAGGAGTCACTATCACGGCAATTCTCCTCCTCCTCTCCCTCCCAGTTCTAGCTGGAGCCATTA
CAATATTACTAACGGACCGAAATTTCAATACCAGCTTCTTTGACCCGGCCGGGGGGGGGGATCCAATCCTATATCAGCACCTA
TTTTGATTTTTCGG

>Lychas_multipunctatus_cmplx-AES210266

ATAAAGATATTGGAACTATATATTTGGTTTTAGGGGTATGGGCTTCTATAGTAGGAACTGCTTTAAGTTTATTAATTCGTGGG
GAAGTAGGAATACCTGGCTCTTTAATTGGAGATGATCAGATTTATAATGTGGTTGTTACAGCTCATGCTTTTGTAATAATTTTT
TTTATGGTTATACCTATTATAATTGGAGGTTTTGGAAATTGATTGGTTCCTTTAATATTAGGGGCTCCTGATATAGCTTTTCCTC
GAATAAATAATATGAGATTTTGGTTACTTCCTCCTTCTTTTTTTTTGTTATTGTCTTCTGCTGCATTAGAGAGAGGGGCAGGAA
CAGGTTGAACTGTCTATCCTCCTTTATCCTCTTCTTTAGCTCATATAGGGGGTTCTGTTGATTTAACTATTTTTAGTTTACATTTG
GCTGGGGTTTCCTCTATTTTAGGTGCTATTAATTTTATTACTACTATTATTAATATACGTAGAAGTGGAATAACTTTTGAACGTT

TACCTTTATTTGTTTGATCTGTATTAGTTACTGCTGTTCTTTTGTTATTATCCTTACCTGTTTTAGCGGGAGCTATTACTATATTG
TTGACAGATCGGAATTTTAATACATCTTTTTTTGATCCTGCTGGAGGAGGGGATCCTATTTTATATCAACATTTATTTTGATTTT
TCGGTCA

>Lychas_bituberculatus_cmplx-AES210270

TAAAGATATTGGGACTATATATTTAGTTCTGGGTGTATGGGCTTCTATAGTAGGAACTGCTTTAAGTTTATTAATTCGTAGAG
AAGTAGGCATACCTGGTTCTCTAATTGGAGATGATCAGATTTATAATGTGGTTGTTACGGCTCATGCTTTTGTTATAATTTTTT
TTATGGTTATACCTATTATAATTGGGGGTTTTGGAAATTGATTAGTTCCTTTAATATTGGGGGCTCCTGATATAGCTTTCCCTC
GAATAAATAATATAAGATTTTGACTATTACCTCCTTCTTTCTTTTTATTGTTGTCTTCAGCTGCTTTGGAGAGAGGAGCAGGAA
CTGGTTGGACTGTGTATCCCCCATTATCTTCTTCTTTAGCTCATATGGGAGGTTCTGTTGATTTAACGATTTTTAGTCTTCATTT
AGCAGGGGTTTCTTCTATTTTGGGGGCAATTAATTTTATCACTACTATTATTAATATACGGAGAAGTGGAATGACCTTTGAAC
GTGTGCCTTTATTTGTATGGTCTGTGTTAGTTACTGCTGTTCTTTTACTTTTGTCTTTGCCTGTTTTGGCGGGGGCTATTACTAT
ATTGTTGACAGATCGGAATTTTAATACTTCATTTTTTGATCCTGCTGGGGGTGGAGATCCTATCTTGTATCAACATTTATTTTG
ATTTTTCGGTCA

>Lychas_bituberculatus_cmplx-AES210269

CATCATAAAGATATTGGGACTATATATTTAGTTCTGGGTGTATGGGCTTCTATAGTAGGAACTGCTTTAAGTTTATTAATTCGT
AGAGAAGTAGGCATACCTGGTTCTCTAATTGGAGATGATCAGATTTATAATGTGGTTGTTACGGCTCATGCTTTTGTTATAAT
TTTTTTTATGGTTATACCTATTATAATTGGGGGTTTTGGAAATTGATTAGTTCCTTTAATATTGGGGGCTCCTGATATAGCTTTC
CCTCGAATAAATAATATAAGATTTTGACTATTACCTCCTTCTTTCTTTTTATTGTTGTCTTCAGCTGCTTTGGAGAGAGGAGCAG
GAACTGGTTGGACTGTGTATCCCCCATTATCTTCTTCTTTAGCCCATATGGGAGGTTCTGTTGATTTAACGATTTTTAGTCTTCA
TTTAGCAGGGGTTTCTTCTATTTTGGGGGCAATTAATTTTATCACTACTATTATTAATATACGGAGAAGTGGGATGACCTTTGA
ACGTGTGCCTTTATTTGTATGGTCTGTGTTAGTTACTGCTGTTCTTTTACTTTTGTCTTTGCCTGTTTTGGCGGGGGCTATTACT
ATATTGTTGACAGATCGGAATTTTAATACTTCATTTTTTGATCCTGCTGGGGGTGGAGATCCTATCTTGTATCAACATTTATTTT
GATTTTTCGGTCAC

>Lychas_bituberculatus_cmplx-AES210268

TAAAGATATTGGGACTATATATTTAGTTCTGGGTGTATGGGCTTCTATAGTAGGAACTGCTTTAAGTTTATTAATTCGTAGAG
AAGTAGGCATACCTGGTTCTCTAATTGGAGATGATCAGATTTATAATGTGGTTGTTACGGCTCATGCTTTTGTTATAATTTTTT
TTATGGTTATACCTATTATAATTGGGGGTTTTGGAAATTGATTAGTTCCTTTAATATTGGGGGCTCCTGATATAGCTTTCCCTC
GAATAAATAATATAAGATTTTGACTATTACCTCCTTCTTTCTTTTTATTGTTGTCTTCAGCTGCTTTGGAGAGAGGAGCAGGAA
CTGGTTGGACTGTGTATCCCCCATTATCTTCTTCTTTAGCCCATATGGGAGGTTCTGTTGATTTAACGATTTTTAGTCTTCATTT
AGCAGGGGTTTCTTCTATTTTGGGGGCAATTAATTTTATCACTACTATTATTAATATACGGAGAAGTGGAATGACCTTTGAAC
GTGTGCCTTTATTTGTATGGTCTGTGTTAGTTACTGCTGTTCTTTTACTTTTGTCTTTGCCTGTTTTGGCGGGGGCTATTACTAT
ATTGTTGACAGATCGGAATTTTAATACTTCATTTTTTGATCCTGCTGGGGGTGGAGATCCTATCTTGTATCAACATTTATTTTG
ATTTTTCGGTC

>Lychas_bituberculatus_cmplx-AES210219

ATCATAAAGATATTGGGACTATATATTTAGTTCTGGGTGTATGGGCTTCTATAGTAGGAACTGCTTTAAGTTTATTAATTCGTA
GAGAAGTAGGCATACCTGGTTCTTTAATTGGAGATGATCAGATTTATAATGTGGTTGTTACGGCTCATGCTTTTGTTATAATTT
TTTTTATGGTTATACCTATTATAATTGGGGGTTTTGGAAATTGATTAGTTCCTTTAATATTGGGGGCTCCTGATATAGCTTTCCC
TCGAATAAATAATATAAGATTTTGACTATTACCTCCTTCTTTCTTTTTATTGTTGTCTTCAGCTGCTTTGGAGAGAGGAGCAGG
AACTGGTTGGACTGTGTACCCCCCATTATCTTCTTCTTTAGCCCATATGGGAGGTTCTGTTGATTTAACGATTTTTAGTCTTCAT
TTAGCAGGGGTTTCTTCTATTTTGGGGGCAATTAATTTTATCACTACTATTATTAATATACGGAGAAGTGGGATGACCTTTGAA
CGTGTGCCTTTATTTGTATGGTCTGTGTTAGTTACTGCTGTTCTTTTACTTTTGTCTTTGCCTGTTTTGGCGGGGGCTATTACTA
TATTGTTGACAGATCGGAATTTTAATACTTCATTTTTTGATCCTGCTGGGGGTGGAGATCCTATCTTGTATCAACATTTATTTTG
ATTTTTCGTCA

>Lychas_bituberculatus_cmplx-AES210168

ATAAAGATATTGGGACTATATATTTAGTTCTGGGTGTATGGGCTTCTATAGTAGGAACTGCTTTAAGTTTATTAATTCGTAGA
GAAGTAGGCATACCTGGTTCTCTAATTGGAGATGATCAGATTTATAATGTGGTTGTTACGGCTCATGCTTTTGTTATAATTTTT
TTTATGGTTATACCTATTATAATTGGGGGTTTTGGAAATTGATTAGTTCCTTTAATATTGGGGGCTCCTGATATAGCTTTCCCTC
GAATAAATAATATAAGATTTTGACTATTACCTCCTTCTTTCTTTTTATTGTTGTCTTCAGCTGCTTTGGAGAGAGGAGCAGGAA
CTGGTTGGACTGTGTATCCCCCATTATCTTCTTCTTTAGCCCATATGGGAGGTTCTGTTGATTTAACGATTTTTAGTCTTCATTT
AGCAGGGGTTTCTTCTATTTTGGGGGCAATTAATTTTATCACTACTATTATTAATATACGGAGAAGTGGAATGACCTTTGAAC
GTGTGCCTTTATTTGTATGGTCTGTGTTAGTTACTGCTGTTCTTTTACTTTTGTCTTTGCCTGTTTTGGCGGGGGCTATTACTAT
ATTGTTGACAGATCGGAATTTTAATACTTCATTTTTTGATCCTGCTGGGGGTGGAGATCCTATCTTGTATCAACATTTATTTTG
ATTTT

>Indolpium_LCr05-AES210210

TCATAAAGATATTGGTACTTTGTATTTAATGTTTGGTGTTTGATCCGGAATTGTGGGGATGGGGTATAGAATGATTATTCGAA
TACAGCTTTCTGCTCCGGGTAAGGTAATTGAAGAACACTCTTATAATGTAGTAGTCACTACCCATGCTTTTTTAATAATTTTTTT
TATAGTGATACCTATTTTAATTGGGGGTTTCGGTAACTGATTAGTCCCTTTAATGATCGGCTCTCCAGATATGGCCTTTCCTCG
TCTGAATAATTTAAGTTTCTGACTTCTCCCCCCGTCATTTTTATTAATATTATTTTCATCTGCTTTAGAAATGGGGTGTGGGACA
GGGTGGACAATCTACCCCCCTTTAGCAGGATTTTCAGGTCACCCATCTAAGGCTATAGATTTATTAATTTTTTCTCTTCATTTGG
CAGGAATTTCATCTATTCTTGGTGCAATTAACTTTATTTCGACAATCATTAATATAAAAACTCCTGGTCTCTCTTATGTAGAGAT
ACCTTTATTTGTCTGGGCTGTCTTATTTACTACTATTTTATTGTTGTTAGCTATCCCTGTTTTAGCTGGGGCAATTACCATACTTT
TAACTGACCGAAATTTTAACTCATCATTTTTTGAGCCTTTGGGTGGTGGAGATCCAATTTTGTTTCAACACCTATTTTGATTTTT
CGG

>Indolpium_LCr04-AES210183

TCATAAAGATATTGGTACCTTATATTTAATATTTGGAATTTGATCAGGTATTGTAGGAATAGGTTACAGAATAATTATTCGAAT
ACAACTTTCTGCTCCAGGAAAAGTAATCGAGGAACACTCATATAACGTTGTAGTAACAACTCATGCTTTTTTAATAATTTTTTT

TATAGTTATACCTATTTTAATTGGTGGTTTTGGGAATTGATTAATCCCAATGATAATTGGTTCACCTGATATGGCCTTTCCTCG
ACTTAATAATTTGAGTTTTTGGCTTCTCCCTCCTTCATTTTTATTAATGTTATTGTCCTCTGCTTTAGAAATAGGGTGTGGGACA
GGGTGAACAATTTACCCCCCCTTAGCAAGATTTTTAGGTCACCCATCAAAAGCGATAGATCTTTTAATTTTTTCTTTACATCTAG
CCGGAATCTCATCAATTTTAGGTGCAATTAATTTTATTTCTACTATCATTAATATGAAAACCCCAGGTATAACTTATGTGGAGA
TGCCTCTGTTTGTGTGAGCAGTTCTCTTTACTACAATTCTTCTGCTTTTAGCTATTCCTGTCTTGGCTGGGGCTATTACCATGCT
TTTGACTGATCGAAATTTTAACTCATCTTTCTTTGAACCTTTAGGAGGAGGAGACCCTATTTTATTTCAACACTTATTTTGATTT
TTCGGTC

>Indolpium_LCr04-AES210174

ATAAAGATATTGGTACCTTATATTTAATATTTGGAATTTGATCAGGTATTGTAGGAATAGGTTATAGAATAATTATTCGAATAC
AACTTTCTGCTCCAGGAAAAGTAATCGAGGAACACTCATATAACGTTGTAGTAACAACTCATGCTTTTTTAATAATTTTTTTTAT
AGTTATACCTATTTTAATTGGTGGTTTTGGGAATTGATTAATCCCAATGATAATTGGTTCACCCGATATGGCCTTTCCTCGACT
TAATAATTTGAGTTTCTGGCTTCTCCCCCCTTCATTTTTATTAATGTTATTGTCCTCTGCTTTAGAAATAGGATGTGGAACAGGG
TGAACGATTTACCCCCCTTTAGCGAGATTTTTAGGTCACCCATCAAAAGCGATAGATCTTTTAATTTTTTCTTTACATCTAGCCG
GGATCTCATCAATTTTAGGTGCAATTAATTTTATTTCTACTATCATTAATATAAAAACCCCAGGAATAACTTATGTGGAGATGC
CTCTGTTTGTGTGAGCAGTTCTCTTTACTACAATTCTTCTGCTTTTAGCTATTCCTGTCTTGGCTGGGGCTATTACCATGCTTTTG
ACTGATCGAAATTTTAACTCATCTTTCTTTGAACCTTTAGGAGGAGGAGACCCTATTTTATTTCAACATTTATTTTGATTTTTCG
GTCA

>Indolpium_LCr04-AES210153

TCATAAAGATATTGGTACCTTATATTTAATATTCGGAATTTGATCAGGTATTGTAGGAATAGGTTACAGAATAATTATTCGAAT
ACAACTTTCTGCTCCAGGAAAAGTAATCGAGGAACACTCATATAACGTTGTAGTAACAACTCATGCTTTTTTAATAATTTTTTT
TATAGTTATACCTATTTTAATTGGTGGTTTTGGAAATTGGTTAATTCCAATGATAATTGGTTCACCTGATATGGCCTTTCCCCG
ACTTAATAATTTGAGTTTCTGGTTTCTCCCTCCTTCATTTTTATTAATGTTATTGTCCTCTGCTTTAGAAATAGGATGCGGAACA
GGGTGAACAATTTACCCCCCTTTAGCGAGATTTTTAGGTCACCCATCAAAGGCGATAGATCTTTTAATTTTTTCTTTACATCTA
GCCGGAATCTCATCAATTTTAGGTGCAATTAATTTTATTTCTACTATTATTAATATAAAAACCCCAGGAATAACTTATGTAGAG
ATACCTTTGTTTGTGTGAGCGGTTCTCTTTACTACAATTCTTCTGCTTTTAGCTATTCCTGTCTTGGCTGGGGCTATTACCATGC
TTTTGACTGATCGAAATTTTAATTCATCTTTCTTTGAACCTTTAGGAGGGGGAGACCCTATTTTATTTCAACACTTATTTTGATT
TTTCGGTCACC

>Indolpium_LCr03-AES210265

CATAAAGATATTGGTACTTTGTATTTAATATTTGGTGTTTGATCTGGGATTGTAGGCATGGGGTATAGAATGATTATTCGAAT
ACAACTTTCTGCCCCAGGTAAGGTAATTGAAGAGCACTCTTATAATGTAGTAGTTACTACTCATGCTTTTTTAATAATTTTTTTT
ATGGTGATACCCATTTTAATTGGAGGTTTTGGTAATTGATTGATTCCTCTGATGATTGGTTCCCCAGATATGGCCTTCCCACGT
TTAAATAATCTAAGATTTTGACTTCTACCACCTTCATTTTTATTAATGTTATTTTCATCTGCCTTAGAAATGGGGTGTGGAACAG
GATGAACAATTTATCCCCCTCTGGCAGGGTTTTCAGGTCATCCATCTAAGGCTATAGACTTATTAATTTTTTCTCTTCACTTAGC

GGGAATCTCATCTATTCTTGGTGCTATTAATTTTATTTCAACAATTATTAATATAAAAACTCCTGGTCTTTCTTATGTAGAGATA
CCTTTATTTGTGTGGGCTGTCTTGTTTACCACTATTCTTTTGTTATTAGCCATTCCTGTTCTTGCTGGGGCAATTACAATACTTTT
AACAGATCGAAATTTTAACTCGTCATTTTTTGAGCCTTTGGGTGGAGGTGATCCGATTTTATTTCAACATTTATTTTGATTTTTC
GGTCA

>Euryolpium_LCr01-AES210194

ATAAAGATATTGGAACTTTATATTTAATTTTAGGGGGGTGGTCTGGAATAGTAGGAATAGGATATAGAATAATTATTCGAAT
ACAACTTTCTAGACCAGGTAAAGTAATTGAAGATCACACCTATAATGTTGTAGTAACCACCCATGCTTTTATTATGATTTTTTTT
ATAGTTATACCTATTTTGATTGGGGGTTTCGGAAATTGACTCATTCCAATAATAATTGGATCTCCAGATATAGCTTTTCCACGA
CTAAACAATTTAAGTTTCTGGTTACTTCCCCCTTCTTTTCTTCTTATACTTCTATCTTCAGCATTAGAATCTGGGTGTGGAAGAG
GTTGAACCATCTACCCCCCCCTTGCCTCTTATATTGGCCATTCATCTAAATCTGTGGATTTAGTAATTTTTTCTCTTCATTTAGCA
GGTGTTTCATCTATTTTAGGATCTATTAATTTTATTACAACAATTATTAATATACGAGCTCCAGGACTCCCTTTTTTAAGGATTC
CTTTATTTGTCTGATCTGTAATATTTACAACTATTTTAATTTTACTTGCTATTCCTGTTCTTGCGGGGGCTATTACAATACTTCTT
ACAGATCGAAATTTTAATTCTTCATTTTTTGATCCTACAGGGGGGGGAGACCCTATTTTATTTCAACATTTATTTTGATTTTTCG
GT

>Euryolpium_LCr01-AES210184

ATCATAAAGATATTGGAACTTTATATTTAATTTTAGGGGGGTGGTCTGGAATAGTAGGAATAGGATATAGAATAATTATTCG
AATACAACTTTCTAGACCAGGTAAAGTAATTGAAGATCACACCTATAATGTTGTAGTAACCACCCATGCTTTTATTATGATTTT
TTTTATAGTTATACCTATTTTGATTGGGGGTTTCGGAAATTGACTCATTCCAATAATAATTGGATCTCCAGATATAGCTTTTCCA
CGACTAAACAATTTAAGTTTCTGGTTACTTCCCCCTTCTTTTCTTCTTATACTTCTATCTTCAGCATTAGAGTCTGGGTGTGGAA
GAGGTTGAACCATCTACCCCCCCCTTGCCTCTTATATTGGCCATTCATCTAAATCTGTGGATTTAGTAATTTTTTCTCTTCATTTA
GCAGGTGTTTCATCTATTTTAGGATCTATTAATTTTATTACAACAATTATTAATATACGAGCTCCAGGACTCCCTTTTTTAAGGA
TTCCTTTATTTGTCTGATCTGTAATATTTACAACTATTTTAATTTTACTTGCTATTCCTGTTCTTGCGGGGGCTATTACAATACTT
CTTACAGATCGAAATTTTAATTCTTCATTTTTTGATCCTACAGGGGGGGGAGACCCTATTTTATTTCAACATTTATTTTGATTTT
TCGGTCA

>Euryolpium_LCr01-AES210175

CATAAAGATATTGGAACTTTATATTTAATTTTAGGGGGGTGGTCTGGAATAGTAGGAATAGGATATAGAATAATTATTCGAA
TACAACTTTCTAGACCAGGTAAAGTAATTGAAGATCACACCTATAATGTTGTAGTAACCACCCATGCTTTTATTATGATTTTTTT
TATAGTTATACCTATTTTGATTGGGGGTTTCGGAAATTGACTCATTCCAATAATAATTGGATCTCCAGATATAGCTTTTCCACG
ACTAAACAATTTAAGTTTCTGGTTACTTCCCCCTTCTTTTCTTCTTATACTTCTATCTTCAGCATTAGAGTCTGGGTGTGGAAGA
GGTTGAACCATCTACCCCCCCCTTGCCTCTTATATTGGCCATTCATCTAAATCTGTGGATTTAGTAATTTTTTCTCTTCATTTAGC
AGGTGTTTCATCTATTTTAGGATCTATTAATTTTATTACAACAATTATTAATATACGAGCTCCAGGACTCCCTTTTTTAAGGATT
CCTTTATTTGTCTGATCTGTAATATTTACAACTATTTTAATTTTACTTGCTATTCCTGTTCTTGCGGGGGCTATTACAATACTTCT

TACAGATCGAAATTTTAATTCTTCATTTTTTGATCCTACAGGGGGGGGAGACCCTATTTTATTTCAACATTTATTTTGATTTTTC
GGTCACC

>Euryolpium_LCr01-AES210173

ATAAAGATATTGGAACTTTATATTTAATTTTAGGGGGGTGGTCTGGAATAGTAGGAATAGGATATAGAATAATTATTCGAAT
ACAACTTTCTAGACCAGGTAAAGTAATTGAAGATCACACCTATAATGTTGTAGTAACCACCCATGCTTTTATTATGATTTTTTTT
ATAGTTATACCTATTTTGATTGGGGGTTTCGGAAATTGACTCATTCCAATAATAATTGGATCTCCAGATATAGCTTTTCCACGA
CTAAACAATTTAAGTTTCTGGTTACTTCCCCCTTCTTTTCTTCTTATACTTCTATCTTCAGCATTAGAATCTGGGTGTGGAAGAG
GTTGAACCATCTACCCCCCCCTTGCCTCTTATATTGGCCATTCATCTAAATCTGTGGATTTAGTAATTTTTTCTCTTCATTTAGCA
GGTGTTTCATCTATTTTAGGATCTATTAATTTTATTACAACAATTATTAATATACGAGCTCCAGGACTCCCTTTTTTAAGGATTC
CTTTATTTGTCTGATCTGTAATATTTACAACTATTTTAATTTTACTTGCTATTCCTGTTCTTGCGGGGGCTATTACAATACTTCTT
ACAGATCGAAATTTTAATTCTTCATTTTTTGATCCTACAGGGGGGGGAGACCCTATTTTATTTCAACATTTATTTTGATTTTTCG
GTCA

>Euryolpium_LCr01-AES210145

TCATAAAGATATTGGAACTTTATATTTAATTTTAGGGGGGTGGTCTGGAATAGTAGGAATAGGATATAGAATAATTATTCGA
ATACAACTTTCTAGACCAGGTAAAGTAATTGAAGATCACACCTATAATGTTGTAGTAACCACCCATGCTTTTATTATGATTTTT
TTTATAGTTATACCTATTTTGATTGGGGGTTTCGGAAATTGACTCATTCCAATAATAATTGGATCTCCAGATATAGCTTTTCCAC
GACTAAACAATTTAAGTTTCTGGTTACTTCCCCCTTCTTTTCTTCTTATACTTCTATCTTCAGCATTAGAGTCTGGGTGTGGAAG
AGGTTGAACCATCTACCCCCCCCTTGCCTCTTATATTGGCCATTCATCTAAATCTGTGGATTTAGTAATTTTTTCTCTTCATTTAG
CAGGTGTTTCATCTATTTTAGGATCTATTAATTTTATTACAACAATTATTAATATACGAGCTCCAGGACTCCCTTTTTTAAGGAT
TCCTTTATTTGTCTGATCTGTAATATTTACAACTATTTTAATTTTACTTGCTATTCCTGTTCTTGCGGGGGCTATTACAATACTTC
TTACAGATCGAAATTTTAATTCTTCATTTTTTGATCCTACAGGGGGGGGAGACCCTATTTTATTTCAACATTTATTTTGATTTTT
CGGTCA

>Euryolpium_LCr01-AES210141

TCATAAAGATATTGGAACTTTATATTTAATTTTAGGGGGGTGGTCTGGAATAGTAGGAATAGGATATAGAATAATTATTCGA
ATACAACTTTCTAGACCAGGTAAAGTAATTGAAGATCACACCTATAATGTTGTAGTAACCACCCATGCTTTTATTATGATTTTT
TTTATAGTTATACCTATTTTGATTGGGGGTTTCGGAAATTGACTCATTCCAATAATAATTGGATCTCCAGATATAGCTTTTCCAC
GACTAAACAATTTAAGTTTCTGGTTACTTCCCCCTTCTTTTCTTCTTATACTTCTATCTTCAGCATTAGAGTCTGGGTGTGGAAG
AGGTTGAACCATCTACCCCCCCCTTGCCTCTTATATTGGCCATTCATCTAAATCTGTGGATTTAGTAATTTTTTCTCTTCATTTAG
CAGGTGTTTCATCTATTTTAGGATCTATTAATTTTATTACAACAATTATTAATATACGAGCTCCAGGACTCCCTTTTTTAAGGAT
TCCTTTATTTGTATGATCTGTAATATTTACAACTATTTTAATTTTACTTGCTATTCCTGTTCTTGCGGGGGCTATTACAATACTTC
TTACAGATCGAAATTTTAATTCTTCATTTTTTGATCCTACAGGGGGGGGAGATCCTATTTTATTTCAACATTTATTTTGATTTTT
CGGTCA

>Cryptops_LCr02-AES210179

TAAAGATATTGGAACTATATATTTAATTTTCGGTGCTTGATCAGCTATACTAGGAACAGCATTAAGTCTTATCATCCGTTTAGA
ACTTAGACAACCAGGAACATTAATTGGAGATGATCAATTATATAATATAGTAGTTACAGCCCATGCCTTCATTATAATTTTCTT
TATAGTAATACCTATCATAATTGGGGGATTCGGAAATTGATTAGTCCCATTAATAATAGGAGCACCAGACATAGCTTTCCCTC
GTCTTAATAATATAAGATTTTGACTGCTTCCACCTTCCTTAACTCTTCTCTTAGGTTCTAGTTTAGTAGAAATAGGCGCTGGAAC
AGGATGAACAGTATACCCACCCTTAGCTTCTTCAATAGCTCACTCCGGTTGCTCAGTTGACATAACAATTTTCTCCCTTCATTTA
GCAGGAATCTCCTCAATTCTAGGAGCAGTTAACTTTATTACTACCATCATCAATATACGAACAAATGGAATATTATTTGAACGA
CTTCCTTTATTTGTTTGAGCTGTATTGATTACCGCCATTCTTCTACTTTTATCATTACCCGTTCTTGCTGGTGCAATTACAATACT
TCTCACAGATCGTAATTTTAATACATCATTCTTCGATCCTGCAGGAGGGGGTGATCCTATTTTATACCAACATTTATTTTGATTT
TTC

>Cryptops_LCr01-AES210155

CAATCATAAAGATATTGGAACTATATATTTAATTTTTGGAGCTTGATCAGCAATACTTGGTACAGCATTGAGCCTTATTATTCG
ACTAGAATTAAGTCAACCAGGTACCCTTATTGGAGACGANCAACTATATAATATAGTAGTNACAGCACATGCTTTCATCATAA
TTTTCTTCATNGTNATACCAATCATAATTGGAGGATTTGGAAATTGACTTGTTCCTTTAATAATAGGAGCACCTGACATAGCTT
TTCCCCGCCTTAACAATATAAGATTCTGACTTCTTCCTCCCTCTCTTACCCTTCTCCTAGGTTCTAGNTTAGTNGAAATAGGAGC
TGGAACAGGTTGAACAGTATATCCNCCTCTAGCCGCTTCTNTAGCTCACTCAGGTTGNTCAGTAGATTTAACCATTTTCTCCTT
GCACTTAGCCGGAGTATCTTCAATTNTAGGAGCAGTAAATTTTATTACTACAATCATNAATATACGCACAAANGGTATACTNT
TTGAACGTCTACCTTTATTTGTATGNGCTGTGCTAATTACAGCNATNCTGCTNCTTCTCTCTCTTCCTGTATTAGCAGGNGCAA
TTACTATACTTCTTACAGATCGAAACTTTNAATACCTCCTTCTTTGACCCAGCTGGAGGAGGAGATCCTATCTTATATCAACAN
CTATTTTGATTTTTC

>Buddelundiinae_ISOP009-AES210213

ATAAAGATATTGGCACCTTATATTTTATTTTTGGGGCTTGAGCGGGTGTTTTAGGGACGTCTTTAAGAGTTATCATTCGTATTG
AGTTAGGGCAAGTAGGAAGTTTGATTGGGGATGACCAGATTTATAATGTTATTGTTACAGCACATGCTTTTGTGATAATTTTT
TTTATAGTCATACCTGTTATAATTGGAGGGTTTGGCAATTGATTAGTACCATTGATACTAGGTGCTCCCGATATAGCTTTTCCT
CGAATAAATAACATGAGATTTTGATTGCTTCCACCTTCTTTGACTTTGTTGTTGATGAGAGGTCTGATTGAGGGAGGGATTGG
GACCGGCTGAACTGTTTACCCTCCTTTAGCGTCCAATATTGCACACAGAGGAGGGTCGGTTGACTTAGGGATCTTTTCTCTTC
ACTTAGCCGGGGTGTCTTCAATTTTAGGGGCTGTAAATTTTATTACAACTGCTATAAATATACGTTCTACTGGAATAAAATTTG
ATCGTATACCCCTCTTTGTCTGATCCGTGTACATCACAGCAGTTTTATTACTGTTATCATTACCTGTACTAGCAGGAGCTATTAC
GATACTGTTAACAGATCGAAATTTTAACACTTCTTTTTTCGACCCTAGGGGAGGGGGGGACCCTGTTTTATACCAGCATTTATT
TTGATTTTTC

>Buddelundia_SJ15-AES210221

CAATCATAAAGATATTGGCACGTTATATTTTATTTTTGGGGCTTGAGCAGGTGCGGTAGGGACTTCACTCAGTGTTTTAATTC
GAATTGAATTAGGACAATCAGGGAGGTTTATCGGGGATGATCAATTGTACAATGTAATTGTTACTGCGCATGCCTTTGTGAT
GATTTTTTTTATAGTTATACCCGTTATGATCGGAGGATTTGGTAATTGATTAGTTCCGTTAATGCTTGGGGCACCAGATATAGC

TTTCCCACGAATAAATAATTTAAGATTTTGACTTCTACCTCCTTCATTAACCTTGTTGTTGATCAGAGGAATAGTTGAGAGAGG
GGTTGGGACAGGATGAACAGTATACCCTCCTTTGGCTTCGAATATTGCACACAGAGGGGCTTCTGTAGATCTTGGGATTTTTT
CATTGCATTTAGCGGGGGCTTCGTCTATTCTAGGGGCTGTTAATTTTATAACCACGACTTTGAACATACGTTTCACTAAGATGC
ATTTTGATCGGGTGCCTCTTTTTGTGTGGTCTGTCTTTATTACTGCAGTTTTATTGTTACTATCTTTACCTGTGTTGGCAGGAGC
AATCACGATATTGTTAACAGACCGTAATTTTAATACTTCTTTTTTTGACCCTAGAGGAGGAGGAGACCCTATTTTGTACCAACA
TTTATTTTGATTTTTCGG

>Buddelundia_SJ15-AES210205

AAAGATATTGGCACGTTATATTTTATTTTTGGGGCTTGAGCAGGTGCGGTAGGGACTTCACTCAGTGTTTTAATTCGAATTGA
ATTAGGACAATCAGGGAGGTTTATCGGGGATGATCAATTGTACAATGTAATTGTTACTGCGCATGCCTTTGTGATGATTTTTT
TTATAGTTATACCCGTTATGATCGGAGGATTTGGTAATTGATTAGTTCCGTTAATGCTTGGGGCACCAGATATAGCTTTCCCAC
GAATAAATAATTTAAGATTTTGACTTCTACCTCCTTCATTAACCTTGTTGTTGATCAGAGGAATAGTTGAGAGAGGGGTTGGG
ACAGGATGAACAGTATACCCTCCTTTGGCTTCGAATATTGCACACAGAGGGGCTTCTGTAGATCTTGGGATTTTTTCATTGCA
TTTAGCGGGGGCTTCGTCTATTCTAGGGGCTGTTAATTTTATAACCACGACTTTGAACATACGTTTCACTAAGATGCATTTTGA
TCGGGTGCCTCTTTTTGTGTGGTCTGTCTTTATTACTGCAGTTTTATTGTTACTATCTTTACCTGTGTTGGCAGGAGCAATCACG
ATATTGTTAACAGACCGTAATTTTAATACTTCTTTTTTTGACCCTAGAGGAGGAGGAGACCCTATTTTGTACCAACATTTATTTT
GATTTTTCGG

>Buddelundia_SJ15-AES210190

ATAAAGATATTGGCACGTTATATTTTATTTTTGGGGCTTGAGCAGGTGCGGTAGGGACTTCACTCAGTGTTTTAATTCGAATT
GAATTAGGACAATCAGGGAGGTTTATCGGGGATGATCAATTGTACAATGTAATTGTTACTGCGCATGCCTTTGTGATGATTTT
TTTTATAGTTATACCCGTTATGATCGGAGGATTTGGTAATTGATTAGTTCCGTTAATGCTTGGGGCACCAGATATAGCTTTCCC
ACGAATAAATAATTTAAGATTTTGACTTCTACCTCCTTCATTAACCTTGTTGTTGATCAGAGGAATAGTTGAGAGAGGGGTTG
GGACAGGATGAACAGTATACCCTCCTTTGGCTTCGAATATTGCACACAGAGGGGCTTCTGTAGATCTTGGGATTTTTTCATTG
CATTTAGCGGGGGCTTCGTCTATTCTAGGGGCTGTTAATTTTATAACCACGACTTTGAACATACGTTTCACTAAGATGCATTTT
GATCGGGTGCCTCTTTTTGTGTGGTCTGTCTTTATTACTGCAGTTTTATTGTTACTATCTTTACCTGTGTTGGCAGGAGCAATCA
CGATATTGTTAACAGACCGTAATTTTAATACTTCTTTTTTTGACCCTAGAGGAGGAGGAGACCCTATTTTGTACCAACATTTAT
TTTGATTTTTCGG

>Buddelundia_SJ15-AES210157

ATAAAGATATTGGCACGTTATATTTTATTTTTGGGGCTTGAGCAGGTGCGGTAGGGACTTCACTCAGTGTTTTAATTCGAATT
GAATTAGGACAATCAGGGAGGTTTATCGGGGATGATCAATTGTACAATGTAATTGTTACTGCGCATGCCTTTGTGATGATTTT
TTTTATAGTTATACCCGTTATGATCGGAGGATTTGGTAATTGATTAGTTCCGTTAATGCTTGGGGCACCAGATATAGCTTTCCC
ACGAATAAATAATTTAAGATTTTGACTTCTACCTCCTTCATTAACCTTGTTGTTGATCAGAGGAATAGTTGAGAGAGGGGTTG
GGACAGGATGAACAGTATACCCTCCTTTGGCTTCGAATATTGCACACAGAGGGGCTTCTGTAGATCTTGGGATTTTTTCATTG
CATTTAGCGGGGGCTTCGTCTATTCTAGGGGCTGTTAATTTTATAACCACGACTTTGAACATACGTTTCACTAAGATGCATTTT

GATCGGGTGCCTCTTTTTGTGTGGTCTGTCTTTATTACTGCAGTTTTATTGTTACTATCTTTACCTGTGTTGGCAGGAGCAATCA
CGATATTGCTAACAGACCGTAATTTTAATACTTCTTTTTTGACCCTAGAGGAGGAGGAGACCCTATTTTGTACCAACATTTATT
TTGATTTTTC

>Buddelundia_SJ13-AES210215

ATAAAGATATTGGAACGTTATATTTTATTTTTGGGGCATGGGCGGGAGCAGTAGGGACTTCACTTAGTGTACTGATTCGTGTC
GAGCTGGGGCAGACAGGGAGACTTATTGGAGACGATCAGCTCTACAATGTGATTGTTACTGCACACGCGTTTGTAATAATTT
TTTTTATAGTAATACCTATTATGATTGGCGGGTTTGGAAATTGGTTAGTGCCTTTAATGCTTGGGTCTCCTGATATAGCTTTCC
CGCGTATGAATAACTTAAGATTTTGACTTTTACCACCTTCTTTGACTTTATTGTTGTGCAGAGGCCTAGTAGAGAGAGGGGTA
GGAACAGGCTGAACAGTGTATCCTCCTTTAGCATCTAATATTGCACACAGAGGGGTTTCTGTTGATCTTGGTATCTTTTCTTTA
CATCTAGCTGGAGCTTCTTCTATCTTAGGAGCTGTTAACTTCATCACTACAACTTTAAATATACGTTCTACTGGGATAAAATTC
GATCGAGTTCCCCTATTTGTGTGGTCAGTATTTATTACGGCTATTTTGTTATTACTATCTTTGCCGGTATTAGCTGGGGCAGTC
ACAATACTACTGACGGATCGTAATTTTAATACTTCTTTTTTTGACCCTAGAGGTGGGGGAGATCCTATTTTGTACCAACATTTG
TTTTGATTTTTC

>Buddelundia_SJ13-AES210142

ATAAAGATATTGGAACGTTATATTTTATTTTTGGGGCATGGGCGGGAGCAGTAGGGACTTCACTTAGTGTACTGATTCGTGTC
GAGCTGGGGCAGACAGGGAGACTTATTGGAGACGATCAGCTCTACAATGTGATTGTTACTGCACACGCGTTTGTAATAATTT
TTTTTATAGTAATACCTATTATGATTGGCGGGTTTGGAAATTGGTTAGTGCCTTTAATGCTTGGGTCTCCTGATATAGCTTTCC
CGCGTATGAATAACTTAAGATTTTGACTTTTACCACCTTCTTTGACTTTATTGTTGTGCAGAGGCCTAGTAGAGAGAGGGGTA
GGAACAGGCTGAACAGTGTATCCTCCTTTAGCATCTAATATTGCACACAGAGGGGTTTCTGTTGATCTTGGTATCTTTTCTTTA
CATCTAGCTGGAGCTTCTTCTATCTTAGGAGCTGTTAACTTCATCACTACAACTTTAAATATACGTTCTACTGGGATAAAATTC
GATCGAGTTCCCCTATTTGTGTGGTCAGTATTTATTACGGCTATTTTGTTATTACTATCTTTGCCGGTATTAGCTGGGGCAGTC
ACAATACTACTGACGGATCGTAATTTTAATACTTCTTTTTTTGACCCTAGAGGTGGGGGAGATCCTATTTTGTACCAACATTTG
TTTTGATTTTTC

>Buddelundia_SJ10jma-AES210193

AATCATAAAGATATTGGTACTTTATATTTTATTTTTGGTGCTTGAGCTGGTGCGGTTGGAACTTCATTTAGTGTGTTAATTCGT
ATTGAGCTTGGGCAAACTGGTAGGTTTATTGGAGATGATCAACTTTATAATGTTATTGTAACTGCTCATGCTTTTGTGATAATT
TTTTTTATAGTTATACCTATTATGATTGGTGGATTCGGTAATTGGTTAGTTCCTTTAATACTTGGGGCTCCTGATATAGCTTTTC
CGCGTATAAATAATTTAAGATTTTGACTTTTACCTCCTTCATTAAGTTTATTAATGGTTAGAGGAATGGTTGAAAGAGGGGTT
GGAACTGGGTGAACTGTTTATCCTCCTTTAGCTTCTAATATTGCTCATAGAGGTGTTTCTGTTGATTTAGGAATTTTTTCTTTAC
ATTTAGCGGGAGCATCATCTATTTTAGGAGCTATTAATTTTATAACTACAACTTTTAATATACGTTCTATTGGTATAAAATTTGA
TCGAATATCTCTTTTTGTTTGATCTGTGTTTATTACTGCTGTTTTATTATTATTGTCTTTACCGGTGTTAGCAGGAGCTATTACTA
TATTGTTAACAGATCGAAATTTTAATACTTCTTTTTTTGATCCTAGAGGGGGTGGGGATCCTATTTTATATCAACATTTGTTTTG
ATTTTTCGGTCA

>Bothriembryon_sp-AES210080

ATAAAGATATTGGCACTCTATATATAATCTTTGGTGTATGATGTGGTATAGTTGGAACTGGTTTATCTTTATTAATTCGTTTAG
AGTTAGGGACTAGGGGAGTTTTAATAGATGATCATTTTTATAATGTTATTGTTACAGCTCATGCATTTGTTATAATTTTTTTTAT
GGTTATACCTTTAATAATTGGAGGGTTCGGAAATTGAATGGTTCCATTACTTATTGGTGCTCCAGACATAAGATTTCCTCGAAT
AAATAATATAAGATTTTGATTATTGCCTCCTTCATTTATTTTACTTATTTCATCTAGAATAGTAGAAGGAGGAGCAGGGACAG
GTTGAACAGTTTACCCTCCATTAAGAGCTAGAGTAGCTCATGCTGGAGCAGCTGTTGATTTGGCTATTTTTTCTTTACACTTAG
CAGGATTATCTTCAATTTTAGGTGCTATTAATTTCATTACTACTATTTTTAACATACGTTCTCCTGGGATTACTTTAGAACGAAT
AAGTTTATTTGTTTGATCTATTTTGGTAACAGTATTTCTTCTTTTACTTTCTTTACCAGTTTTAGCAGGTGCTATTACTATACTAT
TAACTGATCGAAATTTTAATACATCTTTTTTTGATCCTGCAGGTGGAGGAGATCCTATTTTATATCAACATTTATTTTGATTTTT
CGG

>Austrostrophus_LCr01-AES210216

TAAAGATATTGGAACTATATATTTAATTCTTGGTGCTTGAGCTGCAATAATTGGAACAGCATTAAGAATACTAATTCGAGTAG
AATTAGGTCAACCAGGTAGATTAATTGGGGATGATCAGATTTATAATGTTATTGTTACAGCCCATGCTTTCGTCATAATCTTCT
TTATAGTTATACCTATTATAATTGGGGGCTTTGGAAATTGACTTGTTCCCTTAATACTAGGAGCTCCAGATATAGCTTTCCCTC
GAATAAATAACATAAGTTTCTGATTACTTCCTCCAGCTTTTTTTTTATTAATTTCTTCTTCTATTGTAGAAAAAGGTGTAGGGAC
CGGATGAACTGTTTATCCTCCATTAGCTTCAAATCTTGCTCATGCTGGGCCTTCCGTAGATATAGCTATTTTCTCATTACATCTA
GCCGGAGCTTCTTCTATTTTAGGTGCAATTAACTTCATTACTACAATTATTAATATACGTTCAAATGGTATACTTTTTGAACAAA
TACCTCTCTTCGTATGAGCTGTAAAAATTACTGCTATTCTTCTTTTACTCTCTTTACCAGTTCTAGCAGGAGCTATTACAATATTA
TTAACGGATCGAAATTTTAATACATCCTTTTTCGACCCAGCTGGAGGAGGAGATCCTATTTTATATCAACACTTATTTTGATTTT
TC

>Austrostrophus_LCr01-AES210162

CATCATAAAGATATTGGAACTATATATTTAATTCTTGGTGCTTGAGCTGCAATAATTGGAACAGCATTAAGAATATTAATTCG
AGTAGAATTAGGTCAACCAGGTAGATTAATTGGAGATGATCAGATTTATAATGTTATTGTTACAGCCCATGCTTTCGTCATAA
TCTTCTTTATAGTTATACCTATTATAATTGGAGGCTTTGGAAATTGACTTGTTCCTTTAATACTAGGAGCCCCAGATATAGCTTT
CCCTCGAATAAATAACATAAGTTTCTGATTACTTCCTCCAGCCTTTTTTTTATTAATTTCTTCTTCTATTGTAGAAAAAGGTGTA
GGGACCGGGTGAACTGTTTATCCTCCATTAGCTTCAAATCTTGCTCATGCTGGACCTTCCGTAGATATAGCTATTTTCTCATTA
CATCTAGCCGGAGCTTCTTCTATTTTAGGTGCAATTAACTTCATTACTACAATTATTAATATACGTTCAAATGGCATACTTTTTG
AACAAATACCTCTCTTCGTATGAGCTGTAAAAATTACTGCTATTCTTCTTTTACTCTCCTTACCAGTTCTAGCAGGAGCTATTAC
AATATTATTAACTGATCGAAATTTTAATACATCATTTTTCGACCCAGCCGGAGGAGGAGATCCTATTTTATATCAACACTTATT
TTGATTTTTCGG

>Austrostrophus_cladeA-AES210185

AAGATATTGGAACTATATATTTAATTCTTGGTGCCTGAGCTGCAATAATTGGAACAGCATTAAGAATATTAATTCGAGTAGAG
CTAGGTCAACCAGGTAGATTAATCGGAGATGATCAAATTTATAATGTTATTGTTACAGCTCATGCTTTTGTTATAATCTTCTTT

ATAGTTATACCTATTATAATTGGAGGTTTCGGAAATTGACTTGTGCCCTTAATACTAGGAGCCCCAGATATAGCCTTCCCTCGA
ATAAATAACATAAGTTTTTGATTGCTTCCTCCAGCTTTTTTTTTATTAATTTCTTCTTCTATTGTAGAAAAAGGCGTAGGAACCG
GATGAACTGTTTATCCTCCATTAGCTTCAAATCTTGCCCATGCTGGACCTTCTGTAGACATAGCTATTTTCTCATTACATTTAGC
CGGAGCTTCTTCTATTCTAGGAGCAATTAATTTTATTACTACGATTATTAATATACGTTCAAATGGAATGCTTTTTGAACAAAT
ACCTCTTTTCGTATGAGCTGTAAAAATTACTGCTATTCTTCTTTTACTTTCTTTACCAGTTCTAGCAGGAGCTATTACAATATTAT
TAACTGATCGAAATTTTAATACATCCTTTTTTGACCCAGCTGGTGGAGGAGATCCTATTTTATATCAACATCTATTTTGATTTTT
C

>Austrostrophus_cladeA-AES210164

ATAAAGATATTGGAACTATATATTTAATTCTTGGTGCCTGAGCTGCAATAATTGGAACAGCATTAAGAATATTAATTCGAGTA
GAGCTAGGTCAACCAGGTAGATTAATCGGAGATGATCAAATTTATAATGTTATTGTTACAGCTCATGCTTTTGTTATAATTTTC
TTTATAGTTATACCTATTATAATTGGAGGTTTCGGAAATTGACTTGTACCCTTAATACTAGGAGCCCCAGATATAGCCTTCCCT
CGAATAAATAATATAAGTTTTTGATTGCTTCCTCCAGCCTTTTTTTTATTAATCTCTTCTTCTATCGTAGAAAAAGGCGTAGGAA
CCGGATGAACTGTTTATCCCCCATTAGCTTCAAATCTTGCCCATGCTGGACCTTCTGTAGACATAGCTATTTTCTCATTACATTT
AGCCGGAGCTTCTTCTATTCTGGGAGCAATTAATTTTATTACTACAATTATTAATATACGTTCAAATGGAATGCTTTTTGAACA
AATACCTCTTTTCGTATGAGCTGTAAAAATTACTGCCATTCTTCTTTTACTTTCTTTACCAGTTCTAGCAGGAGCTATTACAATA
TTATTGACTGATCGAAATTTTAATACATCCTTTTTTGACCCAGCTGGTGGAGGAGATCCTATCTTATATCAACATCTATTTTGAT
TTTTC

>Austrochthonius_LCR01-AES210202

ATAAAGATATTGGAACAATATATTTAATCTTAGGTATTTGATCAGGATGTATAGGATTAAGATTAAGAACTTTAATTCGAATT
GAACTTTCACAAGCAGGTACTATTTTAAGAAGTGATCAAACTTATAACGTAATAGTAACTTCACACGCTTTTATCATAATTTTT
TTTATAGTAATACCAATAATAATTGGAGGTTTTGGAAATTGACTAGTTCCAATAATAATTGGAGCTCCAGACATAGCATTCCC
ACGAATAAATAATATAAGTTTTTGGCTTCTTCCTCCATCACTAACACTTTTACTAATATCATCTACTATTGAAATAGGATGTGGA
ACAGGATGAACAATATATCCTCCATTAGCTAGTAATATAGCTCATAATGGAGGTGCAGTTGATCTTGCAATTTTTTCTCTACAT
TTAGCCGGTGCATCTTCAATTTTAGGTGCCATTAATTTTATCTCCACTATTATAAATATACGAATTAATAACCTTCAATTCTTTTC
AATACCATTATTTGTTTGATCAATTTTAGTAACAACTATTTTATTAATATTAGCTTTACCTGTATTAGCTGGTGCCATTACCATAT
TATTAACCGATCGTAATTTTAATACATCTTTCTTCGATCCTTTAGGAGGGGGAGACCCTATTCTTTTCCAACATCTATTTTGATT
TTTC

>Austrochthonius_LCr01-AES210202

ATAAAGATATTGGAACAATATATTTAATCTTAGGTATTTGATCAGGATGTATAGGATTAAGATTAAGAACTTTAATTCGAATT
GAACTTTCACAAGCAGGTACTATTTTAAGAAGTGATCAAACTTATAACGTAATAGTAACTTCACACGCTTTTATCATAATTTTT
TTTATAGTAATACCAATAATAATTGGAGGTTTTGGAAATTGACTAGTTCCAATAATAATTGGAGCTCCAGACATAGCATTCCC
ACGAATAAATAATATAAGTTTTTGGCTTCTTCCTCCATCACTAACACTTTTACTAATATCATCTACTATTGAAATAGGATGTGGA
ACAGGATGAACAATATATCCTCCATTAGCTAGTAATATAGCTCATAATGGAGGTGCAGTTGATCTTGCAATTTTTTCTCTACAT

TTAGCCGGTGCATCTTCAATTTTAGGTGCCATTAATTTTATCTCCACTATTATAAATATACGAATTAATAACCTTCAATTCTTTTC
AATACCATTATTTGTTTGATCAATTTTAGTAACAACTATTTTATTAATATTAGCTTTACCTGTATTAGCTGGTGCCATTACCATAT
TATTAACCGATCGTAATTTTAATACATCTTTCTTCGATCCTTTAGGAGGGGGAGACCCTATTCTTTTCCAACATCTATTTTGATT
TTTC

Appendix IV Lamb Creek Specimen Data

Appendix IV Specimen Data

Rapallo Reg number	Alacran Code	Date	CLASS	ORDER	FAMILY	SRE Category Taxa (Post WAM MSU check)	SITE CODE	Easting	Northing	UTM Zone	Location (Distance from Juna	SURVEY TYPE	HABITAT	Field Collection Method	SURVEY START DATE	SURVEY END DATE	MALES	FEMALES	JUVENILES	TOTAL	SRE STATUS
Rap LC 202102 101	AES210197	20/02/21	Arachnida	Araneae	Anamidae	Kwonkan 'MYG324'	LC09	692263.9170	7477401.7490	50	40 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Burrow Excavated	17/02/2021	25/02/2021		1		1	Potential SRE: DDG
Rap LC 202102 102	AES210147	20/02/21	Arachnida	Araneae	Anamidae	Aname mellosa	LC09	692263.9170	7477401.7490	50	40 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Burrow Excavated	17/02/2021	25/02/2021	1			1	Widespread
Rap LC 202102 105	AES210163	21/02/21	Arachnida	Araneae	Anamidae	Aname mellosa	LC15	690264.3380	7476806.7290	50	38 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Burrow Excavated	17/02/2021	25/02/2021				1	Widespread
Rap LC 202102 109	AES210144	21/02/21	Arachnida	Araneae	Anamidae	Aname mellosa	LC16	692741.5450	7477008.0400	50	41 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Stony Plain	Burrow Excavated	17/02/2021	25/02/2021		1		1	Widespread
AES200302	AES200302	24/04/20	Arachnida	Araneae	Anamidae	Aname mellosa	LCS08	692588.0770	7476971.2250	50	40 km east of Juna downs (a	Vertebrate trapping survey	Stony Plain	Dry Pitfall Trap	15/04/2020	29/04/2020		1		1	Widespread
Rap LC 202102 088	AES210149	24/02/21	Arachnida	Araneae	Barychelidae	Synothele 'MYG311'	LC33	685152.0300	7468508.1700	50	32 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Tussock grassland plain	Burrow Excavated	17/02/2021	25/02/2021				1	Widespread
Rap LC 202102 161	AES210187	17/02/21	Arachnida	Pseudoscorpiones	Atemnidae	Oratemnus 'WA1'	LC01	691726.9520	7477164.8810	50	40 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Medium Drainage	Litter sifted	17/02/2021	25/02/2021		1		1	Widespread
Rap LC 202102 238	AES210208	17/02/21	Arachnida	Pseudoscorpiones	Atemnidae	Oratemnus 'WA1'	LC02	691748.3260	7477231.0650	50	40 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Medium Drainage	Litter sifted	17/02/2021	25/02/2021	4	2	2	8	Widespread
Rap LC 202102 163	AES210191	17/02/21	Arachnida	Pseudoscorpiones	Atemnidae	Oratemnus 'WA1'	LC02	691748.3260	7477231.0650	50	40 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Medium Drainage	Litter sifted	17/02/2021	25/02/2021	1			1	Widespread
Rap LC 202102 231	AES210203	18/02/21	Arachnida	Pseudoscorpiones	Atemnidae	Oratemnus 'WA1'	LC05	691809.7290	7475591.0960	50	39 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021	2	2	1	5	Widespread
Rap LC 202102 234	AES210201	18/02/21	Arachnida	Pseudoscorpiones	Atemnidae	Oratemnus 'WA1'	LC06	691870.6230	7475534.9470	50	39 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021		1	2	3	Widespread
Rap LC 202102 106	AES210189	21/02/21	Arachnida	Pseudoscorpiones	Atemnidae	Oratemnus 'WA1'	LC15	690264.3380	7476806.7290	50	38 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021	1	1	2	4	Widespread
Rap LC 202102 146	AES210211	23/02/21	Arachnida	Pseudoscorpiones	Atemnidae	Oratemnus 'WA1'	LC28	683362.9560	7473303.3910	50	31 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Stony Plain	Litter sifted	17/02/2021	25/02/2021	1			1	Widespread
Rap LC 202102 144	AES210200	23/02/21	Arachnida	Pseudoscorpiones	Atemnidae	Oratemnus 'WA1'	LC28	683362.9560	7473303.3910	50	31 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Stony Plain	Litter sifted	17/02/2021	25/02/2021	6	5	4	15	Widespread
Rap LC 202102 096	AES210180	24/02/21	Arachnida	Pseudoscorpiones	Atemnidae	Oratemnus 'WA1'	LC32	684125.9550	7469362.4270	50	31 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Tussock grassland plain	Litter sifted	17/02/2021	25/02/2021	2			2	Widespread
Rap LC 202102 040	AES210172	24/02/21	Arachnida	Pseudoscorpiones	Atemnidae	Oratemnus 'WA1'	LC35	685046.3040	7468254.7320	50	32 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Tussock grassland plain	Litter sifted	17/02/2021	25/02/2021			1	1	Widespread
Rap LC 202102 021	AES210186	25/02/21	Arachnida	Pseudoscorpiones	Atemnidae	Oratemnus 'WA1'	LC42	684047.3850	7468809.6210	50	31 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Tussock grassland plain	Litter sifted	17/02/2021	25/02/2021	1	1	2	4	Widespread
Rap LC 202102 234	AES210202	18/02/21	Arachnida	Pseudoscorpiones	Chthoniidae	Austrochthonius 'LCr01'	LC06	691870.6230	7475534.9470	50	39 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021				1	Potential SRE: DDT
Rap LC 202102 171	AES210152	20/02/21	Arachnida	Pseudoscorpiones	Olpiidae	Euryolpium 'LCr01'	LC12	694380.3110	7475879.5500	50	42 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Shallow Open Gully	Litter sifted	17/02/2021	25/02/2021	2	2	1	5	Potential SRE: DDG
Rap LC 202102 171	AES210153	20/02/21	Arachnida	Pseudoscorpiones	Olpiidae	Indolpium 'LCr04'	LC12	694380.3110	7475879.5500	50	42 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Shallow Open Gully	Litter sifted	17/02/2021	25/02/2021			1	1	Potential SRE: DDG
Rap LC 202102 201	AES210184	20/02/21	Arachnida	Pseudoscorpiones	Olpiidae	Euryolpium 'LCr01'	LC13	694389.5830	7475801.9000	50	42 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Deep Gully	Litter sifted	17/02/2021	25/02/2021		2	1	3	Potential SRE: DDG
Rap LC 202102 201	AES210183	20/02/21	Arachnida	Pseudoscorpiones	Olpiidae	Indolpium 'LCr04'	LC13	694389.5830	7475801.9000	50	42 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Deep Gully	Litter sifted	17/02/2021	25/02/2021		1		1	Potential SRE: DDG
Rap LC 202102 034	AES210145	20/02/21	Arachnida	Pseudoscorpiones	Olpiidae	Euryolpium 'LCr01'	LC14	694285.7870	7475714.6240	50	42 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Shallow Open Gully	Litter sifted	17/02/2021	25/02/2021			3	3	Potential SRE: DDG
Rap LC 202102 111	AES210173	21/02/21	Arachnida	Pseudoscorpiones	Olpiidae	Euryolpium 'LCr01'	LC20	694802.3610	7475962.7390	50	42 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Shallow Open Gully	Litter sifted	17/02/2021	25/02/2021		1		1	Potential SRE: DDG
Rap LC 202102 082	AES210194	21/02/21	Arachnida	Pseudoscorpiones	Olpiidae	Euryolpium 'LCr01'	LC20	694802.3610	7475962.7390	50	42 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Shallow Open Gully	Litter sifted	17/02/2021	25/02/2021			1	1	Potential SRE: DDG
Rap LC 202102 111	AES210175	21/02/21	Arachnida	Pseudoscorpiones	Olpiidae	Euryolpium 'LCr01'	LC20	694802.3610	7475962.7390	50	42 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Shallow Open Gully	Litter sifted	17/02/2021	25/02/2021	1			1	Potential SRE: DDG
Rap LC 202102 111	AES210174	21/02/21	Arachnida	Pseudoscorpiones	Olpiidae	Indolpium 'LCr04'	LC20	694802.3610	7475962.7390	50	42 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Shallow Open Gully	Litter sifted	17/02/2021	25/02/2021	1			1	Potential SRE: DDG
Rap LC 202102 113	AES210141	21/02/21	Arachnida	Pseudoscorpiones	Olpiidae	Euryolpium 'LCr01'	LC21	694884.3480	7475950.6100	50	43 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Deep Gully	Litter sifted	17/02/2021	25/02/2021		1		1	Potential SRE: DDG
Rap LC 202102 083	AES210210	22/02/21	Arachnida	Pseudoscorpiones	Olpiidae	Indolpium 'LCr05'	LC23	687239.0160	7476279.5360	50	35 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Minor Drainage	Litter sifted	17/02/2021	25/02/2021		1		1	Potential SRE: DDG
RAPLC202004002b	AES210265	25/04/20	Arachnida	Pseudoscorpiones	Olpiidae	Indolpium 'LCr03'	LCS10	693034.9370	7476662.8450	50	41 km east of Juna downs (a	Vertebrate trapping survey	Hillcrest/ hillslope	Litter sifted	15/04/2020	29/04/2020	1	1		2	Potential SRE: DDG
RAPLC202004002	AES210267	25/04/20	Arachnida	Pseudoscorpiones	Olpiidae	Olpiidae 'LCr02'	LCS10	693034.9370	7476662.8450	50	41 km east of Juna downs (a	Vertebrate trapping survey	Hillcrest/ hillslope	Litter sifted	15/04/2020	29/04/2020		2	1	3	Potential SRE: DDG
Rap LC 202102 081	AES210168	21/02/21	Arachnida	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	LC16	692741.5450	7477008.0400	50	41 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Stony Plain	Litter sifted	17/02/2021	25/02/2021		1		1	Potential SRE: DDG
Rap LC 202102 112	AES210146	21/02/21	Arachnida	Scorpiones	Buthidae	Lychas 'hairy tail complex'	LC21	694884.3480	7475950.6100	50	43 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Deep Gully	Litter sifted	17/02/2021	25/02/2021			1	1	Potential SRE: DDG
Rap LC 202102 143	AES210219	23/02/21	Arachnida	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	LC28	683362.9560	7473303.3910	50	31 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Stony Plain	Litter sifted	17/02/2021	25/02/2021	1		1	2	Potential SRE: DDG
RAPLC202004003	RAPLC202004003	25/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'harveyi complex'	LCS01	684841.471	7467748.835	50	32 km east of Juna downs (a	Vertebrate trapping survey	Tussock grassland plain	Dry Pitfall Trap	15/04/2020	29/04/2020	1			1	Potential SRE: DDG
RAPLC202004006	RAPLC202004006	25/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'harveyi complex'	LCS01	684841.471	7467748.835	50	32 km east of Juna downs (a	Vertebrate trapping survey	Tussock grassland plain	Dry Pitfall Trap	15/04/2020	29/04/2020			1	1	Potential SRE: DDG
RAPLC202004004	RAPLC202004004	25/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'harveyi complex'	LCS01	684841.471	7467748.835	50	32 km east of Juna downs (a	Vertebrate trapping survey	Tussock grassland plain	Dry Pitfall Trap	15/04/2020	29/04/2020		1		1	Potential SRE: DDG
RAPLC202004005	AES210266	25/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'multipunctatus complex'	LCS01	684841.471	7467748.835	50	32 km east of Juna downs (a	Vertebrate trapping survey	Tussock grassland plain	Dry Pitfall Trap	15/04/2020	29/04/2020	1			1	Potential SRE: DDG
RAPLC202004007	RAPLC202004007	26/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'pilbara 1'	LCS04	685944.3530	7475365.1450	50	34 km east of Juna downs (a	Vertebrate trapping survey	Stony Plain	Dry Pitfall Trap	15/04/2020	29/04/2020			1	1	Widespread
RAPLC202004011	RAPLC202004011	26/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'pilbara 1'	LCS04	685944.3530	7475365.1450	50	34 km east of Juna downs (a	Vertebrate trapping survey	Stony Plain	Dry Pitfall Trap	15/04/2020	29/04/2020	1			1	Widespread
RAPLC202004010	RAPLC202004010	26/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'pilbara 1'	LCS04	685944.3530	7475365.1450	50	34 km east of Juna downs (a	Vertebrate trapping survey	Stony Plain	Dry Pitfall Trap	15/04/2020	29/04/2020	1			1	Widespread
RAPLC202004008	RAPLC202004008	26/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'pilbara 1'	LCS04	685944.3530	7475365.1450	50	34 km east of Juna downs (a	Vertebrate trapping survey	Stony Plain	Dry Pitfall Trap	15/04/2020	29/04/2020			1	1	Widespread
RAPLC202004009	AES210268	26/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	LCS04	685944.3530	7475365.1450	50	34 km east of Juna downs (a	Vertebrate trapping survey	Stony Plain	Dry Pitfall Trap	15/04/2020	29/04/2020	1			1	Potential SRE: DDG
RAPLC202004012	RAPLC202004012	26/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'harveyi complex'	LCS05	688624.5870	7477059.7940	50	37 km east of Juna downs (a	Vertebrate trapping survey	Stony Plain	Dry Pitfall Trap	15/04/2020	29/04/2020	1			1	Potential SRE: DDG
RAPLC202004014	RAPLC202004014	26/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'harveyi complex'	LCS05	688624.5870	7477059.7940	50	37 km east of Juna downs (a	Vertebrate trapping survey	Stony Plain	Dry Pitfall Trap	15/04/2020	29/04/2020	1			1	Potential SRE: DDG
RAPLC202004013	RAPLC202004013	26/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'pilbara 1'	LCS05	688624.5870	7477059.7940	50	37 km east of Juna downs (a	Vertebrate trapping survey	Stony Plain	Dry Pitfall Trap	15/04/2020	29/04/2020		1		1	Widespread
RAPLC202004016	RAPLC202004016	26/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'pilbara 1'	LCS05	688624.5870	7477059.7940	50	37 km east of Juna downs (a	Vertebrate trapping survey	Stony Plain	Dry Pitfall Trap	15/04/2020	29/04/2020			1	1	Widespread
RAPLC202004015	AES210269	26/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	LCS05	688624.5870	7477059.7940	50	37 km east of Juna downs (a	Vertebrate trapping survey	Stony Plain	Dry Pitfall Trap	15/04/2020	29/04/2020			1	1	Potential SRE: DDG
RAPLC202004019	RAPLC202004019	24/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'harveyi complex'	LCS06	690248.1110	7477150.2740	50	38 km east of Juna downs (a	Vertebrate trapping survey	Mulga Shrubland Patches	Dry Pitfall Trap	15/04/2020	29/04/2020	1			1	Potential SRE: DDG
RAPLC202004025	RAPLC202004025	24/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'harveyi complex'	LCS06	690248.1110	7477150.2740	50	38 km east of Juna downs (a	Vertebrate trapping survey	Mulga Shrubland Patches	Dry Pitfall Trap	15/04/2020	29/04/2020	1			1	Potential SRE: DDG
RAPLC202004021	RAPLC202004021	24/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'harveyi complex'	LCS06	690248.1110	7477150.2740	50	38 km east of Juna downs (a	Vertebrate trapping survey	Mulga Shrubland Patches	Dry Pitfall Trap	15/04/2020	29/04/2020	1			1	Potential SRE: DDG
RAPLC202004023	RAPLC202004023	24/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'harveyi complex'	LCS06	690248.1110	7477150.2740	50	38 km east of Juna downs (a	Vertebrate trapping survey	Mulga Shrubland Patches	Dry Pitfall Trap	15/04/2020	29/04/2020	1			1	Potential SRE: DDG

Appendix IV Specimen Data

RAPLC202004018	RAPLC202004018	24/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'harveyi complex'	LCS06	690248.1110	7477150.2740	50	38 km east of Juna downs (a	Vertebrate trapping survey	Mulga Shrubland Patches	Dry Pitfall Trap	15/04/2020	29/04/2020			1	1	Potential SRE: DDG
RAPLC202004024	RAPLC202004024	24/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'harveyi complex'	LCS06	690248.1110	7477150.2740	50	38 km east of Juna downs (a	Vertebrate trapping survey	Mulga Shrubland Patches	Dry Pitfall Trap	15/04/2020	29/04/2020	1			1	Potential SRE: DDG
RAPLC202004026	RAPLC202004026	24/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'harveyi complex'	LCS06	690248.1110	7477150.2740	50	38 km east of Juna downs (a	Vertebrate trapping survey	Mulga Shrubland Patches	Dry Pitfall Trap	15/04/2020	29/04/2020	1			1	Potential SRE: DDG
RAPLC202004020	RAPLC202004020	24/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'harveyi complex'	LCS06	690248.1110	7477150.2740	50	38 km east of Juna downs (a	Vertebrate trapping survey	Mulga Shrubland Patches	Dry Pitfall Trap	15/04/2020	29/04/2020	1			1	Potential SRE: DDG
RAPLC202004027	RAPLC202004027	24/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'pilbara 1'	LCS06	690248.1110	7477150.2740	50	38 km east of Juna downs (a	Vertebrate trapping survey	Mulga Shrubland Patches	Dry Pitfall Trap	15/04/2020	29/04/2020		1		1	Widespread
RAPLC202004028	RAPLC202004028	24/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'pilbara 1'	LCS06	690248.1110	7477150.2740	50	38 km east of Juna downs (a	Vertebrate trapping survey	Mulga Shrubland Patches	Dry Pitfall Trap	15/04/2020	29/04/2020	1			1	Widespread
RAPLC202004022	RAPLC202004022	24/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'pilbara 1'	LCS06	690248.1110	7477150.2740	50	38 km east of Juna downs (a	Vertebrate trapping survey	Mulga Shrubland Patches	Dry Pitfall Trap	15/04/2020	29/04/2020	1			1	Widespread
RAPLC202004017	AES210270	24/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'bituberculatus complex'	LCS06	690248.1110	7477150.2740	50	38 km east of Juna downs (a	Vertebrate trapping survey	Mulga Shrubland Patches	Dry Pitfall Trap	15/04/2020	29/04/2020	1			1	Potential SRE: DDG
RAPLC202004029	RAPLC202004029	24/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'harveyi complex'	LCS07	691417.3790	7476231.0200	50	39 km east of Juna downs (a	Vertebrate trapping survey	Medium Drainage	Dry Pitfall Trap	15/04/2020	29/04/2020	1			1	Potential SRE: DDG
RAPLC202004031	RAPLC202004031	24/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'harveyi complex'	LCS08	692588.0770	7476971.2250	50	40 km east of Juna downs (a	Vertebrate trapping survey	Stony Plain	Dry Pitfall Trap	15/04/2020	29/04/2020	1			1	Potential SRE: DDG
RAPLC202004032	RAPLC202004032	24/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'pilbara 1'	LCS08	692588.0770	7476971.2250	50	40 km east of Juna downs (a	Vertebrate trapping survey	Stony Plain	Dry Pitfall Trap	15/04/2020	29/04/2020	1			1	Widespread
RAPLC202004030	RAPLC202004030	24/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'pilbara 1'	LCS08	692588.0770	7476971.2250	50	40 km east of Juna downs (a	Vertebrate trapping survey	Stony Plain	Dry Pitfall Trap	15/04/2020	29/04/2020	1			1	Widespread
RAPLC202004034	RAPLC202004034	25/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'pilbara 1'	LCS09	692984.1070	7477590.8600	50	41 km east of Juna downs (a	Vertebrate trapping survey	Medium Drainage	Dry Pitfall Trap	15/04/2020	29/04/2020	1			1	Widespread
RAPLC202004033	RAPLC202004033	25/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'pilbara 1'	LCS09	692984.1070	7477590.8600	50	41 km east of Juna downs (a	Vertebrate trapping survey	Medium Drainage	Dry Pitfall Trap	15/04/2020	29/04/2020	1			1	Widespread
RAPLC202004035	RAPLC202004035	25/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'pilbara 1'	LCS09	692984.1070	7477590.8600	50	41 km east of Juna downs (a	Vertebrate trapping survey	Medium Drainage	Dry Pitfall Trap	15/04/2020	29/04/2020	1			1	Widespread
RAPLC202004036	RAPLC202004036	25/04/20	Arachnida	Scorpiones	Buthidae	Lychas 'pilbara 1'	LCS10	693034.9370	7476662.8450	50	41 km east of Juna downs (a	Vertebrate trapping survey	Hillcrest/ hillslope	Dry Pitfall Trap	15/04/2020	29/04/2020		1		1	Widespread
Rap LC 202102 205	AES210143	20/02/21	Chilopoda	Geophilomorpha	Chilenophilidae	Sepedonophilus 'LCr01'	LC12	694380.3110	7475879.5500	50	42 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Shallow Open Gully	Litter sifted	17/02/2021	25/02/2021				1	Potential SRE: DDG
Pap LC 202102 033	AES210156	20/02/21	Chilopoda	Geophilomorpha	Chilenophilidae	Sepedonophilus 'LCr01'	LC14	694285.7870	7475714.6240	50	42 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Shallow Open Gully	Litter sifted	17/02/2021	25/02/2021				1	Potential SRE: DDG
Rap LC 202102 236	AES210182	18/02/21	Chilopoda	Geophilomorpha	Mecistocephalidae	Mecistocephalus 'LCr01'	LC04	691576.6420	7476646.2270	50	39 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021				1	Potential SRE: DDG
Rap LC 202102 227	AES210150	18/02/21	Chilopoda	Geophilomorpha	Mecistocephalidae	Mecistocephalus 'LCr01'	LC04	691576.6420	7476646.2270	50	39 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021				1	Potential SRE: DDG
Rap LC 202102 226	AES210196	18/02/21	Chilopoda	Geophilomorpha	Mecistocephalidae	Mecistocephalus 'LCr01'	LC05	691809.7290	7475591.0960	50	39 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021				1	Potential SRE: DDG
Rap LC 202102 098	AES210176	21/02/21	Chilopoda	Geophilomorpha	Mecistocephalidae	Mecistocephalus 'LCr01'	LC16	692741.5450	7477008.0400	50	41 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Stony Plain	Litter sifted	17/02/2021	25/02/2021				1	Potential SRE: DDG
Rap LC 202102 098	AES210178	21/02/21	Chilopoda	Geophilomorpha	Mecistocephalidae	Mecistocephalus 'LCr01'	LC16	692741.5450	7477008.0400	50	41 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Stony Plain	Litter sifted	17/02/2021	25/02/2021				1	Potential SRE: DDG
Rap LC 202102 098	AES210177	21/02/21	Chilopoda	Geophilomorpha	Mecistocephalidae	Mecistocephalus 'LCr01'	LC16	692741.5450	7477008.0400	50	41 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Stony Plain	Litter sifted	17/02/2021	25/02/2021				1	Potential SRE: DDG
Rap LC 202102 038	AES210169	24/02/21	Chilopoda	Geophilomorpha	Mecistocephalidae	Mecistocephalus 'LCr02'	LC34	685069.9450	7468509.1750	50	32 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Tussock grassland plain	Litter sifted	17/02/2021	25/02/2021				1	Potential SRE: DDG
Rap LC 202102 221	AES210206	17/02/21	Chilopoda	Geophilomorpha	Oryidae	Orphnaeus 'LCr01'	LC01	691726.9520	7477164.8810	50	40 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Medium Drainage	Litter sifted	17/02/2021	25/02/2021				1	Potential SRE: DDG
Pap LC 202102 033	AES210155	20/02/21	Chilopoda	Scolopendromorpha	Cryptopidae	Cryptops 'LCr01'	LC14	694285.7870	7475714.6240	50	42 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Shallow Open Gully	Litter sifted	17/02/2021	25/02/2021				1	Potential SRE: DDG
Rap LC 202102 098	AES210179	21/02/21	Chilopoda	Scolopendromorpha	Cryptopidae	Cryptops 'LCr02'	LC16	692741.5450	7477008.0400	50	41 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Stony Plain	Litter sifted	17/02/2021	25/02/2021				1	Potential SRE: DDG
Rap LC 202102 170	AES210188	17/02/21	Chilopoda	Scolopendromorpha	Scolopendridae	Cormocephalus aurantiipes	LC01	691726.9520	7477164.8810	50	40 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Medium Drainage	Litter sifted	17/02/2021	25/02/2021				1	non-target
Rap LC 202102 239	AES210214	17/02/21	Chilopoda	Scolopendromorpha	Scolopendridae	Scolopendra laeta	LC02	691748.3260	7477231.0650	50	40 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Medium Drainage	Litter sifted	17/02/2021	25/02/2021				1	non-target
Rap LC 202102 236	AES210181	18/02/21	Chilopoda	Scolopendromorpha	Scolopendridae	Scolopendra laeta	LC04	691576.6420	7476646.2270	50	39 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021				1	non-target
Rap LC 202102 226	AES210195	18/02/21	Chilopoda	Scolopendromorpha	Scolopendridae	Scolopendra laeta	LC05	691809.7290	7475591.0960	50	39 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021				1	non-target
Rap LC 202102 235	AES210209	18/02/21	Chilopoda	Scolopendromorpha	Scolopendridae	Scolopendra morsitans	LC06	691870.6230	7475534.9470	50	39 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021				1	non-target
Rap LC 202102 045	AES210192	19/02/21	Chilopoda	Scolopendromorpha	Scolopendridae	Cormocephalus aurantiipes	LC07	690727.5470	7476081.0000	50	38 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021				1	non-target
Rap LC 202102 042	AES210212	19/02/21	Chilopoda	Scolopendromorpha	Scolopendridae	Cormocephalus aurantiipes	LC08	690777.6230	7475980.6900	50	38 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021				1	non-target
Rap LC 202102 104	AES210158	20/02/21	Chilopoda	Scolopendromorpha	Scolopendridae	Cormocephalus westangelasensis	LC09	692263.9170	7477401.7490	50	40 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021		1		1	Widespread
Rap LC 202102 173	AES210217	20/02/21	Chilopoda	Scolopendromorpha	Scolopendridae	Cormocephalus westangelasensis	LC10	692334.6630	7477312.2470	50	40 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021				1	Widespread
Rap LC 202102 107	AES210165	21/02/21	Chilopoda	Scolopendromorpha	Scolopendridae	Arthrorhabdus mjobergi	LC15	690264.3380	7476806.7290	50	38 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021				1	Widespread
Rap LC 202102 085	AES210207	22/02/21	Chilopoda	Scolopendromorpha	Scolopendridae	Cormocephalus aurantiipes	LC22	687114.4570	7476170.3210	50	35 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Stony Plain	Litter sifted	17/02/2021	25/02/2021				1	non-target
Rap LC 202102 086	AES210148	22/02/21	Chilopoda	Scolopendromorpha	Scolopendridae	Scolopendra morsitans	LC24A	692215.1310	7476793.2070	50	40 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Stony Plain	Litter sifted	17/02/2021	25/02/2021				1	non-target
Rap LC 202102 036	AES210171	22/02/21	Chilopoda	Scolopendromorpha	Scolopendridae	Cormocephalus aurantiipes	LC25	692318.3730	7476027.6780	50	40 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Minor Drainage	Litter sifted	17/02/2021	25/02/2021				1	non-target
Rap LC 202102 036	AES210170	22/02/21	Chilopoda	Scolopendromorpha	Scolopendridae	Scolopendra morsitans	LC25	692318.3730	7476027.6780	50	40 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Minor Drainage	Litter sifted	17/02/2021	25/02/2021				1	non-target
Rap LC 202102 097	AES210161	24/02/21	Chilopoda	Scolopendromorpha	Scolopendridae	Cormocephalus westangelasensis	LC32	684125.9550	7469362.4270	50	31 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Tussock grassland plain	Litter sifted	17/02/2021	25/02/2021				1	Widespread
Rap LC 202102 037	AES210166	24/02/21	Chilopoda	Scolopendromorpha	Scolopendridae	Cormocephalus westangelasensis	LC33	685152.0300	7468508.1700	50	32 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Tussock grassland plain	Litter sifted	17/02/2021	25/02/2021				1	Widespread
Rap LC 202102 039	AES210199	24/02/21	Chilopoda	Scolopendromorpha	Scolopendridae	Cormocephalus westangelasensis	LC35	685046.3040	7468254.7320	50	32 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Tussock grassland plain	Litter sifted	17/02/2021	25/02/2021				1	Widespread
Rap LC 202102 141	Rap LC 202102 141	23/02/21	Chilopoda	Scutigeromorpha		Scutigeromorpha sp.	LC28	683362.9560	7473303.3910	50	31 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Stony Plain	Litter sifted	17/02/2021	25/02/2021				1	Widespread
Rap LC 202102 032	Rap LC 202102 032	25/02/21	Chilopoda	Scutigeromorpha		Scutigeromorpha sp.	LC42	684047.3850	7468809.6210	50	31 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Tussock grassland plain	Litter sifted	17/02/2021	25/02/2021				1	Widespread
Rap LC 202102 169	Rap LC 202102 169	17/02/21	Diplopoda	Polyxenida	Polyxenidae	Polyxenidae sp.	LC01	691726.9520	7477164.8810	50	40 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Medium Drainage	Litter sifted	17/02/2021	25/02/2021				1	non-target
Rap LC 202102 228	Rap LC 202102 228	18/02/21	Diplopoda	Polyxenida	Polyxenidae	Polyxenidae sp.	LC04	691576.6420	7476646.2270	50	39 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021				1	non-target
Rap LC 202102 204	AES210151	20/02/21	Diplopoda	Polyxenida		polyxenida sp.	LC12	694380.3110	7475879.5500	50	42 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Shallow Open Gully	Litter sifted	17/02/2021	25/02/2021				1	Widespread
Rap LC 202102 225	AES210162	18/02/21	Diplopoda	Spirobolida	Trigoniulidae	Austrostrophus 'clade M'	LC04	691576.6420	7476646.2270	50	39 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021				1	Potential SRE: DDG

Appendix IV Specimen Data

Rap LC 202102 108	AES210185	21/02/21	Diplopoda	Spirobolida	Trigoniulidae	Austrostrophus 'Clade A'	LC15	690264.3380	7476806.7290	50	38 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021				1	Potential SRE: DDG
Rap LC 202102 110	AES210164	21/02/21	Diplopoda	Spirobolida	Trigoniulidae	Austrostrophus 'Clade A'	LC20	694802.3610	7475962.7390	50	42 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Shallow Open Gully	Litter sifted	17/02/2021	25/02/2021				1	Potential SRE: DDG
Rap LC 202102 145	AES210216	23/02/21	Diplopoda	Spirobolida	Trigoniulidae	Austrostrophus 'clade M'	LC28	683362.9560	7473303.3910	50	31 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Stony Plain	Litter sifted	17/02/2021	25/02/2021		2		2	Potential SRE: DDG
NA - Calico BAG	AES210081	19/02/21	Gastropoda	Eupulmonata	Bothriembryontidae	Bothriembryon 'BOT065'	LC07	690727.5470	7476081.0000	50	38 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021				1	Potential SRE: DDG
NA - Calico BAG	AES210080	19/02/21	Gastropoda	Eupulmonata	Bothriembryontidae	Bothriembryon 'BOT065'	LC07	690727.5470	7476081.0000	50	38 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021				1	Potential SRE: DDG
NA - Calico BAG	AES210057	19/02/21	Gastropoda	Eupulmonata	Bothriembryontidae	Bothriembryon 'BOT065'	LC07	690727.5470	7476081.0000	50	38 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021				1	Potential SRE: DDG
NA - Calico BAG	AES210079	19/02/21	Gastropoda	Eupulmonata	Bothriembryontidae	Bothriembryon 'BOT065'	LC07	690727.5470	7476081.0000	50	38 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021				1	Potential SRE: DDG
Rap LC 202102 203	AES210167	20/02/21	Gastropoda	Eupulmonata	Subulinidae	Eremopeas interioris	LC13	694389.5830	7475801.9000	50	42 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Deep Gully	Litter sifted	17/02/2021	25/02/2021				1	Widespread
Rap LC 202102 240	AES210204	17/02/21	Malacostraca	Isopoda	Armadillidae	Buddelundia '13'	LC01	691726.9520	7477164.8810	50	40 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Medium Drainage	Litter sifted	17/02/2021	25/02/2021	1			1	Potential SRE: DDG
Rap LC 202102 224	AES210213	17/02/21	Malacostraca	Isopoda	Armadillidae	Buddelundiinae (Armadillidae) 'ISOP009'	LC01	691726.9520	7477164.8810	50	40 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Medium Drainage	Litter sifted	17/02/2021	25/02/2021			1	1	Potential SRE: DDG
Rap LC 202102 229	AES210160	18/02/21	Malacostraca	Isopoda	Armadillidae	Buddelundia '13'	LC04	691576.6420	7476646.2270	50	39 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021	1			1	Potential SRE: DDG
Rap LC 202102 232	AES210221	18/02/21	Malacostraca	Isopoda	Armadillidae	Buddelundia '15'	LC05	691809.7290	7475591.0960	50	39 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021			1	1	Widespread
Rap LC 202102 233	AES210218	18/02/21	Malacostraca	Isopoda	Armadillidae	Buddelundia '15'	LC06	691870.6230	7475534.9470	50	39 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021		1		1	Widespread
Rap LC 202102 167	AES210205	18/02/21	Malacostraca	Isopoda	Armadillidae	Buddelundia '15'	LC06	691870.6230	7475534.9470	50	39 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021			1	1	Widespread
Rap LC 202102 202	AES210215	20/02/21	Malacostraca	Isopoda	Armadillidae	Buddelundia '13'	LC13	694389.5830	7475801.9000	50	42 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Deep Gully	Litter sifted	17/02/2021	25/02/2021		1	2	3	Potential SRE: DDG
Rap LC 202102 174	AES210159	20/02/21	Malacostraca	Isopoda	Armadillidae	Buddelundia '16'	LC13	694389.5830	7475801.9000	50	42 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Deep Gully	Litter sifted	17/02/2021	25/02/2021	1	1		2	Potential SRE: DDG
Rap LC 202102 100	AES210157	21/02/21	Malacostraca	Isopoda	Armadillidae	Buddelundia '15'	LC15	690264.3380	7476806.7290	50	38 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Mulga Shrubland Patches	Litter sifted	17/02/2021	25/02/2021			1	1	Widespread
Rap LC 202102 113	AES210142	21/02/21	Malacostraca	Isopoda	Armadillidae	Buddelundia '13'	LC21	694884.3480	7475950.6100	50	43 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Deep Gully	Litter sifted	17/02/2021	25/02/2021		1		1	Potential SRE: DDG
Rap LC 202102 084	AES210193	22/02/21	Malacostraca	Isopoda	Armadillidae	Buddelundia '10ma'	LC22	687114.4570	7476170.3210	50	35 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Stony Plain	Litter sifted	17/02/2021	25/02/2021	1	2		3	Potential SRE: DDG
Rap LC 202102 142	AES210220	25/02/21	Malacostraca	Isopoda	Armadillidae	Buddelundia '13'	LC39A	692608.2130	7477829.3330	50	41 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Medium Drainage	Litter sifted	17/02/2021	25/02/2021	2		2	4	Potential SRE: DDG
Rap LC 202102 142	AES210220b	25/02/21	Malacostraca	Isopoda	Armadillidae	Buddelundia '15'	LC39A	692608.2130	7477829.3330	50	41 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Medium Drainage	Litter sifted	17/02/2021	25/02/2021	1			1	Widespread
Rap LC 202102 022	AES210190	25/02/21	Malacostraca	Isopoda	Armadillidae	Buddelundia '15'	LC42	684047.3850	7468809.6210	50	31 km east of Juna Downs (a	SRE Invertebrate Foraging Survey	Tussock grassland plain	Litter sifted	17/02/2021	25/02/2021	2			2	Widespread

Appendix V WAM MSU Sequencing Report

Molecular identification of terrestrial arthropods from near Juna Downs Station, Western Australia (2116)

Report to *Alacran Environmental Science*

31 August 2021

Nerida Wilson and Mark Harvey

Molecular Systematics Unit & Department of Terrestrial Zoology,
Western Australian Museum,
Locked Bag 49, Welshpool DC, Western Australia 6986, Australia

Although identifications in this report were consistent with the best available information and current scientific thinking at the time of identification the use of this report is at the risk of the user. Any liability to users of this report for loss of any kind arising out of the use of this report or the information and identifications it contains is expressly disclaimed.

Summary

Alacran Environmental Science requested identification of mitochondrial COI sequences from specimens of terrestrial invertebrates from near Juna Downs Station, Western Australia. This comprised of 14 supplied sequences (see Table 1 and Appendix 1 for sequence and specimen details). The main objectives of the WA Museum's Molecular Systematics Unit (MSU) were to use these supplied sequences to determine the taxonomic identity of the specimens.

Provided DNA sequences were BLASTED against publicly accessible sequences in GenBank and with data sets derived from current research projects in collaboration with the WA Museum. Extraneous primers sequences were removed prior to analysis. The top 10 blast hits for each major taxon were gathered, duplicates removed, and analysed with a Maximum Likelihood phylogenetic analysis using a GTR+G model of evolution and 100 bootstraps (RAxML). Distances were calculated via tree-based estimates of identical bases in Geneious Prime 2020.2.5.

A summary of sequences queried is in Table 1.

Table 1. Summary of identified sequenced specimens supplied to WA Museum.

FAMILY	GENUS	SPECIES	# of sequences
Anamidae	*Kwonkan*	1 species	1
Armadillidae	indet.	1 species	1
Bothriembryontidae	*Bothriembryon*	1 species	1
Chthoniidae	*Austrochthonius*	1 species	1
Cryptopidae	*Cryptops*	2 species	2
Mecistocephalidae	*Mecistocephalus*	2 species	2
Olpiidae	*Euryolpium*	1 species	1

Olpiidae	Genus 7/4	1 species	1
Olpiidae	*Indolpium*	3 species	3
Trigoniulidae	*Austrostrophus*	1 species	1

Results

Provided COI barcodes were compared to existing data held by the Western Australian Museum. A summary of the results is provided in Table 2. Complete or excised relevant parts of the resulting Maximum Likelihood trees are provided in Appendix 2 for visualisation of genetic relationships. The raw sequence data is supplied for reference in Appendix 3.

Table 2. Summary of identifications of queried specimens (alphabetical by family).

FIELD NO	FAMILY	SPECIES DESIGNATION	SUMMARY OF RESULTS
AES210197	Anamidae	*Kwonkan* MYG324	· this specimen is 2.28% divergent from its nearest relative in the tree (WAMT122817), and falls in a clade known as MYG324 which is a known but undescribed species. Other sequenced specimens are known from Karijini as well as the Juna Downs area. *Appendix 2a.*
AES210213	Armadillidae	Genus indet. sp. indet.	· this specimen fall in a clade that represents a known but undescribed species *Armadillidae* with a code from GenBank ISOP009 (2.13% divergent). That specimen was collected 124 km NW of this target specimen. *Appendix 2b.*
AES210080	Bothriembryontidae	*Bothriembryon BOT065*	· this specimen falls in a clade known as BOT065 and represents a known but undescribed species of *Bothriembryon*. It is 3.97% divergent from the nearest specimen. *Appendix 2c.*
AES210202	Chthoniidae	*Austrochthonius* new sp. 1	· this specimen forms a clade with WAMT135836+T135835; however the specimens are 16.87% divergent, which indicates it is likely a different species. There is no code system for this group, so it is just noted as a new undescribed or previously unsequenced species. *Appendix 2d.*
AES210155	Cryptopidae	*Cryptops* new sp. 1	· this specimen is not closely linked to any other species. It is at least 17.82% divergent from its nearest relative in the tree. However, the support for this node connecting the two taxa is absent, so this relationship is likely somewhat artificially close. There is no code

			system for this group, so it is just noted as a new undescribed or previously unsequenced species. *Appendix 2e.*
AES210179	Cryptopidae	*Cryptops* new sp. 2	· this specimen is 11.11% divergent from its nearest relatives in the tree (WAMT93678+T93668), which represents another undescribed species. These two were found approximately 46 km SW of the target specimen. There is no code system for this group, so it is just noted as a new undescribed or previously unsequenced species, but different to the queried *Cryptops* above. *Appendix 2e.*
AES210169	Mecistocephalidae	*Mecistocephalus* new sp. 1	· this specimen is 13.83% divergent from the other queried *Mecistocephalus* below. However, the support for the node supporting this relationship is absent, so this relationship is likely somewhat artificially close. There is no code system for this group, so it is just noted as a new undescribed or previously unsequenced species, but different to the queried *Mecistocephalus* below. *Appendix 2f.*
AES210150	Mecistocephalidae	*Mecistocephalus* new sp. 2	· this specimen is 13.83% divergent from the other queried *Mecistocephalus* above. However, the support for the node supporting this relationship is absent, so this relationship is likely somewhat artificially close. There is no code system for this group, so it is just noted as a new undescribed or previously unsequenced species, but different to the queried *Mecistocephalus* above. *Appendix 2f.*
AES210141	Olpiidae	*Euryolpium* new sp.	· this specimen is 14.2% divergent from WAMT139754+T139763, and likely represents a different species. However, the support for the node supporting this relationship is absent, so this relationship is likely somewhat artificially close. There is no code system for this group, so it is just noted as a new undescribed or previously unsequenced species. *Appendix 2g.*
AES210267	Olpiidae	Genus 7/4 new sp.	· this specimen is essentially identical to its nearest relatives in the tree (WAMT122180+T122190) and represents a known but undescribed species. The two WAM specimens were found about 7 km north of the queried specimen. The difference between the two highly-supported clades seen in this Appendix is 17.1%. There is no code system for this group, so it is just noted as an undescribed species. *Appendix 2h.*
AES210265	Olpiidae	*Indolpium* new sp. 1	· this specimen is 10.38% divergent from its nearest relative in the tree (WAMT149362). We do not yet have a good grasp of typical species level divergences in this group, so it is unclear if the queried taxa is conspecific with others or not. There is no code system for this

			group, so it is just noted as a new undescribed or previously unsequenced species. *Appendix i.*
AES210153	Olpiidae	*Indolpium* new sp. 2	· this specimen is 11.45% divergent from its nearest relative in the tree (AES210265). We do not yet have a good grasp of typical species level divergences in this group, so it is unclear if the queried taxa is conspecific with others or not. There is no code system for this group, so it is just noted as a new undescribed or previously unsequenced species. *Appendix i.*
AES210210	Olpiidae	*Indolpium* new sp. 3	· this specimen is 12.82% divergent from its nearest relative in the tree (WAMT114698). We do not yet have a good grasp of typical species level divergences in this group, so it is unclear if the queried taxa is conspecific with others or not. There is no code system for this group, so it is just noted as a new undescribed or previously unsequenced species. *Appendix i.*
AES210162	Trigoniulidae	*Austrostrophus* new clade M	· this specimen is at least 6.08% divergent from its nearest relative in the tree (WAMT100193). Based on the topology of the tree, which places this specimen on a branch that falls between known clades, we have allocated this taxon a new clade name (M). In this study system, clades names approximate species-level clades. *Appendix j.*


Conclusions

The sequences supplied represent fourteen different species, from eight different families. Four of those species can be linked with existing sequenced although undescribed species. Ten species are either new, or represent newly sequenced species.


Appendix 1. Specimen data for all sequences, updated with new identifications (in order supplied).

FIELD NO	FAMILY	GENUS	SPECIES	SITE	LATITUDE	LONGITUDE
AES210197	Anamidae	*Kwonkan*	MYG324	ca. 40.9 km ENE. Juna Downs Stn.	22°48'00.00	118°52'23.16
AES210202	Chthoniidae	*Austrochthonius*	new sp.	ca. 40.2 km ENE. Juna Downs Stn.	22°49'00.84	118°52'10.20
AES210141	Olpiidae	*Euryolpium*	new sp.	ca. 43.2 km ENE. Juna Downs Stn.	22°48'46.08	118°53'55.68
AES210265	Olpiidae	*Indolpium*	new sp. 1	ca 22 km E of Juna Downs	22°48'23.7	118°53'08.4
AES210153	Olpiidae	*Indolpium*	new sp. 2	ca. 42.7 km ENE. Juna Downs Stn.	22°48'48.60	118°53'38.04
AES210210	Olpiidae	*Indolpium*	new sp. 3	ca. 35.8 km ENE. Juna Downs Stn.	22°48'38.52	118°49'27.48
AES210267	Olpiidae	Genus 7/4	new sp. 1	ca 22 km E of Juna Downs	22°48'23.7	118°53'08.4
AES210169	Mecistocephalidae	*Mecistocephalus*	new sp. 1	ca. 32.8 km ENE. Juna Downs Stn.	22°52'51.96	118°48'14.76
AES210150	Mecistocephalidae	*Mecistocephalus*	new sp. 2	ca. 40.1 km ENE. Juna Downs Stn.	22°48'24.84	118°51'59.40
AES210155	Cryptopidae	*Cryptops*	new sp. 1	ca. 42.6 km ENE. Juna Downs Stn.	22°48'54.00	118°53'34.80
AES210179	Cryptopidae	*Cryptops*	new sp. 2	ca. 41.3 km ENE. Juna Downs Stn.	22°48'12.60	118°52'40.08
AES210162	Trigoniulidae	*Austrostrophus*	new clade M	ca. 40.1 km ENE. Juna Downs Stn.	22°48'24.84	118°51'59.40
AES210080	Bothriembryontidae	*Bothriembryon*	BOT065	ca. 39.2 km ENE. Juna Downs Stn.	22°48'43.56	118°51'29.88
AES210213	Armadillidae	indet.	indet.	ca. 40.4 km ENE. Juna Downs Stn.	22°48'07.92	118°52'04.44


Appendix 2a. Excerpt from Maximum Likelihood tree of Anamidae, *Kwonkan* COI, to be used *ONLY* for visualisation of relationships. Bootstrap values less than 50 and some interior node support were removed.




Appendix 2b. Excerpt from Maximum Likelihood tree of Armadillidae COI, to be used *ONLY* for visualisation of relationships. Bootstrap values less than 50 and some interior node support were removed.




Appendix 2c. Excerpt from Maximum Likelihood tree of Bothriembryontidae, *Bothriembryon* COI, to be used *ONLY* for visualisation of relationships. Bootstrap values less than 50 and some interior node support were removed.




Appendix 2d. Excerpt from Maximum Likelihood tree of Cthoniidae COI, to be used *ONLY* for visualisation of relationships. Bootstrap values less than 50 and some interior node support were removed.




Appendix 2e. Excerpt from Maximum Likelihood tree of Cryptopidae, *Cryptops* COI, to be used *ONLY* for visualisation of relationships. Bootstrap values less than 50 and some interior node support were removed.




Appendix 2f. Excerpt from Maximum Likelihood tree of Mecistocephalidae*, Mecistocephalus* COI, to be used *ONLY* for visualisation of relationships. Bootstrap values less than 50 and some interior node support were removed.



Appendix 2g. Excerpt from Maximum Likelihood tree of Olpiidae*, Euryolpium* COI, to be used *ONLY* for visualisation of relationships. Bootstrap values less than 50 and some interior node support were removed.




Appendix 2h. Excerpt from Maximum Likelihood tree of Olpiidae, Genus 7/4 COI, to be used *ONLY* for visualisation of relationships. Bootstrap values less than 50 and some interior node support were removed.




Report by Western Australian Museum

Appendix 2i. Excerpt from Maximum Likelihood tree of Olpiidae*, Indolpium* COI, to be used *ONLY* for visualisation of relationships. Bootstrap values less than 50 and some interior node support were removed.



Appendix 2j. Excerpt from Maximum Likelihood tree of Trigoniulidae, *Austrostrophus* COI, to be used *ONLY* for visualisation of relationships. Bootstrap values less than 50 and some interior node support were removed.



Appendix 3. COI DNA sequence data queried in this report (in order and with label supplied)

>Austrochthonius_LCR01-AES210202
ATAAAGATATTGGAACAATATATTTAATCTTAGGTATTTGATCAGGATGTATAGGATTAAGATTAAGAACTTTAATTCGAAT
TGAACTTTCACAAGCAGGTACTATTTTAAGAAGTGATCAAACTTATAACGTAATAGTAACTTCACACGCTTTTATCATAATTT
TTTTTATAGTAATACCAATAATAATTGGAGGTTTTGGAAATTGACTAGTTCCAATAATAATTGGAGCTCCAGACATAGCATT
CCCACGAATAAATAATATAAGTTTTTGGCTTCTTCCTCCATCACTAACACTTTTACTAATATCATCTACTATTGAAATAGGAT
GTGGAACAGGATGAACAATATATCCTCCATTAGCTAGTAATATAGCTCATAATGGAGGTGCAGTTGATCTTGCAATTTTTTC
TCTACATTTAGCCGGTGCATCTTCAATTTTAGGTGCCATTAATTTTATCTCCACTATTATAAATATACGAATTAATAACCTTCA
ATTCTTTTCAATACCATTATTTGTTTGATCAATTTTAGTAACAACTATTTTATTAATATTAGCTTTACCTGTATTAGCTGGTGC
CATTACCATATTATTAACCGATCGTAATTTTAATACATCTTTCTTCGATCCTTTAGGAGGGGGAGACCCTATTCTTTTCCAAC
ATCTATTTTGATTTTTC

>Austrostrophus_LCr01-AES210162_
CATCATAAAGATATTGGAACTATATATTTAATTCTTGGTGCTTGAGCTGCAATAATTGGAACAGCATTAAGAATATTAATTC
GAGTAGAATTAGGTCAACCAGGTAGATTAATTGGAGATGATCAGATTTATAATGTTATTGTTACAGCCCATGCTTTCGTCAT
AATCTTCTTTATAGTTATACCTATTATAATTGGAGGCTTTGGAAATTGACTTGTTCCTTTAATACTAGGAGCCCCAGATATAG
CTTTCCCTCGAATAAATAACATAAGTTTCTGATTACTTCCTCCAGCCTTTTTTTTATTAATTTCTTCTTCTATTGTAGAAAAAG
GTGTAGGGACCGGGTGAACTGTTTATCCTCCATTAGCTTCAAATCTTGCTCATGCTGGACCTTCCGTAGATATAGCTATTTT
CTCATTACATCTAGCCGGAGCTTCTTCTATTTTAGGTGCAATTAACTTCATTACTACAATTATTAATATACGTTCAAATGGCA
TACTTTTTGAACAAATACCTCTCTTCGTATGAGCTGTAAAAATTACTGCTATTCTTCTTTTACTCTCCTTACCAGTTCTAGCAG
GAGCTATTACAATATTATTAACTGATCGAAATTTTAATACATCATTTTTCGACCCAGCCGGAGGAGGAGATCCTATTTTATA
TCAACACTTATTTTGATTTTTCGG

>Bothriembryon_pilbara01-AES210080
ATAAAGATATTGGCACTCTATATATAATCTTTGGTGTATGATGTGGTATAGTTGGAACTGGTTTATCTTTATTAATTCGTTTA
GAGTTAGGGACTAGGGGAGTTTTAATAGATGATCATTTTTATAATGTTATTGTTACAGCTCATGCATTTGTTATAATTTTTTT
TATGGTTATACCTTTAATAATTGGAGGGTTCGGAAATTGAATGGTTCCATTACTTATTGGTGCTCCAGACATAAGATTTCCT
CGAATAAATAATATAAGATTTTGATTATTGCCTCCTTCATTTATTTTACTTATTTCATCTAGAATAGTAGAAGGAGGAGCAG
GGACAGGTTGAACAGTTTACCCTCCATTAAGAGCTAGAGTAGCTCATGCTGGAGCAGCTGTTGATTTGGCTATTTTTTCTTT
ACACTTAGCAGGATTATCTTCAATTTTAGGTGCTATTAATTTCATTACTACTATTTTTAACATACGTTCTCCTGGGATTACTTT
AGAACGAATAAGTTTATTTGTTTGATCTATTTTGGTAACAGTATTTCTTCTTTTACTTTCTTTACCAGTTTTAGCAGGTGCTAT
TACTATACTATTAACTGATCGAAATTTTAATACATCTTTTTTTGATCCTGCAGGTGGAGGAGATCCTATTTTATATCAACATT
TATTTTGATTTTTCGG

>Buddelundiinae_ISOP009-AES210213
ATAAAGATATTGGCACCTTATATTTTATTTTTGGGGCTTGAGCGGGTGTTTTAGGGACGTCTTTAAGAGTTATCATTCGTAT
TGAGTTAGGGCAAGTAGGAAGTTTGATTGGGGATGACCAGATTTATAATGTTATTGTTACAGCACATGCTTTTGTGATAAT
TTTTTTTATAGTCATACCTGTTATAATTGGAGGGTTTGGCAATTGATTAGTACCATTGATACTAGGTGCTCCCGATATAGCTT
TTCCTCGAATAAATAACATGAGATTTTGATTGCTTCCACCTTCTTTGACTTTGTTGTTGATGAGAGGTCTGATTGAGGGAGG
GATTGGGACCGGCTGAACTGTTTACCCTCCTTTAGCGTCCAATATTGCACACAGAGGAGGGTCGGTTGACTTAGGGATCTT
TTCTCTTCACTTAGCCGGGGTGTCTTCAATTTTAGGGGCTGTAAATTTTATTACAACTGCTATAAATATACGTTCTACTGGAA
TAAAATTTGATCGTATACCCCTCTTTGTCTGATCCGTGTACATCACAGCAGTTTTATTACTGTTATCATTACCTGTACTAGCA
GGAGCTATTACGATACTGTTAACAGATCGAAATTTTAACACTTCTTTTTTCGACCCTAGGGGAGGGGGGGACCCTGTTTTAT
ACCAGCATTTATTTTGATTTTTC

>Cryptops_LCr01-AES210155
CAATCATAAAGATATTGGAACTATATATTTAATTTTTGGAGCTTGATCAGCAATACTTGGTACAGCATTGAGCCTTATTATTC
GACTAGAATTAAGTCAACCAGGTACCCTTATTGGAGACGANCAACTATATAATATAGTAGTNACAGCACATGCTTTCATCA
TAATTTTCTTCATNGTNATACCAATCATAATTGGAGGATTTGGAAATTGACTTGTTCCTTTAATAATAGGAGCACCTGACAT
AGCTTTTCCCCGCCTTAACAATATAAGATTCTGACTTCTTCCTCCCTCTCTTACCCTTCTCCTAGGTTCTAGNTTAGTNGAAAT
AGGAGCTGGAACAGGTTGAACAGTATATCCNCCTCTAGCCGCTTCTNTAGCTCACTCAGGTTGNTCAGTAGATTTAACCAT
TTTCTCCTTGCACTTAGCCGGAGTATCTTCAATTNTAGGAGCAGTAAATTTTATTACTACAATCATNAATATACGCACAAAN
GGTATACTNTTTGAACGTCTACCTTTATTTGTATGNGCTGTGCTAATTACAGCNATNCTGCTNCTTCTCTCTCTTCCTGTATT
AGCAGGNGCAATTACTATACTTCTTACAGATCGAAACTTTNAATACCTCCTTCTTTGACCCAGCTGGAGGAGGAGATCCTA
TCTTATATCAACANCTATTTTGATTTTTC

>Cryptops_LCr02-AES210179_
TAAAGATATTGGAACTATATATTTAATTTTCGGTGCTTGATCAGCTATACTAGGAACAGCATTAAGTCTTATCATCCGTTTA
GAACTTAGACAACCAGGAACATTAATTGGAGATGATCAATTATATAATATAGTAGTTACAGCCCATGCCTTCATTATAATTT
TCTTTATAGTAATACCTATCATAATTGGGGGATTCGGAAATTGATTAGTCCCATTAATAATAGGAGCACCAGACATAGCTTT
CCCTCGTCTTAATAATATAAGATTTTGACTGCTTCCACCTTCCTTAACTCTTCTCTTAGGTTCTAGTTTAGTAGAAATAGGCG
CTGGAACAGGATGAACAGTATACCCACCCTTAGCTTCTTCAATAGCTCACTCCGGTTGCTCAGTTGACATAACAATTTTCTC
CCTTCATTTAGCAGGAATCTCCTCAATTCTAGGAGCAGTTAACTTTATTACTACCATCATCAATATACGAACAAATGGAATA
TTATTTGAACGACTTCCTTTATTTGTTTGAGCTGTATTGATTACCGCCATTCTTCTACTTTTATCATTACCCGTTCTTGCTGGT
GCAATTACAATACTTCTCACAGATCGTAATTTTAATACATCATTCTTCGATCCTGCAGGAGGGGGTGATCCTATTTTATACCA
ACATTTATTTTGATTTTTC

>Euryolpium_LCr01-AES210141
TCATAAAGATATTGGAACTTTATATTTAATTTTAGGGGGGTGGTCTGGAATAGTAGGAATAGGATATAGAATAATTATTCG
AATACAACTTTCTAGACCAGGTAAAGTAATTGAAGATCACACCTATAATGTTGTAGTAACCACCCATGCTTTTATTATGATT
TTTTTTATAGTTATACCTATTTTGATTGGGGGTTTCGGAAATTGACTCATTCCAATAATAATTGGATCTCCAGATATAGCTTT
TCCACGACTAAACAATTTAAGTTTCTGGTTACTTCCCCCTTCTTTTCTTCTTATACTTCTATCTTCAGCATTAGAGTCTGGGTG
TGGAAGAGGTTGAACCATCTACCCCCCCCTTGCCTCTTATATTGGCCATTCATCTAAATCTGTGGATTTAGTAATTTTTTCTC
TTCATTTAGCAGGTGTTTCATCTATTTTAGGATCTATTAATTTTATTACAACAATTATTAATATACGAGCTCCAGGACTCCCTT
TTTTAAGGATTCCTTTATTTGTATGATCTGTAATATTTACAACTATTTTAATTTTACTTGCTATTCCTGTTCTTGCGGGGGCTA
TTACAATACTTCTTACAGATCGAAATTTTAATTCTTCATTTTTTGATCCTACAGGGGGGGGAGATCCTATTTTATTTCAACAT
TTATTTTGATTTTTCGGTCA

>Indolpium_LCr03-AES210265
CATAAAGATATTGGTACTTTGTATTTAATATTTGGTGTTTGATCTGGGATTGTAGGCATGGGGTATAGAATGATTATTCGAA
TACAACTTTCTGCCCCAGGTAAGGTAATTGAAGAGCACTCTTATAATGTAGTAGTTACTACTCATGCTTTTTTAATAATTTTT
TTTATGGTGATACCCATTTTAATTGGAGGTTTTGGTAATTGATTGATTCCTCTGATGATTGGTTCCCCAGATATGGCCTTCCC
ACGTTTAAATAATCTAAGATTTTGACTTCTACCACCTTCATTTTTATTAATGTTATTTTCATCTGCCTTAGAAATGGGGTGTG
GAACAGGATGAACAATTTATCCCCCTCTGGCAGGGTTTTCAGGTCATCCATCTAAGGCTATAGACTTATTAATTTTTTCTCTT
CACTTAGCGGGAATCTCATCTATTCTTGGTGCTATTAATTTTATTTCAACAATTATTAATATAAAAACTCCTGGTCTTTCTTAT
GTAGAGATACCTTTATTTGTGTGGGCTGTCTTGTTTACCACTATTCTTTTGTTATTAGCCATTCCTGTTCTTGCTGGGGCAAT
TACAATACTTTTAACAGATCGAAATTTTAACTCGTCATTTTTTGAGCCTTTGGGTGGAGGTGATCCGATTTTATTTCAACATT
TATTTTGATTTTTCGGTCA

>Indolpium_LCr04-AES210153
TCATAAAGATATTGGTACCTTATATTTAATATTCGGAATTTGATCAGGTATTGTAGGAATAGGTTACAGAATAATTATTCGA
ATACAACTTTCTGCTCCAGGAAAAGTAATCGAGGAACACTCATATAACGTTGTAGTAACAACTCATGCTTTTTTAATAATTT
TTTTTATAGTTATACCTATTTTAATTGGTGGTTTTGGAAATTGGTTAATTCCAATGATAATTGGTTCACCTGATATGGCCTTT
CCCCGACTTAATAATTTGAGTTTCTGGTTTCTCCCTCCTTCATTTTTATTAATGTTATTGTCCTCTGCTTTAGAAATAGGATGC
GGAACAGGGTGAACAATTTACCCCCCTTTAGCGAGATTTTTAGGTCACCCATCAAAGGCGATAGATCTTTTAATTTTTTCTT
TACATCTAGCCGGAATCTCATCAATTTTAGGTGCAATTAATTTTATTTCTACTATTATTAATATAAAAACCCCAGGAATAACT
TATGTAGAGATACCTTTGTTTGTGTGAGCGGTTCTCTTTACTACAATTCTTCTGCTTTTAGCTATTCCTGTCTTGGCTGGGGC
TATTACCATGCTTTTGACTGATCGAAATTTTAATTCATCTTTCTTTGAACCTTTAGGAGGGGGAGACCCTATTTTATTTCAAC
ACTTATTTTGATTTTTCGGTCACC

>Indolpium_LCr05-AES210210
TCATAAAGATATTGGTACTTTGTATTTAATGTTTGGTGTTTGATCCGGAATTGTGGGGATGGGGTATAGAATGATTATTCG
AATACAGCTTTCTGCTCCGGGTAAGGTAATTGAAGAACACTCTTATAATGTAGTAGTCACTACCCATGCTTTTTTAATAATTT
TTTTTATAGTGATACCTATTTTAATTGGGGGTTTCGGTAACTGATTAGTCCCTTTAATGATCGGCTCTCCAGATATGGCCTTT
CCTCGTCTGAATAATTTAAGTTTCTGACTTCTCCCCCCGTCATTTTTATTAATATTATTTTCATCTGCTTTAGAAATGGGGTGT
GGGACAGGGTGGACAATCTACCCCCCTTTAGCAGGATTTTCAGGTCACCCATCTAAGGCTATAGATTTATTAATTTTTTCTC
TTCATTTGGCAGGAATTTCATCTATTCTTGGTGCAATTAACTTTATTTCGACAATCATTAATATAAAAACTCCTGGTCTCTCTT
ATGTAGAGATACCTTTATTTGTCTGGGCTGTCTTATTTACTACTATTTTATTGTTGTTAGCTATCCCTGTTTTAGCTGGGGCA
ATTACCATACTTTTAACTGACCGAAATTTTAACTCATCATTTTTTGAGCCTTTGGGTGGTGGAGATCCAATTTTGTTTCAACA
CCTATTTTGATTTTTCGG

>Kwonkan_LCr01-AES210197_
CATAAAGATATTGGAACTTTGTATTTAATGTTTGGAATTTGGTCAGCTATGATGGGGACTGCTTTAAGAGTGATTTTGCGTA
TGGAGTTGGGGCGTGTAGGTAGATTGTTGGGGGATGACCATTTGTATAATGTTATGGTAACTGCTCATGCTTTAGTGATAA
TCTTTTTTATGGTAATGCCTATTATAATTGGGGGTTTCGGGAATTGGTTAGTGCCCTTAATGTTGGGAGCACCAGACATGG
CCTTTCCTCGTATGAATAATTTAAGTTTTTGGTTGTTGCCACCTTCTCTGTTTATGTTAATAATATCTGCTTTAGGGGATGAT
GGAGTGGGGACTGGGTGGACTATTTATCCTCCTTTGTCTTCTGTTATTGGTCATGGGGGGTGGGGTGTAGATTTTGCTATT
TTTTCTTTACATTTGGCTGGGGCTTCTTCTATTATGGGGGCTATCAATTTTATTACTACTATTGTAAATATACGGGTAGTTGG
GTTAACCATGGAGCGTGTTCCTTTGTTTGTATGATCAGTGTTTATTACTGCTGTTCTATTATTGTTGTCTCTTCCTGTGTTGGC
TGGGGCTATCACTATATTGTTAACGGATCGTAATTTTAATACGTCGTTTTTTGATCCTGTAGGTGGTGGGGATCCAATTTTG
TTTCAACATTTGTTTTGATTTTTCGGT

>Mecistocephalus_LCr01-AES210150
TAAAGATATTGGTACCATATACCTAGTATTTGGTGCTTGGGCTGCCATACTCGGAACTGCTCTCAGCCTCCTGATTCGTCTT
GAACTAAGCCAGCCCGGAAGCCTTATTGGAGACGACCAGACATACAACGTAGTAGTCACCGCTCATGCATTCGTAATAATC
TTTTTCATAGTAATGCCAATTATAATAGGGGGATTTGGAAACTGACTTTTACCTCTCATACTAGGCGCCCCAGACATAGCCT
TCCCCCGACTAAATAATATAAGATTTTGGCTCCTTCCCCCTTCACTAACACTCCTCTTAGCCTCGGCCGCCGTAGAAAGAGG
AGCCGGGACAGGATGAACCGTATACCCCCCTCTAGCTTCTGGACTAGCCCACTCAGGAGCATCCGTAGACATAACAATTTT
CTCTCTTCACTTAGCCGGTGCCTCCTCTATTCTAGGGGCGATCAACTTCATCACAACCGTCATTAATATACGAACAAGAGGA
ATAGTAATAGAACGAGTCCCCTTATTTGTATGAGGAGTCACTATCACGGCAATTCTCCTCCTCCTCTCCCTCCCAGTTCTAGC
TGGAGCCATTACAATATTACTAACGGACCGAAATTTCAATACCAGCTTCTTTGACCCGGCCGGGGGGGGGGATCCAATCCT
ATATCAGCACCTATTTTGATTTTTCGG

>Mecistocephalus_LCr02-AES210169
ATAAAGATATTGGTACCATATACCTAGTATTTGGGGCCTGGGCCGCAATACTTGGAACCGCACTGAGCCTTCTGATTCGCC
TTGAGCTAAGCCAGCCCGGAAGCCTCATTGGAGATGACCAAACATATAATGTAGTAGTTACCGCCCACGCATTCGTAATAA
TTTTCTTCATAGTAATACCAATTATAATAGGGGGGTTCGGAAACTGACTTTTACCTCTCATACTAGGGGCTCCAGATATAGC
CTTCCCCCGACTAAATAACATAAGATTCTGGCTCCTCCCCCCCTCCCTAACCCTCCTCTTAGCCTCCGCAGCTGTGGAAAGA
GGGGCAGGCACAGGATGAACAGTATACCCCCCCCTAGCCTCCGGTCTGGCCCACTCAGGGGCATCTGTTGACATAACAAT
CTTCTCCCTTCACCTGGCTGGTGCCTCCTCCATCCTGGGCGCAATTAACTTTATTACAACTGTAATTAATATACGAACAAGAG
GAATAGTTATAGAACGAGTCCCGCTATTCGTGTGAGGAGTTACCATCACAGCAATCCTCCTCCTCTTGTCTCTCCCAGTTCT
AGCAGGGGCTATTACAATACTATTAACCGATCGAAATTTCAACACCAGCTTCTTTGACCCGGCCGGAGGAGGAGACCCAAT
CCTATACCAACACCTCTTTTGATTTTTC

>Olpiidae_LCR02-AES210267
AAAGATATTGGAACTCTTTATTTATTATTAGGAATTTGATCAGGGTTAGTAGGAATAAGCTTTAGAATATTAATTCGTATAC
AATTAATATCTCCCGGGAAAATGATCGGAGAACATCAATATAATGTAGTAGTAACTACACATGCTTTTGTAATAATTTTCTT
CATAGTTATACCTATTATAATTGGTGGTTTTGGGAATTGACTTGTACCTTTAATAATTGGATCTCCTGATATAGCTTTTCCTC
GATTAAATAATCTAAGTTTTTGATTGCTACCTCCTTCATTTCTTCTTTTAGTTTTGTCAACAGGTTTAGAACTAGGTTGTGGA
ACTGGATGAACAATCTATCCTCCTTTGTCATCATTAACAGGACATACTTCGAAATCTGTAGATTTAGTAATTTTTTCTTTACA
TTTAGCCGGGATTTCATCAATTTTAGGTTCAATCAATTTTATTACTACTATTTTTAATATACGAACAACAGGTTTAACAATAA
TACAAATACCTTTATTTGTATGATCCGTATTTTTTACTACTATTTTAATTATACTTGCTATACCAGTTCTTGCAGGTGCAATTA
CTATGCTATTAACAGACCGAAATTTTAATACATCATTTTTTAACCCTACCGGAGGAGGGGATCCTATTTTATTTCAACATTTA
TTTTGATTTTTC