

Contents

Document Control	i
Invitation to make a submission	ii
Executive Summary	iv
Scoping Checklist	1-1
1. Proposal	1-19
1.1 Overview of the Proposal	1-19
1.2 Background	1-21
1.3 Modifications to the Proposal since referral	1-21
1.3.1 EP Act	1-21
1.3.2 EPBC Act	1-23
1.4 Proposal content	1-24
1.4.1 Development Envelope subcategories	1-27
1.5 Purpose and scope of this document	1-35
1.6 The Proponent	1-35
1.7 The global significance of WA's alumina production	1-35
1.8 Contributions from Alcoa's continued operations	1-36
1.9 Proposal description	1-37
1.9.1 Pinjarra Alumina Refinery	1-37
1.9.2 Huntly Mine Transition	1-40
1.10 Approved and implemented proposal	1-65
1.11 Proposal alternatives	1-65
1.11.1 Do nothing	1-65
1.11.2 Huntly Mine transition alternatives	1-66
1.12 Local and regional context	1-67
1.12.1 Pinjarra Alumina Refinery	1-67
1.12.2 Huntly Mine	1-68
2. Legislative context	2-1
2.1 Environmental impact assessment process	2-1
2.1.1 Environmental Protection Act 1986 (WA)	2-1
2.1.2 Environment Protection and Biodiversity Conservation Act 1999 (Commonwealth)	2-3
2.2 Other approvals and regulation	2-5
2.2.1 State Agreements	2-5
2.2.2 Land tenure and zoning	2-7
2.2.3 Other approvals and decision-making authorities	2-14
2.3 Environmental management framework	2-23
2.3.1 Corporate standards	2-23
2.3.2 Mine environmental management	2-23
2.3.3 Preventative risk management of drinking water	2-24
2.3.4 Refinery environmental management	2-25
2.4 Rehabilitation program	2-26
2.4.1 Legislative context	2-26
2.4.2 Rehabilitation of the Huntly Mine	2-27
2.4.3 Rehabilitation principles	2-27
2.4.4 Rehabilitation goals	2-27

2.4.5	Evolution of Alcoa’s rehabilitation	2-28
2.4.6	Rehabilitation process	2-30
2.4.7	Rehabilitation Completion Criteria	2-33
2.4.8	Rehabilitation performance	2-36
2.4.9	Rehabilitation restoring ongoing ecological function post-disturbance	2-46
2.4.10	Rehabilitation in adaptation to future needs	2-49
2.4.11	Rehabilitation in the context of a drying and heating climate	2-49
2.4.12	Independent peer review of rehabilitation methods and success to date	2-49
3.	Stakeholder Engagement	3-1
3.1	Overview	3-1
3.2	Objectives	3-1
3.3	Key Stakeholders	3-2
3.4	Stakeholder Engagement Activities	3-3
3.5	Stakeholder Consultation Outcomes	3-7
4.	Object and Principles of the EP Act	4-1
4.1	Environmental principles	4-1
4.2	Key environmental factors	4-1
4.3	Impact Assessment Approach	4-9
4.3.1	Overview	4-9
4.3.2	Limitations	4-10
4.3.3	Impact avoidance framework	4-11
4.3.4	Disturbance budget and apportionment	4-21
4.3.5	Numerical modelling	4-22
4.4	Development of biodiversity indicators and assessment and monitoring framework	4-24
4.4.1	Background context	4-24
4.4.2	Implementation	4-25
4.4.3	Guidance and development	4-25
4.4.4	Initial list of Bis	4-26
4.4.5	Rationale for each BI	4-27
4.4.6	Assessment and monitoring framework	4-32
4.4.7	Monitoring	4-32
5.	Flora and Vegetation	5-1
5.1	EPA environmental factor and objective	5-1
5.2	Relevant policy and guidance	5-1
5.2.1	EPA policy and guidance	5-1
5.2.2	Commonwealth policy and guidance	5-1
5.2.3	Other policy and guidance	5-2
5.3	Receiving environment	5-2
5.3.1	Baseline studies	5-2
5.3.2	Previous studies and research	5-6
5.3.3	Summary of receiving environment	5-7
5.3.4	Vegetation	5-7
5.3.5	Flora	5-84
5.4	Potential environmental impacts	5-100
5.4.1	Identification of potential impacts	5-100
5.4.2	Direct impacts	5-100
5.4.3	Indirect impacts	5-122
5.4.4	Cumulative impacts	5-137

5.4.5	Impact avoidance	5-166
5.4.6	Impact reduction	5-173
5.4.7	Rehabilitation	5-176
5.5	Assessment and significance of residual impacts	5-182
5.5.1	Significance of impact on conservation significant flora	5-182
5.5.2	Significance of impact to vegetation	5-182
5.5.3	Significance of impact to regional vegetation condition in the NJF subregion	5-182
5.6	Environmental outcomes	5-193
6.	Terrestrial Fauna	6-1
6.1	EPA Environmental Factor and Objective	6-1
6.2	Relevant Policy and Guidance	6-1
6.2.1	EPA policy and guidance	6-1
6.2.2	Commonwealth policy and guidance	6-1
6.2.3	Other policy and guidance	6-3
6.2.4	Fauna naming	6-3
6.3	Receiving Environment	6-4
6.3.1	Baseline studies	6-4
6.3.2	Previous studies and research	6-4
6.3.3	Terrestrial vertebrate fauna	6-19
6.3.4	Aquatic fauna	6-122
6.3.5	Short-range endemic invertebrate fauna	6-132
6.4	Potential environmental impacts	6-146
6.4.1	Identification of potential impacts	6-146
6.4.2	Direct impacts	6-147
6.4.3	Indirect impacts	6-169
6.4.4	Cumulative impacts	6-176
6.5	Mitigation	6-188
6.5.1	Impact avoidance	6-189
6.5.2	Impact reduction	6-197
6.5.3	Rehabilitation	6-203
6.6	Assessment and significance of residual impacts	6-207
6.6.1	Conservation significant species	6-208
6.6.2	Quantification of residual significant impact	6-214
6.7	Environmental outcomes	6-222
7.	Terrestrial Environmental Quality	7-1
7.1	EPA environmental factor and objective	7-1
7.2	Relevant policy and guidance	7-1
7.2.1	EPA policy and guidance	7-1
7.2.2	Other policy and guidance	7-1
7.3	Receiving environment	7-1
7.3.1	Huntly Mine	7-1
7.4	Potential environmental impacts	7-24
7.4.1	Identification of potential impacts	7-24
7.4.2	Huntly Mine	7-24
7.5	Mitigation	7-32
7.6	Assessment and significance of residual impact	7-38
7.7	Environmental outcomes	7-38
8.	Inland Waters	8-1

8.1	EPA environmental factor and objective	8-1
8.2	Policy and guidance	8-1
	8.2.1 EPA policy and guidance	8-1
	8.2.2 Other policy and guidance	8-1
8.3	Receiving environment	8-2
	8.3.1 Baseline studies and peer review	8-2
	8.3.2 Surface water systems	8-3
	8.3.3 Groundwater systems	8-48
8.4	Assessment of potential impacts	8-74
	8.4.1 Identification of potential impacts	8-74
	8.4.2 Overview of Huntly Mine disturbance to catchments	8-74
	8.4.3 Groundwater level and streamflow change as a result of clearing and mining	8-76
	8.4.4 Increases in stream salinity as a result of mining-induced saline groundwater discharge	8-83
	8.4.5 Increased sediment from erosion of post-mining landforms	8-92
	8.4.6 Loss of the bauxite layer as a hydrological unit	8-97
	8.4.7 Impacts from development of river crossings	8-98
	8.4.8 Contamination from spills and/or leaks from storage and handling Of hazardous materials and waste	8-105
	8.4.9 Water quality deterioration in streams and reservoirs, including cumulative impacts from existing mining operations	8-106
	8.4.10 Impacts to public health	8-136
	8.4.11 Service interruption of the public drinking water supply	8-143
	8.4.12 Water supply for mining and refining	8-147
	8.4.13 Potential disturbance to the Peel-Yalgorup System Ramsar site	8-153
	8.4.14 Cumulative impacts	8-158
8.5	Mitigation	8-159
	8.5.1 Impact avoidance and preventative risk management	8-159
	8.5.2 Impact reduction	8-163
	8.5.3 Rehabilitation	8-164
8.6	Assessment and significance of residual impacts	8-176
8.7	Environmental outcomes	8-176
9.	Air Quality	9-1
9.1	EPA environmental factor and objective	9-1
9.2	Relevant policy and guidance	9-1
	9.2.1 EPA policy and guidance	9-1
	9.2.2 Other policy and guidance	9-1
9.3	Receiving environment	9-2
	9.3.1 Baseline studies and peer review	9-2
	9.3.2 Air quality – Huntly Mine	9-3
	9.3.3 Air quality – Pinjarra Alumina Refinery	9-17
9.4	Potential environmental impacts	9-25
	9.4.1 Identification of potential impacts	9-25
	9.4.2 Construction activities	9-25
	9.4.3 Myara North, Holyoake and O’Neil mining activities	9-26
	9.4.4 Pinjarra Alumina Refinery gaseous and PM10 emissions from power generation, alumina refining and residue storage	9-44
9.5	Mitigation	9-58

9.6	Assessment and significance of residual impacts	9-61
9.7	Environmental outcomes	9-61
10.	Greenhouse gas emissions	10-1
10.1	EPA objective	10-1
10.2	Policy and guidance	10-1
10.3	Receiving environment	10-1
10.4	Basis of Calculations	10-2
10.5	Scope 1 emissions	10-2
	10.5.1 Safeguard Mechanism	10-2
	10.5.2 Change in Carbon Sequestration from Vegetation Clearing	10-7
10.6	Scope 2 emissions	10-8
	10.6.1 Mitigation measures	10-9
	10.6.2 Electricity	10-9
	10.6.3 Steam	10-10
10.7	Scope 3 emissions	10-11
10.8	Environmental outcomes	10-14
11.	Social Surroundings (Heritage)	11-1
11.1	EPA environmental factor and objective	11-1
11.2	Relevant policy and guidance	11-1
	11.2.1 EPA policy and guidance	11-1
	11.2.2 Other policy and guidance	11-1
11.3	Receiving environment	11-2
	11.3.1 Cultural background	11-2
	11.3.2 Baseline studies	11-3
	11.3.3 Huntly Mine	11-3
11.4	Potential environmental impacts	11-36
	11.4.1 Identification of environmental impacts	11-36
	11.4.2 Huntly Mine	11-36
11.5	Mitigation	11-40
11.6	Assessment and significance of residual impacts	11-43
11.7	Environmental outcomes	11-43
12.	Social Surroundings (Amenity)	12-1
12.1	EPA environmental factor and objective	12-1
12.2	Relevant policy and guidance	12-1
	12.2.1 EPA policy and guidance	12-1
	12.2.2 Other policy and guidance	12-1
12.3	Receiving environment	12-1
	12.3.1 Baseline studies	12-1
	12.3.2 Aesthetic, social and economic surroundings – Huntly Mine	12-2
	12.3.3 Aesthetic, economic and social surroundings – Pinjarra Alumina Refinery	12-34
12.4	Potential environmental impacts	12-39
	12.4.1 Identification of potential impacts	12-39
	12.4.2 Impacts to amenity through construction and operational noise	12-46
	12.4.3 Impacts to amenity from light spill	12-56
	12.4.4 Impacts to amenity from traffic	12-59
	12.4.5 Impact to visual amenity from mining operations and Infrastructure	12-63
	12.4.6 Impacts to amenity from dust deposition	12-72
	12.4.7 Direct impact on recreational use of areas	12-77

	12.4.8 Cumulative impacts	12-79
12.5	Mitigation	12-80
12.6	Assessment and significance of residual impact	12-88
12.7	Environmental outcomes	12-88
13.	Other Factors	13-1
13.1	Required work	13-1
13.2	Baseline and Assessment of Impacts	13-1
	13.2.1 Troglifauna records	13-1
	13.2.2 Stygofauna records	13-1
	13.2.3 Potential stygofauna habitats	13-2
	13.2.4 Potential impacts to stygofauna habitat	13-4
	13.2.5 Conclusion	13-6
14.	Offsets	14-1
14.1	EPA Objective	14-1
14.2	Policy and Guidance	14-1
	14.2.1 State Guidance	14-1
	14.2.2 Commonwealth Guidance	14-2
	14.2.3 Conservation Advice, Recovery Plans, Threat Abatement Plans	14-2
14.3	Significant Residual Impacts	14-3
14.4	Offset Strategy	14-6
14.5	Offset Proposal	14-8
	14.5.1 Proposed offsets	14-8
	14.5.2 Proposed objectives	14-8
	14.5.3 Proposed outcomes	14-9
	14.5.4 Environmental offset projects	14-11
	14.5.5 Proposed offset conservation areas	14-12
14.6	Proposed offset extent	14-13
14.7	Proposed offset tranches	14-15
14.8	Monitoring Program	14-17
14.1	Risk Management	14-18
14.2	Adaptive management and continual improvement	14-18
14.3	Governance	14-18
14.4	Financial commitment	14-18
14.5	Stakeholder consultation	14-19
14.6	Consistency with Offset Policies and other relevant documents	14-19
	14.6.1 WA Government offset requirements	14-20
	14.6.2 Commonwealth offset requirements	14-27
	14.6.3 EPA's Public Advice: Considering Environmental Offsets at a Regional Scale	14-30
	14.6.4 Forest Management Plan	14-32
	14.6.5 Threatened Species Action Plan	14-32
15.	Matters of National Environmental Significance	15-1
15.1	Controlled Action provisions	15-1
15.2	Relevant policy and guidance	15-3
	15.2.1 Policy and guidance	15-3
	15.2.2 Relevant species guidance	15-3
15.3	Existing environmental values	15-4

15.3.1	Threatened flora	15-4
15.3.2	Threatened and migratory fauna	15-7
15.3.3	Threatened ecological communities	15-12
15.3.4	Ramsar wetlands	15-12
15.3.5	Summary of MNES occurrence and habitat within the assessment area	15-12
15.4	Potential impacts	15-19
15.5	Assessment of impacts	15-19
15.5.1	Significant impact criteria	15-19
15.5.2	Assessment of significance	15-21
15.6	Mitigation	15-40
15.7	Offsets	15-46
16.	Holistic impact assessment	16-1
17.	Cumulative environmental impact assessment	17-1
17.1	Introduction	17-1
17.2	Huntly Mine	17-1
17.2.1	Past and present activities	17-1
17.2.2	Reasonably foreseeable future activities	17-3
17.2.3	Cumulative impacts – flora and vegetation	17-3
17.2.4	Cumulative impacts – fauna	17-4
17.2.5	Cumulative impacts – other threats and processes	17-5
17.2.6	Cumulative impacts – social surroundings	17-6
17.3	Pinjarra Refinery	17-17
17.3.1	Past and present activities	17-17
17.3.2	Reasonably foreseeable future activities	17-17
18	References	18-1

Tables

1 Proposal

Table 1.1	Required work as outlined in the ESD	1-1
Table 1.1	Proposal content description	1-24
Table 1.2	Proposal content elements	1-24
Table 1.3	Summary of disturbance areas within the Refinery DE	1-37
Table 1.4	Sensitive receptors and environmental values avoided by the amended Myara North DE	1-43
Table 1.5	Sensitive receptors and environmental values avoided by the amended Holyoake	1-44
Table 1.6	Indicative breakdown of clearing within Myara North, Holyoake and O'Neil Des for the Proposal	1-45
Table 1.7	Overview of construction of mine facilities and infrastructure	1-54
Table 1.8	Overview of rehabilitation establishment	1-63

2 Legislative context

Table 2.1	Assessment of the Proposal as a significant amendment to the PREU	2-2
Table 2.2	Proposal regional and local planning areas	2-8
Table 2.3	Summary of other Proposal regulatory approvals with reference to the EPA's Interim Guidance	2-16
Table 2.4	Alcoa mine rehabilitation overview	2-29
Table 2.5	Overview of rehabilitation – Huntly Mine (based on current prescription)	2-31
Table 2.6	Summary of 15 month rehabilitation plot species richness for P, S and T SVTs (1992 – 2021)	2-40
Table 2.7	Plantings of recalcitrant species 2021 to 2023	2-42
Table 2.8	Comparison of unmined forest and rehabilitation in context of the Biodiversity Indicators	2-47

3 Stakeholder Engagement

Table 3.1	Summary of stakeholder consultation methods	3-4
Table 3.2	Summary of key issues raised by stakeholders during consultation and Alcoa's response	3-8

4 Object and Principles of the EP Act

Table 4.1	Principles of the Western Australian Environmental Protection Act 1986	4-2
Table 4.2	Environmental Factors Relevant to the Proposal	4-6
Table 4.3	Assessment of the Proposal as a significant amendment to the PREU	4-9
Table 4.4	Comparison of areas between pre and post regulator and consultee comments Development Envelopes and disturbance footprints of the Proposal	4-13
Table 4.5	Mine avoidance and development zones – breakdown by area	4-16
Table 4.6	Mine avoidance and development zones – breakdown by proportion	4-16
Table 4.7	Proposal disturbance budget breakdown of areas by zones	4-23
Table 4.8	Proposal disturbance budget breakdown as a proportion of zones	4-23
Table 4.9	Biodiversity Indicators and their opportunity to influence on mine life phases	4-32

5 Flora and Vegetation

Table 5.1	Flora and vegetation baseline studies	5-3
Table 5.2	Flora and vegetation historic surveys by Mattiske Consulting	5-7
Table 5.3	Vegetation Complexes present within the Mine DE	5-11
Table 5.4	Vegetation types recorded within the Mine DE	5-15
Table 5.5	Dominant SVTs within the Mine DE	5-23
Table 5.6	Vegetation condition recorded within the Mine DE	5-28
Table 5.7	Pre-2024 Jarrah forest management regeneration cycle description	5-33
Table 5.8	Forest age across the mapped portion of the NJF	5-33

Table 5.9	Frequency of forest harvesting within the mapped portion of NJF	5-34
Table 5.10	Forest age within DBCA Legislated Lands across the mapped portion of the NJF	5-37
Table 5.11	Forest age within the Mine DE	5-38
Table 5.12	Frequency of forest harvesting within the Mine DE	5-38
Table 5.13	Conservation Significant Ecological communities within the vicinity of the Mine DE	5-44
Table 5.14	Potential groundwater dependent ecosystems present within the Mine DE	5-46
Table 5.15	Summary of DBCA dieback occurrence assessment across the NJF	5-53
Table 5.16	Summary of Phytophthora dieback occurrence assessment in the Mine DE	5-58
Table 5.17	Phytophthora dieback vulnerability within the Mine DE	5-58
Table 5.18	Forest age across vegetation complexes within the mapped portion of the NJF subregion, compared to the Mine DE	5-74
Table 5.19	Dieback across vegetation complexes within the assessed portion of the NJF subregion, compared to the Mine DE	5-75
Table 5.20	Average fire interval since 1960 across vegetation complexes within the mapped portion of the NJF subregion, compared to the MDE	5-76
Table 5.21	Vulnerabilities of vegetation complexes to reasonably foreseeable threats.	5-82
Table 5.22	Threatened flora species considered unlikely to occur in the Mine DE	5-90
Table 5.23	Conservation significant flora species recorded or with the potential to occur in the Mine DE	5-92
Table 5.24	Distribution of conservation significant flora species that are known or have potential to occur within the Mine DE	5-94
Table 5.25	Significant weeds present in the Mine DE	5-99
Table 5.26	Vegetation types – avoidance, low disturbance and development zones	5-104
Table 5.27	Vegetation types – average impact estimates	5-105
Table 5.28	Vegetation condition – avoidance, low disturbance and mine development zones	5-106
Table 5.29	Vegetation condition – conservative impact estimates	5-106
Table 5.30	Direct impacts to State-wide vegetation association – Mine DE	5-107
Table 5.31	Indicative estimates of direct impacts to vegetation complexes – Mine DE	5-107
Table 5.32	Potential occurrence of PECs– avoidance, low disturbance and mine development zones and conservative clearing estimates	5-109
Table 5.33	Potential GDEs – avoidance, low disturbance and mine development zones and conservative clearing estimates	5-109
Table 5.34	Potential impacts to <i>Andersonia</i> sp <i>Saxatilis</i> (F. & J. Hort 3324) habitat – WA Threatened	5-113
Table 5.35	Potential impacts to <i>Morelotia australiensis</i> habitat – WA Threatened, EPBC Vulnerable	5-113
Table 5.36	Priority flora species abundance within O'Neil DE	5-114
Table 5.37	Impacts to <i>Hibbertia hortiorum</i> and <i>Senecio leucoglossus</i> populations within O'Neil DE and broader Huntly Mine	5-114
Table 5.38	Indicative estimates of direct impacts to Priority flora and habitats – Mine DE	5-120
Table 5.39	Overview of indicative cumulative impacts to Flora and Vegetation – NJF	5-139
Table 5.40	Indicative estimates of cumulative direct impacts to regional vegetation – NJF	5-141
Table 5.41	Cumulative impacts to Flora and Vegetation Associated with the Pinjarra Alumina Refinery Revised Proposal, Newmont Boddington Goldmine and South32 Worsley Alumina Mine	5-142
Table 5.42	Indicative estimates of mining and rehabilitation – NJF	5-146
Table 5.43	Phytophthora Dieback Status of Recreational Trails – Mine DE	5-158
Table 5.44	Current extent of Beard vegetation association within the NJF	5-164
Table 5.45	Avoidance strategy for flora and vegetation	5-167
Table 5.46	Key Phytophthora dieback management measures	5-173
Table 5.47	Minimisation of potential impacts to flora and vegetation	5-177
Table 5.48	Significance of impacts on conservation significant flora species	5-184
Table 5.49	Significance of impacts to vegetation - Huntly Mine	5-190

Table 5.50	Proposed environmental outcomes – Flora and vegetation	5-194
6	<i>Terrestrial Fauna</i>	
Table 6.1	Terrestrial vertebrate fauna common names	6-4
Table 6.2	Terrestrial Fauna baseline studies	6-6
Table 6.3	Baseline terrestrial fauna survey effort summary by habitat type – Myara North	6-9
Table 6.4	Baseline terrestrial fauna survey effort summary by habitat type – Holyoake	6-10
Table 6.5	Baseline terrestrial fauna survey effort summary by habitat type – O’Neil	6-11
Table 6.6	SRE Fauna Survey effort	6-12
Table 6.7	Previous terrestrial fauna studies and research	6-13
Table 6.8	Terrestrial vertebrate fauna species recorded during Alcoa Long Term Fauna Monitoring Surveys	6-15
Table 6.9	Fauna habitats present in the Mine DE	6-20
Table 6.10	Summary of fauna diversity recorded in the Mine DE	6-27
Table 6.11	Conservation significant (non-aquatic) fauna likelihood of occurrence in the Mine DE	6-31
Table 6.12	Black Cockatoo habitat classification	6-47
Table 6.13	Black Cockatoo indicative regional foraging habitat	6-48
Table 6.14	Black Cockatoo breeding habitat surveyed in the Mine DE	6-61
Table 6.15	Black Cockatoo nesting trees surveyed in Myara North	6-66
Table 6.16	Black Cockatoo nesting trees surveyed in Holyoake	6-66
Table 6.17	Black Cockatoo nesting trees surveyed in O’Neil	6-66
Table 6.18	Forest Red-tailed Black Cockatoo habitat quality	6-69
Table 6.19	Baudin’s Cockatoo habitat quality	6-70
Table 6.20	Carnaby’s Cockatoo habitat quality	6-71
Table 6.21	Woylie habitat assessment	6-82
Table 6.22	Woylie habitat quality	6-83
Table 6.23	Chuditch habitat assessment	6-91
Table 6.24	Chuditch habitat quality	6-92
Table 6.25	Quokka habitat assessment	6-100
Table 6.26	Quokka habitat quality	6-101
Table 6.27	Numbat habitat assessment	6-109
Table 6.28	WRP habitat assessment	6-114
Table 6.29	Other conservation significant birds habitat assessment	6-119
Table 6.30	Other conservation significant mammals habitat assessment	6-120
Table 6.31	Conservation significant reptiles habitat assessment	6-121
Table 6.32	Known and potential aquatic fauna present in the Mine DE	6-126
Table 6.33	Conservation significant aquatic fauna likelihood of occurrence within Mine DE	6-127
Table 6.34	SRE fauna categories	6-132
Table 6.35	SRE fauna habitats present in the Mine DE	6-135
Table 6.36	SRE fauna taxa present only in the Mine DE	6-140
Table 6.37	Summary of SRE fauna recorded in the Mine DE by Potential Habitat Rating	6-143
Table 6.38	Summary of SRE fauna (confirmed, likely, potential) recorded in the Mine DE by species group	6-143
Table 6.39	SRE taxa within the Myara North, Holyoake and O’Neil DE	6-144
Table 6.40	Comparison of Proposal Mine DE and Worsley Mine Expansion SRE surveys	6-145
Table 6.41	Common SRE taxa from the Mine DE and Worsley studies	6-146
Table 6.42	Terrestrial vertebrate fauna habitats – impact avoidance and development zones	6-149
Table 6.43	Terrestrial vertebrate fauna habitats – average impact estimates	6-150
Table 6.44	Forest Red-tailed Black Cockatoo habitat – conservative impact estimates	6-153
Table 6.45	Baudin’s Cockatoo habitat – conservative impact estimates	6-154

Table 6.46	Carnaby's Cockatoo habitat – conservative impact estimates	6-155
Table 6.47	FRTBC nesting trees– indicative impact estimates	6-156
Table 6.48	Woylie habitat – conservative impact estimates	6-158
Table 6.49	Chuditch habitat– conservative impact estimates	6-159
Table 6.50	Quokka habitat – conservative impact estimates	6-160
Table 6.51	Numbat habitat – average impact estimates	6-161
Table 6.52	Western Ringtail Possum habitat – average impact estimates	6-161
Table 6.53	SRE invertebrate fauna habitats – impact avoidance and development zones	6-165
Table 6.54	SRE invertebrate fauna habitats – average impact estimates	6-166
Table 6.55	SRE fauna only recorded within the survey areas	6-167
Table 6.56	Seasonal aquatic habitat – impact avoidance and development zones	6-168
Table 6.57	Seasonal aquatic habitat – average impact estimates	6-168
Table 6.58	Summary of SRE fauna recorded in Huntly Mine rehabilitation by species group	6-183
Table 6.59	Fragmentation from Alcoa's bauxite mining to date	6-184
Table 6.60	Avoidance strategy for terrestrial fauna	6-190
Table 6.61	Ecological linkages – proposed fauna underpass design	6-197
Table 6.62	Other impact reduction measures for terrestrial fauna	6-204
Table 6.63	Significance of impacts to conservation significant species	6-209
Table 6.64	Residual Significant Impact	6-216
Table 6.65	Residual impacts to terrestrial fauna – Mine DE	6-217
Table 6.66	Proposed environmental outcomes – terrestrial fauna	6-223
7	<i>Terrestrial Environmental Quality</i>	
Table 7.1	Surficial Geology present in the Mine D	7-3
Table 7.2	Land systems present in the Mine DE	7-6
Table 7.3	Regional soil landscape mapping in the Mine DE	7-8
Table 7.4	Slope category by DE and Zone – area	7-13
Table 7.5	Slope category by DE and Zone – percentage	7-13
Table 7.6	Avoidance and minimisation of potential impacts to terrestrial environmental quality	7-33
Table 7.7	Objectives, triggers and contingency actions for terrestrial environmental quality – Huntly Mine	7-37
Table 7.8	Proposed environmental outcomes – terrestrial environmental quality	7-39
Table 7.9	Proposed environmental outcomes – terrestrial environmental quality	7-41
8	<i>Inland Waters</i>	
Table 8.1	Inland Waters baseline studies and peer review	8-2
Table 8.2	Regional hydrology – Mine DE	8-5
Table 8.3	Mine DE within Priority Drinking Water Source Areas	8-43
Table 8.4	Mapped streams within the Mine DE	8-47
Table 8.5	Main aquifer units within Darling Plateau geology	8-48
Table 8.6	Aquifer units identified within the Myara North DE	8-49
Table 8.7	Aquifer units identified within the Holyoake DE	8-56
Table 8.8	Indicative estimates of mining disturbance to surface water catchments due to the Huntly Mine transition to Myara North, Holyoake and O'Neil mine regions	8-75
Table 8.9	Modelled effect of mining on streamflow yield into Serpentine Dam (Dixon et al 2019)	8-77
Table 8.10	Modelled effect of mining on streamflow salinity into Serpentine Dam (Dixon et al 2019)	8-85
Table 8.11	Estimated worst case sediment rates to drinking water reservoirs	8-96
Table 8.12	Preliminary construction sequence for river crossings	8-98
Table 8.13	Key design elements for river crossings	8-101
Table 8.14	Cryptosporidium dose estimates from Proposal hazards – Serpentine Dam	8-116

Table 8.15	Cryptosporidium dose estimates from Proposal hazards – South Dandalup Dam	8-117
Table 8.16	Summary of detailed subcatchments with estimated worst case mine area open (as at 2044) exceeding 30 per cent of subcatchment area – Serpentine Dam	8-125
Table 8.17	Summary of drinking water risk assessment in accordance with WQPN 77	8-139
Table 8.18	Potential impacts to public health arising from the Proposal	8-141
Table 8.19	Summary of clearing and rehabilitation of Alcoa WA mining operations within PDWSAs connected to the IWSS	8-144
Table 8.20	Water recycling measures to reduce water demand for Huntly Mine	8-148
Table 8.21	Refinery water balance at 3.5 Mtpa	8-149
Table 8.22	Annual total metered water supply – Pinjarra Refinery	8-151
Table 8.23	Pinjarra Refinery water licence summary	8-151
Table 8.24	Potential options to meet water demand for Pinjarra Refinery at 5.25 Mtpa production	8-152
Table 8.25	Overview of Mine Development Envelope area within catchments of the Peel-Yalgorup System	8-156
Table 8.26	Avoidance strategy for inland waters	8-160
Table 8.27	Minimisation of potential impacts to inland waters	8-166
Table 8.28	Residual impacts to inland waters – Huntly Mine	8-178
Table 8.29	Residual impacts to inland waters – Refinery Development Envelope	8-183
Table 8.30	Proposed environmental outcomes – inland waters	8-185
9	<i>Air Quality</i>	
Table 9.1	Air Quality baseline studies and peer review	9-2
Table 9.2	Measured dust concentrations at Yamba Drive, September 2012 to September 2023	9-6
Table 9.3	Myara North air quality sensitive receptors	9-11
Table 9.4	Holyoake air quality sensitive receptors	9-11
Table 9.5	O’Neil air quality sensitive receptors	9-12
Table 9.6	Refinery air quality assessment scenarios	9-18
Table 9.7	Pinjarra Alumina Refinery sensitive receptors	9-22
Table 9.8	Air NEPM PM10 and PM2.5 criteria	9-27
Table 9.9	TSP and dust deposition criteria	9-27
Table 9.10	RCS criteria	9-27
Table 9.11	Myara North predicted maximum ground level dust concentrations against dust criteria (bold indicates exceedance)	9-28
Table 9.12	Myara North number of receptors with predicted exceedance	9-30
Table 9.13	Myara North maximum number of days of exceedances at R11 as the most dust prone receptor	9-30
Table 9.14	Predicted dust deposition per scenario (g/m ² /month) (bold indicates exceedances)	9-31
Table 9.15	Holyoake predicted maximum ground level concentration comparison with dust criteria (bold indicates criteria exceedance)	9-36
Table 9.16	Holyoake scenario 1 predicted maximum incremental ground level concentration across all receptors, as a proportion of dust assessment criteria	9-36
Table 9.17	O’Neil predicted maximum ground level concentration comparison with dust criteria (bold indicates criteria exceedance)	9-39
Table 9.18	O’Neil predicted maximum incremental ground level concentration across all receptors, as a proportion of dust assessment criteria	9-40
Table 9.19	Predicted dust deposition per scenario (g/m ² /month)	9-41
Table 9.20	Summary of fugitive PM10 and heavy metal emissions from Pinjarra Alumina Refinery	9-46
Table 9.21	Summary of fugitive volatile organic and metallic emissions from Pinjarra Alumina Refinery	9-46
Table 9.22	Summary of stack and process emissions from Pinjarra Alumina Refinery	9-47
Table 9.23	Summary of stack emissions from Alinta Cogeneration Plant	9-49

Table 9.24	Modelled Scenarios used for Ramboll (2024) HRA	9-50
Table 9.25	Refinery summary of predicted Acute Hazard Index	9-51
Table 9.26	Refinery summary of predicted chronic hazard index	9-54
Table 9.27	Refinery summary of predicted incremental carcinogenic risk	9-54
Table 9.28	Avoidance and minimisation of potential impacts to air quality	9-59
Table 9.29	Residual impacts to air quality	9-63
Table 9.30	Proposed environmental outcomes – air quality	9-65
10	Greenhouse gas emissions	
Table 10.1	Huntly Mine Scope 1 mitigation options assessed	10-5
Table 10.2	Pinjarra Refinery Scope 1 mitigation options assessed	10-6
Table 10.3	Scope 2 emissions mitigation options assessed for Pinjarra Refinery	10-9
Table 10.4	Scope 3 emissions for Huntly Mine and Pinjarra Refinery	10-12
11	Social Surroundings (Heritage)	
Table 11.1	Social Surroundings (Heritage) baseline studies	11-3
Table 11.2	DPLH recorded Aboriginal archaeological heritage sites within 5 km of the Myara North DE	11-5
Table 11.3	Alcoa recorded Aboriginal archaeological heritage sites within 5 km of the Myara North DE (internal protection)	11-6
Table 11.4	DPLH recorded archaeological heritage sites within 5 km of the Holyoake DE	11-10
Table 11.5	Alcoa recorded Aboriginal archaeological heritage sites within 5 km of the Holyoake DE (internal protection)	11-12
Table 11.6	DPLH recorded archaeological heritage sites within 5 km of the O'Neil D	11-15
Table 11.7	Alcoa recorded Aboriginal archaeological heritage sites within 5 km of the O'Neil DE (internal protection)	11-17
Table 11.8	DPLH recorded ethnographic heritage sites within 5 km of the Myara North, Holyoake and O'Neil DEs	11-26
Table 11.9	Local Heritage Survey (DPLH-008) identified heritage listings within 5 km of the Mine DE	11-30
Table 11.10	Identified sites within 5 km of the Myara North, Holyoake and O'Neil mine regions	11-32
Table 11.11	Impacts to European Heritage Sites in and within 5km of the Mine DE	11-39
Table 11.12	Avoidance and minimisation of potential impacts to social surroundings (heritage)	11-41
Table 11.13	Proposed environmental outcomes – social surroundings (heritage)	11-44
12	Social Surroundings (Amenity)	
Table 12.1	Social Surroundings (Amenity) baseline studies	12-1
Table 12.2	Trail classification under WA Strategic Trails Blueprint	12-5
Table 12.3	Recreational and scientific assets identified within 10 km of the Mine Development Envelope	12-7
Table 12.4	Bibbulmun Track and Munda Bididi visitation records (2016-2019)	12-18
Table 12.5	Sensitive visual receptors and level of significance – Mine DE	12-26
Table 12.6	Noise sensitivity zone definitions	12-29
Table 12.7	Summary of logged noise data for Myara North, Holyoake and O'Neil loggers	12-33
Table 12.8	Assigned Levels at Pinjarra Alumina Refinery noise receivers	12-36
Table 12.9	Updated not to exceed levels at monitoring locations	12-36
Table 12.10	Modelled baseline noise at Pinjarra Alumina Refinery receiver locations at 4.75 Mtpa with mitigation measures applied.	12-37
Table 12.11	Potential impacts to amenity receptors	12-40
Table 12.12	Assigned Levels at selected NSRs	12-46
Table 12.13	Potential day time noise impacts to Bibbulmun Track	12-48
Table 12.14	Summary of noise impacts during mine operation	12-50
Table 12.15	Summary of impacts to landscape character	12-63

Table 12.16	Summary of visual impacts – Myara North and Holyoake Des components of Proposal	12-64
Table 12.17	Summary of visibility pathways for landscape impacts – Huntly Mine components of Proposal	12-65
Table 12.18	Recreational and scientific facilities identified within the Mine Development Envelope	12-77
Table 12.19	Avoidance and minimisation of potential impacts to social surroundings (amenity)	12-83
Table 12.20	Residual impacts to social surroundings (amenity)	12-89
Table 12.21	Proposed environmental outcomes – social surroundings (amenity)	12-93
13	<i>Other Factors</i>	
Table 13.1	Potential hyporheic habitat within the Mine DE	13-3
14	<i>Offsets</i>	
Table 14.1	Residual Significant Impacts of the Proposal	14-4
Table 14.2	Residual Impact Significance Model	14-5
Table 14.3	Proposed offset extent (Commonwealth OAG)	14-14
Table 14.4	Proposed Offset Tranches	14-16
Table 14.5	Application of the principles in the WA Environmental Offset Policy	14-21
Table 14.6	Application of the principles in the WA Environmental Offset Guidelines	14-24
Table 14.7	Consistency with Commonwealth Environmental Offset Policy	14-27
Table 14.8	Consideration of the guiding principles in the EPA’s Public Advice on Regional Scale Environmental Offsets	14-30
15	<i>Matters of National Environmental Significance</i>	
Table 15.1	MNES that may be subject to significant impacts from the Proposal (EPBC 2022/09204)	15-2
Table 15.2	Likelihood assessment of occurrence of EPBC Act listed threatened flora	15-5
Table 15.3	Likelihood assessment of occurrence of EPBC Act listed threatened fauna	15-10
Table 15.4	Likelihood assessment of occurrence of EPBA Act listed migratory species	15-11
Table 15.5	Summary of EPBC listed threatened flora species potential occurrence and habitat within the assessment area	15-13
Table 15.6	Summary of EPBC Act listed threatened fauna species occurrence and habitat within the assessment area – Black Cockatoos	15-14
Table 15.7	Summary of EPBC Act listed threatened fauna species occurrence and habitat within the assessment area – mammals	15-15
Table 15.8	Summary of EPBC listed threatened fauna species potential occurrence and habitat within the assessment area – aquatic species	15-17
Table 15.9	Summary of Myara North and Holyoake DEs within catchments of the Peel-Yalgorup System	15-18
Table 15.10	Significance assessment for <i>Morelotia australiensis</i> (Southern Tetraria) – Myara North DE	15-23
Table 15.11	Significance assessment for Black Cockatoos including assessment against referral guidance – assessment area	15-25
Table 15.12	Significance assessment for listed Critically Endangered and Endangered mammal species – Myara North and Holyoake DEs	15-28
Table 15.13	Significance assessment for listed Vulnerable mammal species – Myara North and Holyoake DEs	15-32
Table 15.14	Significance assessment for <i>Westralunio carteri</i> (Carter’s Freshwater Mussel) – Myara North and Holyoake Des	15-36
Table 15.15	Significance assessment for Peel Yalgorup System Ramsar wetlands	15-37
Table 15.16	Avoidance and minimisation of potential impacts to MNES	15-41
Table 15.17	Calculated Significant Residual Impact to MNES in Myara North and Holyoake	15-47
16	<i>Holistic impact assessment</i>	

Table 16.1	Holistic impact assessment of combination of environmental effects from environmental factors or values that may potentially cause a significant impact	16-4
17 Cumulative environmental impact assessment		
Table 17.1	Cumulative impacts of past, present and reasonably foreseeable future activities within the NJF IBRA subregion	17-7
Table 17.2	Cumulative impacts related to the Pinjarra Refinery	17-18

Charts

1. Proposal

Chart 1-1	Huntly Mine transition indicative development schedule	1-46
-----------	--	------

2. Legislative context

Chart 2-1	Target stocking rate for overstorey (stems/ha) in rehabilitation	2-37
Chart 2-2	Alcoa's rehabilitation performance against completion criteria for the Huntly Mine – establishment of eucalypts	2-37
Chart 2-3	Alcoa's rehabilitation performance against completion criteria for the Huntly Mine – establishment of Marri	2-38
Chart 2-4	Alcoa's rehabilitation performance against completion criteria –establishment of understorey	2-39
Chart 2-5	Alcoa's rehabilitation performance against completion criteria –establishment of recalcitrant specie	2-42
Chart 2-6	Recovery of rehabilitation following a wildfire even	2-45

5. Flora and Vegetation

Chart 5-1	Projected change in seasonal rainfall 2020-2099 for RCP2.6 (green), RCP4.5 (blue) and RCP8.5 (purple) climate scenarios, and natural variability (grey)	5-64
Chart 5-2	Projections of extreme drought duration for climate scenarios, and natural variability (grey) (Hope et al 2015)	5-66
Chart 5-3	Projections of extreme drought frequency for climate scenarios, and natural variability (grey) (Hope et al. 2015)	5-66
Chart 5-4	Projected change in maximum surface air temperature for 2020-2099 for RCP2.6 (green), RCP4.5 (blue) and RCP8.5 (purple) climate scenarios, and natural variability (grey)	5-67
Chart 5-5	Fire history – DBCA managed land in NJF	5-69
Chart 5-6	Proportion of days between rainfall events exceeding 5 mm, Mount Solus BOM station	5-127
Chart 5-7	Predicted depth to groundwater for potential GDEs (VTs A, C and D) with uncertainty bands – Myara North DE	5-134
Chart 5-8	Predicted depth to groundwater for potential GDEs (VTs AC, C and D) with uncertainty bands – Holyoake DE	5-135
Chart 5-9	Annual area of mine rehabilitation burnt by fire – prescribed and wildfire combined – since 1984	5-152
Chart 5-10	Annual area of mine rehabilitation burnt by fire – prescribed and wildfire combined – as a proportion of mine rehabilitation established in that year	5-153
Chart 5-11	Summary of predicted vegetation extent and forest age within the Northern Jarrah Forest	5-165

6. Terrestrial Fauna

Chart 6-1	Black Cockatoo potential nesting tree frequency distribution	6-65
Chart 6-2	Black Cockatoo known and suitable nesting tree frequency distribution	6-65
Chart 6-3	Summary of SRE fauna recorded in the Huntly Mine rehabilitation compared to Mine DE	6-182

7. Terrestrial Environmental Quality

Chart 7-1	Slope categories – Huntly Mine	7-12
Chart 7-2	Overburden and caprock thickness – Myara North D	7-14
Chart 7-3	Overburden and caprock thickness – Holyoake DE	7-15

Chart 7-4	Overburden and caprock thickness – O’Neil DE	7-15
8. Inland Waters		
Chart 8-1	Inflows into Serpentine Dam as presented in Serpentine River allocation statement (DWER 2017a)	8-10
Chart 8-2	Flow seasonality – Serpentine River at River Road (station 614035)	8-10
Chart 8-3	Annual flow on upper Wungong Brook	8-11
Chart 8-4	Flow seasonality – Wungong Brook at Vardi Road (station 616041)Holyoake	8-12
Chart 8-5	Annual flow on South Dandalup River gauging stations	8-13
Chart 8-6	Flow seasonality – South Dandalup River at Gordon (no. 614060)	8-14
Chart 8-7	Flow seasonality – South Dandalup River tributary at Skeleton Road (no. 614958)	8-14
Chart 8-8	Flow seasonality – Davis Brook at Murray Valley Plantation (station 614047)	8-16
Chart 8-9	Flow seasonality – Murray River at Baden Powell (station 614006)	8-16
Chart 8-10	Example of relationship between streamflow rate and salinity	8-26
Chart 8-11	Water balance (2000-2020) for Serpentine Dam (top), South Dandalup Dam (middle) and Serpentine Pipehead Dam (bottom)	8-29
Chart 8-12	Simulated and measured Serpentine Dam water levels (top), simulated isotherms at dam (upper middle), river (middle) and brook (lower middle), and simulated withdrawal temperatures (bottom).	8-31
Chart 8-13	Simulated and measured Serpentine Pipehead Dam water levels (top), simulated isotherms at dam (upper middle), river (middle) and brook (lower middle), and simulated withdrawal temperatures (bottom)	8-32
Chart 8-14	Simulated and measured South Dandalup Dam water levels (top), simulated isotherms at dam (upper middle), river (middle) and brook (lower middle), and simulated withdrawal temperatures (bottom).	8-33
Chart 8-15	Serpentine Dam – inflows, storage and offtake turbidity	8-35
Chart 8-16	Serpentine Pipehead Dam – inflows, storage and offtake turbidity	8-36
Chart 8-17	South Dandalup Dam – inflows, storage and offtake turbidity	8-37
Chart 8-18	Serpentine Dam – inflows, storage and offtake colour	8-38
Chart 8-19	Serpentine Pipehead Dam – inflows, storage and offtake colour	8-39
Chart 8-20	South Dandalup Dam – inflows, storage and offtake colour	8-40
Chart 8-21	Catchment inflows to IWSS dams	8-41
Chart 8-22	Modelled effect of mining on streamflow yield into Serpentine Dam over average climate scenario (GHD 2021b)	8-81
Chart 8-23	Modelled effect of mining on streamflow yield into South Dandalup Dam over average climate scenario (GHD 2021b)	8-82
Chart 8-24	Modelled change to salinity inflow – Serpentine Dam	8-88
Chart 8-25	Modelled change to salinity inflow – South Dandalup Dam	8-89
Chart 8-26	Monitored salinity in Serpentine Dam versus trends in reservoir storage, inflows, and mining over 2000-2020	8-90
Chart 8-27	Monitored salinity in South Dandalup Dam versus trends in reservoir storage, inflows, and mining over 2000-2020	8-91
Chart 8-28	Proportion of slope class within Huntly Mine disturbance areas	8-94
Chart 8-29	Simulated reservoir offtake suspended solids of winter and summer 1 per cent and 10 per cent AEP inflow event scenarios with moderate failure in mine sediment controls – Serpentine Dam	8-129
Chart 8-30	Simulated reservoir offtake suspended solids of winter and summer 1 per cent and 10 per cent AEP inflow event scenarios with high failure in mine sediment controls – Serpentine Dam	8-130
Chart 8-31	Simulated reservoir offtake suspended solids of winter and summer 1 per cent and 10 per cent AEP inflow event scenarios with moderate failure in mine sediment controls – South Dandalup Dam	8-131
Chart 8-32	Simulated reservoir offtake suspended solids of winter and summer 1 per cent and 10 per cent AEP inflow event scenarios with high failure in mine sediment controls – South Dandalup Dam	8-132

Chart 8-33	Simulated reservoir offtake suspended solids of winter and summer 1 per cent and 10 per cent AEP inflow event scenarios with moderate failure in mine sediment controls – Serpentine Pipehead Dam	8-133
Chart 8-34	Simulated reservoir offtake suspended solids of winter and summer 1 per cent and 10 per cent AEP inflow event scenarios with high failure in mine sediment controls – Serpentine Pipehead Dam	8-134
9. Air Quality		
Chart 9-1	Monthly average temperature (°C) measured at Huntly meteorological station (Sep 2008 Aug 2023)	9-4
Chart 9-2	Monthly average temperature (°C) measured at Dwellingup station, 1957 – present (BoM2023)	9-4
Chart 9-3	Mean monthly rainfall measured at Huntly meteorological station (Sep 2008 – Aug 2023)	9-5
Chart 9-4	Mean monthly rainfall measured at Dwellingup meteorological station (1957 – present) (BoM 2023)	9-5
Chart 9-5	Yamba Drive monitoring station time series PM10 data, highest concentrations removed	9-8
Chart 9-6	Yamba Drive monitoring station time series PM2.5 data, highest concentrations removed	9-9
Chart 9-7	Oakley South meteorological station observational wind data (March 2018 – February 2019)	9-20
Chart 9-8	Stability class distribution predicted by CALMET for Oakley South	9-21

Plates

1 Proposal

Plate 1-1	Myara mine region haul road	1-48
Plate 1-2	Aerial photograph of existing Myara region mine facility (looking north)	1-52
Plate 1-3	Aerial photograph of existing Myara region mine facility (looking south west)	1-52
Plate 1-4	Sediment sumps at haul road crossing of Big Brook (looking east)	1-53
Plate 1-5	Example of FPC's salvage operations in the Huntly Mine (left: Nearmap (2022), right: Nearmap (2023))	1-54
Plate 1-6	Mine pits and haul roads	1-58
Plate 1-7	Drainage protection shots within mine pits during mine development	1-58
Plate 1-8	Mine pit excavator and haul truck	1-59
Plate 1-9	Conveyor corridor	1-59

6 Terrestrial Fauna

Plate 6-1	Seasonal river pool at Jack Rocks on 39 Mile Brook	6-123
Plate 6-2	Seasonal river pool downstream of Jack Rocks on 39 Mile Brook	6-123

8 Inland Waters

Plate 8-1	Existing Big Brook crossing, Myara mine region of Huntly Mine	8-102
-----------	---	-------

12 Social Surroundings (Amenity)

Plate 12-1	Existing view west from Mount Vincent toward the Myara North region	12-69
Plate 12-2	Potential view west from Mount Vincent toward the Myara North region at peak impact during mining and prior to establishment of rehabilitation	12-69
Plate 12-3	Aerial photograph of mine rehabilitation at five years from completion	12-70
Plate 12-4	Aerial photograph of mine rehabilitation at ten years from completion	12-70

Figures

1 Proposal

Figure 1-1	Mineral Lease and Locality Plan	1-20
Figure 1-2	Pinjarra Alumina Refinery Development Envelope	1-28
Figure 1-3	Huntly Mine EP Act Approval Areas	1-29
Figure 1-4.1	Myara North Development Envelope and Indicative Layout	1-30
Figure 1-4.2	Myara North Development Envelope – Proposed Disturbance under EPA Assessments 2384 and 2385	1-31
Figure 1-5	Holyoake Development Envelope and Indicative Layout	1-32
Figure 1-6.1	O’Neil Development Envelope and Indicative Layout	1-33
Figure 1-6.2	O’Neil Development Envelope – Proposed Disturbance under EPA Assessments 2384 and 2385	1-34
Figure 1-7	Regional Context	1-70
Figure 1-8	Pinjarra Alumina Refinery Local Context	1-71
Figure 1-9	Huntly Mine Local Context	1-72

2 Legislative context

Figure 2-1	Regional and Local Planning -Myara North DE	2-10
Figure 2-2	Regional and Local Planning -Holyoake DE	2-11
Figure 2-3	Regional and Local Planning – O’Neil DE	2-12
Figure 2-4	Regional and Local Planning – Pinjarra Alumina Refinery	2-13
Figure 2-5	Typical rehabilitation development at (a) approximately 7 years of age and (b) approximately 15 years of age	2-43

4 Object and Principles of the EP Act

Figure 4	Impact avoidance framework	4-11
Figure 4-1	Impact Avoidance Overview -Myara North	4-17
Figure 4-2	Impact Avoidance Overview -for Holyoake	4-18
Figure 4-3	Impact Avoidance Overview -O’Neil	4-19
Figure 4-4	BIs and example monitoring framework process	4-33

5 Flora and Vegetation

Figure 5-1	Summary of flora and vegetation surveys over Mine DE	5-5
Figure 5-2	Native Vegetation Extent - Northern Jarrah Forest	5-9
Figure 5-3	Pre-European Vegetation Associations – Northern Jarrah Forest	5-10
Figure 5-4	Vegetation Complexes - Huntly Mine	5-13
Figure 5-5.1	Vegetation Types - Myara North	5-24
Figure 5-5.2	Vegetation Types – Holyoake	5-25
Figure 5-5.3	Vegetation Types – O’Neil	5-26
Figure 5-6.1	Vegetation Condition – Myara North	5-29
Figure 5-6.2	Vegetation Condition – Holyoake	5-30
Figure 5-6.3	Vegetation Condition – O’Neil	5-31
Figure 5-7	Forest Age and Old Growth Forest – Northern Jarrah Forest	5-36
Figure 5-8.1	Forest Age and Old Growth Forest – Myara North	5-39
Figure 5-8.2	Forest Age and Old Growth Forest – Holyoake	5-40
Figure 5-8.3	Forest Age and Old Growth Forest – O’Neil	5-41
Figure 5-9.1	Significant vegetation - Myara North	5-49
Figure 5-9.2	Significant vegetation – Holyoake	5-50
Figure 5-9.3	Significant vegetation – O’Neil	5-51
Figure 5-10	Dieback Occurrence and Disease Risk Areas – Northern Jarrah Forest	5-54
Figure 5-11.1	Phytophthora dieback occurrence and vulnerability - Myara North	5-59
Figure 5-11.2	Phytophthora dieback occurrence and vulnerability – Holyoake	5-60

Figure 5-11.3	Phytophthora dieback occurrence and vulnerability – O’Neil	5-61
Figure 5-12	Contemporary and Historic Annual Rainfall – Northern Jarrah Forest	5-65
Figure 5-13	Average year between recorded fires within the Northern Jarrah Forest (1960-2022)	5-77
Figure 5-14.1	Average year between recorded fires (1960-2022) – Myara North	5-78
Figure 5-14.2	Average year between recorded fires (1960-2022) – Holyoake	5-79
Figure 5-14.3	Average year between recorded fires (1960-2022) – O’Neil	5-80
Figure 5-15	Last recorded fire year – Northern Jarrah Forest	5-81
Figure 5-16.1	Conservation significant flora records - Myara North	5-85
Figure 5-16.2	Conservation significant flora records – Holyoake	5-86
Figure 5-16.3	Conservation significant flora records – O’Neil	5-87
Figure 5-17	Potential suitable habitat for <i>Morelotia australiensis</i> – Myara North	5-96
Figure 5-18.1	Potential suitable habitat and records for <i>Andersonia sp. Saxatilis</i> – Myara North	5-97
Figure 5-18.2	Potential suitable habitat for <i>Andersonia sp. Saxatilis</i> – O’Neil	5-98
Figure 5-19.1	Populations of <i>Hibbertia hortiorum</i> around the Mine DE	5-115
Figure 5-19.2	Populations of <i>Hibbertia ambitia</i> around the Mine DE	5-116
Figure 5-19.3	Populations of <i>Grevillea dissectifolia</i> around the Mine DE	5-117
Figure 5-19.4	Populations of <i>Senecio leucoglossus</i> around the Mine DE	5-118
Figure 5-20.1	Annual Average Dust Deposition – Myara North	5-129
Figure 5-20.2	Annual Average Dust Deposition – Holyoake	5-130
Figure 5-20.3	Annual Average Dust Deposition – O’Neil	5-131
Figure 5-21	Cumulative Impact Overview – Northern Jarrah Forest	5-140
Figure 5-22.1	Recreational Trails and Dieback – Myara North	5-159
Figure 5-22.2	Recreational Trails and Dieback – Holyoake	5-160
Figure 5-22.3	Recreational Trails and Dieback – O’Neil	5-161
Figure 5-23	Integrated impact avoidance framework for mine transition component of the Proposal	5-166
Figure 5-24.1	Impact Avoidance – Myara North	5-170
Figure 5-24.2	Impact Avoidance – Holyoake	5-171
Figure 5-24.3	Impact Avoidance – O’Neil	5-172

6 Terrestrial Fauna

Figure 6-1.1	Baseline fauna survey locations – terrestrial vertebrate fauna	6-16
Figure 6-1.2	Fauna survey locations – SRE baseline survey and aquatic fauna monitoring	6-17
Figure 6-1.3	Fauna survey locations – historic and long term terrestrial vertebrate monitoring	6-18
Figure 6-2.1	Terrestrial fauna habitats – Myara North	6-22
Figure 6-2.2	Terrestrial fauna habitats – Holyoake	6-23
Figure 6-2.3	Terrestrial Fauna Habitats – O’Neil	6-24
Figure 6-3	Black Cockatoo Records – Huntly Mine	6-41
Figure 6-4	Other Threatened Fauna Records – Huntly Mine	6-42
Figure 6-5	Other Conservation Significant Fauna Records - Huntly Mine	6-43
Figure 6-6.1	FRTBC Habitat – Myara North	6-49
Figure 6-6.2	FRTBC Habitat – Holyoake	6-50
Figure 6-6.3	FRTBC Habitat – O’Neil	6-51
Figure 6-7.1	Carnaby’s Habitat – Myara North	6-52
Figure 6-7.2	Carnaby’s Habitat – Holyoake	6-53
Figure 6-7.3	Carnaby’s Habitat – O’Neil	6-54
Figure 6-8.1	Baudin’s Habitat – Myara North	6-55
Figure 6-8.2	Baudin’s Habitat – Holyoake	6-56
Figure 6-8.3	Baudin’s Habitat – O’Neil	6-57
Figure 6-9	Black Cockatoo Indicative Regional Foraging Habitat	6-58

Figure 6-9.1	Black Cockatoo Breeding Habitat – Myara North	6-62
Figure 6-9.2	Black Cockatoo Breeding Habitat – Holyoake	6-63
Figure 6-9.3	Black Cockatoo Breeding Habitat – O’Neil	6-64
Figure 6-10.1	FRTBC Habitat Quality – Myara North	6-72
Figure 6-10.2	FRTBC Habitat Quality – Holyoake	6-73
Figure 6-10.3	FRTBC Habitat Quality – O’Neil	6-74
Figure 6-11.1	Carnaby’s Cockatoo Habitat Quality – Myara North	6-75
Figure 6-11.2	Carnaby’s Cockatoo Habitat Quality – Holyoake	6-76
Figure 6-11.3	Carnaby’s Cockatoo Habitat Quality – O’Neil	6-77
Figure 6-12.1	Baudin’s Cockatoo Habitat Quality – Myara North	6-78
Figure 6-12.2	Baudin’s Cockatoo Habitat Quality – Holyoake	6-79
Figure 6-12.3	Baudin’s Cockatoo Habitat Quality – O’Neil	6-80
Figure 6-13.1	Woylie Habitat – Myara North	6-84
Figure 6-13.2	Woylie Habitat – Holyoake	6-85
Figure 6-13.3	Woylie Habitat – O’Neil	6-86
Figure 6-14.1	Woylie Habitat Quality – Myara North	6-87
Figure 6-14.2	Woylie Habitat Quality – Holyoake	6-88
Figure 6-14.3	Woylie Habitat Quality – O’Neil	6-89
Figure 6-15.1	Chuditch Habitat – Myara North	6-93
Figure 6-15.2	Chuditch Habitat – Holyoake	6-94
Figure 6-15.3	Chuditch Habitat – O’Neil	6-95
Figure 6-16.1	Chuditch Habitat Quality – Myara North	6-96
Figure 6-16.2	Chuditch Habitat Quality – Holyoake	6-97
Figure 6-16.3	Chuditch Habitat Quality – O’Neil	6-98
Figure 6-17.1	Quokka Habitat – Myara North	6-102
Figure 6-17.2	Quokka Habitat – Holyoake	6-103
Figure 6-17.3	Quokka Habitat – O’Neil	6-104
Figure 6-18.1	Quokka Habitat Quality – Myara North	6-105
Figure 6-18.2	Quokka Habitat Quality – Holyoake	6-106
Figure 6-18.3	Quokka Habitat Quality – O’Neil	6-107
Figure 6-19.1	Numbat Habitat – Myara North	6-110
Figure 6-19.2	Numbat Habitat – Holyoake	6-111
Figure 6-19.3	Numbat Habitat - O’Neil	6-112
Figure 6-20.1	WRP Potential Habitat - Myara North	6-115
Figure 6-20.2	WRP Potential Habitat – Holyoake	6-116
Figure 6-20.3	WRP Potential Habitat – O’Neil	6-117
Figure 6-21.1	Carter’s Freshwater Mussel Habitat – Myara North	6-129
Figure 6-21.2	Carter’s Freshwater Mussel Habitat – Holyoake	6-130
Figure 6-21.3	Carter’s Freshwater Mussel Habitat – O’Neil	6-131
Figure 6-22.1	Short Range Endemic Fauna Habitats and Records – Myara North	6-136
Figure 6-22.2	Short Range Endemic Fauna Habitats and Records – Holyoake	6-137
Figure 6-22.3	Short Range Endemic Fauna Habitats and Records – O’Neil	6-138
Figure 6-23	Integrated impact avoidance framework for Mine component of the Proposal	6-189
Figure 6-24.1	Terrestrial Fauna Impact Avoidance – Myara North	6-194
Figure 6-24.2	Terrestrial Fauna Impact Avoidance – Holyoake	6-195
Figure 6-24.3	Terrestrial Fauna Impact Avoidance – O’Neil	6-196
Figure 6-25.1	Ecological linkages – Myara North	6-200
Figure 6-25.2	Ecological linkages – Holyoake	6-201

Figure 6-25.3	Ecological linkages – O’Neil	6-202
7	Terrestrial Environmental Quality	
Figure 7-1	Terrestrial Environmental Quality	7-5
Figure 7-2	Soil Landscape Systems –Mine DE	7-7
Figure 7-3	Soil Landscape Best Available/Subsystems - Mine DE	7-11
Figure 7-4.1	Overburden thickness - Myara North Mine DE	7-17
Figure 7-4.2	Caprock thickness - Myara North Mine DE	7-18
Figure 7-5.1	Overburden Thickness - Holyoake Mine DE	7-19
Figure 7-5.2	Caprock Thickness - Holyoake Mine DE	7-20
Figure 7-6.1	Overburden Thickness – O’Neil Mine DE	7-21
Figure 7-6.2	Caprock Thickness – O’Neil Mine DE	7-22
8	Inland Waters	
Figure 8-1	Inland Waters - Regional Context	8-6
Figure 8-2	Surface waters – Myara North and O’Neil context	8-7
Figure 8-3	Surface waters – Holyoake and Pinjarra Refinery Context	8-8
Figure 8-4.1	Topographic Elevation - Myara North	8-18
Figure 8-4.2	Topographic Elevation – Holyoake	8-19
Figure 8-4.3	Topographic Elevation – O’Neil	8-20
Figure 8-5.1	Topographic Slope – Myara North	8-21
Figure 8-5.2	Topographic Slope – Holyoake	8-22
Figure 8-5.3	Topographic Slope – O’Neil	8-23
Figure 8-6	Measured depth to groundwater	8-51
Figure 8-7	Modelled groundwater table levels for 2010-2021 (typical climatic periods) – Myara North mine region (region boundary is representative of the region boundary at the time of commissioning the study)	8-52
Figure 8-8	Modelled groundwater table depth for 2010-2021 (typical climatic periods) – Myara North mine region (region boundary is representative of the region boundary at the time of commissioning the study)	8-53
Figure 8-9	Modelled groundwater table depth for 2010-2021 (wet climatic periods) – Myara North region (region boundary is representative of the region boundary at the time of commissioning the study)	8-54
Figure 8-10	Modelled groundwater table depth for 2010-2021 (dry climatic periods) – Myara North region (region boundary is representative of the region boundary at the time of commissioning the study)	8-55
Figure 8-11	Modelled groundwater table levels for 2010-2021 (typical climatic periods) – Holyoake region (region boundary is representative of the region boundary at the time of commissioning the study)	8-57
Figure 8-12	Modelled groundwater table depth for 2010-2021 (typical climatic periods) – Holyoake region (region boundary is representative of the region boundary at the time of commissioning the study)	8-58
Figure 8-13	Modelled groundwater table depth for 2010-2021 (wet climatic periods) – Holyoake region (region boundary is representative of the region boundary at the time of commissioning the study)	8-59
Figure 8-14	Modelled groundwater table depth for 2010-2021 (dry climatic periods) – Holyoake region (region boundary is representative of the region boundary at the time of commissioning the study)	8-60
Figure 8-15	Streamflow generation processes in the Northern Jarrah Forest for a stream connected to groundwater	8-63
Figure 8-16	Streamflow generation processes in the Northern Jarrah Forest for a stream disconnected from groundwater	8-64
Figure 8-17	Measured groundwater salinity	8-69
Figure 8-18	Inland Waters receptors – Myara North	8-71
Figure 8-19	Inland Waters receptors – Holyoake	8-72

Figure 8-20	Inland Waters receptors – O’Neil	8-73
Figure 8-21	Preventative barriers to pathogen discharge and transport – workforce in the field - conceptual model	8-110
Figure 8-22	Preventative barriers to pathogen discharge and transport – workforce at mine facilities – conceptual model	8-111
Figure 8-23	Preventative barriers to sediment discharge and transport – conceptual model	8-112
Figure 8-24	Preventative barriers to hydrocarbon discharge and transport – conceptual model	8-113
Figure 8-25	Mine area open at end of 2023 as a proportion of subcatchment area – Serpentine Dam	8-123
Figure 8-26	Worst case mine area open at end of 2044 as a proportion of subcatchment area – Serpentine Dam	8-124
Figure 8-27	Worst case mine area open at end of 2034 as a proportion of subcatchment area – South Dandalup Dam	8-126
Figure 8-28	Overview of Alcoa WA mining operations within Public Drinking Water Source Areas	8-145
Figure 8-29	Peel-Yalgorup System catchment	8-157
Figure 8-30	Integrated impact avoidance framework for Mine component of the Proposal	8-159
Figure 8-31.1	Impact Avoidance – Myara North	8-173
Figure 8-31.2	Impact Avoidance – Holyoake	8-174
Figure 8-31.3	Impact Avoidance – O’Neil	8-175
9 Air Quality		
Figure 9-1	Sensitive Receptor Locations –Myara North DE	9-14
Figure 9-2	Sensitive Receptor Locations – Holyoake DE	9-15
Figure 9-3	Sensitive Receptor Locations – O’Neil DE	9-16
Figure 9-4	Sensitive Receptor Locations – Pinjarra Alumina Refinery	9-24
Figure 9-5	Myara North Predicted maximum 24 hour average PM10 concentration Scenario 3 (µg/m ³)	9-32
Figure 9-6	Myara North predicted maximum annual average PM10 concentration for worst case Scenario 3 (µg/m ³)	9-33
Figure 9-7	Myara North Predicted incremental annual average dust deposition during Scenario 3 (g/m ² /month)	9-34
Figure 9-8	Holyoake Predicted maximum 24 hour average PM10 concentration Scenario 1 (µg/m ³)	9-38
Figure 9-9	O’Neil Predicted maximum 24 hour average PM10 concentration Scenario 1 (µg/m ³)	9-43
Figure 9-10	Refinery maximum Acute Hazard Index contours	9-52
Figure 9-11	Refinery 9th highest Acute Hazard Index contours	9-53
Figure 9-12	Refinery chronic hazard index contours	9-55
Figure 9-13	Refinery incremental cancer risk contours	9-56
10 Greenhouse gas emissions		
Figure 10-1	Pinjarra Refinery NGER Scope 1 forecasted emissions and Safeguard Mechanism baseline at 5.25 Mtpa	10-4
Figure 10-2	Cogeneration process at Pinjarra Refinery	10-10
11 Social Surroundings (Heritage)		
Figure 11-1	Aboriginal Heritage – Myara North DE	11-22
Figure 11-2	Aboriginal Heritage – Holyoake DE	11-23
Figure 11-3	Aboriginal Heritage – O’Neil DE	11-24
Figure 11-4	European Heritage within the Myara North DE	11-33
Figure 11-5	European Heritage within the Holyoake DE	11-34
Figure 11-6	European Heritage within the O’Neil DE	11-35
12 Social Surroundings (Amenity)		
Figure 12-1	Social Surroundings (Amenity)	12-4
Figure 12-2.1	Recreational Trails and Facilities -Myara North	12-15

Figure 12-2.2	Recreational Trials and Facilities -Holyoake	12-16
Figure 12-2.3	Recreational Trials and Facilities -O'Neil	12-17
Figure 12-3.1	Bibbulmun Track and Munda Bididi visitation records (2016-2019)	12-22
Figure 12-3.2	Transport Routes – Holyoake	12-23
Figure 12-3.3	Transport Routes – O'Neil	12-24
Figure 12-4	Landscape Character Units -Huntly Mine	12-27
Figure 12-5.1	Noise Sensitive Receptors and minimum day time noise levels – Myara North	12-30
Figure 12-5.2	Noise Sensitive Receptors and maximum day time noise levels – Holyoake	12-31
Figure 12-5.3	Noise Sensitive Receptors and maximum day time noise levels – O'Neil	12-32
Figure 12-6	Noise Sensative Receptors – Pinjarra Alumina Refinery	12-38
Figure 12-7.1	Noise Sensitive Receptors and Blast Noise - Myara North	12-53
Figure 12-7.2	Noise Sensitive Receptors and Blast Noise – Holyoake	12-54
Figure 12-7.3	Noise Sensitive Receptors and Blast Noise – O'Neil	12-55
Figure 12-8	Existing Light Pollution - Huntly Mine and Pinjarra Alumina Refinery	12-58
Figure 12-9.1	Anticipated Workforce Routes -Myara North	12-61
Figure 12-9.2	Anticipated Workforce Routes - Holyoake and O'Neil	12-62
Figure 12-10	Visual Impact Assessment - Huntly Mine	12-67
Figure 12.11.1	Plate 12-4 Aerial photograph of mine rehabilitation at ten years from completion	12-74
Figure 12-11.2	Dust Deposition (g/m2/month) - Holyoake	12-75
Figure 12-11.3	Dust Deposition (g/m2/month) - O'Neil	12-76
13 Other Factors		
Figure 13-1	Stygofauna records and potential hyporheic habitat – Mine DE	13-7
14 Offsets		
Figure 14-1	Environmental Offset Document Framework	14-7
16 Holistic impact assessment		
Figure 16-1	Holistic impact assessment diagram – Huntly Mine components of Proposal	16-3
17 Cumulative environmental impact assessment		
Figure 17-1	Reasonably Foreseeable Future Activities – Northern Jarrah Forest	17-13
Figure 17-2	Cumulative Impacts to Terrestrial Ecology – Northern Jarrah Forest	17-14
Figure 17-3	Cumulative Impacts to Inland Waters – Northern Jarrah Forest	17-15
Figure 17-4	Cumulative Impacts to Social Surrounds – Northern Jarrah Forest	17-16

Appendices

Appendix A – Environmental Scoping Document

- A1 Pinjarra Alumina Refinery Revised Proposal - Environmental Scoping Document
- A2 Pinjarra Alumina Refinery Revised Proposal - Environmental Scoping Document (addendum)

Appendix B – Supporting Documents

- B1 Likelihood of occurrence assessment - EPBC Act listed threatened species
- B2-1 Detailed Flora and Vegetation Survey for Huntly Mine – Myara North
- B2-2 Detailed Flora and Vegetation Survey for Huntly Mine - Holyoake
- B2-3 Detailed Flora and Vegetation Survey for Huntly Mine - O'Neil
- B2-4 Summary of Historical Survey Efforts on Areas within Myara North, Holyoake and O'Neil
- B3 Phytophthora Dieback Occurrence Assessment
- B4-1 Myara North – Terrestrial Fauna
- B4-2 Holyoake – Terrestrial Fauna
- B4-3 Holyoake – Terrestrial Fauna - East Area Addendum
- B4-4 O'Neil - Terrestrial Fauna Assessment
- B5 Fauna Habitat Scoring Framework
- B6 Aquatic Fauna Desktop Assessment Myara North and Holyoake Regions
- B7-1 Short-range endemic invertebrate fauna survey for the Huntly Mine - Myara North and Holyoake
- B7-2 Short-range endemic invertebrate fauna survey for the Holyoake Development Envelope Extension
- B7-3 Short-range endemic invertebrate fauna survey for the O'Neil Mine Development
- B8 Hydrology and Water Quality Assessment – Huntly Mine Extension
- B8.1 Baseline Water Monitoring Report – Huntly Mine Extension
- B8.2 Baseline Water Monitoring Report – O'Neil
- B8.3 Hydrological setting and understanding – Myara North and Holyoake
- B8.4 Groundwater Modelling – Myara North
- B8.5 Groundwater Modelling - Holyoake
- B8.6 Drinking Water Risk Assessment – Serpentine, Serpentine Pipehead, South Dandalup, and Wungong Brook Catchments
- B9 Drinking Water Risk Assessment – Peer Review
- B10 Hydrology and Water Quality Assessment – Huntly Mine Extension – Peer Review
- B11-1 Air Quality Impact Assessment for Huntly Mine – Myara North
- B11-2 Air Quality Impact Assessment for Huntly Mine – Holyoake
- B11-3 O'Neil Region Air Quality Impact Assessment
- B12 Air Quality Modelling for 2021 Health Risk Assessment - Pinjarra Alumina Refinery Revised Proposal
- B13 Pinjarra Alumina Refinery Revised Proposal: Health Risk Screening Assessment
- B14 Expert Peer Review of Health Risk Screening Assessment
- B15 Addendum to the Expert Peer Review: Health Risk Screening Assessment
- B16 Aboriginal Archaeological Heritage Report
- B17 Historical Archaeological Assessment
- B17.1 Addendum To: Aboriginal Archaeological Heritage Report
- B18 Landscape and Visual Impact Assessment - Myara North and Holyoake
- B19 Landscape and Visual Impact Assessment - O'Neil East
- B20-1 Noise Assessment for Huntly Mine – Myara North and Holyoake

B20-2 O'Neil Mine Noise Impact Assessment

B21 Noise Assessment for Pinjarra Alumina Refinery

B22 Subterranean Fauna Desktop Report

B23 Alcoa Jarrah Forest Rehabilitation - Peer Review

B24 Biodiversity Indicator Rationale and Monitoring Framework

B25 Fauna Underpass Review

Appendix C – Management Plans

C1 Fauna Management Plan June 2024

C2 Flora and Vegetation Management Plan Dec 2024

C3 Water Resources Management Plan Feb 2025

C4 Rehabilitation Management Plan and Schedule June 2024

C5 Huntly Mine Noise Management Plan Oct 2024

C6 Recreational Trails and Facilities Management Plan

C7 Pinjarra Refinery Air Quality Management Plan 2018

C8 Pinjarra Refinery Dust Management Plan 2018

Appendix D – Closure Plans

D1 Huntly Mine Closure Plan

D2 Pinjarra Refinery Closure Plan

Appendix E – Offsets Strategy

E1 Environmental Offset strategy

E2 Environmental Offset Proposal - Huntly Mine transition

E2.1 Environmental Offset Project - Black Cockatoos

E2.2 Environmental Offset Project - Fox and Feral Cat Management

E2.3 Environmental Offset Project - Feral Pig Management

E2.4 Offset Area Management Plan (Jarrahdale)

E2.5 Offset Area Management Plan (Dwellingup)

E3 Offset Assessment Guide

Appendix F – Stakeholder Engagement

F1 Stakeholder Engagement Register